



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 1-AUG-2012  
Account: ROCKHA

**CERTIFICATE WH12159059**

Project: Klaza-74B

P.O. No.: Batch 8

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-AUG-2012  
Account: ROCKHA

Project: Klaza-74B

**CERTIFICATE OF ANALYSIS WH12159059**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895453		6.36	0.005	0.22	7.43	10.2	1000	1.57	1.21	1.47	0.04	50.7	8.3	17	8.53	3.0
M895454		7.59	<0.005	0.21	6.60	9.5	1270	1.59	0.76	2.26	0.16	42.8	7.0	19	11.05	3.1
M895455		6.49	<0.005	0.02	6.51	4.9	850	1.51	0.12	2.91	0.03	37.4	6.1	13	11.60	7.4
M895456		3.00	<0.005	0.03	6.69	3.9	890	1.59	0.15	2.78	0.04	40.3	6.7	17	11.85	2.3
M895457		5.23	<0.005	0.02	6.34	4.1	910	1.45	0.08	2.71	0.05	47.8	9.5	14	11.20	4.6
M895458		7.18	<0.005	0.01	6.65	6.0	840	1.41	0.09	3.16	0.04	44.3	8.4	14	9.66	4.9
M895459		4.53	0.006	0.24	7.08	12.4	980	1.54	0.74	2.64	0.05	39.0	11.7	12	11.00	5.1
M895460		7.59	<0.005	0.18	7.21	6.2	960	1.36	0.89	2.18	0.05	39.5	6.5	14	11.80	3.2
M895461		7.96	<0.005	0.21	7.43	9.9	920	1.33	1.72	1.76	0.03	46.2	7.9	15	11.00	2.6
M895462		4.64	<0.005	0.29	7.28	62.4	920	1.47	1.19	2.29	0.08	47.8	8.3	15	24.6	7.2
M895463		5.76	<0.005	0.26	7.20	40.3	1150	1.32	2.01	2.21	0.06	45.2	7.9	16	12.75	9.3
M895464		10.90	<0.005	0.25	7.28	27.9	940	1.30	1.58	2.10	0.07	44.4	9.3	13	10.65	11.4
M895465		0.22	2.39	24.3	6.25	3550	1860	1.20	18.65	2.24	75.4	43.1	9.9	20	14.55	439
M895466		5.02	0.048	0.60	7.89	46.9	1030	1.25	1.68	1.18	0.50	54.6	8.5	13	12.60	8.2
M895467		8.60	0.011	0.96	7.89	87.8	1130	1.35	2.18	1.33	0.40	47.2	11.5	14	14.90	7.3
M895468		5.13	0.006	0.85	7.75	54.2	1010	1.13	1.47	0.60	3.51	61.4	8.4	14	10.60	6.2
M895469		5.68	0.192	9.67	6.42	562	540	1.06	4.38	1.46	109.0	46.6	9.2	9	13.45	48.2
M895470		1.25	<0.005	0.02	0.07	<5	20	0.06	0.02	19.95	0.11	1.12	1.2	1	0.18	1.8
M895471		8.22	<0.005	0.17	7.46	15.0	1570	1.32	0.65	1.28	0.15	52.2	7.5	13	12.40	4.2
M895472		7.45	0.007	0.90	8.01	53.5	1840	1.31	2.05	0.99	1.24	54.8	11.1	13	12.80	8.7
M895473		4.92	0.011	0.86	8.65	114.5	3320	1.63	1.23	1.15	1.20	74.0	7.7	14	29.1	8.0
M895474		7.48	<0.005	0.14	7.44	24.9	1030	1.77	0.22	2.62	0.36	54.4	5.3	25	26.2	11.9
M895475		<0.02	<0.005	0.15	7.67	25.3	990	1.80	0.23	2.67	0.38	58.4	5.3	25	27.3	12.1
M895476		4.89	0.138	2.38	7.31	144.5	1260	1.34	3.48	0.49	1.77	53.3	11.4	12	18.60	13.4
M895477		7.94	0.020	0.95	7.52	54.8	2110	1.37	1.80	0.47	0.64	59.1	7.6	12	13.85	10.9
M895478		13.72	<0.005	0.14	7.02	27.2	1340	1.53	0.21	3.46	0.18	49.4	6.2	32	27.8	15.8
M895479		6.25	<0.005	0.09	6.94	23.7	1220	1.71	0.18	3.24	0.15	49.3	6.1	30	28.2	13.6
M895480		4.42	<0.005	0.66	6.98	33.6	1600	1.43	0.88	3.79	0.49	46.1	7.6	14	21.7	10.9
M895481		5.64	<0.005	0.23	7.51	14.3	2490	1.45	1.91	4.75	0.22	44.8	9.0	10	21.9	15.2
M895482		5.62	0.006	0.31	10.25	37.9	4410	1.53	6.91	6.23	0.34	46.1	8.7	9	34.5	3.6
M895483		8.01	<0.005	0.23	7.28	9.8	2300	1.34	1.51	3.95	0.12	43.0	8.8	15	16.60	11.6
M895484		0.31	0.777	9.26	6.65	1795	1510	1.34	6.27	1.85	40.0	45.5	15.4	19	16.50	99.3
M895485		7.63	<0.005	0.12	6.57	8.7	2980	1.18	0.20	3.63	0.09	38.2	7.9	12	14.15	7.0
M895486		12.61	<0.005	0.18	6.66	12.0	1640	1.28	0.11	3.13	0.40	40.7	7.8	16	14.45	5.3
M895487		7.26	<0.005	0.19	7.11	8.2	2290	1.37	0.15	3.51	0.83	44.4	8.0	11	24.0	4.3
M895488		1.54	<0.005	0.05	0.51	<5	160	0.14	0.10	18.50	0.12	4.03	2.0	2	2.09	10.8



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-AUG-2012  
Account: ROCKHA

Project: Klaza-74B

**CERTIFICATE OF ANALYSIS WH12159059**

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895453		3.13	17.20	0.11	1.3	0.074	2.64	24.9	21.2	0.66	1120	0.73	1.11	7.8	2.8	630
M895454		2.95	16.50	0.10	1.1	0.057	2.56	19.6	30.6	0.70	1100	0.87	0.88	7.7	2.9	590
M895455		3.25	15.50	0.13	1.2	0.035	2.34	16.7	23.3	0.61	943	3.92	1.32	7.2	6.0	600
M895456		3.16	16.20	0.11	1.1	0.039	2.41	17.1	22.4	0.62	927	0.75	1.29	7.2	2.8	610
M895457		3.19	15.75	0.10	1.1	0.032	2.32	23.5	17.4	0.73	832	1.53	1.55	7.3	2.7	580
M895458		3.43	16.35	0.12	1.1	0.037	2.17	21.7	19.6	0.73	896	0.53	1.70	6.8	2.8	590
M895459		4.26	15.75	0.11	1.2	0.078	2.68	17.3	31.8	0.75	1410	0.57	0.86	6.9	2.9	600
M895460		3.67	16.20	0.11	1.1	0.071	2.74	17.0	34.4	0.83	1240	1.53	0.70	7.3	2.5	620
M895461		3.04	16.25	0.09	1.3	0.055	2.72	22.9	20.4	0.60	944	0.67	1.10	7.5	2.6	600
M895462		3.00	16.80	0.13	1.2	0.047	3.01	24.8	31.8	0.81	1150	0.68	0.48	7.5	2.7	610
M895463		3.07	15.20	0.14	1.1	0.044	2.77	22.1	25.8	0.73	1140	0.99	0.74	8.2	3.0	640
M895464		3.38	14.90	0.16	1.1	0.050	2.95	22.6	31.8	0.79	1240	0.69	0.44	7.8	2.7	640
M895465		6.84	13.10	0.19	0.9	1.585	2.63	23.0	23.8	0.93	2020	13.15	0.04	6.5	13.8	480
M895466		5.28	16.10	0.19	1.1	0.143	3.43	29.2	34.3	0.88	2220	0.85	0.04	7.8	2.7	660
M895467		5.05	14.90	0.17	1.1	0.126	3.39	24.5	20.9	0.86	2690	1.14	0.04	7.9	3.0	660
M895468		5.29	15.70	0.19	1.1	0.153	3.52	33.7	14.5	0.73	4000	0.70	0.03	8.1	2.1	680
M895469		6.92	14.05	0.20	0.9	0.369	2.62	24.2	15.7	0.74	3610	5.73	0.03	6.5	2.7	560
M895470		0.49	0.30	0.08	<0.1	<0.005	0.03	0.5	0.9	12.55	233	0.10	0.01	0.3	2.1	160
M895471		3.85	16.40	0.15	1.2	0.093	3.07	28.1	57.6	0.90	1230	0.51	0.03	7.6	2.3	630
M895472		4.07	15.90	0.17	1.1	0.141	3.43	29.1	63.4	0.76	1810	0.66	0.05	7.8	2.5	700
M895473		3.73	17.95	0.16	2.1	0.103	2.77	38.6	79.3	0.70	1950	1.19	0.06	11.7	2.7	930
M895474		2.44	18.50	0.14	3.5	0.028	2.20	26.8	120.0	0.86	1100	1.15	0.07	11.1	13.8	770
M895475		2.51	18.75	0.16	3.7	0.028	2.29	29.3	122.0	0.90	1130	1.10	0.07	11.3	14.1	790
M895476		5.98	15.60	0.19	1.2	0.198	2.82	28.0	40.9	0.66	1700	0.70	0.03	7.9	3.6	660
M895477		5.28	16.50	0.17	1.2	0.214	3.34	31.8	29.5	0.68	2820	0.71	0.04	8.1	2.7	660
M895478		2.09	18.45	0.14	4.1	0.029	2.50	24.5	41.1	0.85	871	1.33	0.06	9.9	20.9	680
M895479		2.05	18.00	0.15	4.0	0.024	2.47	24.9	60.0	0.81	677	1.33	0.06	9.4	20.9	650
M895480		2.82	15.05	0.16	1.8	0.075	3.02	23.1	22.9	0.75	1880	0.92	0.04	8.2	6.6	670
M895481		3.47	17.30	0.16	1.3	0.067	3.20	21.3	27.1	0.90	1920	0.34	0.35	8.9	2.8	690
M895482		4.07	24.1	0.16	1.4	0.080	3.77	20.5	60.1	1.26	2680	0.17	0.62	10.5	2.7	790
M895483		3.00	15.70	0.15	1.3	0.040	2.74	20.9	25.6	0.89	1540	0.74	1.02	8.4	2.5	650
M895484		5.17	14.05	0.17	1.3	0.870	2.75	23.4	24.6	0.68	2040	12.30	0.25	7.9	14.0	520
M895485		2.88	14.05	0.14	1.1	0.035	2.56	19.1	30.7	0.85	1230	0.50	0.80	7.6	2.2	590
M895486		2.85	14.25	0.13	1.1	0.040	2.63	19.6	30.8	0.76	1620	0.81	0.89	8.2	2.5	620
M895487		3.04	15.25	0.14	1.3	0.039	2.83	21.0	55.7	0.89	1560	0.58	0.54	8.8	2.3	660
M895488		0.60	1.11	0.08	0.1	0.008	0.20	2.0	3.3	11.45	311	0.15	0.04	0.9	2.5	180



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-AUG-2012  
Account: ROCKHA

Project: Klaza-74B

**CERTIFICATE OF ANALYSIS WH12159059**

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M895453		9.2	129.0	<0.002	0.12	4.50	12.5	1	2.0	138.0	0.63	0.11	14.3	0.277	1.54	3.0
M895454		17.0	102.0	<0.002	0.12	4.09	11.3	<1	1.6	173.5	0.59	<0.05	12.1	0.275	1.47	2.6
M895455		11.6	89.1	<0.002	0.04	3.17	10.4	<1	1.4	202	0.62	<0.05	10.4	0.274	1.39	2.5
M895456		7.3	97.1	<0.002	0.04	3.20	10.7	1	1.5	192.0	0.56	<0.05	10.5	0.273	1.40	2.3
M895457		7.3	111.0	<0.002	0.06	3.36	10.6	1	1.6	213	0.60	<0.05	12.1	0.275	1.30	3.3
M895458		6.3	86.4	<0.002	0.05	3.11	10.3	1	1.4	209	0.56	<0.05	10.5	0.266	1.18	2.8
M895459		12.4	111.0	<0.002	0.38	9.92	11.0	1	1.9	169.5	0.57	<0.05	11.2	0.270	1.61	3.5
M895460		10.7	123.0	<0.002	0.15	5.83	11.4	1	1.5	157.0	0.62	<0.05	11.7	0.281	1.77	3.2
M895461		9.6	142.5	<0.002	0.26	5.51	11.6	<1	1.5	131.0	0.63	<0.05	12.8	0.271	1.76	2.5
M895462		8.2	144.0	<0.002	0.17	6.94	12.0	1	1.9	159.0	0.58	<0.05	12.8	0.275	2.07	2.7
M895463		11.2	123.0	<0.002	0.37	8.00	10.7	1	1.7	164.5	0.64	<0.05	12.0	0.269	1.85	2.9
M895464		11.8	142.5	<0.002	0.31	7.83	10.7	1	2.3	133.0	0.59	<0.05	11.8	0.265	1.94	3.4
M895465		2820	158.0	0.002	4.88	85.7	7.5	1	7.5	93.5	0.50	0.35	11.1	0.182	2.32	5.7
M895466		18.5	186.5	<0.002	0.84	16.10	11.3	1	2.4	84.3	0.58	<0.05	13.7	0.267	2.17	4.5
M895467		79.8	171.5	<0.002	1.01	20.1	10.7	1	2.1	82.2	0.64	<0.05	13.6	0.267	2.33	8.2
M895468		153.5	203	<0.002	0.56	8.68	11.7	1	2.5	55.4	0.66	<0.05	14.3	0.270	2.57	3.6
M895469		3430	150.5	<0.002	5.01	21.7	9.6	1	5.3	133.5	0.51	0.05	12.0	0.217	1.94	4.8
M895470		3.4	1.5	<0.002	0.01	0.05	0.3	1	<0.2	42.6	<0.05	<0.05	<0.2	<0.005	<0.02	0.6
M895471		9.6	174.5	<0.002	0.17	6.64	11.4	1	2.1	125.0	0.60	<0.05	13.8	0.263	1.87	2.4
M895472		77.7	187.5	<0.002	0.42	8.55	11.9	1	2.3	101.5	0.61	<0.05	14.2	0.275	2.32	2.6
M895473		65.6	143.0	<0.002	0.48	15.35	9.3	1	2.5	337	0.85	<0.05	14.4	0.299	2.27	5.1
M895474		20.1	72.7	<0.002	0.13	12.20	5.6	1	2.0	523	0.81	<0.05	10.2	0.265	1.45	4.9
M895475		20.7	79.1	<0.002	0.13	12.40	5.8	1	2.0	536	0.84	<0.05	11.0	0.275	1.47	5.1
M895476		134.5	163.5	<0.002	1.99	10.85	9.9	1	4.2	126.5	0.62	0.09	13.1	0.241	2.07	3.7
M895477		49.2	192.5	<0.002	0.89	7.57	11.2	1	3.9	79.9	0.66	0.07	14.1	0.257	2.34	2.8
M895478		22.5	75.1	<0.002	0.30	8.63	5.5	1	2.0	572	0.77	<0.05	10.0	0.257	1.48	4.2
M895479		21.2	83.1	<0.002	0.19	7.39	5.3	1	1.9	596	0.73	<0.05	10.2	0.247	1.47	4.1
M895480		34.9	139.0	<0.002	0.23	7.53	9.0	1	1.8	391	0.70	<0.05	12.5	0.250	1.88	3.5
M895481		20.1	123.5	<0.002	0.24	4.94	10.7	1	2.8	328	0.73	<0.05	11.9	0.286	2.10	3.8
M895482		36.5	97.4	<0.002	0.20	8.08	10.6	1	2.2	518	0.91	<0.05	11.2	0.327	2.45	5.4
M895483		19.2	112.5	<0.002	0.22	3.95	10.0	1	2.7	345	0.73	<0.05	11.8	0.262	1.47	4.1
M895484		1290	159.0	0.002	3.01	33.0	8.0	1	5.8	154.5	0.61	0.33	12.3	0.203	2.40	5.4
M895485		15.1	108.5	<0.002	0.18	3.27	9.2	1	1.9	294	0.61	<0.05	11.0	0.241	1.50	2.9
M895486		19.1	120.5	<0.002	0.12	3.92	9.9	1	1.8	243	0.67	<0.05	11.3	0.257	1.65	3.9
M895487		38.9	114.0	<0.002	0.09	5.28	10.1	1	1.6	321	0.72	<0.05	11.6	0.274	1.91	5.0
M895488		11.9	12.5	<0.002	0.03	0.35	0.9	1	0.8	54.2	0.05	<0.05	0.9	0.017	0.14	1.0



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2012  
 Account: ROCKHA

Project: Klaza-74B

**CERTIFICATE OF ANALYSIS WH12159059**

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.001
M895453		78	1.6	10.0	67	28.4	
M895454		74	1.9	8.9	58	25.4	
M895455		77	1.3	9.3	49	26.0	
M895456		77	1.2	8.9	47	24.8	
M895457		76	1.0	10.5	39	24.4	
M895458		76	1.2	9.3	44	23.4	
M895459		74	2.3	10.6	56	23.5	
M895460		77	2.5	11.2	55	23.3	
M895461		79	1.8	10.1	53	25.8	
M895462		78	2.0	11.1	52	27.1	
M895463		74	1.7	10.9	42	27.9	
M895464		76	2.0	11.8	53	28.1	
M895465		56	5.4	10.2	5460	25.4	
M895466		83	2.9	11.4	120	27.9	
M895467		75	3.8	14.5	100	27.9	
M895468		77	4.4	10.4	476	28.2	
M895469		64	5.7	10.3	>10000	23.4	1.240
M895470		2	0.1	0.8	22	<0.5	
M895471		83	5.6	11.0	85	30.4	
M895472		82	4.0	10.8	198	26.4	
M895473		67	3.8	12.8	194	67.3	
M895474		50	1.7	12.2	85	135.0	
M895475		52	1.8	12.7	88	138.0	
M895476		70	6.4	8.4	275	33.2	
M895477		74	7.2	9.4	149	30.2	
M895478		50	1.3	11.1	70	156.0	
M895479		48	1.0	10.9	59	150.5	
M895480		67	2.5	13.4	79	59.7	
M895481		86	2.3	13.7	108	33.0	
M895482		131	2.2	14.7	191	36.3	
M895483		75	1.4	12.3	130	32.2	
M895484		56	5.3	11.7	2940	38.7	
M895485		69	1.2	11.1	80	29.6	
M895486		72	1.5	11.6	101	28.7	
M895487		75	1.7	13.2	125	33.3	
M895488		5	0.2	1.8	20	2.8	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza-74B

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 1-AUG-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12159059**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.