



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7-AUG-2012
Account: ROCKHA

CERTIFICATE WH12163811

Project: Klaza - 80

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-AUG-2012
Account: ROCKHA

Project: Klaza - 80

CERTIFICATE OF ANALYSIS WH12163811

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M899823		6.17	0.007	0.15	6.85	31.1	2350	1.40	0.13	3.02	0.29	49.3	5.3	71	16.45	9.2
M899824		4.40	0.037	0.87	6.61	69.2	2610	1.41	1.65	2.51	0.74	59.3	13.2	99	20.1	61.7
M899825		6.63	0.020	0.40	7.22	153.0	4680	1.34	0.57	3.13	0.35	55.2	6.0	77	14.15	23.0
M899826		4.67	0.079	1.05	4.54	459	1040	1.03	1.91	9.22	1.96	34.7	6.0	51	11.15	32.3
M899827		6.70	0.030	0.88	7.26	67.5	1520	1.44	1.95	2.72	1.83	66.1	6.7	78	19.85	39.5
M899828		10.90	0.034	0.64	7.62	21.1	2290	1.38	1.34	2.00	1.63	49.4	7.9	113	20.1	22.3
M899829		<0.02	0.012	0.65	7.75	22.3	2270	1.40	1.34	2.01	1.66	51.0	7.7	112	19.95	23.6
M899830		6.45	0.047	0.43	7.22	271	2810	1.27	0.67	2.43	1.48	49.4	6.7	95	16.05	16.9
M899831		10.26	0.006	0.21	7.72	28.7	1320	1.31	0.52	2.35	0.68	47.1	5.4	96	15.75	7.8
M899832		0.21	3.66	>100	5.71	8530	1390	1.14	60.2	2.01	231	33.0	9.6	17	11.60	1290
M899833		8.86	0.034	0.82	7.07	48.7	1640	1.33	1.89	1.97	1.86	57.2	13.9	142	10.80	41.6
M899834		9.91	0.037	0.45	7.75	25.9	2040	1.37	1.71	1.84	1.13	44.7	7.3	133	10.05	12.3
M899835		9.71	0.048	0.84	6.88	47.6	1630	1.62	2.50	1.84	1.58	77.9	10.0	138	26.3	22.6
M899836		4.72	1.085	39.2	6.46	1965	500	1.39	102.5	1.50	13.55	47.5	7.2	127	16.75	1840
M899837		3.43	<0.005	0.06	0.20	<5	40	0.12	0.14	21.1	0.09	2.08	1.6	5	0.73	4.5
M899838		8.42	0.056	1.01	7.73	150.5	1270	1.70	2.49	2.19	1.63	54.0	10.6	118	15.25	38.0
M899839		8.39	0.128	1.58	6.88	691	680	1.45	3.16	1.70	12.60	55.9	13.9	119	14.65	41.7
M899840		10.03	0.005	0.21	7.71	16.3	2220	1.45	0.59	1.59	0.43	46.3	7.1	114	13.75	5.4
M899841		11.42	<0.005	0.09	7.93	13.3	2130	1.17	0.87	1.40	0.50	55.4	6.8	120	17.50	17.9
M899842		5.74	0.030	0.43	7.13	84.4	1630	1.46	1.12	1.52	1.70	63.3	7.8	116	18.25	9.6
M899843		5.22	0.177	1.91	6.36	419	740	1.26	4.20	1.51	4.54	51.9	6.5	138	13.45	32.6
M899844		10.01	<0.005	0.11	7.76	10.4	2200	1.21	1.14	1.86	0.41	52.7	6.4	135	19.10	16.1
M899845		0.21	2.22	24.3	5.86	3210	1480	1.24	18.25	2.18	75.7	43.2	10.8	16	14.50	421
M899846		9.95	0.008	0.20	7.71	27.8	2390	1.23	1.44	1.11	0.90	53.1	6.0	109	16.45	9.9
M899847		10.35	0.092	0.86	5.88	346	1920	1.36	1.88	4.22	9.66	50.5	7.1	151	20.8	37.5
M899848		6.33	0.019	0.45	7.30	41.9	1630	1.50	0.98	0.85	4.42	61.6	4.3	125	31.0	14.4
M899849		9.97	0.099	1.00	6.17	233	1050	1.21	2.13	2.18	4.63	51.6	4.9	163	23.6	21.0
M899850		7.84	0.277	3.50	6.22	686	540	1.23	5.61	2.17	3.17	53.1	5.4	138	35.4	134.0
M899851		5.79	0.031	0.62	7.28	56.3	1530	1.05	1.10	2.24	5.17	52.8	4.5	146	15.65	15.6
M899852		3.27	0.029	0.57	7.01	45.2	1630	1.03	0.94	2.10	5.43	48.4	5.5	104	15.35	49.9
M899853		5.16	0.100	2.12	7.18	81.4	1460	1.06	10.25	2.22	3.17	53.8	6.1	120	18.15	187.5
M899854		8.64	0.627	10.95	6.89	247	930	0.92	76.6	2.74	6.85	50.8	6.5	129	15.90	766
M899855		2.94	<0.005	0.04	0.12	<5	40	<0.05	0.19	19.90	0.07	1.44	1.0	3	0.32	3.7
M899856		12.89	0.176	0.99	7.29	42.4	1550	1.45	6.21	2.81	2.57	60.3	7.8	102	23.4	43.2
M899857		7.81	<0.005	0.16	7.44	7.8	1910	1.55	0.29	2.57	1.02	48.5	4.6	101	20.5	4.8
M899858		4.40	0.310	10.75	6.19	370	650	1.23	4.33	2.18	66.7	67.5	6.4	151	22.6	62.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-AUG-2012
Account: ROCKHA

Project: Klaza - 80

CERTIFICATE OF ANALYSIS WH12163811

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M899823		2.02	18.70	0.16	2.5	0.027	1.21	25.4	176.5	1.07	1010	3.88	0.31	9.8	11.9	700
M899824		2.33	16.25	0.17	2.1	0.219	1.44	36.4	89.5	0.99	1020	5.98	0.17	7.6	10.3	540
M899825		1.94	18.10	0.16	3.5	0.034	1.22	30.1	196.0	1.16	1070	3.68	0.37	9.6	17.3	580
M899826		3.71	10.80	0.14	1.1	0.125	1.52	19.4	30.0	3.84	4120	5.15	0.08	5.3	7.0	310
M899827		3.55	16.95	0.16	1.0	0.341	2.17	41.5	34.8	1.13	1250	2.06	0.10	8.0	3.7	570
M899828		3.45	17.80	0.17	1.1	0.305	3.15	25.8	25.6	0.56	795	0.88	0.35	9.1	3.5	630
M899829		3.47	17.85	0.17	1.1	0.303	3.15	26.7	25.4	0.58	803	0.93	0.35	8.8	4.2	630
M899830		2.79	16.15	0.18	1.0	0.169	2.76	27.0	32.5	0.76	926	0.93	0.17	8.4	3.4	570
M899831		3.10	17.90	0.19	1.2	0.119	2.46	24.4	81.9	0.72	975	1.00	0.12	9.8	3.7	690
M899832		8.00	13.80	0.21	1.0	4.53	2.25	17.0	32.1	0.63	3070	16.05	0.13	6.5	13.1	480
M899833		3.48	16.25	0.17	0.9	0.247	1.73	34.1	39.0	0.77	1180	4.96	0.08	7.5	4.2	550
M899834		3.06	17.80	0.15	1.1	0.276	1.61	23.2	45.6	0.69	1070	1.83	0.09	8.9	4.0	720
M899835		3.17	15.70	0.18	0.9	0.566	2.37	51.9	25.1	0.74	974	2.70	0.10	7.2	4.0	530
M899836		5.96	15.80	0.23	1.0	1.775	2.38	23.9	27.4	0.64	1420	23.9	0.06	7.3	5.4	510
M899837		0.51	0.66	0.10	<0.1	0.010	0.09	1.1	3.9	13.30	230	0.34	0.01	0.6	3.2	250
M899838		2.46	17.35	0.18	1.1	0.605	3.14	29.1	30.7	0.79	1100	15.50	0.08	8.0	4.3	590
M899839		5.69	16.80	0.19	1.0	0.657	2.69	32.5	19.7	0.88	2030	19.00	0.06	7.6	4.5	540
M899840		3.25	17.80	0.17	1.3	0.085	2.85	23.6	29.0	0.61	583	2.35	0.75	9.8	4.4	650
M899841		3.16	18.10	0.07	1.3	0.099	2.55	27.8	44.6	0.49	748	2.01	0.15	9.4	5.6	640
M899842		3.28	15.15	0.10	1.1	0.179	2.84	34.8	15.3	0.70	1160	1.67	0.05	7.4	5.2	530
M899843		4.52	13.75	0.10	1.0	0.246	2.75	28.2	19.7	0.69	1280	2.39	0.04	6.6	4.7	460
M899844		3.35	17.45	0.11	1.3	0.059	2.91	25.9	30.2	0.61	523	1.29	0.16	9.0	5.6	630
M899845		6.52	14.20	0.14	0.9	1.770	2.64	22.2	23.0	0.90	1830	11.65	0.03	6.4	17.8	420
M899846		3.36	16.40	0.10	1.2	0.084	2.98	28.1	25.3	0.44	580	1.97	0.13	8.4	4.5	590
M899847		2.85	13.80	0.09	1.0	0.576	2.37	27.4	23.8	0.56	1080	4.12	0.05	6.7	5.4	450
M899848		2.40	16.90	0.12	1.1	0.274	2.45	35.8	34.8	0.37	863	1.95	0.04	7.7	3.8	550
M899849		3.41	14.80	0.13	1.0	0.267	2.20	30.2	34.2	0.81	1240	6.46	0.03	6.7	5.3	480
M899850		3.91	15.50	0.14	1.0	0.460	2.59	31.0	18.8	0.89	1270	2.31	0.03	6.9	4.1	480
M899851		2.63	16.00	0.11	1.2	0.216	2.65	29.2	56.4	0.87	974	2.27	0.09	7.7	5.0	570
M899852		2.40	15.80	0.13	1.2	0.191	2.50	25.1	65.8	0.78	942	2.01	0.08	7.9	3.8	560
M899853		2.92	15.95	0.13	1.1	0.245	2.27	30.1	136.5	0.85	884	3.42	0.09	7.5	4.3	580
M899854		3.38	16.50	0.13	1.1	0.581	2.17	28.7	110.0	1.01	1020	4.28	0.11	7.5	4.0	540
M899855		0.47	0.34	0.07	<0.1	0.005	0.05	0.7	2.0	12.50	215	0.08	0.01	0.3	1.3	190
M899856		2.95	17.80	0.15	1.2	0.145	2.50	33.0	97.8	0.86	832	1.77	0.14	8.3	4.0	580
M899857		3.14	16.65	0.15	1.3	0.073	2.62	25.2	20.3	0.80	536	1.31	1.49	8.7	4.2	580
M899858		4.78	19.95	0.14	0.9	11.15	2.39	40.6	18.9	0.51	916	4.70	0.23	5.7	4.2	400



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-AUG-2012
Account: ROCKHA

Project: Klaza - 80

CERTIFICATE OF ANALYSIS WH12163811

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M899823		26.7	44.7	<0.002	0.20	14.70	6.3	1	1.5	312	0.69	<0.05	9.3	0.244	1.33	5.4
M899824		46.1	83.4	0.002	0.64	21.3	7.1	1	7.3	319	0.60	0.10	11.7	0.201	1.55	21.5
M899825		28.4	58.7	<0.002	0.27	9.70	6.2	1	2.1	287	0.72	<0.05	11.5	0.231	1.15	7.4
M899826		100.0	79.3	<0.002	0.83	10.55	5.6	1	2.6	233	0.39	0.21	7.9	0.133	1.73	6.5
M899827		70.3	120.5	<0.002	1.03	16.85	10.5	1	4.3	89.3	0.63	0.37	13.4	0.217	2.15	4.0
M899828		79.1	133.0	<0.002	0.65	12.10	11.0	1	4.1	114.5	0.72	0.23	13.4	0.245	2.43	3.9
M899829		73.8	136.0	0.002	0.64	12.00	10.9	1	4.0	113.5	0.70	0.24	13.6	0.241	2.38	3.9
M899830		44.7	110.5	<0.002	0.81	10.90	10.0	1	2.8	147.5	0.66	0.06	13.0	0.221	2.64	5.5
M899831		26.2	94.4	<0.002	0.22	13.45	11.1	1	2.5	272	0.76	<0.05	13.4	0.259	1.81	3.2
M899832		9790	133.0	0.002	7.50	226	7.7	2	8.7	124.5	0.52	0.45	8.6	0.178	2.37	4.7
M899833		72.8	95.0	<0.002	1.34	18.65	10.5	1	4.5	204	0.58	0.35	13.5	0.204	1.95	5.4
M899834		35.5	60.6	<0.002	0.74	9.74	11.0	1	3.5	580	0.73	0.11	13.1	0.234	1.72	2.8
M899835		47.6	134.0	<0.002	1.16	15.20	10.4	1	6.1	96.2	0.56	0.33	12.7	0.191	2.51	9.2
M899836		675	140.0	0.002	4.77	330	9.3	3	8.0	88.4	0.58	2.80	11.5	0.191	2.57	10.1
M899837		4.5	4.6	<0.002	0.02	0.57	0.6	1	0.2	46.7	<0.05	<0.05	0.3	0.008	0.04	0.9
M899838		34.8	175.5	0.005	0.82	22.2	10.5	1	4.3	66.6	0.62	0.19	13.8	0.208	3.24	5.2
M899839		214	139.5	0.003	2.85	31.1	9.9	1	7.1	56.3	0.60	0.12	12.5	0.198	3.01	6.6
M899840		22.2	118.5	<0.002	0.18	9.51	11.6	1	2.7	165.5	0.79	0.09	13.3	0.252	1.74	3.2
M899841		27.1	108.0	<0.002	0.15	18.05	12.9	1	3.4	141.0	0.77	0.06	14.4	0.277	1.46	4.3
M899842		44.8	131.0	<0.002	0.89	9.40	10.1	2	3.8	79.1	0.66	0.18	13.3	0.219	2.37	8.3
M899843		126.0	133.5	<0.002	2.18	27.4	9.7	2	4.7	49.7	0.59	0.51	11.5	0.199	2.57	8.3
M899844		25.1	99.4	<0.002	0.08	8.48	11.9	2	3.9	138.0	0.75	0.16	13.9	0.268	1.61	3.3
M899845		2710	149.5	0.002	4.76	88.7	8.9	2	7.9	88.6	0.53	0.41	10.1	0.178	2.34	5.3
M899846		30.4	127.0	<0.002	0.21	12.35	11.9	2	3.2	104.0	0.73	0.07	14.4	0.254	1.75	3.2
M899847		167.0	110.0	<0.002	0.94	18.05	9.2	2	7.1	192.5	0.59	0.09	11.3	0.200	2.20	7.7
M899848		93.1	123.0	<0.002	0.46	10.55	10.0	1	3.4	150.5	0.64	<0.05	13.7	0.227	2.18	12.0
M899849		70.8	131.0	<0.002	1.48	17.75	8.8	1	4.5	148.5	0.55	0.05	12.6	0.188	2.26	5.1
M899850		87.9	179.0	<0.002	2.25	32.2	8.9	1	5.8	91.4	0.53	0.13	12.6	0.188	2.66	6.2
M899851		49.5	126.5	<0.002	0.57	7.52	9.7	1	3.4	128.5	0.63	<0.05	13.4	0.228	2.34	4.4
M899852		46.4	99.7	<0.002	0.46	7.58	9.5	1	7.6	135.5	0.64	<0.05	12.0	0.230	2.16	3.6
M899853		53.3	109.5	<0.002	0.84	49.7	10.1	1	5.4	152.5	0.60	0.12	13.1	0.235	2.09	6.9
M899854		199.0	102.0	<0.002	1.28	231	9.5	1	3.9	170.0	0.61	0.74	13.2	0.223	1.85	6.9
M899855		1.7	2.1	<0.002	0.02	0.65	0.3	1	<0.2	42.7	<0.05	<0.05	0.2	<0.005	0.02	0.6
M899856		36.7	95.1	<0.002	0.79	18.50	11.7	1	3.5	169.0	0.70	0.16	12.6	0.246	1.96	5.7
M899857		28.3	95.2	<0.002	0.07	4.55	10.7	1	2.0	303	0.75	<0.05	12.4	0.246	1.30	3.6
M899858		1210	137.5	<0.002	3.78	21.3	8.5	1	18.9	158.0	0.46	0.12	10.9	0.166	2.16	6.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-AUG-2012
 Account: ROCKHA

Project: Klaza - 80

CERTIFICATE OF ANALYSIS WH12163811

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
M899823		49	4.4	12.5	81	99.2		
M899824		55	13.2	14.0	93	81.3		
M899825		48	23.3	13.4	64	144.0		
M899826		37	8.1	14.3	237	44.5		
M899827		63	4.4	14.7	195	33.3		
M899828		70	3.7	15.0	163	34.0		
M899829		68	3.6	14.8	165	34.0		
M899830		63	3.1	14.9	161	31.6		
M899831		71	3.8	15.9	94	36.7		
M899832		53	5.7	9.6	>10000	34.4	127	1.645
M899833		67	3.6	16.6	167	27.6		
M899834		68	6.4	15.0	114	35.4		
M899835		62	4.1	15.5	180	28.1		
M899836		59	9.1	14.1	1020	33.0		
M899837		5	0.2	1.2	18	1.1		
M899838		68	3.1	12.0	179	34.2		
M899839		61	7.6	12.0	1120	31.9		
M899840		71	3.2	15.6	66	38.0		
M899841		74	4.1	19.2	66	39.0		
M899842		60	4.3	15.3	177	30.8		
M899843		56	4.7	14.4	322	28.6		
M899844		73	3.3	19.7	58	38.3		
M899845		53	5.1	11.1	5220	27.9		
M899846		68	2.9	18.0	99	34.9		
M899847		57	3.7	20.4	743	29.1		
M899848		63	4.3	13.3	337	31.1		
M899849		54	5.3	12.7	398	29.3		
M899850		53	6.7	11.7	301	30.3		
M899851		63	7.8	13.2	447	33.5		
M899852		64	8.3	12.6	453	33.1		
M899853		65	8.4	13.9	284	31.5		
M899854		60	10.2	13.8	551	29.5		
M899855		2	0.1	0.8	15	0.5		
M899856		66	9.0	15.0	204	31.2		
M899857		65	2.0	14.5	100	37.2		
M899858		54	5.0	14.0	4260	24.3		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 80

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12163811

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.