



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 4-AUG-2012
Account: ROCKHA

CERTIFICATE WH12163813

Project: Klaza - 80

P.O. No.: Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-AUG-2012
Account: ROCKHA

Project: Klaza - 80

CERTIFICATE OF ANALYSIS WH12163813

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
M899895		8.41	0.071	1.01	7.12	35.9	820	1.33	1.70	5.83	15.60	72.0	14.4	8	8.65	17.7
M899896		5.07	0.024	0.95	7.57	61.5	630	1.53	1.87	2.68	4.19	98.5	23.0	9	7.06	19.5
M899897		5.50	0.263	3.67	6.72	435	430	1.50	7.49	1.40	1.76	76.5	30.6	8	7.80	31.7
M899898		1.64	<0.005	0.07	0.10	<5	20	0.05	0.04	21.1	0.07	1.40	0.7	<1	0.25	2.0
M899899		13.39	0.018	0.73	7.44	26.6	780	1.62	1.58	3.08	3.41	48.4	12.9	9	12.70	18.7
M899900		8.93	0.018	0.78	7.17	31.0	940	1.46	1.61	2.53	4.31	56.2	10.4	8	10.40	15.4
M899651		5.45	0.006	0.45	7.71	19.5	570	1.72	0.83	2.95	2.19	64.2	9.8	10	10.40	6.3
M899652		6.39	0.018	1.17	7.34	43.3	440	1.65	1.94	3.13	10.05	63.5	15.1	9	9.36	26.1
M899653		9.54	0.039	1.14	6.88	56.5	650	1.40	2.39	3.68	9.56	83.5	16.7	7	15.95	16.9
M899654		12.06	0.238	2.72	7.04	283	600	1.70	4.50	2.89	18.75	279	40.4	7	38.5	63.0
M899655		2.27	<0.005	0.07	0.18	<5	30	0.08	0.04	20.4	0.11	2.28	1.0	4	0.52	2.1
M899656		8.21	0.262	2.35	6.18	357	400	1.22	4.65	2.08	8.91	379	54.2	10	14.10	41.1
M899657		6.06	0.084	1.36	5.20	297	570	1.08	2.14	2.55	2.73	328	37.7	7	7.03	58.3
M899658		4.17	0.404	3.89	7.18	306	620	1.43	6.29	2.37	7.94	>500	41.9	7	13.20	338
M899659		7.18	0.126	1.23	7.37	55.3	470	1.29	2.02	2.65	6.49	147.0	34.0	8	8.66	41.9
M899660		5.20	0.193	2.42	6.51	360	620	1.34	4.62	1.73	10.35	143.0	27.1	11	12.50	87.8
M899661		0.20	2.22	24.1	5.90	3320	1560	1.27	19.25	2.13	78.1	44.8	11.4	19	15.30	433
M899662		6.98	0.050	1.80	6.82	49.3	530	1.35	3.42	2.32	15.40	177.0	55.2	9	7.67	52.8
M899663		6.12	0.235	3.64	7.09	723	960	1.28	5.81	2.50	30.6	178.0	38.3	9	16.80	114.5
M899664		9.91	0.129	16.45	4.06	295	700	0.87	82.9	1.13	7.30	172.5	12.9	9	7.78	286
M899665		9.08	0.466	4.10	6.76	402	400	1.25	20.5	0.63	1.53	55.6	11.7	11	14.00	130.0
M899666		6.77	0.021	0.98	7.89	31.6	1650	1.53	2.72	2.63	1.55	63.5	8.4	11	22.1	44.4
M899667		3.61	0.015	0.85	7.69	27.9	1750	1.47	1.61	2.48	1.42	60.1	8.4	10	21.6	41.8
M899668		3.66	0.283	7.00	7.42	224	970	1.48	19.50	1.94	2.13	59.4	11.3	13	16.50	242
M899669		9.36	0.007	0.68	7.69	11.9	1110	1.75	1.54	3.20	2.25	55.5	4.6	10	18.95	18.4
M899670		8.89	0.019	2.56	7.99	26.5	710	1.83	7.95	1.92	5.27	57.5	2.7	9	20.9	159.5
M899671		7.51	0.014	0.38	7.98	11.1	430	1.72	1.13	2.71	0.49	45.8	4.9	11	15.50	6.1
M899672		0.21	2.36	25.1	6.10	3420	1600	1.40	21.0	2.19	81.9	47.3	12.0	19	16.20	450
M899673		11.74	0.033	1.71	7.45	196.0	590	1.46	3.07	2.61	3.50	55.4	22.7	8	10.20	47.0
M899674		7.26	0.163	1.78	6.65	152.5	680	1.57	3.76	0.86	3.01	303	1.7	15	8.00	53.7
M899675		5.27	0.442	13.35	6.71	1185	390	1.26	55.2	0.88	2.16	81.3	14.2	12	7.05	458
M899676		10.52	0.046	1.94	7.50	721	720	1.40	4.92	1.10	2.74	109.5	18.2	10	8.95	53.4
M899677		4.92	0.011	0.52	7.97	71.8	580	1.82	1.23	2.46	1.77	54.3	13.2	10	12.25	10.4
M899678		<0.02	0.017	0.53	7.72	74.8	570	1.69	1.25	2.43	1.77	55.1	15.6	10	12.00	9.5
M899679		9.09	0.052	0.96	7.91	204	610	1.57	2.29	1.75	2.43	53.8	1.9	10	9.14	23.7
M899680		5.03	1.940	3.22	7.49	854	780	1.33	7.59	1.98	6.63	77.5	13.2	10	7.47	57.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-AUG-2012
Account: ROCKHA

Project: Klaza - 80

CERTIFICATE OF ANALYSIS WH12163813

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M899895		2.95	15.70	0.15	0.9	0.409	2.25	37.3	25.2	0.77	979	1.79	0.65	5.7	2.4	570
M899896		3.85	16.65	0.18	0.9	0.298	2.88	56.8	29.4	0.82	903	2.59	0.33	5.4	3.1	580
M899897		8.52	17.60	0.16	1.0	0.290	2.89	44.3	17.6	0.68	553	4.07	0.08	6.4	3.5	470
M899898		0.53	0.31	0.09	<0.1	<0.005	0.04	0.7	1.2	13.45	234	0.41	<0.01	0.2	2.1	180
M899899		3.20	17.10	0.14	1.2	0.207	1.66	20.8	18.9	0.66	702	1.40	1.84	7.3	2.9	580
M899900		2.92	15.90	0.14	1.1	0.226	1.52	26.7	18.2	0.76	630	0.96	1.87	6.9	2.7	570
M899651		2.30	17.70	0.16	1.1	0.131	1.15	28.7	19.9	0.87	590	0.76	2.98	8.2	3.0	610
M899652		2.15	17.40	0.16	1.1	0.406	1.24	29.5	20.6	0.67	595	2.20	2.30	8.1	3.1	580
M899653		2.61	16.00	0.15	0.9	0.448	2.04	44.8	19.3	0.66	962	1.87	0.72	5.7	3.0	570
M899654		4.55	18.35	0.23	1.0	1.080	2.21	186.0	34.9	0.60	1040	7.59	0.17	5.5	4.0	550
M899655		0.51	0.40	0.09	<0.1	<0.005	0.08	1.3	1.6	12.85	223	0.16	<0.01	0.1	3.3	190
M899656		5.88	17.40	0.30	0.7	0.731	2.05	269	28.0	0.69	1060	4.89	0.20	4.0	5.4	510
M899657		4.92	13.25	0.29	0.6	0.332	1.84	234	18.9	0.78	1110	7.23	0.07	3.2	3.2	380
M899658		5.16	19.85	0.39	0.9	0.686	2.31	411	43.7	0.89	896	61.3	0.10	5.2	4.1	650
M899659		2.95	15.10	0.14	0.8	0.356	1.69	97.2	30.6	0.93	737	8.16	0.07	5.1	3.0	550
M899660		4.58	16.10	0.18	1.2	0.785	2.44	92.0	14.5	0.73	749	4.21	0.06	5.5	4.3	550
M899661		6.55	14.30	0.17	1.0	1.765	2.62	24.6	22.7	0.89	1880	13.25	0.04	6.2	16.1	420
M899662		3.58	15.35	0.18	0.9	0.648	1.80	118.0	21.7	0.73	594	2.72	0.52	5.1	3.7	520
M899663		3.67	17.05	0.19	0.9	1.055	2.65	117.0	14.6	0.82	738	8.03	0.07	5.5	3.7	560
M899664		3.88	10.25	0.16	0.5	0.468	1.67	124.0	28.7	0.37	552	24.7	0.04	3.2	2.1	350
M899665		7.33	15.90	0.18	0.9	0.298	3.11	31.7	10.4	0.49	596	9.12	0.04	6.3	3.3	500
M899666		3.66	16.80	0.13	1.1	0.197	2.78	35.9	23.4	0.94	877	4.09	0.77	8.4	3.8	590
M899667		3.41	16.05	0.15	1.1	0.187	2.73	33.0	25.1	0.92	833	3.50	0.65	8.5	3.1	590
M899668		5.69	16.90	0.17	1.0	0.399	2.76	30.6	18.1	0.76	1250	9.91	0.29	7.1	3.3	570
M899669		2.57	17.25	0.12	1.1	0.274	1.77	26.0	15.8	0.85	842	2.26	2.15	8.5	2.9	630
M899670		2.61	19.00	0.12	1.1	0.747	1.81	25.6	31.0	0.72	998	1.79	1.16	8.5	2.0	620
M899671		1.72	16.95	0.10	0.9	0.335	1.25	19.9	22.6	0.58	659	1.87	3.23	7.8	2.8	630
M899672		6.75	15.00	0.19	1.0	1.880	2.71	26.4	23.9	0.92	1940	14.30	0.04	6.5	16.8	440
M899673		2.85	15.50	0.13	0.9	0.564	2.79	29.1	36.1	0.71	907	1.78	0.39	6.9	5.6	420
M899674		4.04	16.40	0.25	0.8	0.699	3.12	202	35.9	0.51	798	0.68	0.06	6.5	1.7	960
M899675		6.12	16.80	0.18	0.8	0.584	3.17	47.1	18.3	0.55	997	10.15	0.04	5.5	5.3	510
M899676		5.22	18.40	0.20	0.8	0.597	3.52	67.8	21.1	0.80	1200	10.20	0.06	6.6	4.7	580
M899677		3.47	17.90	0.15	0.9	0.739	3.71	26.5	17.4	1.08	1130	3.70	0.07	6.5	4.4	570
M899678		3.48	18.10	0.17	0.9	0.738	3.61	26.7	17.9	1.04	1120	4.03	0.07	6.7	4.9	580
M899679		3.33	17.50	0.15	0.8	0.687	3.82	26.5	13.4	0.83	1280	2.11	0.05	7.6	1.9	620
M899680		4.81	17.10	0.17	0.8	0.697	3.59	44.5	6.8	0.80	3380	5.99	0.05	6.6	2.0	550



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-AUG-2012
Account: ROCKHA

Project: Klaza - 80

CERTIFICATE OF ANALYSIS WH12163813

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M899895		220	105.0	0.005	1.04	8.14	9.2	1	5.2	282	0.42	0.14	10.8	0.178	2.09	3.0
M899896		102.5	166.5	0.008	2.01	8.25	10.3	1	7.5	110.0	0.40	0.17	12.8	0.167	2.45	4.1
M899897		113.0	202	0.006	7.88	11.75	10.3	1	17.9	74.2	0.44	1.18	11.9	0.170	2.41	4.4
M899898		1.8	2.3	0.003	0.03	0.12	0.3	<1	0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.03	0.4
M899899		85.2	79.2	0.005	0.73	6.45	10.6	1	4.7	269	0.53	0.11	11.6	0.210	1.44	4.0
M899900		78.0	72.4	0.004	0.73	5.81	9.2	<1	4.7	266	0.50	0.13	12.1	0.209	1.37	3.7
M899651		87.6	51.0	0.004	0.52	5.33	10.6	1	4.4	402	0.61	0.15	12.2	0.230	0.93	3.4
M899652		141.5	52.8	0.004	0.87	4.53	9.7	<1	5.9	328	0.58	0.36	11.6	0.236	1.20	4.0
M899653		122.0	89.0	0.005	1.29	5.71	8.2	1	6.4	224	0.44	0.20	10.7	0.179	2.01	2.7
M899654		210	134.5	0.008	3.20	13.25	8.8	1	15.4	148.0	0.39	0.22	12.7	0.162	2.26	4.5
M899655		2.1	3.3	0.004	0.03	0.12	0.4	<1	0.2	38.3	<0.05	<0.05	0.2	0.006	0.04	0.6
M899656		77.3	122.5	0.008	3.60	8.92	8.7	1	9.7	107.5	0.29	0.23	11.0	0.141	2.06	3.3
M899657		59.8	108.5	0.006	2.82	9.27	5.7	<1	7.0	95.4	0.23	0.13	8.2	0.098	1.67	2.4
M899658		113.0	144.0	0.024	3.39	83.8	9.9	1	10.1	108.0	0.34	0.24	13.7	0.154	2.14	5.5
M899659		123.5	80.1	0.004	1.11	15.45	9.9	1	5.6	92.1	0.45	0.11	13.4	0.172	1.45	3.2
M899660		78.0	145.0	0.005	2.82	12.55	9.3	1	7.1	81.4	0.44	0.12	12.4	0.162	2.03	2.9
M899661		2770	157.0	<0.002	4.87	87.7	8.4	1	8.4	92.7	0.51	0.36	11.1	0.178	2.39	5.4
M899662		105.5	99.1	0.003	1.88	5.67	9.7	1	6.4	96.8	0.44	0.13	13.7	0.156	1.52	3.6
M899663		196.5	158.5	0.008	2.38	8.88	9.8	1	9.8	92.6	0.49	0.15	13.4	0.177	2.16	3.8
M899664		518	91.6	0.029	2.53	73.7	5.6	1	5.6	68.3	0.27	0.53	8.0	0.104	1.53	3.2
M899665		96.9	190.5	0.002	6.57	41.5	10.0	2	7.9	42.0	0.53	0.78	12.5	0.204	2.74	4.2
M899666		75.6	143.0	<0.002	0.69	7.57	11.6	1	3.2	218	0.70	0.14	14.8	0.257	1.96	4.6
M899667		69.5	141.0	0.002	0.60	7.21	11.9	1	2.8	205	0.72	0.14	14.6	0.256	1.82	4.6
M899668		190.0	157.0	<0.002	3.00	80.6	11.8	1	5.0	111.0	0.58	0.59	14.0	0.233	2.32	5.7
M899669		37.9	85.2	<0.002	0.16	5.61	12.3	1	2.9	341	0.74	<0.05	16.2	0.252	1.43	4.7
M899670		56.5	107.5	<0.002	0.27	27.1	12.3	1	3.8	204	0.71	0.11	15.8	0.250	1.83	2.7
M899671		21.0	68.6	<0.002	0.22	3.99	10.4	1	2.7	401	0.68	0.05	14.4	0.243	1.19	2.6
M899672		2820	164.5	0.002	5.02	91.3	9.0	2	8.8	97.5	0.53	0.40	12.3	0.184	2.56	5.9
M899673		69.9	163.0	0.002	0.80	5.30	8.8	1	6.2	134.5	0.61	0.15	14.8	0.204	2.43	3.2
M899674		56.4	209	<0.002	1.64	8.12	8.7	1	12.5	50.7	0.53	0.36	15.8	0.222	2.58	4.0
M899675		303	212	<0.002	5.19	127.0	11.0	1	9.9	32.3	0.49	0.61	14.2	0.182	2.88	3.2
M899676		87.6	221	0.010	1.31	7.95	10.9	1	14.0	46.0	0.56	0.21	14.7	0.213	3.39	3.1
M899677		31.6	224	0.002	0.47	3.98	13.0	1	8.6	105.5	0.62	0.06	16.2	0.220	3.38	3.3
M899678		33.2	212	0.002	0.49	3.60	13.1	1	8.6	101.0	0.60	0.06	16.4	0.213	3.46	3.4
M899679		43.7	249	<0.002	0.67	6.49	11.1	1	9.5	75.0	0.65	0.07	16.5	0.231	3.53	3.6
M899680		160.5	249	0.004	3.21	11.40	9.4	1	8.8	56.4	0.58	0.26	14.7	0.197	3.50	3.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-AUG-2012
 Account: ROCKHA

Project: Klaza - 80

CERTIFICATE OF ANALYSIS WH12163813

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M899895		62	1.6	16.6	1200	22.8
M899896		60	2.9	13.9	366	21.9
M899897		72	6.3	13.6	180	27.4
M899898		3	0.2	0.8	17	<0.5
M899899		70	1.6	15.6	277	29.9
M899900		66	1.9	14.5	365	24.9
M899651		79	1.2	15.7	203	27.7
M899652		70	1.7	15.0	790	27.0
M899653		60	1.6	15.5	856	20.7
M899654		65	3.7	17.4	1560	25.2
M899655		4	0.2	0.8	21	<0.5
M899656		85	3.7	13.5	802	20.0
M899657		52	2.7	10.0	263	14.9
M899658		97	3.1	17.8	737	23.0
M899659		60	1.9	13.9	525	23.5
M899660		56	2.9	13.2	791	39.9
M899661		55	5.5	10.3	5200	27.5
M899662		53	1.7	14.4	1140	25.5
M899663		61	2.9	14.7	2110	23.4
M899664		52	4.2	7.4	611	13.1
M899665		64	11.4	10.3	160	27.4
M899666		73	3.1	18.8	158	31.7
M899667		72	3.1	17.8	145	32.6
M899668		75	3.9	16.9	235	29.3
M899669		73	2.2	18.5	220	32.6
M899670		75	1.6	18.3	431	31.3
M899671		62	5.5	14.4	67	26.9
M899672		57	5.8	11.2	5350	29.2
M899673		49	2.3	16.0	321	24.0
M899674		61	4.5	21.6	284	22.0
M899675		53	9.7	9.2	211	21.7
M899676		66	6.6	10.5	275	21.9
M899677		61	2.5	16.9	198	23.7
M899678		58	3.1	16.5	195	23.4
M899679		61	3.8	12.9	244	23.2
M899680		55	5.1	11.1	654	22.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 80

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12163813

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.