



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 4-AUG-2012  
Account: ROCKHA

**CERTIFICATE WH12164241**

Project: Klaza TR-12-36  
P.O. No.: Batch 2  
This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 16-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-AUG-2012  
Account: ROCKHA

Project: Klaza TR-12-36

**CERTIFICATE OF ANALYSIS WH12164241**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M899937		4.35	0.012	0.28	8.62	99.8	1110	1.41	0.58	0.30	0.52	48.1	9.6	16	17.40	41.9
M899938		3.88	0.041	0.79	8.89	200	1060	1.33	0.60	0.36	1.43	45.1	8.5	15	18.00	79.8
M899939		4.39	0.006	0.44	8.54	45.9	1270	1.53	0.58	0.40	0.30	52.4	9.2	14	26.6	101.0
M899940		3.84	0.009	0.27	8.61	44.8	1070	1.62	0.39	0.75	0.45	55.9	9.9	14	43.0	38.8
M899941		2.95	<0.005	0.04	0.11	<5	20	<0.05	0.02	19.60	0.06	1.08	0.6	2	0.32	1.6
M899942		2.66	0.007	0.16	9.07	42.9	1300	1.47	3.29	0.59	0.42	47.4	10.6	14	20.1	10.1
M899943		3.59	0.020	1.15	8.01	177.0	1120	1.64	0.88	0.69	1.69	64.0	11.7	19	16.45	32.9
M899944		2.76	0.036	1.53	8.02	356	1210	1.61	0.87	0.44	1.85	58.2	11.8	16	20.0	74.0
M899945		3.48	0.021	0.75	8.47	168.0	1180	1.83	0.70	0.40	0.89	51.3	10.8	16	20.1	69.7
M899946		3.08	0.026	0.88	8.48	166.5	1070	2.25	0.65	0.46	1.06	59.6	11.5	16	24.8	59.1
M899947		3.26	0.028	1.08	8.08	159.0	1650	1.64	0.49	0.38	1.20	52.4	9.9	18	19.00	60.8
M899948		3.58	0.055	1.01	7.45	412	1240	1.28	0.55	0.30	1.39	34.9	9.0	15	19.60	26.8
M899949		3.65	0.021	0.57	7.83	154.0	1050	1.57	3.55	0.39	1.23	48.2	11.0	16	20.1	32.8
M899950		3.21	0.012	0.49	7.79	103.0	860	1.18	0.78	0.61	0.83	47.0	9.1	16	16.60	49.2
M899951		3.17	0.011	0.69	8.08	102.0	960	1.62	1.52	0.59	0.94	57.3	9.7	19	17.90	51.8
M899952		3.85	0.008	0.45	8.09	103.0	970	1.55	1.40	0.45	0.71	56.5	10.6	16	17.05	91.4
M899953		2.65	0.006	0.39	8.52	46.4	850	1.69	1.33	0.36	0.51	54.6	10.5	15	14.40	64.3
M899954		3.31	0.013	1.04	8.23	90.5	900	1.60	0.97	0.40	0.87	52.6	10.9	14	19.75	49.1
M899955		3.27	0.013	2.58	7.92	70.6	1040	1.45	1.47	0.60	0.88	50.6	10.5	17	13.10	79.5
M899956		4.24	0.028	25.8	8.72	85.4	1070	2.64	0.67	0.36	3.44	43.9	10.8	13	24.7	55.4
M899957		3.92	0.019	2.89	8.59	106.5	1250	1.62	1.35	0.45	3.29	49.7	11.3	14	21.5	43.1
M899958		3.15	0.015	0.63	7.67	158.5	810	1.29	0.57	0.61	1.04	52.5	9.9	18	14.30	33.8
M899959		5.19	0.018	0.87	8.41	141.5	1340	1.38	1.40	0.48	1.05	51.9	11.2	15	17.15	52.3
M899960		3.57	0.007	0.53	8.38	54.7	1260	1.33	1.84	0.46	0.24	48.6	11.8	14	20.9	31.5
M899961		3.17	0.006	0.57	8.80	36.3	1900	1.51	1.34	0.77	0.20	42.1	11.5	15	20.7	54.6
M899962		4.66	0.010	1.48	8.04	69.5	870	1.38	2.70	0.65	0.78	46.2	9.7	13	14.00	47.2
M899963		0.28	2.20	26.3	6.10	3520	310	1.33	18.95	2.28	80.4	44.0	11.7	19	15.35	442
M899964		4.37	0.007	0.84	8.84	37.7	1190	1.51	3.37	0.61	0.68	49.3	12.4	14	17.30	121.5
M899965		4.60	<0.005	0.27	8.31	13.8	1190	1.34	1.10	1.84	0.20	41.0	10.8	13	17.20	28.9
M899966		4.83	<0.005	0.41	8.66	16.0	1320	1.29	1.21	1.51	0.27	39.7	11.6	15	20.2	109.5
M899967		3.62	<0.005	0.34	8.55	13.1	1250	1.24	1.29	1.28	0.22	42.2	11.6	14	17.60	88.1
M899968		3.92	<0.005	0.25	8.73	9.3	1110	1.34	3.23	0.44	0.21	47.3	10.0	13	16.15	47.5
M899969		5.68	0.019	0.47	7.76	601	1180	1.17	0.77	1.57	0.65	38.0	11.8	13	17.80	9.4
M899970		4.65	<0.005	0.15	8.41	8.3	1260	1.21	0.63	0.64	0.19	49.3	9.1	12	16.70	5.9
M899971		4.41	0.005	0.20	8.32	13.9	1040	1.25	0.87	1.20	0.23	50.8	7.9	13	26.4	8.0
M899972		2.80	<0.005	0.10	7.79	4.2	920	1.27	1.22	3.25	0.33	41.2	9.9	10	12.95	5.2



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-AUG-2012  
Account: ROCKHA

Project: Klaza TR-12-36

**CERTIFICATE OF ANALYSIS WH12164241**

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M899937		3.80	17.00	0.14	0.7	0.043	2.33	26.8	21.9	0.26	1500	2.14	0.25	7.7	6.1	640
M899938		3.75	16.85	0.11	0.6	0.049	2.02	23.1	28.0	0.38	1240	1.58	0.90	8.2	6.5	640
M899939		3.60	16.20	0.13	0.7	0.042	2.06	33.6	21.2	0.41	1160	2.64	1.26	8.2	6.0	590
M899940		3.80	17.05	0.15	0.7	0.092	2.43	30.6	26.7	0.45	2230	1.98	0.72	7.9	6.3	600
M899941		0.46	0.24	0.09	<0.1	<0.005	0.03	0.6	1.0	12.75	213	0.21	0.01	0.1	2.0	170
M899942		4.07	20.3	0.12	0.7	0.490	1.91	21.9	36.2	0.94	963	1.51	1.82	8.6	6.8	640
M899943		3.64	18.00	0.13	0.9	0.073	2.41	38.0	23.0	0.43	2170	2.33	1.08	9.3	9.0	630
M899944		3.79	18.40	0.16	0.8	0.226	2.92	38.5	34.2	0.31	3360	8.48	0.39	8.7	8.0	590
M899945		3.89	17.30	0.15	0.8	0.070	2.24	31.6	170.5	0.25	1660	5.04	0.40	8.5	7.3	640
M899946		3.70	18.80	0.16	0.8	0.066	2.00	36.8	310	0.27	1500	2.41	0.49	9.0	8.8	650
M899947		3.75	17.10	0.15	0.7	0.091	2.86	32.1	66.6	0.32	2300	3.07	0.44	8.1	7.2	600
M899948		3.67	15.10	0.14	0.6	0.117	3.03	20.9	17.3	0.29	3140	2.87	0.25	7.2	6.2	570
M899949		3.71	17.80	0.13	0.7	0.079	2.58	25.4	29.5	0.30	1740	2.29	0.83	8.6	7.8	600
M899950		3.71	14.40	0.13	0.6	0.051	2.54	25.8	23.4	0.37	1900	2.22	0.70	7.2	6.5	600
M899951		3.62	16.45	0.14	0.7	0.060	2.32	33.5	76.2	0.34	1570	2.29	0.77	8.2	7.3	610
M899952		3.64	16.90	0.14	0.7	0.066	2.32	31.1	33.1	0.33	1380	2.64	1.01	7.9	7.0	610
M899953		3.74	18.05	0.11	0.7	0.056	2.78	28.6	23.8	0.38	1160	2.14	1.18	7.5	6.5	630
M899954		4.08	17.40	0.11	0.7	0.109	3.10	30.9	22.3	0.36	3090	3.70	0.44	7.5	6.7	620
M899955		3.75	16.35	0.10	0.7	0.062	2.29	25.7	21.3	0.36	1700	2.47	0.99	8.2	6.8	630
M899956		3.91	19.25	0.09	0.6	0.053	2.00	21.7	550	0.23	2180	2.39	0.09	8.3	6.1	630
M899957		4.07	18.10	0.10	0.7	0.079	2.99	25.8	63.5	0.34	3130	3.49	0.39	8.3	6.5	620
M899958		3.40	16.55	0.10	0.8	0.067	2.76	27.1	20.2	0.42	1700	6.93	0.68	8.3	9.0	640
M899959		3.83	18.20	0.10	0.7	0.065	2.79	27.7	19.8	0.36	1720	17.35	0.79	8.6	6.8	620
M899960		3.74	17.60	0.10	0.7	0.049	2.60	25.3	16.4	0.35	1110	1.90	0.76	7.8	6.2	570
M899961		3.89	19.00	0.10	0.7	0.045	2.72	20.8	15.7	0.37	1100	2.26	0.76	8.4	6.3	620
M899962		3.69	16.65	0.10	0.8	0.092	3.09	25.3	16.9	0.29	2310	4.34	0.10	8.3	5.7	560
M899963		6.96	14.75	0.13	1.0	1.850	2.74	22.2	19.3	0.93	1900	14.20	0.05	6.2	15.8	460
M899964		3.94	19.35	0.10	0.8	0.158	2.62	24.6	18.3	0.33	1360	11.85	0.79	8.8	6.3	650
M899965		3.81	17.70	0.10	0.7	0.053	2.41	20.3	23.2	0.31	1250	2.82	1.02	8.5	5.7	620
M899966		3.98	18.70	0.09	0.7	0.098	2.14	19.0	17.8	0.33	867	8.11	0.67	8.6	6.0	620
M899967		3.72	18.45	0.10	0.6	0.048	2.11	21.5	24.5	0.23	1200	3.87	0.62	8.5	6.1	640
M899968		3.64	18.00	0.10	0.7	0.047	2.07	25.4	29.3	0.19	1030	1.97	0.33	8.8	5.6	650
M899969		4.13	16.25	0.10	0.6	0.051	2.10	19.1	28.8	0.37	2420	1.68	0.15	7.8	6.0	540
M899970		3.48	17.90	0.10	0.7	0.044	2.02	24.7	21.4	0.26	1030	1.10	1.07	8.3	5.7	610
M899971		3.16	17.35	0.10	0.7	0.047	2.96	26.4	15.6	0.26	1050	1.41	0.73	9.4	4.4	580
M899972		3.48	16.25	0.09	0.7	0.053	1.67	20.5	15.4	0.73	1160	0.51	1.26	9.2	5.1	580



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 4-AUG-2012  
Account: ROCKHA

Project: Klaza TR-12-36

**CERTIFICATE OF ANALYSIS WH12164241**

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M899937		21.4	157.0	<0.002	0.04	18.60	13.3	2	1.9	52.9	0.65	0.06	13.5	0.312	1.73	2.5
M899938		138.0	106.0	<0.002	0.02	15.55	13.1	1	3.2	112.0	0.66	<0.05	14.4	0.332	1.20	2.5
M899939		14.9	137.0	<0.002	0.02	24.6	13.5	2	3.1	124.0	0.66	0.05	15.2	0.323	1.43	2.5
M899940		23.9	162.5	<0.002	0.05	10.50	13.0	2	2.0	92.3	0.69	<0.05	15.3	0.304	1.90	2.3
M899941		1.3	1.8	<0.002	0.01	0.18	0.2	1	<0.2	39.8	<0.05	<0.05	0.2	<0.005	0.04	0.8
M899942		12.1	115.5	<0.002	0.02	10.65	12.2	1	6.4	150.5	0.74	<0.05	13.4	0.337	1.33	1.9
M899943		137.5	158.0	<0.002	0.04	15.70	14.2	2	2.0	169.5	0.75	0.06	16.0	0.324	2.08	3.0
M899944		196.0	214	<0.002	0.06	29.4	14.7	3	2.1	90.3	0.73	0.07	16.7	0.313	2.58	3.1
M899945		50.7	140.0	<0.002	0.02	30.6	13.9	2	2.0	102.5	0.75	0.07	15.2	0.336	1.95	2.7
M899946		66.1	134.5	<0.002	0.03	32.7	14.7	2	2.0	125.0	0.76	<0.05	15.4	0.328	1.79	2.9
M899947		167.0	211	<0.002	0.06	21.1	13.1	2	1.9	86.9	0.70	<0.05	12.9	0.319	2.75	2.7
M899948		245	190.5	<0.002	0.04	15.40	11.5	1	1.7	47.8	0.67	<0.05	11.1	0.295	2.64	2.5
M899949		61.4	163.5	<0.002	0.02	13.20	13.4	2	1.9	108.5	0.70	0.06	13.5	0.316	2.36	2.7
M899950		50.8	153.0	<0.002	0.02	16.15	11.4	2	1.6	108.5	0.62	0.05	11.9	0.310	1.94	2.4
M899951		51.4	156.5	<0.002	0.02	18.30	12.7	1	1.9	135.5	0.66	0.10	13.9	0.326	1.92	2.6
M899952		38.1	154.0	<0.002	0.04	21.6	12.9	1	1.9	120.0	0.68	0.10	14.9	0.314	1.87	2.6
M899953		22.3	144.5	<0.002	0.02	11.35	14.4	1	2.2	113.0	0.65	<0.05	12.6	0.306	1.73	2.2
M899954		99.5	181.0	<0.002	0.05	16.85	14.3	1	2.1	68.1	0.64	<0.05	12.5	0.311	2.37	2.3
M899955		210	115.0	<0.002	0.05	22.4	13.2	1	2.2	142.0	0.69	<0.05	11.3	0.333	1.54	2.4
M899956		2340	113.0	<0.002	0.08	43.1	14.8	1	2.2	90.6	0.69	<0.05	12.1	0.337	1.61	2.1
M899957		211	155.0	<0.002	0.05	28.4	14.2	1	2.1	85.3	0.70	<0.05	12.5	0.335	2.18	2.6
M899958		41.5	162.0	<0.002	0.01	13.75	12.5	1	1.8	102.0	0.73	<0.05	11.6	0.320	2.11	2.0
M899959		81.5	161.0	<0.002	0.06	16.20	14.3	1	2.2	108.0	0.76	<0.05	13.1	0.331	2.07	2.1
M899960		28.6	131.0	<0.002	0.08	6.94	12.9	1	2.0	70.7	0.70	<0.05	13.0	0.309	1.59	2.1
M899961		22.2	148.0	<0.002	0.10	14.55	14.5	1	2.2	89.6	0.74	<0.05	12.6	0.326	1.89	2.2
M899962		156.0	174.0	<0.002	0.11	30.5	12.1	1	1.9	41.5	0.77	<0.05	13.7	0.302	2.52	2.3
M899963		2850	156.0	<0.002	4.91	95.0	8.9	1	8.6	89.2	0.53	0.37	10.3	0.188	2.52	5.1
M899964		64.5	127.0	<0.002	0.13	39.8	15.2	1	2.7	110.5	0.79	0.07	12.7	0.345	1.66	2.1
M899965		18.1	107.0	<0.002	0.02	11.40	13.9	1	2.2	119.0	0.77	<0.05	11.5	0.325	1.46	1.9
M899966		19.4	83.0	<0.002	0.05	18.55	15.0	1	2.5	141.0	0.76	<0.05	11.9	0.342	1.07	1.8
M899967		16.9	100.5	<0.002	0.09	29.6	14.4	1	2.6	113.0	0.72	<0.05	11.5	0.334	1.28	1.9
M899968		16.6	104.0	<0.002	0.03	48.5	14.8	1	2.5	59.6	0.75	<0.05	12.3	0.353	1.29	1.8
M899969		25.1	101.5	<0.002	0.04	26.8	13.1	1	2.0	63.0	0.80	<0.05	9.8	0.288	1.64	1.9
M899970		17.1	106.5	<0.002	<0.01	12.05	14.2	1	2.1	146.5	0.73	<0.05	13.0	0.325	1.33	2.1
M899971		15.4	172.5	<0.002	<0.01	19.10	12.1	1	2.2	56.4	1.00	<0.05	12.5	0.315	2.17	2.1
M899972		26.1	77.8	<0.002	<0.01	5.58	12.3	1	2.4	245	1.34	<0.05	10.3	0.306	1.17	1.8



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 4-AUG-2012  
 Account: ROCKHA

Project: Klaza TR-12-36

**CERTIFICATE OF ANALYSIS WH12164241**

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M899937		107	2.5	15.0	80	11.8
M899938		104	2.6	14.0	121	11.1
M899939		98	2.0	15.0	71	11.0
M899940		97	2.5	16.0	77	11.0
M899941		2	0.1	0.8	14	<0.5
M899942		123	8.5	12.4	90	12.4
M899943		99	2.9	17.5	133	17.3
M899944		101	3.6	20.1	169	15.4
M899945		103	3.1	17.4	123	13.1
M899946		100	2.7	19.2	128	14.3
M899947		104	2.4	16.6	183	12.9
M899948		100	2.7	15.3	200	11.8
M899949		101	3.0	14.5	156	13.5
M899950		98	2.7	16.0	124	12.4
M899951		99	2.8	16.9	131	14.9
M899952		102	3.1	15.5	100	12.6
M899953		106	2.9	13.8	86	14.9
M899954		105	3.1	17.3	136	15.4
M899955		101	3.1	13.7	124	17.7
M899956		105	4.4	12.9	241	14.4
M899957		106	3.6	14.6	296	16.5
M899958		98	3.1	12.8	109	20.9
M899959		104	3.2	17.1	135	17.0
M899960		105	2.5	14.6	78	15.5
M899961		110	2.4	15.1	80	15.5
M899962		94	3.1	15.2	127	17.7
M899963		58	5.7	9.9	5530	26.0
M899964		110	4.8	16.6	138	16.8
M899965		107	3.8	16.9	89	16.4
M899966		113	4.6	15.3	100	15.6
M899967		107	5.6	17.1	86	14.4
M899968		106	12.5	18.6	101	14.3
M899969		96	5.1	15.4	139	13.0
M899970		102	5.8	17.4	95	13.6
M899971		95	5.5	15.4	82	15.1
M899972		96	4.0	15.6	136	14.1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-36

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 4-AUG-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12164241**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.