



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5-AUG-2012
Account: ROCKHA

CERTIFICATE WH12164242

Project: Klaza TR-12-36

P.O. No.: Batch 3

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 16-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12164242

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M899973		4.82	<0.005	0.10	8.00	7.9	1010	1.46	1.68	2.07	0.40	44.0	8.6	13	17.45	13.4
M899974		3.52	<0.005	0.87	8.10	5.8	1290	1.43	28.7	1.42	0.39	41.9	7.9	12	16.10	13.9
M899975		4.18	<0.005	0.26	6.53	5.6	1350	1.43	1.46	2.41	0.29	25.8	8.5	10	14.90	12.7
M899976		3.41	<0.005	1.37	7.83	24.2	950	1.50	2.45	1.27	1.01	39.6	13.2	17	18.55	49.6
M899977		3.76	<0.005	0.33	7.93	10.1	980	1.40	2.76	1.67	0.22	41.1	9.7	13	16.65	45.5
M899978		4.09	0.005	1.74	7.58	55.4	960	1.58	1.59	1.51	0.68	29.8	11.8	12	17.45	160.5
M899979		4.80	0.062	77.9	8.75	223	1080	1.43	0.46	0.47	6.15	48.3	14.8	12	27.1	86.2
M899980		5.22	0.005	1.04	8.37	33.9	870	1.57	0.99	0.72	1.32	42.7	9.4	11	18.25	112.0
M899981		3.74	<0.005	0.41	9.46	10.1	720	1.31	0.57	1.43	0.42	29.1	13.8	6	13.95	44.6
M899982		3.64	<0.005	0.19	9.55	7.8	950	1.16	0.57	2.02	0.32	31.1	14.2	6	10.45	21.0
M899983		6.43	<0.005	0.14	9.94	7.9	910	1.13	0.50	2.00	0.33	30.2	16.8	8	12.65	21.3
M899984		5.84	<0.005	0.20	9.22	7.0	890	1.12	0.44	2.28	0.28	26.2	16.3	8	10.15	28.1
M899985		2.27	<0.005	0.21	9.16	12.2	880	1.21	0.54	1.95	0.34	30.5	13.1	13	11.05	21.7
M899986		4.72	<0.005	0.20	9.27	7.9	820	1.13	0.58	2.93	0.28	28.2	14.0	10	8.38	26.3
M899987		3.45	<0.005	0.13	9.63	3.5	810	1.08	0.26	2.00	0.32	28.2	15.4	5	12.25	27.7
M899988		4.10	0.006	0.42	9.08	13.6	780	1.33	0.72	0.84	0.36	28.8	16.6	8	24.6	30.8
M899989		6.80	<0.005	0.18	9.26	2.9	670	0.99	0.30	1.97	0.20	23.9	15.9	4	11.95	30.6
M899990		4.12	<0.005	0.17	9.17	3.0	670	1.22	0.40	1.82	0.17	27.9	14.2	17	10.50	17.7
M899991		6.42	<0.005	0.45	9.54	8.9	960	1.43	0.59	0.93	0.72	31.4	17.4	49	13.35	39.3
M899992		5.23	0.005	0.55	9.15	11.5	1060	1.82	0.64	0.80	0.87	24.0	20.4	175	37.1	50.7
M899993		5.62	<0.005	0.18	8.55	5.6	970	1.37	0.19	0.81	0.43	46.1	8.2	7	16.90	32.0
M899994		4.49	<0.005	0.07	8.21	5.2	750	1.45	0.16	0.80	0.28	45.6	8.2	9	12.90	15.6
M899995		6.49	<0.005	0.08	8.27	2.7	920	1.38	0.10	1.29	0.22	43.4	9.3	8	13.20	19.5
M899996		4.92	<0.005	0.07	8.33	2.3	980	1.31	0.12	1.48	0.20	35.1	9.8	7	13.20	21.4
M899997		6.52	<0.005	0.19	8.68	3.2	1130	1.46	0.41	1.48	0.23	36.7	10.0	31	6.91	56.1
M899998		4.92	<0.005	0.08	9.29	4.8	1190	1.43	0.15	2.39	0.29	25.6	12.1	36	9.09	32.7
M899999		6.52	<0.005	0.24	8.71	8.4	1060	1.42	0.26	0.84	0.65	39.9	8.8	<1	15.30	46.5
M897901		5.12	<0.005	0.22	9.38	4.9	1160	1.53	0.26	2.48	0.72	24.5	12.3	<1	5.42	50.3
M897902		0.26	1.490	34.4	7.89	545	1250	2.01	1.08	0.30	31.4	76.6	5.9	17	3.19	138.5
M897903		3.47	<0.005	1.01	6.77	4.0	1570	1.66	5.83	0.53	0.48	48.5	2.4	5	4.19	22.8
M897904		3.07	<0.005	0.64	7.48	3.8	1460	1.81	1.98	0.70	0.79	52.0	4.1	2	5.12	26.9
M897905		4.35	0.006	0.48	7.37	13.4	970	1.65	0.43	0.25	3.83	54.1	6.0	4	13.30	52.6
M897906		3.18	<0.005	0.02	0.09	<5	20	0.05	0.04	22.2	0.07	1.25	0.6	<1	0.15	1.7
M897907		5.70	<0.005	0.18	9.32	5.4	1200	1.58	0.22	1.33	1.59	20.4	15.0	71	18.75	68.7
M897908		5.52	<0.005	0.17	9.42	6.5	840	1.65	0.18	1.05	1.20	33.9	17.2	62	28.3	57.7
M897909		4.58	0.017	0.54	8.64	29.3	890	1.75	0.13	0.46	1.26	46.0	9.4	10	24.4	62.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12164242

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M899973		3.62	17.45	0.09	0.6	0.073	2.26	22.4	21.9	0.40	1400	1.01	1.38	8.8	5.6	590
M899974		3.31	17.90	0.10	0.5	0.064	2.14	18.5	22.3	0.26	1190	0.62	0.61	7.7	4.9	610
M899975		3.27	16.75	0.08	0.5	0.058	1.98	10.7	21.0	0.21	1460	0.79	0.56	7.0	5.2	510
M899976		4.04	17.05	0.12	0.6	0.077	3.01	17.2	37.5	0.30	2360	2.45	0.22	6.9	8.3	620
M899977		3.53	17.70	0.12	0.6	0.068	2.63	18.1	43.4	0.25	1460	0.89	0.96	7.3	5.4	560
M899978		3.66	17.05	0.10	0.6	0.115	2.88	12.6	124.0	0.25	2110	2.74	0.10	7.1	5.4	540
M899979		4.18	17.95	0.13	0.6	0.105	3.71	23.5	9.0	0.28	4850	3.56	0.12	7.7	5.5	610
M899980		3.87	17.40	0.13	0.6	0.176	2.87	20.8	43.2	0.27	1970	5.16	0.13	7.2	5.1	600
M899981		4.69	20.0	0.12	1.6	0.056	1.75	12.5	28.8	1.14	1260	1.61	1.36	6.1	5.1	820
M899982		4.77	19.70	0.10	1.6	0.079	1.44	12.3	31.4	1.19	1250	1.35	1.42	5.8	5.4	770
M899983		5.39	20.5	0.09	1.2	0.068	1.36	12.5	50.4	1.83	1550	1.47	1.16	5.2	6.1	790
M899984		5.21	19.50	0.09	1.2	0.068	1.24	11.1	45.8	1.79	1570	1.07	1.29	4.9	5.5	730
M899985		4.41	19.00	0.09	1.6	0.068	1.52	12.9	40.3	1.15	1060	1.98	1.26	6.2	6.4	720
M899986		4.83	19.05	0.08	1.6	0.070	1.03	11.8	38.2	1.51	1240	1.19	1.70	5.4	6.1	750
M899987		5.13	19.85	0.08	1.4	0.058	1.35	11.0	32.2	1.90	1860	1.54	1.18	5.0	5.0	750
M899988		5.00	21.2	0.11	1.1	0.091	2.34	12.0	23.6	1.75	1400	1.85	0.84	4.9	5.2	780
M899989		4.93	18.45	0.09	1.2	0.054	1.21	8.7	29.5	2.18	1740	0.85	1.20	4.5	4.5	740
M899990		4.66	19.55	0.10	1.6	0.074	1.38	10.1	23.3	1.64	1470	0.76	1.64	5.5	8.8	840
M899991		4.62	20.2	0.10	1.4	0.065	1.55	12.3	23.1	0.89	1700	2.08	0.67	7.0	20.7	1130
M899992		4.88	19.00	0.10	0.9	0.067	2.01	9.2	22.2	1.09	1530	2.07	0.60	7.4	45.3	1140
M899993		2.75	16.95	0.12	0.8	0.024	2.40	22.7	15.2	0.75	954	1.15	1.33	8.5	6.2	570
M899994		2.96	17.05	0.11	0.7	0.030	2.51	24.1	11.6	0.84	1070	1.55	1.40	7.7	4.6	590
M899995		3.09	17.20	0.10	0.8	0.024	2.12	19.3	17.0	1.21	818	0.84	1.87	8.2	4.9	600
M899996		3.09	16.90	0.09	0.8	0.022	2.14	15.2	18.3	1.38	761	0.80	1.97	7.5	5.2	650
M899997		3.69	18.20	0.14	0.7	0.039	2.15	17.7	19.0	1.58	1020	1.09	2.51	6.6	9.6	830
M899998		4.50	20.4	0.13	0.5	0.060	1.71	11.1	19.9	1.34	1180	1.26	2.59	5.1	12.8	1140
M899999		2.87	18.35	0.11	0.8	0.042	2.43	17.3	19.0	0.50	1300	2.14	1.32	6.7	2.5	990
M897901		4.61	20.6	0.10	0.4	0.071	1.68	10.7	17.8	1.05	1180	1.17	2.71	5.0	2.4	1150
M897902		5.76	24.0	0.21	2.5	0.223	3.56	36.7	23.5	0.29	1060	5.89	0.07	11.8	7.1	1790
M897903		1.35	13.30	0.14	1.4	0.229	3.40	23.5	7.3	0.30	438	0.85	1.86	7.4	1.7	310
M897904		1.77	15.55	0.13	1.2	0.127	3.03	23.0	10.7	0.38	846	1.15	2.14	8.6	2.1	450
M897905		2.29	16.10	0.13	1.2	0.032	3.08	31.8	9.1	0.33	2640	5.26	0.48	7.6	3.2	390
M897906		0.50	0.21	0.07	<0.1	0.009	0.03	0.6	1.1	13.50	227	0.15	0.01	0.2	1.7	180
M897907		4.22	20.5	0.10	0.6	0.046	1.81	8.9	17.1	0.85	1700	2.06	2.30	5.7	18.6	940
M897908		4.44	20.6	0.14	0.6	0.058	1.65	13.6	21.2	0.93	1570	2.22	1.53	5.5	19.8	1080
M897909		2.90	17.55	0.14	0.9	0.047	2.64	22.6	15.7	0.50	1290	3.09	0.56	7.7	6.4	730



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12164242

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M899973		27.4	119.5	<0.002	<0.01	13.05	12.9	1	2.3	209	0.88	<0.05	9.6	0.313	1.65	1.9
M899974		23.0	106.0	0.002	0.01	12.90	12.5	1	2.3	127.5	0.57	0.46	9.4	0.326	1.49	1.3
M899975		26.7	75.3	<0.002	0.01	9.68	10.2	1	2.2	152.5	0.55	0.05	6.3	0.299	1.32	1.1
M899976		20.1	172.0	<0.002	0.09	33.3	14.3	1	2.4	41.9	0.49	<0.05	9.7	0.320	2.64	1.8
M899977		15.9	139.5	<0.002	0.03	26.9	12.7	1	2.2	105.5	0.59	0.05	10.6	0.308	2.17	1.8
M899978		24.2	157.0	<0.002	0.13	70.0	11.9	1	2.4	62.6	0.54	0.07	8.4	0.297	2.51	1.8
M899979		2460	194.0	<0.002	0.19	150.0	13.6	1	2.2	44.3	0.60	0.05	12.3	0.323	2.57	2.7
M899980		36.0	162.0	<0.002	0.07	36.3	12.6	1	2.2	46.1	0.55	<0.05	11.4	0.307	2.12	1.9
M899981		40.8	73.9	<0.002	<0.01	3.88	14.8	1	1.2	231	0.40	0.15	5.8	0.373	1.16	1.9
M899982		46.7	50.1	<0.002	0.01	4.04	15.4	<1	1.1	302	0.37	0.10	5.5	0.381	0.95	1.6
M899983		36.3	49.5	<0.002	0.01	2.68	17.7	1	1.1	336	0.34	0.19	5.0	0.415	0.82	1.5
M899984		40.4	36.8	<0.002	<0.01	2.15	15.8	1	1.1	349	0.33	0.16	4.2	0.404	0.82	1.3
M899985		43.2	55.9	<0.002	0.01	5.67	14.6	1	1.3	320	0.41	0.13	6.9	0.370	1.11	1.7
M899986		50.3	27.4	<0.002	0.01	2.52	15.3	1	1.2	450	0.37	0.10	4.5	0.404	0.66	1.3
M899987		40.0	46.9	<0.002	<0.01	1.23	17.3	1	1.2	336	0.32	0.05	4.3	0.409	0.91	1.2
M899988		33.4	115.5	<0.002	<0.01	3.42	16.3	2	1.2	161.5	0.31	0.22	4.6	0.357	1.72	1.4
M899989		44.9	26.8	<0.002	<0.01	0.89	15.4	1	1.0	317	0.30	0.12	3.7	0.407	0.85	1.1
M899990		28.1	52.7	<0.002	<0.01	1.29	14.7	1	1.2	324	0.34	0.10	4.3	0.370	1.04	1.3
M899991		117.5	60.6	<0.002	0.01	11.55	14.4	1	1.3	182.5	0.45	0.40	5.1	0.415	1.01	1.9
M899992		91.2	82.9	<0.002	0.01	21.1	19.1	1	1.3	192.0	0.48	0.16	4.6	0.403	1.41	1.7
M899993		22.8	122.0	<0.002	<0.01	7.87	11.4	<1	1.4	206	0.71	<0.05	14.9	0.294	1.31	1.2
M899994		14.3	131.5	<0.002	<0.01	4.17	11.1	<1	1.7	190.5	0.62	<0.05	13.3	0.284	1.45	1.2
M899995		14.6	110.0	<0.002	<0.01	2.81	12.2	1	1.4	293	0.62	<0.05	11.5	0.298	1.06	1.1
M899996		15.6	90.6	<0.002	<0.01	1.83	12.1	<1	1.4	329	0.58	<0.05	10.2	0.310	1.07	1.1
M899997		19.0	99.1	<0.002	<0.01	1.61	13.1	1	1.5	410	0.46	0.08	8.7	0.318	1.05	1.1
M899998		19.0	67.6	<0.002	<0.01	2.57	11.8	1	1.4	528	0.29	<0.05	3.8	0.306	0.97	0.9
M899999		60.7	108.0	<0.002	<0.01	28.8	8.4	1	1.0	215	0.55	0.10	11.8	0.247	1.19	1.6
M897901		55.1	62.9	<0.002	<0.01	1.42	9.7	1	1.2	575	0.31	0.07	4.5	0.284	0.69	1.2
M897902		3960	170.0	0.003	0.60	78.3	15.2	4	22.2	392	0.71	0.33	7.4	0.456	2.08	3.4
M897903		168.0	124.0	<0.002	<0.01	1.14	3.8	1	0.8	217	0.77	0.23	20.6	0.129	1.17	2.6
M897904		220	117.5	<0.002	<0.01	1.71	5.0	1	1.1	249	0.64	0.29	20.2	0.161	1.18	2.5
M897905		362	155.0	<0.002	<0.01	4.94	5.5	1	1.4	86.8	0.60	0.07	20.5	0.145	1.89	2.1
M897906		2.5	1.3	<0.002	0.01	0.06	0.3	<1	<0.2	42.7	<0.05	<0.05	0.2	<0.005	0.02	0.6
M897907		27.4	74.2	<0.002	0.01	4.67	14.9	1	1.2	434	0.34	0.09	4.5	0.332	1.01	1.2
M897908		27.6	98.7	<0.002	0.01	8.02	18.7	1	1.4	292	0.37	0.06	5.5	0.374	1.03	1.7
M897909		130.5	151.5	<0.002	<0.01	14.95	11.6	1	1.4	150.5	0.60	<0.05	11.7	0.284	1.68	2.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12164242

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M899973		103	4.6	15.7	132	10.7
M899974		104	14.0	13.1	120	8.7
M899975		103	4.2	10.4	116	8.7
M899976		110	6.4	13.7	160	10.5
M899977		96	4.8	11.3	127	9.6
M899978		102	4.3	10.1	131	9.5
M899979		107	7.1	15.6	492	10.8
M899980		101	6.3	13.9	146	9.7
M899981		128	2.6	17.0	123	51.3
M899982		130	2.6	15.0	123	50.5
M899983		154	1.5	15.8	147	39.9
M899984		150	1.5	13.8	154	36.8
M899985		127	2.3	14.5	125	48.4
M899986		149	1.7	14.1	157	66.8
M899987		158	2.0	13.2	134	43.2
M899988		140	3.2	14.7	159	37.4
M899989		151	1.8	12.7	135	38.2
M899990		128	1.6	13.4	113	52.0
M899991		142	3.1	14.3	288	49.4
M899992		147	4.7	12.1	240	26.5
M899993		84	3.0	11.5	70	15.0
M899994		91	1.7	11.7	68	13.0
M899995		91	1.4	12.1	63	14.3
M899996		96	2.0	11.8	69	16.6
M899997		109	4.6	14.7	87	15.6
M899998		98	3.6	16.4	99	9.5
M899999		82	8.3	14.5	128	16.0
M897901		105	3.0	15.2	233	6.8
M897902		150	3.8	19.7	2570	65.7
M897903		28	1.6	9.7	124	29.8
M897904		37	2.3	11.8	132	27.0
M897905		49	2.5	16.4	159	26.7
M897906		2	0.1	0.8	14	<0.5
M897907		131	3.2	13.0	155	11.1
M897908		153	3.7	14.1	173	16.8
M897909		90	4.2	14.8	249	24.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-36

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12164242

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.