



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5-AUG-2012
Account: ROCKHA

CERTIFICATE WH12164245

Project: Klaza - 82

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2012
Account: ROCKHA

Project: Klaza - 82

CERTIFICATE OF ANALYSIS WH12164245

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M897390		4.73	0.139	0.83	7.92	75.3	920	1.41	3.75	1.68	1.95	66.4	15.8	8	22.7	55.7
M897391		0.33	2.31	25.4	6.28	3600	1730	1.32	19.70	2.23	79.9	45.1	10.9	19	15.25	443
M897392		9.56	0.015	0.35	7.88	28.9	1910	1.37	0.89	1.34	6.31	50.6	6.6	8	15.75	73.4
M897393		3.96	0.028	0.84	7.65	45.7	700	1.37	2.49	0.87	10.95	68.2	11.8	12	17.20	82.4
M897394		3.87	0.382	0.93	7.74	40.2	740	1.33	2.68	0.68	2.97	75.5	25.4	9	11.60	100.0
M897395		1.44	<0.005	0.01	0.10	<5	30	0.07	0.03	22.1	0.10	1.45	1.7	1	0.28	1.8
M897396		4.27	0.031	0.65	8.27	17.0	2810	1.47	1.47	0.44	1.73	58.9	9.1	9	17.20	102.0
M897397		6.78	0.086	2.42	6.72	74.7	880	1.29	7.81	0.90	4.64	54.3	11.8	11	14.40	89.7
M897398		5.32	0.006	0.50	8.64	25.5	1920	1.41	1.40	0.59	2.32	61.8	6.0	9	18.05	16.1
M897399		<0.02	<0.005	0.49	8.64	23.4	1920	1.31	1.30	0.59	2.28	57.6	6.0	9	17.70	16.3
M897400		3.86	0.047	3.45	8.11	114.5	300	1.70	8.86	0.39	5.72	59.2	7.3	11	23.7	128.0
M899701		8.32	<0.005	0.26	7.45	26.0	1260	2.10	0.28	2.96	0.37	54.2	6.4	28	38.7	18.7
M899702		11.09	<0.005	0.16	7.27	15.2	1390	2.14	0.06	3.14	0.05	50.8	5.4	16	37.7	6.8
M899703		10.22	<0.005	0.08	7.10	13.5	1580	2.05	0.04	3.61	0.06	47.8	5.2	15	35.8	6.9
M899704		5.37	<0.005	0.19	7.40	18.5	1290	2.05	0.20	2.82	0.62	55.7	6.0	30	42.5	13.1
M899705		0.33	2.17	24.7	6.25	3540	1330	1.32	19.25	2.25	80.7	44.9	10.9	19	15.10	434
M899706		5.96	0.016	1.24	7.27	35.4	1340	1.86	1.52	2.55	7.36	63.2	9.8	9	28.6	10.4
M899707		6.23	0.030	1.26	7.26	60.6	1160	1.57	2.05	1.70	5.54	50.8	29.6	9	18.80	60.0
M899708		5.20	0.525	19.75	6.49	2220	770	1.24	78.0	1.06	7.87	71.5	15.5	10	11.00	710
M899709		1.64	<0.005	0.07	0.11	<5	20	0.07	0.29	22.0	0.10	1.69	1.7	1	0.33	5.4
M899710		5.62	0.414	2.99	7.06	516	890	1.71	7.04	1.57	10.55	51.8	13.5	7	25.1	158.0
M899711		5.42	0.080	1.46	7.67	88.1	1400	1.54	3.28	1.89	7.04	49.7	8.4	9	15.65	66.7
M899712		11.79	0.019	0.59	7.75	18.9	2220	1.42	1.46	2.04	3.13	42.9	6.8	9	12.10	28.7
M899713		7.37	0.033	1.13	7.46	36.8	1910	1.54	2.75	0.89	4.78	57.7	23.5	10	13.35	28.0
M899714		11.48	0.014	0.54	8.10	23.2	2060	1.68	1.18	1.55	3.61	66.7	16.7	9	13.00	12.9
M899715		8.86	<0.005	0.29	7.53	12.1	2170	1.84	0.51	2.44	0.79	45.0	6.9	11	15.75	10.3
M899716		7.30	<0.005	0.26	8.05	15.6	2010	1.64	0.99	1.65	0.49	59.9	8.4	9	20.4	14.0
M899717		6.92	<0.005	0.17	7.71	13.7	2150	1.76	0.35	2.78	0.51	53.3	7.1	12	17.45	7.4
M899718		3.47	0.048	0.19	6.95	42.4	1920	1.54	0.31	2.84	1.65	43.6	6.5	9	25.7	12.6
M899719		2.92	0.018	0.19	7.28	35.6	1710	1.65	0.30	2.40	2.07	45.5	5.6	9	26.5	12.1
M899720		10.74	<0.005	0.15	7.83	12.2	2410	1.70	0.36	2.64	0.43	58.5	6.9	14	13.95	10.7
M899721		3.81	0.007	0.38	7.20	28.1	2480	1.73	0.55	2.70	2.81	41.4	6.0	10	19.20	26.3
M899722		6.83	0.850	>100	4.98	1785	2060	1.02	872	3.81	274	167.0	5.4	6	10.75	4180
M899723		6.04	0.100	1.77	7.33	87.5	880	1.74	5.24	2.20	2.30	144.5	6.6	11	17.95	29.5
M899724		7.63	0.007	0.70	7.00	11.9	1850	1.71	1.72	2.51	1.29	72.6	6.4	7	13.90	16.7
M899725		4.19	0.006	0.23	6.81	12.0	1630	1.66	0.61	2.71	1.39	55.7	6.6	8	14.85	6.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2012
Account: ROCKHA

Project: Klaza - 82

CERTIFICATE OF ANALYSIS WH12164245

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M897390		4.49	16.70	0.20	1.2	0.272	3.24	36.8	10.9	0.72	993	2.22	0.05	7.6	3.7	560
M897391		6.84	14.30	0.20	0.9	1.750	2.79	23.4	23.3	0.92	1880	13.35	0.05	6.2	16.1	450
M897392		3.13	17.55	0.16	1.3	0.121	3.28	24.9	27.8	0.28	647	1.34	0.17	8.5	2.4	600
M897393		3.81	16.80	0.18	1.2	0.235	4.13	38.3	11.5	0.53	767	4.87	0.07	6.9	3.4	560
M897394		4.04	16.30	0.17	1.2	0.302	3.75	43.8	15.0	0.45	888	2.20	0.07	7.5	3.7	610
M897395		0.52	0.40	0.07	<0.1	0.006	0.05	0.7	1.2	13.05	228	0.14	<0.01	0.3	3.3	180
M897396		2.76	18.85	0.16	1.2	0.261	3.91	30.5	20.7	0.25	781	2.80	0.11	8.0	2.3	630
M897397		3.96	14.90	0.17	1.0	0.262	3.12	28.9	15.8	0.47	1010	4.36	0.06	6.1	2.9	480
M897398		3.48	18.60	0.19	1.3	0.183	3.15	31.8	30.6	0.41	1200	2.23	0.09	9.0	2.9	670
M897399		3.48	18.15	0.18	1.3	0.185	3.10	29.4	30.0	0.41	1180	1.96	0.09	8.7	3.0	680
M897400		5.23	18.85	0.22	1.6	0.435	3.24	29.4	16.3	0.43	854	3.09	0.04	8.5	6.1	650
M899701		2.22	19.65	0.16	3.9	0.030	2.78	25.8	20.6	0.91	681	2.18	0.07	9.5	21.0	700
M899702		2.20	18.60	0.18	2.1	0.029	2.80	23.5	17.7	0.86	653	0.44	0.08	9.0	8.8	800
M899703		2.22	18.90	0.18	2.1	0.029	2.77	21.6	23.7	0.86	661	0.41	0.09	9.2	8.9	810
M899704		2.13	19.90	0.18	4.1	0.030	2.90	27.0	13.8	0.99	460	0.94	0.07	9.5	20.9	670
M899705		6.91	14.30	0.21	0.9	1.755	2.74	23.0	24.9	0.92	1890	13.20	0.04	6.0	16.3	450
M899706		2.77	16.10	0.14	1.2	0.361	2.36	33.9	13.6	0.77	800	4.70	1.26	7.1	4.2	560
M899707		3.75	14.75	0.17	1.1	0.423	2.82	27.8	15.4	0.62	976	3.01	0.33	6.4	3.0	520
M899708		8.33	15.65	0.27	1.4	0.936	2.69	38.1	20.6	0.47	2120	1.75	0.05	6.3	4.2	430
M899709		0.51	0.39	0.05	<0.1	0.008	0.04	0.8	1.4	13.00	224	0.17	<0.01	0.3	3.0	190
M899710		4.62	15.75	0.16	1.1	0.461	2.92	27.1	18.4	0.55	1260	5.35	0.03	6.8	3.5	520
M899711		4.40	17.35	0.18	1.3	0.524	3.47	24.4	22.1	0.65	1110	0.93	0.08	7.9	2.7	590
M899712		3.11	17.00	0.16	1.5	0.163	3.05	19.8	29.5	0.46	624	1.17	0.36	8.7	2.8	610
M899713		3.51	16.00	0.17	1.1	0.308	2.81	32.9	21.6	0.58	578	14.10	0.12	6.6	2.7	540
M899714		3.15	17.20	0.19	1.5	0.142	3.23	36.8	22.9	0.57	643	2.52	0.73	8.4	3.0	610
M899715		3.04	16.60	0.18	1.7	0.070	2.84	21.2	14.1	0.46	564	3.05	1.54	8.8	3.2	620
M899716		3.43	17.15	0.19	1.4	0.087	2.35	30.8	25.5	0.47	675	1.18	0.77	8.7	3.0	620
M899717		2.93	16.45	0.19	1.3	0.057	2.87	25.9	14.7	0.67	604	1.85	1.96	8.2	3.1	600
M899718		2.71	15.55	0.17	1.3	0.058	3.07	20.0	25.1	0.61	2020	1.25	1.23	7.9	2.5	560
M899719		2.64	15.55	0.18	1.3	0.057	3.09	21.4	20.3	0.61	1310	1.61	1.08	7.8	2.6	580
M899720		2.84	16.25	0.19	1.3	0.058	3.00	29.5	10.9	0.68	500	1.38	2.20	8.4	3.1	590
M899721		2.59	16.15	0.17	1.3	0.104	3.25	19.0	15.9	0.52	544	3.16	1.29	8.2	2.6	610
M899722		11.35	14.15	0.39	0.8	20.0	2.14	104.5	13.3	1.11	1630	34.3	0.04	4.3	2.4	320
M899723		4.61	16.45	0.20	1.1	0.730	3.16	94.7	19.0	0.88	1130	32.6	0.19	6.7	2.6	550
M899724		2.65	17.85	0.14	1.4	0.142	2.47	43.6	21.7	0.69	489	3.97	1.79	8.6	2.8	530
M899725		2.69	17.40	0.13	1.2	0.121	2.45	30.4	19.6	0.67	606	4.87	1.67	8.1	2.8	550



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2012
Account: ROCKHA

Project: Klaza - 82

CERTIFICATE OF ANALYSIS WH12164245

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M897390		44.8	157.5	0.002	2.68	15.40	11.3	2	6.3	42.8	0.65	0.63	15.8	0.226	2.50	7.1
M897391		2770	160.5	0.002	5.02	94.8	8.7	2	8.5	94.3	0.50	0.43	10.6	0.183	2.40	5.3
M897392		40.5	144.5	<0.002	0.69	16.95	11.3	2	4.3	93.6	0.75	0.16	13.8	0.253	1.96	3.2
M897393		47.9	236	0.002	2.17	14.05	10.4	2	4.9	62.6	0.60	0.48	13.8	0.220	3.19	4.0
M897394		58.2	201	<0.002	2.15	18.30	11.7	2	6.1	52.7	0.63	0.46	14.1	0.227	2.75	4.0
M897395		1.8	2.3	<0.002	0.02	0.09	0.4	1	<0.2	41.6	<0.05	<0.05	0.2	<0.005	0.02	0.6
M897396		23.7	172.0	<0.002	0.58	10.85	12.5	1	4.0	72.3	0.70	0.15	15.1	0.246	2.49	3.3
M897397		143.0	155.5	0.003	2.46	10.95	9.7	1	5.2	53.9	0.52	0.61	11.0	0.205	2.57	3.4
M897398		53.9	140.5	<0.002	0.31	11.75	12.9	1	2.9	67.5	0.73	0.06	15.9	0.283	2.02	3.1
M897399		52.0	137.0	<0.002	0.31	11.40	12.5	1	2.8	65.4	0.68	0.07	15.4	0.276	1.96	3.0
M897400		191.5	148.5	<0.002	3.53	16.05	12.5	2	9.2	45.4	0.68	0.10	12.2	0.281	2.78	4.0
M899701		41.6	89.4	<0.002	0.08	8.67	6.3	1	1.7	290	0.80	<0.05	10.3	0.271	1.55	5.4
M899702		15.8	87.8	<0.002	0.10	3.66	6.1	1	1.4	286	0.71	<0.05	8.4	0.273	1.59	4.7
M899703		17.2	77.8	<0.002	0.09	3.61	6.1	1	1.4	336	0.72	<0.05	7.9	0.278	1.58	4.8
M899704		32.1	101.0	<0.002	0.04	7.35	6.2	1	1.9	255	0.80	<0.05	10.2	0.265	1.95	5.5
M899705		2830	159.0	0.002	5.01	95.6	8.7	2	8.5	92.2	0.48	0.44	10.3	0.181	2.39	5.3
M899706		178.0	97.6	<0.002	0.51	4.89	10.2	1	4.4	210	0.67	0.24	12.7	0.213	1.96	3.7
M899707		130.5	145.5	<0.002	1.77	7.45	9.9	1	3.9	96.1	0.57	0.32	13.1	0.201	2.61	3.9
M899708		316	140.0	<0.002	7.96	40.3	9.0	5	10.6	78.0	0.54	1.25	10.8	0.193	2.53	4.0
M899709		2.8	2.2	<0.002	0.04	0.21	0.4	1	0.2	43.1	<0.05	<0.05	0.2	<0.005	0.03	0.5
M899710		144.5	157.5	<0.002	3.39	26.3	10.1	1	7.7	65.4	0.58	0.67	12.0	0.206	2.99	6.2
M899711		99.8	157.0	<0.002	1.68	11.80	11.2	1	6.8	88.0	0.67	0.66	13.0	0.235	2.81	4.1
M899712		48.7	102.5	<0.002	0.46	16.30	11.0	1	3.7	123.5	0.76	0.31	12.3	0.258	1.69	3.6
M899713		70.5	144.0	0.002	1.25	7.52	9.8	1	3.6	48.7	0.58	0.68	13.6	0.208	2.27	4.3
M899714		76.1	132.0	<0.002	0.94	9.08	11.4	1	2.8	136.0	0.77	0.21	15.4	0.248	1.89	3.4
M899715		40.9	95.6	<0.002	0.29	6.13	10.7	1	2.4	271	0.79	0.08	12.6	0.258	1.30	3.6
M899716		33.5	99.1	<0.002	0.51	12.75	11.7	1	2.7	151.5	0.74	0.15	14.5	0.264	1.28	6.9
M899717		25.8	105.0	<0.002	0.20	3.81	10.9	1	2.0	352	0.70	0.05	13.1	0.251	1.33	3.9
M899718		37.0	106.0	<0.002	0.40	4.79	9.7	1	2.0	248	0.68	0.06	11.2	0.242	1.87	3.5
M899719		35.9	118.5	<0.002	0.33	4.27	9.9	1	2.1	212	0.67	0.05	12.2	0.240	1.89	3.7
M899720		23.6	114.0	<0.002	0.29	3.04	10.7	1	2.0	392	0.71	0.09	14.0	0.253	1.34	4.3
M899721		48.8	110.0	<0.002	0.56	7.22	10.2	1	2.4	249	0.71	0.13	11.3	0.250	1.71	3.9
M899722		9660	102.5	0.009	>10.0	219	8.6	7	20.7	89.3	0.37	11.90	9.1	0.132	2.06	4.6
M899723		58.9	179.5	0.011	1.71	9.48	11.1	2	7.2	106.0	0.57	1.50	13.6	0.202	2.66	7.2
M899724		61.7	108.5	0.002	0.33	5.54	11.6	1	3.0	272	0.69	0.13	13.2	0.231	1.18	4.4
M899725		44.0	101.5	0.002	0.37	3.23	11.4	1	2.6	265	0.62	0.10	12.7	0.231	1.22	3.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-AUG-2012
 Account: ROCKHA

Project: Klaza - 82

CERTIFICATE OF ANALYSIS WH12164245

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
M897390		68	4.5	16.2	171	36.6		
M897391		57	5.0	10.1	5170	28.1		
M897392		71	5.3	16.4	409	41.2		
M897393		69	3.0	15.6	556	34.8		
M897394		71	2.5	16.7	262	34.7		
M897395		1	0.1	0.8	16	<0.5		
M897396		76	2.2	17.7	184	36.5		
M897397		71	3.4	14.3	372	28.4		
M897398		77	4.1	17.5	266	40.3		
M897399		76	3.8	16.8	258	39.7		
M897400		80	10.8	13.2	511	54.9		
M899701		51	2.7	12.0	118	151.5		
M899702		51	1.6	11.4	57	67.9		
M899703		52	1.5	11.2	61	66.8		
M899704		51	2.2	11.9	115	159.0		
M899705		57	5.1	9.9	5450	27.4		
M899706		66	1.5	14.4	643	35.8		
M899707		64	2.2	13.6	493	31.9		
M899708		54	12.2	12.7	395	46.0		
M899709		1	0.2	0.9	17	0.6		
M899710		61	6.6	13.2	786	34.3		
M899711		68	3.3	16.3	663	38.1		
M899712		71	3.9	15.8	224	44.7		
M899713		68	3.0	15.0	412	32.4		
M899714		70	3.3	17.4	296	43.9		
M899715		71	3.4	15.7	92	49.5		
M899716		72	3.7	18.8	75	42.5		
M899717		69	2.5	16.7	61	39.2		
M899718		66	3.8	14.3	160	38.0		
M899719		65	4.0	14.1	179	38.3		
M899720		70	2.3	16.7	58	39.7		
M899721		69	2.4	13.9	222	38.6		
M899722		53	11.9	16.8	>10000	22.0	369	2.21
M899723		67	3.7	17.1	254	33.7		
M899724		67	2.4	17.1	112	38.7		
M899725		67	1.6	17.1	142	34.9		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 82

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12164245

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.