



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 4-AUG-2012
Account: ROCKHA

CERTIFICATE WH12164247

Project: Klaza - 83

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-AUG-2012
Account: ROCKHA

Project: Klaza - 83

CERTIFICATE OF ANALYSIS WH12164247

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
M899581		3.12	0.009	0.97	7.45	14.7	2280	1.57	2.84	2.79	0.25	48.3	8.1	22	7.44	41.9
M899582		2.31	0.026	1.74	7.21	40.1	1660	1.65	2.64	2.96	2.37	40.2	8.4	18	12.25	54.5
M899583		4.36	0.008	0.21	7.37	8.5	2200	1.66	0.56	2.70	0.11	40.1	7.5	18	5.92	10.1
M899584		2.53	0.346	9.24	7.67	164.0	620	1.43	13.10	1.60	6.68	45.4	10.1	16	14.35	111.0
M899585		3.24	<0.005	0.09	0.07	<5	20	<0.05	0.02	22.2	0.06	0.96	0.6	1	0.17	2.0
M899586		4.77	0.025	0.18	7.37	6.4	2270	1.73	1.73	2.77	0.09	37.7	4.7	21	5.74	25.3
M899587		0.31	1.285	34.1	7.39	513	1170	1.88	1.22	0.29	30.4	69.7	5.8	18	3.29	125.0
M899588		5.59	0.005	0.24	7.35	10.3	2110	1.67	0.44	2.76	0.12	49.0	7.5	21	7.90	5.6
M899589		5.44	0.012	0.17	7.34	7.5	2390	1.52	0.56	2.89	0.18	45.8	8.9	21	5.99	13.1
M899590		<0.02	0.009	0.24	7.57	8.0	2380	1.58	0.55	2.88	0.17	45.4	8.5	24	5.99	10.8
M899591		2.97	0.016	0.44	6.86	12.6	2210	1.37	0.82	3.25	0.55	33.9	8.7	20	10.05	22.8
M899592		4.03	<0.005	0.14	7.26	4.7	2160	1.54	0.19	2.78	0.12	50.8	7.2	23	3.45	7.9
M899593		3.46	<0.005	0.09	7.36	6.3	2260	1.58	0.24	2.87	0.11	46.2	7.7	28	5.34	7.2
M899594		0.30	1.255	33.8	7.69	509	1230	1.85	1.23	0.30	30.7	70.7	5.8	18	3.29	124.0
M899595		2.42	0.007	0.21	7.34	5.4	2480	1.33	0.35	2.85	0.13	45.5	7.1	24	4.09	7.9
M899596		4.39	<0.005	0.18	7.21	6.2	2090	1.54	0.52	2.53	0.13	50.2	6.6	19	4.31	6.4
M899597		2.79	0.036	0.42	7.30	14.8	2300	1.54	1.99	2.28	0.26	45.4	14.0	22	5.63	83.6
M899598		4.37	0.011	0.13	7.52	7.0	2350	1.45	0.55	2.55	0.09	50.0	7.8	19	3.65	10.0
M899599		2.39	<0.005	0.11	7.33	4.0	2070	1.50	0.21	2.55	0.09	56.6	7.0	20	5.04	4.6
M899600		2.92	0.112	0.58	7.15	27.1	640	1.39	2.81	2.75	0.12	54.3	13.5	24	9.00	98.8
M899601		3.50	<0.005	0.02	0.08	<5	20	0.07	0.03	21.1	0.06	1.01	0.6	1	0.25	1.6
M899602		3.00	0.089	0.19	7.11	15.5	1490	1.20	1.55	2.57	0.05	52.6	14.2	18	6.71	32.2
M899603		2.57	0.016	0.14	7.78	6.8	2360	1.38	0.85	2.40	0.06	55.2	6.5	20	6.41	20.6
M899604		2.97	<0.005	0.13	7.42	5.9	2100	1.42	0.44	2.69	0.11	51.4	6.8	19	5.50	7.4
M899605		2.29	0.025	0.25	7.68	13.6	2610	1.40	0.98	2.37	0.14	50.2	24.7	19	4.34	57.6
M899606		4.98	0.018	0.15	7.65	8.6	2340	1.43	0.54	2.47	0.11	62.9	7.1	20	3.67	15.3
M899607		4.92	0.007	0.09	7.86	5.8	2210	1.37	0.58	2.67	0.09	53.3	7.7	15	5.33	6.3
M899608		4.64	0.015	0.12	8.22	7.9	2510	1.43	0.54	2.66	0.12	55.1	7.7	16	4.80	8.1
M899609		2.79	0.011	0.13	7.79	6.7	2040	1.41	0.72	2.93	0.10	56.0	7.6	14	6.83	19.7
M899610		1.56	0.015	0.15	8.27	7.0	2520	1.48	1.05	2.37	0.11	56.6	10.5	18	7.03	27.7
M899611		3.59	0.043	0.25	7.65	8.1	2160	1.43	0.59	2.85	0.14	49.5	8.2	16	7.69	16.3
M899612		2.11	0.011	0.19	7.59	15.0	2830	1.28	0.51	3.09	0.51	41.2	7.6	18	16.50	6.6
M899613		1.67	0.005	0.04	7.58	6.4	2690	1.38	0.40	2.67	0.12	38.2	4.9	15	9.88	6.7
M899614		1.83	0.021	0.27	7.21	14.5	1870	1.35	1.76	2.77	0.14	46.4	10.5	17	14.20	13.4
M899615		1.56	0.010	0.13	7.58	8.0	2190	1.56	1.99	2.66	0.09	52.9	9.7	16	7.59	16.6
M899616		0.74	0.010	0.14	7.61	6.5	2100	1.58	1.54	2.68	0.08	53.5	8.9	17	7.93	13.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-AUG-2012
Account: ROCKHA

Project: Klaza - 83

CERTIFICATE OF ANALYSIS WH12164247

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M899581		3.49	16.05	0.11	0.8	0.155	2.70	23.3	11.7	0.86	609	1.71	1.98	7.7	3.2	630
M899582		3.76	16.00	0.11	0.8	0.149	3.08	17.5	11.1	0.94	1770	1.42	1.11	7.0	2.7	600
M899583		3.26	15.55	0.09	1.0	0.078	2.64	19.0	13.2	0.88	577	1.67	2.05	8.1	2.7	640
M899584		4.82	17.05	0.12	0.8	0.755	3.48	22.5	15.5	0.65	2040	2.91	0.18	6.9	2.8	570
M899585		0.50	0.21	0.08	<0.1	<0.005	0.03	0.5	1.0	13.15	232	0.16	0.01	0.1	1.6	180
M899586		3.32	15.85	0.14	1.0	0.110	2.84	17.9	10.9	0.82	507	2.15	2.07	7.6	2.7	620
M899587		5.53	22.1	0.18	2.3	0.206	3.53	32.2	23.8	0.28	1020	5.54	0.07	11.1	6.8	1680
M899588		3.12	15.90	0.13	1.0	0.058	2.87	23.1	12.5	0.81	552	2.24	1.94	7.5	2.8	590
M899589		3.62	16.55	0.12	0.9	0.108	2.76	21.9	13.3	0.93	612	2.76	2.13	8.1	3.4	660
M899590		3.63	16.30	0.12	1.0	0.099	2.81	21.5	12.9	0.95	612	2.72	2.18	8.0	3.1	670
M899591		3.31	15.65	0.11	0.8	0.137	2.76	16.3	12.2	0.78	669	12.85	1.77	7.4	3.2	610
M899592		3.14	15.40	0.12	0.9	0.043	2.55	23.7	9.9	0.93	605	1.89	2.38	7.5	3.5	650
M899593		3.09	16.20	0.09	0.8	0.058	2.57	22.4	10.2	0.88	587	1.98	2.31	7.7	3.0	650
M899594		5.67	22.3	0.16	2.4	0.224	3.42	32.4	24.0	0.29	1060	5.66	0.07	11.5	6.5	1750
M899595		3.14	16.20	0.12	0.8	0.080	2.61	22.2	9.3	0.92	554	2.11	2.18	7.8	2.9	660
M899596		3.15	15.05	0.11	0.8	0.055	2.75	24.9	9.8	0.88	560	1.56	2.14	7.4	2.4	590
M899597		3.77	15.25	0.10	0.9	0.155	2.97	22.8	11.0	0.90	545	2.12	1.74	6.8	2.8	570
M899598		3.14	15.60	0.13	1.0	0.047	2.63	25.8	10.1	0.87	504	1.72	2.26	7.1	2.8	600
M899599		3.18	16.15	0.10	0.9	0.032	2.78	28.8	10.1	0.86	522	1.83	2.24	8.1	2.7	630
M899600		3.73	15.90	0.16	1.1	0.236	4.04	26.3	9.6	0.64	532	2.36	0.50	7.2	3.4	560
M899601		0.46	0.22	0.07	<0.1	<0.005	0.04	0.5	1.1	12.40	206	0.13	0.01	0.1	1.6	190
M899602		3.72	15.15	0.14	1.0	0.140	3.66	25.9	8.6	0.82	421	3.13	1.40	6.3	3.6	600
M899603		3.52	16.10	0.15	1.1	0.070	3.11	27.9	8.9	0.89	436	1.74	2.00	7.7	2.6	630
M899604		3.33	15.80	0.15	0.9	0.053	2.76	25.0	10.2	0.88	508	1.49	2.25	7.6	2.8	600
M899605		3.57	16.05	0.12	0.8	0.111	3.11	25.7	9.3	0.89	522	1.45	2.11	7.4	3.9	610
M899606		3.18	17.00	0.10	1.2	0.100	2.87	32.8	7.9	0.87	532	9.11	2.11	8.3	3.0	620
M899607		3.23	18.00	0.11	1.0	0.065	2.65	27.2	9.5	0.86	488	2.72	2.28	8.4	2.9	640
M899608		3.30	18.15	0.09	0.8	0.069	2.82	28.7	8.9	0.97	559	2.54	2.33	8.2	3.2	670
M899609		3.35	17.90	0.10	0.9	0.082	2.60	28.2	11.0	0.95	508	2.02	2.22	8.2	3.2	630
M899610		3.82	18.10	0.11	1.0	0.067	2.75	29.1	14.8	1.01	436	2.01	2.14	9.3	3.5	740
M899611		3.41	18.75	0.10	0.9	0.063	2.65	24.4	11.5	0.89	597	2.01	2.19	8.7	3.5	670
M899612		3.63	18.40	0.11	0.8	0.075	2.77	20.1	17.3	1.02	1000	1.72	0.40	8.1	3.1	660
M899613		2.44	17.45	0.08	0.9	0.046	3.07	18.4	13.4	0.70	453	2.35	1.80	8.0	2.9	660
M899614		3.23	17.15	0.10	0.9	0.086	2.65	23.8	19.0	0.78	560	2.95	1.04	7.7	3.1	620
M899615		3.45	16.00	0.10	0.9	0.083	2.58	26.5	9.7	0.84	475	2.22	2.12	7.8	3.7	640
M899616		3.40	15.70	0.11	0.9	0.068	2.50	26.8	9.6	0.80	471	1.77	2.09	7.4	3.4	630



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-AUG-2012
Account: ROCKHA

Project: Klaza - 83

CERTIFICATE OF ANALYSIS WH12164247

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M899581		18.0	106.5	<0.002	0.30	3.87	10.9	1	2.0	371	0.60	0.08	13.9	0.271	1.48	3.6
M899582		71.5	109.0	<0.002	0.59	4.88	9.6	1	2.0	256	0.57	0.08	9.3	0.264	2.23	3.1
M899583		17.0	94.8	<0.002	0.19	1.43	10.9	1	2.0	392	0.75	<0.05	11.1	0.268	1.16	3.8
M899584		375	200	<0.002	2.91	16.10	10.6	1	5.5	86.8	0.57	0.71	12.1	0.246	2.83	3.5
M899585		1.6	1.3	<0.002	0.01	0.05	0.2	<1	<0.2	37.3	<0.05	<0.05	<0.2	<0.005	<0.02	0.4
M899586		15.5	104.0	<0.002	0.24	1.74	10.2	<1	1.9	373	0.69	0.11	12.0	0.269	1.49	4.1
M899587		3890	171.5	0.003	0.58	62.7	14.2	3	19.8	372	0.70	0.29	6.7	0.439	1.86	3.3
M899588		21.2	108.5	<0.002	0.26	1.69	10.5	<1	1.9	345	0.68	0.05	12.8	0.253	1.46	4.4
M899589		17.8	95.0	<0.002	0.24	1.68	11.3	<1	2.0	388	0.61	0.05	10.7	0.293	1.28	2.7
M899590		17.9	97.3	0.003	0.23	1.62	11.1	1	2.0	395	0.62	0.06	11.0	0.299	1.43	3.1
M899591		27.3	93.7	0.004	0.36	1.88	9.9	1	2.0	339	0.57	0.09	10.3	0.265	1.50	3.4
M899592		16.7	83.2	0.002	0.01	0.81	10.8	1	1.5	394	0.64	<0.05	12.3	0.271	0.89	3.2
M899593		16.4	95.4	<0.002	0.04	0.84	10.9	<1	1.7	396	0.54	0.05	10.8	0.275	1.08	2.4
M899594		4050	175.0	0.004	0.61	63.8	14.5	4	19.7	385	0.75	0.32	7.1	0.428	2.07	3.4
M899595		17.5	90.4	0.003	0.09	1.05	11.3	1	1.9	406	0.51	<0.05	11.3	0.276	1.11	2.3
M899596		18.6	96.8	<0.002	0.06	3.12	10.5	1	1.6	377	0.58	<0.05	12.6	0.253	1.14	3.4
M899597		18.2	124.5	<0.002	0.71	1.77	9.8	1	1.9	315	0.64	0.10	12.6	0.242	1.81	4.9
M899598		17.2	103.5	<0.002	0.13	1.06	9.8	1	1.5	413	0.64	<0.05	15.2	0.239	1.08	5.1
M899599		17.0	93.6	<0.002	0.03	1.33	11.4	1	1.6	392	0.63	<0.05	16.0	0.275	1.04	3.6
M899600		16.6	183.0	<0.002	1.91	5.89	9.7	<1	3.4	137.5	0.71	0.72	12.2	0.228	2.53	4.2
M899601		1.4	1.9	<0.002	<0.01	<0.05	0.3	1	0.2	39.0	<0.05	<0.05	<0.2	<0.005	0.02	0.5
M899602		11.8	144.5	<0.002	1.56	1.76	10.0	1	2.6	187.0	0.52	0.28	11.5	0.237	2.02	3.2
M899603		13.1	131.0	<0.002	0.67	2.00	10.7	<1	2.4	293	0.63	0.16	14.9	0.266	1.58	3.3
M899604		19.2	94.6	<0.002	0.14	1.39	10.2	<1	1.9	387	0.58	0.09	13.1	0.272	1.26	3.8
M899605		19.3	135.5	<0.002	0.47	1.51	10.6	1	2.3	367	0.54	0.24	12.8	0.250	1.56	3.1
M899606		21.1	119.0	<0.002	0.15	1.73	11.6	1	2.2	385	0.82	0.05	18.0	0.259	1.25	5.6
M899607		16.8	121.5	<0.002	0.41	1.61	12.3	1	2.2	385	0.68	0.10	14.5	0.274	1.28	4.2
M899608		19.7	115.5	<0.002	0.32	1.06	12.5	1	2.0	438	0.63	0.12	13.2	0.282	1.14	4.0
M899609		19.7	108.5	<0.002	0.61	1.44	13.0	2	2.3	392	0.69	0.15	13.9	0.279	1.18	3.9
M899610		19.3	124.5	<0.002	1.21	1.74	13.4	2	2.5	367	0.76	0.17	13.0	0.306	1.39	4.2
M899611		19.2	107.5	<0.002	0.40	1.92	12.1	1	2.1	401	0.70	0.10	12.1	0.280	1.29	3.5
M899612		29.2	118.5	<0.002	0.46	5.09	12.0	1	2.6	152.5	0.63	0.06	9.6	0.275	1.79	2.9
M899613		16.5	142.0	<0.002	0.09	11.70	12.1	1	1.7	371	0.64	<0.05	9.1	0.276	1.84	2.8
M899614		17.1	111.5	<0.002	0.57	8.16	11.6	1	2.1	248	0.61	0.48	10.6	0.260	1.46	3.0
M899615		15.4	95.6	0.002	0.44	2.08	11.1	1	2.2	371	0.60	0.86	10.4	0.283	1.28	3.0
M899616		15.7	95.7	0.003	0.41	1.84	10.9	<1	2.2	374	0.56	0.45	11.6	0.275	1.29	3.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-AUG-2012
 Account: ROCKHA

Project: Klaza - 83

CERTIFICATE OF ANALYSIS WH12164247

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M899581		76	0.8	15.1	51	16.7
M899582		75	2.1	12.7	249	16.6
M899583		77	0.8	16.4	40	19.3
M899584		75	4.9	11.3	558	16.8
M899585		5	0.1	0.7	15	<0.5
M899586		76	1.0	14.9	38	17.4
M899587		143	3.5	17.6	2370	61.8
M899588		73	1.9	15.2	39	20.1
M899589		82	1.3	16.5	47	20.4
M899590		84	1.4	16.2	47	19.4
M899591		75	2.3	13.3	67	18.1
M899592		78	0.6	15.7	42	18.1
M899593		77	0.6	15.7	41	18.7
M899594		138	3.7	18.1	2300	65.5
M899595		78	0.6	15.4	43	19.1
M899596		72	0.5	15.6	42	17.4
M899597		71	1.2	13.7	61	17.5
M899598		66	0.5	15.1	34	20.0
M899599		80	0.7	16.0	38	21.0
M899600		69	2.9	13.3	28	20.4
M899601		5	0.1	0.7	13	<0.5
M899602		69	1.8	15.0	28	19.4
M899603		75	1.2	16.6	35	22.7
M899604		75	1.1	15.1	38	19.3
M899605		70	1.5	15.7	37	18.8
M899606		75	2.7	19.8	40	24.0
M899607		79	2.6	19.3	39	23.0
M899608		82	4.5	18.9	42	20.7
M899609		81	1.4	19.7	39	21.1
M899610		89	1.8	19.8	44	24.2
M899611		81	3.9	17.9	47	21.4
M899612		79	3.5	15.1	98	19.1
M899613		80	2.2	13.7	41	21.0
M899614		76	2.2	15.2	46	20.1
M899615		78	2.2	14.5	40	19.4
M899616		76	2.2	14.3	39	18.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 83

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12164247

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.