



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 23-JUL-2012
This copy reported on
31-JUL-2012
Account: ROCKHA

CERTIFICATE WH12165527

Project: Klaza-67

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12140557**

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza-67

CERTIFICATE OF ANALYSIS WH12165527

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
N828302		1.07	7.00	37.8	1230	1.62	0.84	2.71	11.15	46.8	8.1	11	8.16	32.7	3.25
N828303		1.14	7.14	55.9	1580	1.56	0.66	2.24	5.71	47.0	5.2	11	8.62	62.8	3.62
N828304		0.88	7.37	56.0	1540	1.60	0.50	2.36	5.51	55.6	6.1	10	8.69	55.6	3.66
N828305		1.33	6.60	151.0	860	1.44	1.03	1.42	4.46	53.1	3.9	9	9.91	9.7	4.63
N828306		5.17	7.31	260	1030	1.49	0.83	1.62	22.8	55.5	6.8	9	9.07	21.5	4.13
N828307		1.18	6.77	93.6	1120	1.47	1.08	0.40	3.61	44.0	13.4	9	9.99	10.9	6.01
N828308		3.51	5.43	634	390	1.04	1.46	4.07	27.9	38.8	3.7	7	9.90	50.4	5.59
N828309		0.02	0.07	<5	30	<0.05	0.02	20.1	0.11	1.33	1.2	1	0.19	1.6	0.45
N828310		0.41	7.13	47.2	1220	1.34	0.21	1.78	1.85	54.6	5.0	8	14.35	7.3	4.77
N828311		0.18	7.56	18.3	2080	1.34	0.34	2.50	0.19	68.4	7.4	9	12.70	12.9	3.49
N828312		0.15	7.10	17.5	2010	1.36	0.33	2.47	0.17	59.1	7.2	8	12.15	12.0	3.48
N828313		1.36	7.33	161.5	1910	1.33	1.18	1.89	2.61	83.7	6.8	8	14.75	13.2	4.93
N828314		0.16	7.66	21.1	1450	1.46	0.15	2.24	0.34	64.5	5.3	8	15.45	1.4	3.40
N828315		0.58	7.23	42.9	1480	1.42	0.96	2.67	1.95	71.0	12.1	9	13.75	6.2	4.11
N828316		0.46	7.48	34.2	1280	1.44	0.62	2.23	3.29	67.5	11.0	8	14.55	9.9	4.00
N828317		0.48	7.28	79.6	1300	1.35	0.87	2.42	1.96	74.3	7.6	8	11.80	8.9	3.93
N828318		9.56	6.70	1810	780	1.34	6.02	1.87	38.2	45.5	16.8	21	16.10	107.5	5.24
N828319		>100	4.66	1240	2550	0.88	297	1.14	280	24.9	6.7	7	5.43	3990	11.15
N828320		0.29	0.11	<5	30	0.07	0.36	21.0	0.41	1.61	1.1	<1	0.25	7.0	0.43
N828321		1.33	7.71	31.9	2090	1.33	1.73	1.91	6.46	46.1	5.4	9	9.28	22.4	2.86
N828322		1.76	6.37	84.0	1430	1.11	2.55	1.10	7.55	41.3	3.9	11	10.30	34.1	3.78
N828323		2.68	6.77	178.5	1500	1.29	2.29	0.58	11.60	47.3	4.2	10	12.90	91.3	5.55
N828324		5.96	5.59	198.0	440	1.16	7.60	1.01	15.80	38.6	4.4	9	19.85	66.7	4.24
N828325		5.18	4.80	275	270	0.94	4.79	1.14	25.5	41.2	4.6	8	10.85	53.7	5.05
N828326		2.25	7.46	100.0	3150	1.16	2.91	1.33	6.39	59.3	2.1	10	9.48	44.7	4.87
N828327		6.69	6.95	117.5	1590	1.24	4.97	0.57	26.2	59.7	3.3	8	8.97	107.5	4.90
N828328		1.99	6.75	49.3	2840	1.09	1.50	1.15	13.15	57.2	2.2	10	8.51	22.8	5.81
N828329		9.86	6.78	1845	330	1.37	6.74	1.89	38.8	44.7	17.0	21	16.20	109.5	5.31
N828330		16.45	5.66	661	1060	0.93	11.60	4.81	72.1	48.3	4.6	7	6.01	775	6.04
N828331		>100	3.71	2890	2330	0.61	375	1.42	43.7	19.10	9.3	8	3.39	>10000	15.15
N828332		2.82	5.91	395	600	0.98	3.94	5.49	2.91	43.6	5.5	7	8.36	49.4	6.14
N828333		1.39	6.49	45.6	1100	1.20	1.23	3.27	2.13	36.8	6.0	7	9.76	46.4	4.03
N828334		0.89	7.39	29.7	1610	1.24	0.51	1.34	1.55	49.2	4.3	10	14.65	39.6	3.64
N828335		0.31	7.15	10.6	1720	1.35	0.27	2.35	0.85	44.8	5.5	9	12.35	5.4	3.38
N828336		0.13	7.21	11.5	1990	1.27	0.19	2.18	0.16	31.5	6.7	10	10.05	2.3	2.67
N828337		0.21	7.07	10.7	2170	1.46	0.22	2.36	0.16	42.4	4.3	9	15.15	3.4	3.32

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12140557**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza-67

CERTIFICATE OF ANALYSIS WH12165527

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
N828302		0.14	1.0	0.219	2.46	23.1	35.1	0.67	1040	0.86	0.91	6.4	3.6	540	167.0
N828303		0.15	0.9	0.263	2.86	23.4	46.6	0.60	1460	1.61	0.30	5.9	2.4	580	173.5
N828304		0.17	0.9	0.211	2.86	29.0	38.9	0.65	1600	1.61	0.44	6.0	2.5	600	157.0
N828305		0.16	0.9	0.164	2.63	27.9	68.0	0.72	1360	5.79	0.05	5.2	2.8	480	224
N828306		0.16	0.8	0.240	2.90	27.5	22.5	0.70	1520	1.94	0.06	5.4	2.7	540	1780
N828307		0.17	0.8	0.196	3.06	22.0	6.9	0.58	2460	15.85	0.05	5.6	2.5	490	235
N828308		0.16	0.6	0.551	2.40	20.6	11.9	1.39	4610	9.80	0.03	4.6	2.2	380	1130
N828309		0.06	<0.1	<0.005	0.03	0.6	1.0	12.20	210	0.17	0.02	0.3	1.3	170	4.5
N828310		0.14	0.9	0.148	3.04	32.7	16.2	0.80	2310	2.25	0.15	6.2	2.5	530	131.0
N828311		0.15	0.9	0.038	3.05	40.7	20.7	0.93	836	1.52	0.12	5.9	3.1	580	14.8
N828312		0.16	0.9	0.042	3.02	33.9	19.1	0.90	817	1.82	0.14	5.9	3.0	560	14.1
N828313		0.17	1.0	0.165	3.11	53.8	9.5	0.88	1620	3.54	0.05	6.6	2.6	560	240
N828314		0.15	1.0	0.084	3.13	38.8	52.0	0.88	1990	3.36	0.05	6.8	2.0	590	24.9
N828315		0.18	0.8	0.113	3.24	41.4	27.7	1.13	1520	3.36	0.05	5.4	2.4	520	99.4
N828316		0.18	0.9	0.187	3.36	38.5	17.0	0.95	1600	2.58	0.05	6.2	2.2	580	44.5
N828317		0.17	0.9	0.128	3.36	44.9	11.3	0.89	1570	1.98	0.05	6.1	2.1	530	47.4
N828318		0.18	1.3	0.876	2.78	24.8	22.7	0.69	1960	12.70	0.26	7.9	15.9	490	1310
N828319		0.22	0.6	3.90	2.15	11.6	8.4	0.45	1460	1.86	0.04	3.7	2.1	330	>10000
N828320		0.05	<0.1	0.011	0.05	0.8	1.1	12.70	191	0.12	0.01	0.4	1.1	280	39.0
N828321		0.13	0.9	0.245	3.54	25.8	21.7	0.83	1570	10.10	0.06	5.7	2.4	550	124.5
N828322		0.14	0.8	0.340	2.84	22.8	18.9	0.64	1440	5.91	0.05	4.9	2.3	450	177.5
N828323		0.16	0.9	0.418	3.06	25.7	18.9	0.60	2190	10.60	0.04	6.1	2.7	450	253
N828324		0.14	0.7	0.463	2.35	20.6	31.9	0.46	1540	16.75	0.03	4.9	2.9	370	388
N828325		0.15	0.5	0.391	2.18	21.6	32.0	0.31	1560	23.7	0.03	4.0	2.9	400	838
N828326		0.16	0.8	0.288	3.50	33.6	11.2	0.85	2210	4.88	0.06	5.5	2.3	550	163.0
N828327		0.17	0.8	0.519	3.17	36.1	9.2	0.59	1370	4.19	0.05	4.6	2.6	500	1080
N828328		0.17	0.8	0.368	3.02	32.2	7.9	0.85	2540	1.15	0.06	4.8	2.6	490	441
N828329		0.18	1.3	0.881	2.85	23.4	23.3	0.69	2000	13.05	0.26	8.1	16.6	500	1320
N828330		0.16	0.6	0.873	2.67	26.2	7.9	0.55	2000	5.84	0.04	4.7	2.1	390	1710
N828331		0.25	0.4	7.42	1.69	8.8	7.6	0.47	1500	6.14	0.03	3.1	2.0	260	2880
N828332		0.13	0.8	0.156	2.85	24.2	7.2	0.45	2150	17.55	0.02	5.8	2.3	450	212
N828333		0.14	0.7	0.160	3.13	19.4	10.0	0.74	2030	13.80	0.03	5.1	2.5	490	141.0
N828334		0.13	0.9	0.079	2.79	27.9	39.0	0.60	1090	2.53	0.05	8.0	3.2	610	127.0
N828335		0.15	0.9	0.049	2.82	23.4	19.5	0.93	1090	0.68	0.74	6.7	2.9	570	78.5
N828336		0.15	0.9	0.039	2.83	15.0	25.4	0.75	529	2.50	0.76	7.6	2.7	590	16.7
N828337		0.16	1.0	0.063	3.14	22.0	23.8	0.77	834	0.97	1.22	7.6	2.4	540	24.2

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12140557**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza-67

CERTIFICATE OF ANALYSIS WH12165527

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
N828302		<0.002	0.83	4.77	10.6	1	2.8	182.0	0.54	0.06	12.1	0.191	2.00	5.1	64	1.6
N828303		<0.002	0.83	22.4	9.7	1	2.4	97.1	0.47	0.05	11.9	0.189	2.11	4.2	68	1.9
N828304		<0.002	0.79	22.3	10.3	1	2.4	105.0	0.47	<0.05	12.2	0.189	2.10	4.4	67	1.8
N828305		<0.002	2.00	16.45	9.0	1	2.2	53.5	0.44	0.06	12.1	0.159	2.45	4.9	59	3.2
N828306		<0.002	1.99	14.25	10.4	1	6.9	42.2	0.43	0.05	13.1	0.170	2.24	4.4	66	3.5
N828307		0.003	1.01	7.82	8.4	1	3.5	17.4	0.44	<0.05	13.0	0.173	2.79	4.7	55	5.6
N828308		0.002	2.85	26.3	7.0	1	6.2	71.1	0.37	<0.05	9.3	0.143	2.39	3.6	46	5.6
N828309		<0.002	0.01	0.10	0.2	<1	<0.2	47.5	<0.05	<0.05	<0.2	<0.005	0.02	0.4	2	0.1
N828310		<0.002	0.44	8.07	10.0	1	3.4	70.2	0.50	<0.05	12.5	0.196	2.73	6.7	61	4.7
N828311		<0.002	0.32	11.30	10.8	1	0.9	91.3	0.48	0.05	13.7	0.183	2.21	7.6	67	2.0
N828312		<0.002	0.32	10.70	10.2	1	0.9	89.5	0.48	<0.05	12.0	0.183	2.16	7.0	67	2.0
N828313		<0.002	1.52	12.10	10.6	1	2.5	68.5	0.57	0.06	14.4	0.200	3.04	7.8	65	5.1
N828314		<0.002	0.27	6.25	11.1	1	1.1	110.5	0.59	<0.05	14.4	0.212	2.71	5.6	69	2.8
N828315		<0.002	1.01	7.28	10.7	1	1.9	70.8	0.40	<0.05	13.7	0.167	2.72	5.6	69	2.5
N828316		<0.002	0.76	5.24	11.0	1	1.6	89.0	0.49	<0.05	13.6	0.197	2.88	5.8	66	3.4
N828317		<0.002	1.29	6.06	10.8	1	1.8	77.6	0.48	<0.05	13.0	0.192	2.95	4.6	66	3.5
N828318		<0.002	3.08	31.3	9.2	1	5.5	151.0	0.63	0.29	11.8	0.206	2.48	5.3	58	5.3
N828319		<0.002	>10.0	326	6.5	2	32.0	57.1	0.29	1.76	6.5	0.119	1.97	2.2	42	3.9
N828320		<0.002	0.03	0.54	0.2	1	<0.2	44.5	<0.05	<0.05	<0.2	<0.005	0.02	0.8	3	0.1
N828321		0.005	0.45	13.45	10.0	1	1.7	45.4	0.46	<0.05	13.4	0.195	2.93	3.8	70	3.2
N828322		0.002	1.32	24.4	8.6	1	3.6	29.4	0.39	0.12	11.1	0.161	2.82	3.0	61	3.3
N828323		0.003	1.63	50.0	9.1	1	4.7	39.1	0.47	0.07	11.9	0.191	3.31	5.8	62	7.3
N828324		<0.002	2.40	61.7	7.6	1	4.6	140.5	0.39	0.28	9.8	0.155	2.38	4.3	53	5.3
N828325		0.002	3.32	73.6	7.0	1	6.3	213	0.30	0.11	8.2	0.124	2.00	4.8	46	4.2
N828326		<0.002	0.92	14.85	10.7	1	3.9	68.7	0.41	<0.05	13.1	0.181	2.95	3.7	69	3.9
N828327		0.004	1.10	26.9	9.6	1	6.1	21.1	0.38	<0.05	12.0	0.167	2.76	2.7	73	4.8
N828328		<0.002	0.52	7.92	9.9	1	3.8	71.3	0.39	<0.05	11.5	0.155	2.70	2.7	64	3.6
N828329		0.002	3.14	32.5	9.3	1	5.6	153.5	0.65	0.28	11.9	0.210	2.59	5.3	59	5.7
N828330		0.002	4.74	38.5	7.9	1	8.1	139.0	0.35	0.09	8.9	0.140	2.07	2.4	51	3.1
N828331		<0.002	>10.0	453	4.8	2	12.1	65.8	0.23	0.72	4.9	0.088	1.40	2.0	31	2.2
N828332		0.008	3.74	12.70	8.3	1	6.5	149.0	0.47	0.13	10.3	0.176	2.86	4.2	55	7.1
N828333		0.007	0.53	11.15	9.1	1	3.4	87.7	0.41	<0.05	9.9	0.167	3.00	4.6	64	3.5
N828334		<0.002	0.33	24.6	11.6	1	2.4	81.6	0.62	<0.05	11.7	0.248	2.37	4.4	66	5.2
N828335		<0.002	0.20	5.65	10.5	1	2.2	161.0	0.54	<0.05	11.3	0.209	2.20	4.5	66	2.6
N828336		0.002	0.17	5.25	11.2	1	1.3	153.5	0.57	<0.05	11.2	0.244	1.74	4.3	75	2.2
N828337		<0.002	0.12	4.57	10.0	1	2.3	263	0.61	<0.05	11.6	0.242	1.68	3.3	67	3.2

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12140557**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza-67

CERTIFICATE OF ANALYSIS WH12165527

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
N828302		10.9	902	30.0				
N828303		10.1	531	28.0				
N828304		11.1	514	27.7				
N828305		10.5	436	26.2				
N828306		11.0	2110	26.9				
N828307		6.8	456	25.4				
N828308		8.8	2440	20.4				
N828309		0.8	21	<0.5				
N828310		11.1	287	25.2				
N828311		13.4	77	27.2				
N828312		12.6	78	26.7				
N828313		12.6	301	29.8				
N828314		14.7	79	28.7				
N828315		12.8	242	24.1				
N828316		12.4	331	26.3				
N828317		12.9	253	25.6				
N828318		11.3	2990	40.8				
N828319		6.9	>10000	15.7	234		3.04	1.945
N828320		0.9	45	<0.5				
N828321		10.9	563	25.1				
N828322		7.2	690	22.9				
N828323		8.7	1200	25.0				
N828324		8.4	1400	20.6				
N828325		7.5	1960	15.1				
N828326		8.8	618	22.5				
N828327		6.9	2020	22.6				
N828328		6.6	1180	21.3				
N828329		11.3	3060	39.4				
N828330		7.1	5330	18.0				
N828331		5.4	3390	11.2	341	1.835		
N828332		8.6	311	21.8				
N828333		9.0	272	21.1				
N828334		12.3	198	26.3				
N828335		11.4	150	24.6				
N828336		11.9	70	25.3				
N828337		13.6	60	29.6				

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12140557**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-67

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12165527

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.