



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7-AUG-2012
Account: ROCKHA

CERTIFICATE WH12167651

Project: Klaza - 82

P.O. No.: Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-AUG-2012
Account: ROCKHA

Project: Klaza - 82

CERTIFICATE OF ANALYSIS WH12167651

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N810448		3.85	0.249	3.16	7.18	160.5	750	1.57	5.72	0.75	7.65	50.9	3.6	9	8.33	40.9
N810449		4.89	0.055	2.62	7.06	95.1	770	1.81	3.95	0.70	13.20	46.8	5.0	12	6.91	31.1
N810450		8.44	0.094	1.45	7.50	76.9	810	1.99	2.00	2.07	14.95	90.9	8.6	12	10.60	27.6
N810451		8.00	0.016	1.02	7.31	27.7	750	1.90	2.12	2.49	11.60	53.2	20.4	10	9.40	11.2
N810452		6.86	0.070	2.66	5.77	42.0	1310	1.50	4.62	1.58	17.55	38.9	8.6	12	6.69	28.7
N810453		10.69	0.015	1.51	7.32	31.8	2030	1.89	2.44	3.16	17.05	73.8	20.3	8	9.81	28.8
N810454		9.62	0.009	0.24	7.52	20.8	1460	1.76	0.50	2.71	1.94	77.0	8.1	10	15.05	7.7
N810455		4.92	0.008	0.46	7.12	17.1	1110	1.55	0.64	2.95	0.80	55.4	13.5	11	13.40	4.4
N810456		4.55	0.005	0.16	7.68	16.5	960	1.71	0.44	2.85	0.74	50.6	7.7	11	8.47	3.1
N810457		2.13	<0.005	0.15	7.59	16.0	1030	1.69	0.41	2.76	0.48	57.2	8.8	11	8.20	4.0
N810458		12.15	<0.005	0.22	7.77	14.0	1840	1.78	0.40	2.54	1.06	45.2	6.6	11	7.50	6.7
N810459		5.81	0.035	0.81	7.52	34.0	1450	1.74	1.25	2.82	5.28	58.4	7.8	10	11.15	12.1
N810460		0.22	4.42	>100	5.48	6610	240	1.25	55.9	1.94	221	34.1	9.2	19	12.30	1250
N810461		10.81	0.007	0.31	7.84	15.7	1170	1.84	0.50	2.76	1.40	55.0	8.6	11	12.65	4.0
N810462		5.36	0.012	0.27	7.47	19.5	1400	1.68	0.51	2.77	1.93	47.8	9.7	12	12.10	4.7
N810463		5.84	0.723	1.69	7.69	1910	1490	1.62	1.24	1.67	38.1	59.8	6.4	10	9.87	45.3
N810464		7.96	0.183	1.49	7.53	172.5	940	1.69	1.82	2.43	20.7	46.7	21.0	9	13.30	17.4
N810465		3.61	<0.005	0.04	0.26	<5	40	0.11	0.03	20.7	0.23	2.54	0.6	1	0.39	2.3
N810466		4.86	0.038	0.43	7.81	68.7	1130	2.01	0.77	2.29	1.74	59.6	11.9	17	20.9	9.8
N810467		4.65	0.431	1.54	6.64	449	430	1.39	1.72	3.10	6.52	52.2	15.6	9	9.60	23.1
N810468		10.00	0.015	0.41	7.82	44.1	1470	1.77	0.73	2.79	1.73	55.4	12.4	10	14.30	18.6
N810469		8.00	0.018	0.47	7.40	21.3	1860	1.57	0.63	1.78	4.07	46.5	6.9	6	9.00	11.6
N810470		3.76	0.023	0.63	7.44	36.0	2250	1.41	1.28	0.68	0.84	48.9	9.4	7	8.32	20.1
N810471		10.83	0.007	0.20	7.99	15.6	2340	1.31	0.39	0.88	0.43	57.6	6.1	7	9.00	9.4
N810472		<0.02	0.009	0.20	8.11	15.7	2380	1.35	0.39	0.88	0.41	56.3	6.5	7	8.71	6.2
N810473		9.11	0.008	0.20	7.59	15.2	2030	1.65	0.41	2.20	0.63	56.1	6.6	8	9.15	3.1
N810474		10.92	0.009	0.28	7.48	15.9	2030	1.60	0.36	2.57	0.70	47.8	6.3	9	10.75	1.5
N810475		0.21	4.39	>100	5.47	6600	380	0.99	59.9	1.96	224	34.7	8.5	16	12.05	1255
N810476		11.38	0.046	0.43	7.75	25.9	2140	1.86	0.59	2.48	0.60	48.2	7.2	9	11.65	34.2
N810477		8.11	0.053	0.85	7.81	38.8	1910	1.75	1.65	1.52	2.35	45.5	8.0	9	12.60	23.5
N810478		4.67	3.19	49.2	6.49	1065	620	1.02	332	0.39	7.30	53.6	11.3	8	6.81	629
N810479		4.71	0.033	0.86	8.08	30.1	1130	1.76	2.06	1.38	2.29	50.9	6.8	7	13.60	15.3
N810480		3.02	0.006	0.10	0.08	<5	30	0.06	0.64	20.8	0.07	1.37	1.2	<1	0.14	3.2
N810481		7.76	0.760	1.40	8.24	1605	1310	1.49	1.81	1.10	1.82	55.8	7.7	9	13.10	66.7
N810482		4.97	0.895	2.22	7.54	730	930	1.64	2.60	1.91	2.54	51.4	7.6	9	15.75	128.5
N810483		6.28	1.370	32.5	6.98	524	220	0.86	65.8	0.92	3.26	77.9	10.7	8	6.94	105.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-AUG-2012
Account: ROCKHA

Project: Klaza - 82

CERTIFICATE OF ANALYSIS WH12167651

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N810448		5.68	16.35	0.14	1.0	0.488	3.31	29.1	21.2	0.62	966	2.25	0.06	5.8	1.4	530
N810449		4.94	16.60	0.09	1.2	0.516	3.27	24.8	17.7	0.68	1020	0.51	0.06	5.4	1.9	520
N810450		3.10	17.05	0.11	1.0	0.526	2.75	52.4	31.5	0.83	866	0.94	0.06	5.1	1.9	550
N810451		3.41	15.55	0.07	1.0	0.368	1.92	26.1	16.4	0.53	757	1.03	1.54	5.1	3.0	560
N810452		2.72	12.95	0.07	0.8	0.858	2.26	20.4	11.4	0.46	608	0.49	0.26	3.7	1.6	390
N810453		3.76	17.15	0.12	1.1	0.473	2.35	40.2	25.1	0.96	982	1.68	0.59	5.4	2.6	550
N810454		2.78	17.00	0.10	1.3	0.114	2.03	44.5	15.5	0.81	657	1.53	2.23	7.6	2.3	570
N810455		2.79	14.75	0.07	1.1	0.138	1.43	29.7	14.0	0.73	644	1.03	2.53	6.8	3.4	540
N810456		2.59	16.35	0.09	1.3	0.063	1.46	26.5	12.7	0.78	621	0.85	2.97	7.2	2.4	530
N810457		2.75	16.05	0.10	1.2	0.062	1.51	30.8	13.2	0.78	605	0.93	2.87	7.2	2.5	540
N810458		2.91	15.80	0.08	1.3	0.050	2.49	23.4	15.4	0.83	584	1.64	2.68	7.5	2.0	600
N810459		3.24	17.00	0.08	1.1	0.130	2.12	30.3	15.7	0.73	845	0.97	1.89	7.2	2.5	590
N810460		8.17	13.00	0.19	1.1	5.02	2.23	17.4	31.0	0.62	3020	15.30	0.08	5.6	11.9	450
N810461		2.83	16.80	0.08	1.2	0.054	1.75	29.8	13.4	0.76	679	0.81	2.67	7.2	2.4	590
N810462		3.02	15.85	0.08	1.2	0.096	1.81	24.2	13.7	0.76	667	0.46	2.68	7.2	2.4	590
N810463		3.17	17.95	0.17	1.3	0.292	2.37	33.2	21.0	0.53	582	0.56	1.36	8.3	1.8	560
N810464		3.95	15.65	0.09	1.2	0.436	2.56	24.3	12.3	0.67	848	0.80	1.27	5.9	2.8	510
N810465		0.52	0.57	<0.05	<0.1	0.010	0.10	1.4	2.2	12.55	238	0.08	0.01	0.2	1.4	240
N810466		2.96	18.15	0.09	2.7	0.089	2.81	32.8	23.5	0.93	830	1.64	0.12	8.5	6.9	740
N810467		5.43	15.55	0.10	0.9	0.332	2.92	26.9	11.7	0.71	1270	1.21	0.08	4.8	3.0	470
N810468		2.86	17.40	0.09	1.3	0.071	2.15	30.3	12.6	0.75	655	0.93	2.17	7.5	2.9	600
N810469		3.02	16.85	0.10	1.2	0.158	2.40	23.5	23.9	0.58	828	0.75	0.87	7.9	2.5	680
N810470		3.13	15.65	0.09	1.1	0.105	2.57	26.1	25.4	0.33	696	0.79	0.09	7.4	2.4	630
N810471		3.09	17.65	0.11	1.1	0.078	2.81	32.9	20.5	0.31	633	0.56	0.84	8.1	2.5	670
N810472		3.20	17.05	0.10	1.1	0.076	2.82	31.7	19.9	0.31	637	0.67	0.85	7.7	2.6	650
N810473		2.92	16.85	0.11	1.1	0.046	2.49	30.9	13.3	0.55	615	0.51	1.92	7.5	2.8	590
N810474		2.71	15.85	0.10	1.2	0.056	2.42	25.5	13.4	0.62	613	0.54	2.28	7.5	2.6	590
N810475		8.10	12.20	0.20	1.1	4.78	2.23	18.1	26.9	0.62	3010	16.00	0.09	6.0	11.9	460
N810476		2.93	16.30	0.19	1.0	0.095	2.60	25.9	14.4	0.63	644	0.80	2.27	8.5	1.2	600
N810477		3.43	16.30	0.17	1.0	0.199	3.15	24.0	21.7	0.62	804	0.86	0.55	8.1	1.5	610
N810478		9.75	15.00	0.26	0.9	0.587	2.95	26.9	9.8	0.37	356	10.70	0.05	6.3	2.3	430
N810479		3.75	17.00	0.17	1.1	0.221	3.10	28.2	41.1	0.69	969	0.86	0.07	8.8	1.7	600
N810480		0.47	0.33	0.12	<0.1	0.005	0.03	0.7	0.9	12.40	202	0.16	<0.01	0.3	<0.2	200
N810481		3.70	17.45	0.17	1.1	0.166	3.28	30.9	22.7	0.59	940	0.69	0.08	8.4	1.8	630
N810482		4.22	15.75	0.20	1.0	0.323	3.44	28.8	16.7	0.82	955	1.33	0.06	7.7	1.3	550
N810483		12.20	14.65	0.31	0.9	0.244	3.07	40.3	4.2	0.45	573	2.13	0.04	6.8	2.2	370



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-AUG-2012
Account: ROCKHA

Project: Klaza - 82

CERTIFICATE OF ANALYSIS WH12167651

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N810448		178.5	190.5	<0.002	3.06	8.89	10.8	1	11.4	34.9	0.47	0.22	13.2	0.179	2.95	3.7
N810449		407	211	<0.002	2.16	5.27	10.3	<1	13.8	33.3	0.54	0.17	13.4	0.166	2.67	2.8
N810450		219	174.5	<0.002	1.02	6.07	10.7	1	7.8	90.4	0.48	0.24	13.6	0.158	2.25	4.6
N810451		139.0	96.1	<0.002	1.54	3.52	10.0	1	4.4	207	0.48	0.24	12.6	0.171	1.79	3.0
N810452		196.5	131.0	<0.002	1.02	4.78	7.8	<1	8.9	72.7	0.36	0.30	10.5	0.127	1.90	5.6
N810453		212	92.1	0.002	1.19	5.36	9.8	1	5.5	140.5	0.52	0.16	10.7	0.174	1.82	4.4
N810454		60.6	81.8	0.002	0.30	4.41	11.0	<1	3.4	358	0.68	0.11	12.3	0.233	1.14	3.9
N810455		33.5	67.3	0.002	0.90	4.85	9.5	1	3.1	264	0.64	0.10	11.5	0.218	1.01	3.4
N810456		37.9	64.2	<0.002	0.38	3.40	9.6	<1	2.1	361	0.67	<0.05	11.9	0.222	0.93	3.5
N810457		30.8	62.9	<0.002	0.45	3.30	9.9	1	2.1	359	0.70	0.08	12.8	0.231	0.84	3.9
N810458		54.1	81.3	<0.002	0.22	2.74	10.1	<1	1.7	468	0.73	<0.05	12.4	0.255	1.02	4.1
N810459		145.0	90.0	<0.002	0.66	7.75	11.0	1	2.6	302	0.65	0.10	12.8	0.225	1.26	3.9
N810460		9230	126.0	0.002	7.00	210	6.8	3	9.7	119.0	0.46	0.55	6.9	0.178	2.03	4.2
N810461		88.7	75.5	0.002	0.44	6.09	10.4	<1	2.0	339	0.65	0.07	13.7	0.230	1.06	3.7
N810462		77.2	74.8	<0.002	0.69	6.01	10.1	<1	2.5	366	0.66	0.07	13.9	0.226	1.12	3.8
N810463		351	114.0	<0.002	0.81	22.6	10.5	2	2.8	212	0.73	0.08	13.8	0.221	1.22	4.0
N810464		154.0	140.5	<0.002	1.80	10.55	9.3	<1	4.8	214	0.60	0.15	14.0	0.190	2.11	5.4
N810465		3.4	5.0	<0.002	0.01	0.17	0.5	<1	0.2	44.5	<0.05	<0.05	0.5	0.006	0.08	0.7
N810466		72.1	150.0	<0.002	0.85	15.50	10.3	1	2.2	130.5	0.75	0.09	13.1	0.253	3.00	6.9
N810467		210	186.5	<0.002	3.79	12.25	9.0	1	7.5	129.0	0.46	0.14	11.9	0.156	2.75	4.6
N810468		66.1	105.0	<0.002	0.83	6.12	11.8	1	2.0	339	0.59	0.08	15.4	0.227	1.39	4.5
N810469		102.0	91.7	0.002	0.41	14.30	11.4	1	2.4	195.0	0.59	0.06	12.6	0.264	1.26	2.7
N810470		39.9	106.5	<0.002	1.00	26.0	11.1	1	2.3	74.6	0.55	0.29	13.3	0.249	1.32	2.3
N810471		20.9	108.5	<0.002	0.26	12.60	12.8	1	2.5	176.5	0.61	<0.05	15.8	0.270	1.16	3.2
N810472		19.8	105.5	<0.002	0.29	12.10	12.2	1	2.4	178.0	0.58	0.05	15.0	0.263	1.15	2.9
N810473		31.0	92.2	<0.002	0.27	5.33	11.9	1	1.7	366	0.56	0.05	14.4	0.248	1.03	3.8
N810474		45.7	85.1	<0.002	0.31	3.36	11.7	1	1.7	400	0.57	0.05	14.1	0.251	0.95	4.0
N810475		9600	116.5	0.002	7.21	219	7.3	3	9.4	119.0	0.47	0.58	9.9	0.183	2.16	6.0
N810476		42.1	100.5	<0.002	0.39	4.62	10.7	1	1.9	387	0.66	0.09	14.6	0.249	1.09	3.8
N810477		109.0	166.5	<0.002	0.93	8.51	10.8	1	2.2	148.0	0.65	0.26	14.9	0.241	2.28	3.8
N810478		948	139.0	<0.002	9.52	109.0	8.7	3	10.7	22.3	0.54	10.15	11.9	0.192	2.52	4.3
N810479		85.7	179.0	<0.002	1.18	10.75	12.1	1	3.3	121.5	0.68	0.26	14.6	0.255	2.37	3.8
N810480		3.6	1.3	<0.002	0.03	0.29	0.3	1	<0.2	44.1	<0.05	<0.05	<0.2	<0.005	0.02	0.6
N810481		151.0	185.0	<0.002	1.01	22.7	11.6	1	3.4	89.8	0.68	0.28	16.0	0.248	2.50	4.8
N810482		144.0	212	<0.002	2.13	10.15	10.2	1	4.4	96.8	0.64	0.50	14.7	0.227	2.75	5.9
N810483		228	136.0	<0.002	>10.0	8.83	8.2	7	12.6	29.0	0.56	23.6	13.2	0.207	2.11	4.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-AUG-2012
 Account: ROCKHA

Project: Klaza - 82

CERTIFICATE OF ANALYSIS WH12167651

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N810448		61	5.2	10.1	631	26.0		
N810449		62	5.7	9.1	943	28.6		
N810450		58	2.7	17.3	1000	24.8		
N810451		68	1.4	15.8	835	24.4		
N810452		53	2.7	13.6	1250	19.4		
N810453		71	3.1	17.3	1160	25.9		
N810454		69	1.5	17.9	154	30.4		
N810455		68	1.7	15.6	94	26.5		
N810456		63	1.1	15.4	82	28.5		
N810457		66	1.0	16.0	68	28.8		
N810458		71	1.2	16.3	110	31.3		
N810459		68	1.3	18.9	415	28.6		
N810460		53	4.8	8.5	>10000	31.2	125	1.605
N810461		69	1.1	17.3	151	27.9		
N810462		67	1.1	16.8	172	28.8		
N810463		61	2.4	16.3	2180	33.5		
N810464		64	2.2	14.4	1440	29.2		
N810465		4	0.1	1.0	24	1.0		
N810466		74	2.8	15.3	168	82.4		
N810467		60	4.7	12.2	463	21.2		
N810468		75	1.4	16.4	149	32.7		
N810469		76	3.1	17.4	284	29.2		
N810470		66	3.8	15.3	100	24.8		
N810471		74	4.0	17.4	76	27.8		
N810472		73	3.9	16.9	73	26.0		
N810473		67	2.2	17.6	81	26.4		
N810474		70	1.4	16.8	93	26.9		
N810475		52	4.8	9.2	>10000	31.4	123	1.585
N810476		69	2.1	18.3	81	27.4		
N810477		72	2.5	16.2	219	25.5		
N810478		60	10.7	15.3	559	21.1		
N810479		73	3.0	17.4	215	27.3		
N810480		2	0.2	0.8	19	0.5		
N810481		72	4.6	16.7	221	27.6		
N810482		63	3.9	15.4	272	26.4		
N810483		59	22.5	11.7	311	22.0		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 82

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12167651

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.