



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 12-AUG-2012

Account: ROCKHA

CERTIFICATE WH12170288

Project: Klaza - 86

P.O. No.: Batch 6

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-AUG-2012
Account: ROCKHA

Project: Klaza - 86

CERTIFICATE OF ANALYSIS WH12170288

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N810147		0.24	0.739	9.87	6.75	1570	760	1.61	5.84	1.90	42.1	45.5	16.9	21	16.35	110.0
N810148		6.70	<0.005	0.11	7.46	7.1	2150	1.65	0.12	2.73	0.23	43.5	4.5	12	12.35	2.8
N810149		3.98	0.129	2.72	7.87	83.8	1910	1.46	2.87	1.96	5.95	54.0	12.6	12	15.50	16.0
N810150		12.13	<0.005	0.12	7.39	7.6	2010	1.56	0.14	2.46	0.21	41.0	3.8	18	12.20	3.7
N810151		7.13	0.006	0.54	7.07	31.5	1070	1.59	0.18	2.34	1.72	36.6	3.0	17	8.80	10.0
N810152		4.72	<0.005	0.10	7.66	13.0	1050	1.70	0.15	1.49	0.16	53.7	2.1	12	13.40	2.9
N810153		6.28	<0.005	0.14	7.48	15.6	1280	1.99	0.24	1.68	0.15	48.3	2.3	16	14.65	7.5
N810154		3.72	<0.005	0.10	8.05	7.6	970	1.31	0.17	1.22	0.10	54.1	2.1	12	11.10	3.6
N810155		0.24	2.29	25.2	5.93	2980	1050	1.33	18.75	2.16	77.0	42.6	10.4	19	13.35	435
N810156		12.03	0.037	0.85	7.26	47.1	1810	1.17	0.35	2.03	0.99	46.2	7.3	14	12.15	118.0
N810157		5.55	0.010	0.30	8.38	18.0	2270	1.20	0.22	1.45	0.16	47.2	5.9	10	9.38	77.3
N810158		2.62	0.008	0.41	8.16	17.9	2260	1.33	0.18	1.40	0.18	46.3	6.0	11	9.36	125.5
N810159		7.18	0.089	1.35	7.20	179.5	1420	1.63	1.82	2.01	4.52	51.4	6.6	11	13.05	28.3
N810160		7.03	0.031	0.52	7.62	105.0	720	1.89	0.53	1.97	0.78	45.9	1.7	19	9.88	26.4
N810161		5.19	0.677	16.55	6.80	563	150	1.40	29.8	2.05	5.78	47.6	3.8	12	10.40	491
N810162		2.79	<0.005	0.04	0.13	5	40	0.08	0.04	20.8	0.09	1.54	0.7	1	0.24	3.0
N810163		5.02	0.014	0.20	7.12	24.8	1380	1.47	0.30	2.99	0.15	40.5	3.5	15	15.10	33.6
N810164		6.89	0.252	9.04	6.20	290	760	1.22	16.65	2.22	1.05	40.7	7.3	17	12.10	39.1
N810165		6.02	0.005	0.47	7.41	22.8	770	1.38	0.81	2.33	1.16	35.8	3.0	12	8.91	31.7
N810166		4.60	0.015	1.29	7.38	47.0	1000	1.72	1.78	1.84	7.77	50.6	4.7	17	11.25	47.3
N810167		11.13	<0.005	0.22	6.96	7.4	670	1.62	0.26	3.39	0.49	35.0	2.2	10	9.57	2.1
N810168		<0.02	<0.005	0.17	7.33	7.8	760	1.74	0.20	3.41	0.47	36.7	2.5	13	10.25	2.7
N810169		5.16	0.015	0.83	6.35	8.9	580	1.67	0.79	3.79	2.71	31.8	2.0	18	8.63	6.1
N810170		5.84	0.021	0.38	6.87	28.6	2030	1.62	0.20	4.60	1.00	46.6	2.6	8	22.3	6.4
N810171		4.79	0.689	8.30	6.24	1040	110	1.53	10.10	1.57	11.35	46.6	5.5	12	16.95	266
N810172		3.51	<0.005	0.04	0.13	<5	30	<0.05	0.02	20.8	0.10	1.31	0.7	2	0.43	1.6
N810173		7.02	0.008	0.52	6.57	39.1	1520	1.35	0.17	2.81	2.90	37.0	6.6	13	15.80	18.3
N810174		5.40	0.010	0.26	6.35	16.8	1060	1.40	0.23	3.44	0.61	35.2	4.0	12	13.90	19.0
N810175		10.46	<0.005	0.17	6.95	8.4	1120	1.58	0.13	3.24	0.31	39.9	2.9	15	12.20	47.5
N810176		5.19	0.008	0.71	6.70	6.0	650	1.38	0.76	4.34	0.29	42.5	2.0	12	7.69	4.5
N810177		11.96	<0.005	0.10	7.31	7.3	1380	1.48	0.13	2.73	0.11	41.8	3.6	12	13.45	6.9
N810178		10.75	<0.005	0.12	6.91	7.9	1040	1.51	0.13	3.03	0.46	37.6	3.3	12	13.60	2.9
N810179		3.77	<0.005	0.13	6.66	7.7	1350	1.78	0.20	2.90	0.63	41.6	1.8	13	15.30	3.4
N810180		9.85	<0.005	0.16	6.73	10.2	810	1.53	0.22	3.15	0.20	32.8	2.6	10	14.95	6.6
N810181		5.92	<0.005	0.17	6.61	8.3	680	1.49	0.25	3.40	0.20	31.8	2.0	13	11.70	2.4
N810182		10.90	<0.005	0.19	6.77	9.6	590	1.25	0.42	4.30	0.23	31.8	2.1	11	10.40	8.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-AUG-2012
Account: ROCKHA

Project: Klaza - 86

CERTIFICATE OF ANALYSIS WH12170288

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N810147		5.22	14.60	0.17	1.2	0.884	2.79	26.1	27.4	0.68	1990	12.65	0.26	7.2	16.8	490
N810148		2.94	14.85	0.17	1.0	0.048	2.84	19.9	16.7	0.72	444	1.78	2.40	7.2	3.0	580
N810149		4.14	15.05	0.18	1.0	0.096	2.76	27.1	61.5	0.64	899	1.77	0.46	7.0	2.8	570
N810150		3.32	14.75	0.19	1.0	0.049	2.60	19.0	18.9	0.71	586	1.30	1.85	6.9	3.5	570
N810151		2.45	15.30	0.15	1.0	0.070	1.91	14.3	151.5	0.66	682	1.26	0.42	6.0	3.2	560
N810152		2.25	15.80	0.16	1.0	0.075	1.93	25.8	293	0.56	670	0.76	0.06	6.8	2.6	580
N810153		2.38	16.10	0.17	0.9	0.111	1.86	21.1	307	0.57	763	0.96	0.08	6.9	3.1	590
N810154		2.29	15.60	0.17	0.9	0.071	1.87	26.1	59.5	0.42	584	1.37	0.07	6.6	2.1	610
N810155		6.56	13.25	0.15	0.8	1.645	2.58	24.1	24.9	0.87	1870	12.30	0.04	5.3	15.2	430
N810156		2.84	15.00	0.17	0.9	0.076	2.40	23.0	33.3	0.70	1400	2.14	0.07	7.4	2.9	590
N810157		2.91	16.15	0.15	1.0	0.067	2.24	24.4	41.8	0.54	748	1.32	0.07	7.6	2.7	640
N810158		2.90	16.45	0.19	0.9	0.067	2.20	23.3	41.0	0.52	726	1.87	0.07	7.8	2.7	630
N810159		4.68	14.35	0.18	0.9	0.288	2.94	25.7	34.9	0.81	2370	6.91	0.05	6.3	3.2	520
N810160		2.79	15.50	0.17	0.9	0.201	2.68	19.4	199.5	0.73	1370	1.16	0.07	6.7	2.5	580
N810161		6.91	15.80	0.13	1.0	0.463	2.94	20.5	14.3	0.72	1800	1.00	0.12	6.0	2.7	490
N810162		0.50	0.34	0.12	<0.1	0.006	0.04	0.7	2.6	12.65	226	0.43	0.01	0.2	1.6	160
N810163		2.76	14.40	0.19	0.9	0.082	2.46	17.6	31.0	0.73	974	1.05	0.97	6.7	3.0	570
N810164		3.54	13.00	0.20	0.8	0.198	2.40	19.4	49.3	0.79	1420	3.72	0.05	5.4	2.6	430
N810165		2.61	16.00	0.15	1.1	0.272	1.80	12.5	48.1	0.61	901	0.73	0.53	7.5	2.1	610
N810166		4.91	15.45	0.17	0.9	0.345	2.38	24.5	98.0	0.79	2000	1.25	0.61	6.2	2.7	510
N810167		1.86	15.15	0.13	1.0	0.116	0.94	13.4	16.1	0.66	536	0.66	2.78	7.4	2.2	610
N810168		2.02	15.55	0.14	1.0	0.108	1.07	14.0	19.2	0.68	550	1.13	2.72	7.8	2.5	610
N810169		1.62	15.30	0.17	0.9	0.214	1.65	9.7	56.7	0.49	868	1.10	1.70	6.1	1.6	580
N810170		2.17	14.20	0.21	0.9	0.082	2.17	20.1	156.0	1.18	1720	0.60	0.10	6.7	2.5	520
N810171		7.85	15.00	0.15	0.8	0.462	2.51	21.1	33.3	0.65	2600	1.69	0.04	6.0	2.8	460
N810172		0.47	0.34	0.17	<0.1	0.006	0.05	0.6	2.1	12.70	214	0.13	0.01	0.2	2.3	170
N810173		2.46	14.45	0.17	0.8	0.056	2.18	15.9	73.8	0.58	583	1.88	1.24	6.7	2.5	550
N810174		1.73	13.85	0.16	0.7	0.086	1.57	12.5	111.5	0.65	875	0.97	1.30	6.3	2.2	530
N810175		2.23	15.00	0.18	0.8	0.068	1.39	16.3	26.9	0.72	542	1.45	2.34	7.1	2.9	560
N810176		1.50	14.30	0.19	0.7	0.178	1.25	14.2	20.4	0.87	843	0.87	1.09	5.6	1.4	860
N810177		2.31	15.15	0.20	0.8	0.049	1.67	20.3	23.4	0.73	478	1.33	2.64	7.0	2.5	560
N810178		2.26	15.25	0.17	0.7	0.046	1.26	13.9	29.7	0.67	571	0.83	2.63	7.0	2.6	560
N810179		1.74	14.90	0.19	0.8	0.081	1.43	13.9	316	0.52	655	0.73	0.19	6.8	1.8	610
N810180		2.42	15.60	0.16	0.8	0.061	1.24	11.7	37.4	0.62	498	1.02	1.15	7.3	2.4	570
N810181		1.81	14.30	0.15	0.8	0.102	0.91	10.6	27.6	0.64	546	0.74	2.13	6.7	2.0	580
N810182		1.73	14.75	0.10	0.8	0.143	1.34	11.8	48.6	0.64	830	0.56	0.51	6.5	1.8	570



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-AUG-2012
Account: ROCKHA

Project: Klaza - 86

CERTIFICATE OF ANALYSIS WH12170288

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N810147		1325	171.5	0.004	3.07	32.5	9.2	1	6.2	150.5	0.57	0.30	11.4	0.202	4.9
N810148		18.8	93.0	<0.002	0.04	2.10	10.0	1	2.3	376	0.59	<0.05	11.3	0.246	3.3
N810149		350	122.0	0.002	1.24	14.80	10.5	1	2.9	153.5	0.61	0.54	14.7	0.238	4.7
N810150		20.0	84.3	0.003	0.07	3.31	9.8	<1	2.3	334	0.61	<0.05	10.9	0.238	3.3
N810151		58.2	74.7	0.003	0.18	14.85	9.7	1	2.2	132.0	0.50	<0.05	11.3	0.197	2.9
N810152		8.2	92.7	<0.002	0.12	28.0	9.9	1	2.1	103.0	0.60	<0.05	15.9	0.211	4.5
N810153		7.9	85.5	0.003	0.22	23.2	11.2	1	2.3	128.5	0.56	<0.05	12.7	0.220	2.4
N810154		8.6	87.8	<0.002	0.07	28.5	10.3	1	2.5	61.0	0.52	<0.05	13.3	0.242	2.2
N810155		2790	154.5	0.002	4.72	84.4	8.3	1	7.7	91.1	0.43	0.35	10.2	0.175	4.8
N810156		38.3	95.4	<0.002	0.45	31.0	11.0	1	3.2	86.1	0.61	<0.05	11.9	0.240	2.7
N810157		11.3	101.0	<0.002	0.20	18.10	11.3	1	2.7	81.0	0.65	<0.05	13.2	0.260	2.1
N810158		11.6	98.7	<0.002	0.18	22.5	11.6	1	3.0	78.8	0.65	<0.05	13.0	0.260	2.0
N810159		152.0	194.0	0.002	1.52	12.35	10.3	1	3.8	76.4	0.58	<0.05	13.3	0.204	4.8
N810160		35.7	177.5	0.004	1.06	16.50	11.1	1	3.4	106.0	0.61	<0.05	14.0	0.215	4.6
N810161		340	195.0	<0.002	5.15	26.4	9.2	<1	5.4	67.8	0.51	0.29	11.8	0.195	4.3
N810162		2.9	2.5	0.002	0.02	0.20	0.3	<1	0.2	49.8	<0.05	<0.05	0.3	<0.005	0.5
N810163		13.2	124.0	<0.002	0.27	10.75	9.5	1	2.1	208	0.60	<0.05	10.4	0.217	3.3
N810164		87.6	146.0	0.003	1.77	26.1	8.9	1	2.8	76.7	0.49	0.46	12.2	0.172	5.0
N810165		20.9	82.9	<0.002	0.30	15.75	10.9	1	3.2	127.5	0.69	0.05	13.0	0.233	3.1
N810166		71.9	148.0	<0.002	0.62	7.24	10.5	1	4.2	137.0	0.53	0.06	13.9	0.196	5.0
N810167		42.7	35.7	<0.002	0.07	3.93	10.0	1	3.1	420	0.67	0.05	9.7	0.249	2.7
N810168		40.0	40.9	<0.002	0.06	4.47	10.3	1	3.2	417	0.69	0.06	10.4	0.262	2.7
N810169		74.5	65.5	<0.002	0.16	5.02	9.2	<1	2.8	235	0.54	0.26	8.5	0.196	2.5
N810170		101.5	110.5	<0.002	0.27	10.85	10.0	1	2.6	184.0	0.56	<0.05	12.5	0.213	3.8
N810171		734	158.0	<0.002	6.00	81.0	9.2	1	5.3	69.0	0.44	0.11	9.2	0.194	3.8
N810172		2.8	2.7	<0.002	0.02	0.15	0.4	<1	0.2	42.2	<0.05	<0.05	0.2	0.005	0.5
N810173		69.2	77.3	<0.002	0.21	14.05	8.8	2	2.1	262	0.54	<0.05	8.0	0.230	2.4
N810174		29.9	59.6	<0.002	0.16	14.75	8.6	<1	2.2	258	0.50	<0.05	7.7	0.219	2.1
N810175		20.7	47.8	<0.002	0.04	6.98	9.9	1	2.3	371	0.54	<0.05	9.2	0.241	2.4
N810176		39.6	53.5	0.004	0.12	3.69	8.7	1	2.6	218	0.42	0.28	10.0	0.196	2.0
N810177		16.1	64.9	<0.002	0.02	2.93	10.7	1	2.5	428	0.49	<0.05	9.8	0.235	2.4
N810178		21.7	49.3	0.003	0.05	3.21	10.3	1	2.6	414	0.52	<0.05	8.4	0.229	2.3
N810179		17.0	59.9	<0.002	0.06	23.4	10.1	1	2.8	135.0	0.54	<0.05	10.4	0.224	2.0
N810180		18.1	37.6	0.003	0.05	8.08	9.9	1	3.3	229	0.57	<0.05	7.9	0.244	2.0
N810181		15.9	28.5	0.003	0.07	4.42	9.0	1	2.6	344	0.55	<0.05	7.5	0.227	1.9
N810182		10.9	46.0	0.002	0.14	12.00	8.4	<1	2.5	164.0	0.50	0.14	9.3	0.245	2.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-AUG-2012
 Account: ROCKHA

Project: Klaza - 86

CERTIFICATE OF ANALYSIS WH12170288

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N810147		57	5.3	10.8	3010	39.1
N810148		68	1.9	14.4	41	27.5
N810149		66	6.1	14.9	557	27.3
N810150		68	1.7	13.1	50	27.5
N810151		70	1.9	11.1	156	27.3
N810152		68	2.4	13.0	49	27.9
N810153		75	2.8	12.7	51	26.5
N810154		69	2.7	13.6	42	27.9
N810155		56	5.1	9.3	5460	24.7
N810156		72	5.0	13.7	115	25.6
N810157		74	6.5	14.2	45	27.8
N810158		73	6.8	14.4	47	27.9
N810159		63	4.7	11.1	395	24.7
N810160		67	3.4	10.7	95	27.1
N810161		61	3.4	10.4	498	23.9
N810162		2	0.2	0.8	18	0.7
N810163		64	1.8	11.3	48	27.4
N810164		59	2.7	9.9	109	21.9
N810165		92	1.8	12.6	130	27.3
N810166		66	4.3	10.6	639	25.7
N810167		89	1.0	12.5	74	27.5
N810168		90	1.2	12.6	70	27.9
N810169		56	1.3	10.2	226	26.2
N810170		72	2.6	15.1	130	26.5
N810171		60	5.9	10.4	1060	19.5
N810172		3	0.1	0.8	16	<0.5
N810173		65	3.5	11.1	166	21.5
N810174		62	3.8	10.1	68	19.6
N810175		72	2.4	12.3	52	22.1
N810176		55	2.7	13.4	56	18.7
N810177		68	1.4	13.7	39	22.9
N810178		65	1.3	13.1	59	23.5
N810179		72	2.5	12.9	80	21.1
N810180		84	3.3	12.4	52	23.0
N810181		66	1.2	10.9	46	22.4
N810182		70	1.4	12.1	61	19.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 86

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12170288

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.