



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8-AUG-2012
Account: ROCKHA

CERTIFICATE WH12171400

Project: Klaza-51

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-AUG-2012
Account: ROCKHA

Project: Klaza-51

CERTIFICATE OF ANALYSIS WH12171400

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N813595		12.28	<0.005	0.18	7.81	13.8	1140	1.58	0.39	3.16	0.29	39.5	4.0	9	10.95	15.1
N813596		8.71	0.017	0.20	7.38	84.8	2010	1.53	0.27	2.33	0.61	44.1	4.5	8	13.90	4.3
N813597		0.21	2.41	25.8	6.24	3730	1630	1.27	19.60	2.27	80.1	45.4	10.2	19	13.90	457
N813598		11.23	0.023	0.25	7.39	135.5	1760	1.49	0.24	2.46	1.11	41.3	4.5	10	12.50	5.9
N813599		4.07	0.149	3.32	7.92	326	930	1.99	5.02	1.55	6.99	51.6	5.1	10	17.20	32.4
N813600		2.66	<0.005	0.03	0.09	10	30	0.07	0.06	21.8	0.15	1.20	0.6	1	0.20	3.1
N813601		9.35	0.008	0.15	6.85	11.3	1940	1.41	0.26	3.45	0.36	34.6	3.9	8	10.85	5.2
N813602		3.86	0.042	1.33	7.60	42.5	1490	1.62	2.91	2.52	1.96	40.6	4.8	9	13.15	15.6
N813603		10.20	<0.005	0.12	7.77	12.9	2030	1.44	0.20	2.37	0.33	40.6	4.4	9	11.25	8.1
N813604		11.76	<0.005	0.13	7.87	11.2	2040	1.28	0.23	1.24	0.22	54.6	6.1	8	10.80	8.5
N813605		7.77	<0.005	0.17	7.80	9.3	1430	1.38	0.20	2.25	0.34	36.3	3.7	7	11.70	13.6
N813606		8.29	<0.005	0.10	7.84	8.6	1170	1.42	0.17	1.77	0.21	40.1	3.1	8	10.75	1.9
N813607		4.61	0.261	2.18	7.50	282	930	1.38	2.05	2.33	16.00	47.4	3.6	8	9.46	64.7
N813608		5.86	0.035	2.00	8.14	69.6	920	1.50	2.85	1.95	7.55	45.0	3.1	7	9.75	58.8
N813609		9.25	<0.005	0.12	7.40	9.8	560	1.50	0.23	2.76	0.11	29.6	2.3	6	7.15	1.8
N813610		<0.02	<0.005	0.10	7.16	8.8	550	1.50	0.25	2.72	0.13	28.9	2.3	7	6.89	1.6
N813611		13.34	<0.005	0.30	6.96	13.2	620	1.59	0.44	3.31	0.56	30.0	1.6	9	9.52	22.0
N813612		6.51	<0.005	0.19	6.60	14.3	360	1.83	0.23	3.62	0.22	23.7	1.5	8	13.70	6.9
N813613		7.28	<0.005	0.19	6.64	12.8	580	1.62	0.30	3.25	0.43	22.7	1.0	7	8.76	2.7
N813614		3.68	0.018	1.64	7.07	33.1	580	1.41	3.17	2.84	8.87	25.7	2.3	7	7.53	30.2
N813615		8.06	<0.005	0.13	7.13	9.4	590	1.66	0.14	4.23	0.34	24.7	1.8	9	9.85	1.8
N813616		2.31	<0.005	0.14	7.12	9.6	650	1.74	0.14	4.38	0.42	25.6	1.9	10	10.15	2.7
N813617		12.21	0.015	0.17	7.37	20.0	900	1.77	0.18	2.86	0.99	29.0	3.0	8	11.20	3.8
N813618		11.19	<0.005	0.14	7.35	10.5	810	1.41	0.13	3.07	0.42	28.4	2.3	8	14.95	2.9
N813619		3.87	0.099	1.25	6.53	82.6	720	1.24	2.35	1.64	0.77	31.0	2.0	8	7.68	18.3
N813620		0.25	0.808	9.88	6.69	1925	230	1.42	6.08	1.89	40.7	39.9	15.4	19	14.50	106.5
N813621		7.77	0.157	1.36	7.48	83.2	440	1.49	2.29	1.28	2.79	35.1	2.5	9	8.71	23.4
N813622		6.47	0.012	0.68	7.65	29.3	520	1.63	0.75	0.84	1.32	33.6	2.6	8	5.68	26.2
N813623		5.40	0.104	1.62	6.77	100.0	690	1.62	2.26	1.22	8.54	32.0	4.8	6	22.2	58.2
N813624		5.80	0.028	1.35	7.27	53.9	1040	1.50	0.83	2.01	3.37	31.8	2.1	9	6.96	36.4
N813625		3.40	0.024	0.65	7.78	38.8	680	1.48	0.48	2.21	1.89	26.9	3.1	8	6.89	18.9
N813626		8.12	0.005	0.33	7.28	15.9	350	1.59	0.30	2.06	0.80	27.1	2.6	7	7.08	8.3
N813627		4.57	0.006	0.29	7.80	34.0	580	1.54	0.27	1.60	0.93	37.1	2.6	8	6.74	4.4
N813628		4.61	0.878	10.70	7.57	195.5	460	1.47	15.70	1.27	2.17	34.1	3.4	8	3.95	137.5
N813629		3.38	<0.005	0.06	0.09	<5	20	0.08	0.05	21.4	0.07	1.20	0.6	1	0.17	1.8
N813630		8.45	0.082	1.93	7.73	180.5	600	1.41	1.47	1.10	5.90	29.2	0.7	7	3.73	101.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-AUG-2012
Account: ROCKHA

Project: Klaza-51

CERTIFICATE OF ANALYSIS WH12171400

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N813595		2.90	17.75	0.14	1.4	0.056	1.48	17.8	32.4	0.66	622	0.69	1.14	8.6	2.7	660
N813596		2.58	16.95	0.16	1.7	0.043	1.99	21.4	30.5	0.51	614	0.75	1.09	9.5	2.5	540
N813597		6.91	14.75	0.13	0.9	1.575	2.72	25.9	24.1	0.93	1980	13.30	0.04	6.2	15.9	470
N813598		2.80	16.05	0.16	1.4	0.039	2.46	19.7	26.6	0.67	626	0.77	1.61	8.7	2.4	590
N813599		4.75	17.80	0.17	1.4	0.125	2.61	30.8	130.0	0.71	1490	1.48	0.06	8.0	3.0	620
N813600		0.48	0.28	0.20	<0.1	<0.005	0.03	0.6	1.3	12.90	218	0.09	0.01	0.2	1.7	190
N813601		2.53	16.15	0.19	1.4	0.085	2.06	15.5	27.5	0.55	684	0.60	0.74	8.0	2.0	560
N813602		4.39	16.75	0.16	1.3	0.151	2.70	20.9	40.9	0.79	1380	0.96	0.74	7.8	2.7	600
N813603		3.06	16.75	0.18	1.5	0.051	2.85	20.2	31.6	0.65	628	0.71	0.99	8.8	2.4	590
N813604		2.79	17.00	0.16	1.3	0.037	1.96	31.1	59.0	0.49	752	0.89	0.11	8.4	3.0	640
N813605		2.11	17.65	0.14	1.2	0.061	1.96	16.4	57.9	0.72	854	0.56	0.06	6.5	2.3	610
N813606		2.32	18.10	0.16	1.3	0.062	1.50	18.7	167.0	0.50	661	0.50	0.04	7.5	2.3	660
N813607		4.53	17.15	0.16	1.3	0.531	2.91	23.7	122.0	0.68	1440	0.53	0.05	6.9	2.3	590
N813608		3.79	18.00	0.13	1.3	0.395	2.67	21.6	75.5	0.86	1330	0.36	0.05	6.8	2.1	610
N813609		1.34	16.25	0.09	1.3	0.141	1.18	10.7	51.1	0.54	626	0.31	0.38	7.2	1.6	620
N813610		1.35	15.50	0.11	1.2	0.144	1.21	10.0	51.9	0.52	619	0.34	0.37	6.9	1.5	610
N813611		1.59	14.55	0.09	1.1	0.077	0.86	10.6	46.2	0.68	636	0.30	2.31	6.8	1.6	600
N813612		0.90	15.25	0.09	1.0	0.091	0.48	7.7	198.5	0.50	476	0.26	2.05	7.1	1.6	620
N813613		1.27	14.55	0.08	1.0	0.143	0.92	6.3	270	0.47	681	0.22	0.50	6.7	1.2	630
N813614		2.36	14.10	0.07	1.0	0.557	2.19	8.3	51.7	0.58	1080	0.53	0.44	5.6	1.5	540
N813615		1.24	15.20	0.07	1.1	0.067	0.82	8.1	22.3	0.74	572	0.31	2.62	7.7	1.6	640
N813616		1.22	15.70	0.08	1.2	0.066	0.77	8.6	18.8	0.72	557	0.31	2.97	7.7	1.8	680
N813617		2.42	15.40	0.07	1.1	0.076	1.34	10.7	199.5	0.60	945	0.49	0.80	7.2	2.0	670
N813618		1.64	15.50	0.07	1.2	0.064	0.98	10.1	90.2	0.59	480	0.51	1.99	7.3	1.9	640
N813619		3.12	13.00	0.08	0.8	0.133	2.25	11.6	115.5	0.68	1220	0.40	0.06	5.3	1.4	510
N813620		5.25	13.85	0.08	1.4	0.809	2.75	20.3	23.3	0.67	2090	11.60	0.26	6.7	14.7	510
N813621		3.04	14.70	0.09	0.8	0.249	2.31	12.6	480	0.60	1100	0.62	0.06	6.5	1.4	660
N813622		1.80	14.80	0.08	0.9	0.120	2.93	10.8	289	0.42	700	0.74	0.07	6.1	0.9	360
N813623		3.62	13.90	0.11	1.0	0.243	2.43	10.9	97.2	0.59	949	0.64	0.05	5.8	1.5	350
N813624		2.06	13.80	0.07	1.0	0.227	2.79	11.3	121.5	0.77	982	0.56	0.05	6.4	2.4	440
N813625		1.61	15.45	0.09	1.1	0.124	2.26	9.2	58.1	0.74	861	0.47	0.07	6.2	1.7	470
N813626		1.28	15.75	0.09	1.0	0.106	1.24	8.2	174.0	0.42	678	0.19	0.04	7.3	1.3	650
N813627		1.48	16.35	0.08	1.0	0.142	2.46	11.5	89.1	0.60	735	0.31	0.08	7.7	1.4	520
N813628		4.40	15.15	0.10	0.7	0.202	3.31	10.2	14.0	0.50	701	1.16	0.05	5.9	0.9	80
N813629		0.49	0.26	0.05	<0.1	<0.005	0.03	0.5	1.7	12.55	229	0.10	<0.01	0.2	1.6	200
N813630		2.09	14.30	0.11	0.9	0.258	3.48	8.2	19.6	0.49	780	1.01	0.07	6.0	0.6	40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-AUG-2012
Account: ROCKHA

Project: Klaza-51

CERTIFICATE OF ANALYSIS WH12171400

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N813595		27.8	56.2	0.002	0.06	11.85	10.4	1	2.2	234	0.65	<0.05	12.2	0.272	3.9
N813596		43.9	85.3	0.002	0.13	13.90	9.0	<1	1.9	178.5	0.84	<0.05	16.0	0.229	5.0
N813597		2890	167.0	0.003	4.92	90.9	7.9	1	8.3	93.7	0.45	0.49	12.4	0.184	5.8
N813598		39.5	95.3	0.002	0.13	7.86	9.0	<1	1.7	275	0.69	<0.05	13.6	0.241	4.0
N813599		464	155.5	<0.002	1.84	21.6	11.1	<1	5.0	93.6	0.55	0.09	15.6	0.248	4.8
N813600		2.4	1.5	0.003	0.01	0.12	0.2	<1	0.3	47.1	<0.05	<0.05	0.2	<0.005	1.0
N813601		20.6	74.8	0.003	0.15	12.05	8.4	1	2.0	184.0	0.64	<0.05	12.2	0.225	3.9
N813602		90.9	127.5	0.003	0.83	4.90	10.0	<1	3.0	180.0	0.56	0.06	13.1	0.241	4.7
N813603		18.9	108.5	<0.002	0.10	9.17	9.4	1	2.1	196.5	0.74	<0.05	14.7	0.247	4.9
N813604		14.1	98.3	0.004	0.12	30.0	10.8	1	1.5	90.5	0.59	<0.05	16.0	0.264	2.7
N813605		14.2	85.1	0.002	0.12	26.8	10.2	<1	1.8	66.4	0.49	<0.05	12.6	0.210	3.2
N813606		10.2	78.2	0.003	0.06	26.4	10.6	1	2.0	79.8	0.50	<0.05	14.5	0.234	2.9
N813607		187.5	202	0.002	2.15	20.2	10.0	<1	5.5	100.5	0.47	0.08	13.3	0.213	4.4
N813608		107.0	176.5	0.004	1.15	20.1	10.9	<1	3.6	75.4	0.52	0.07	15.8	0.209	3.8
N813609		8.5	42.6	<0.002	0.07	12.15	9.1	<1	2.3	127.5	0.65	<0.05	10.4	0.238	2.4
N813610		8.3	40.6	<0.002	0.08	11.40	8.7	<1	2.2	120.0	0.64	0.06	9.8	0.239	2.3
N813611		24.3	30.6	0.002	0.07	13.55	8.2	<1	2.5	360	0.63	<0.05	8.5	0.240	2.2
N813612		17.4	14.6	<0.002	0.05	15.95	7.9	1	2.4	375	0.60	<0.05	7.1	0.252	1.9
N813613		17.6	21.3	0.002	0.09	23.9	7.5	<1	2.4	184.5	0.58	0.08	7.4	0.247	1.9
N813614		58.9	107.5	0.004	0.76	7.74	7.5	<1	3.9	121.0	0.51	0.12	12.3	0.197	2.8
N813615		16.8	21.1	<0.002	0.03	3.54	8.6	<1	2.4	447	0.65	<0.05	7.0	0.274	2.1
N813616		19.2	20.1	<0.002	0.03	3.29	8.9	<1	2.5	494	0.68	<0.05	6.9	0.284	2.1
N813617		36.1	42.8	<0.002	0.11	13.15	9.0	<1	2.7	222	0.60	<0.05	7.4	0.271	2.5
N813618		23.7	33.0	<0.002	0.03	9.83	8.9	<1	2.5	333	0.63	<0.05	8.9	0.259	2.0
N813619		54.5	145.0	<0.002	1.38	33.3	8.1	<1	5.7	56.2	0.45	0.16	11.3	0.191	3.4
N813620		1300	142.0	<0.002	3.10	29.3	8.0	<1	5.9	147.5	0.59	0.49	10.0	0.210	4.6
N813621		68.4	153.5	<0.002	1.13	24.5	10.2	<1	5.5	92.9	0.53	0.22	10.8	0.245	4.7
N813622		32.7	191.0	<0.002	0.55	18.40	7.7	<1	3.4	73.9	0.61	0.21	16.2	0.208	3.7
N813623		137.5	151.5	<0.002	1.94	24.4	6.5	1	4.5	59.6	0.57	0.21	13.5	0.187	3.9
N813624		163.0	155.5	<0.002	0.58	16.35	9.2	<1	4.4	94.8	0.60	0.08	11.7	0.221	4.1
N813625		99.1	126.0	0.002	0.28	13.85	9.9	<1	3.3	89.1	0.54	0.10	11.5	0.217	3.1
N813626		43.5	51.9	<0.002	0.14	18.10	10.1	<1	2.7	95.1	0.63	0.07	8.4	0.265	2.5
N813627		34.3	138.5	<0.002	0.18	11.20	10.5	1	3.3	103.0	0.64	<0.05	12.4	0.292	3.9
N813628		208	234	<0.002	3.65	23.1	4.6	1	5.3	44.6	0.46	0.22	12.4	0.204	3.6
N813629		2.1	2.1	<0.002	0.02	0.18	0.2	<1	0.3	49.9	<0.05	<0.05	0.2	<0.005	0.7
N813630		107.5	222	0.004	1.11	16.10	3.4	1	5.2	51.7	0.53	0.06	14.1	0.205	3.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-AUG-2012
 Account: ROCKHA

Project: Klaza-51

CERTIFICATE OF ANALYSIS WH12171400

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N813595		77	1.7	14.1	64	41.4
N813596		64	1.7	16.1	83	47.5
N813597		58	5.1	9.8	5530	28.1
N813598		67	1.5	13.8	111	40.7
N813599		71	4.3	14.0	698	42.2
N813600		1	0.1	0.8	21	<0.5
N813601		62	2.1	12.8	62	42.3
N813602		69	3.5	12.2	200	39.2
N813603		67	2.8	14.9	68	44.5
N813604		68	4.3	16.0	65	40.4
N813605		74	2.0	13.8	82	34.0
N813606		68	3.0	14.7	61	37.6
N813607		68	5.4	12.3	1240	36.2
N813608		69	3.5	11.9	658	35.5
N813609		65	1.5	12.2	46	35.3
N813610		66	1.5	11.6	48	35.2
N813611		64	1.3	11.3	87	31.3
N813612		63	1.0	10.9	45	28.7
N813613		66	2.2	9.7	68	25.0
N813614		52	2.0	8.8	977	23.8
N813615		70	1.1	11.8	63	30.6
N813616		73	1.2	12.1	68	31.9
N813617		76	3.9	12.4	137	28.8
N813618		68	2.5	11.8	54	32.9
N813619		53	3.3	9.3	99	22.2
N813620		58	5.2	11.1	3160	37.7
N813621		61	4.3	11.2	300	20.3
N813622		44	2.5	10.6	140	22.9
N813623		46	3.6	8.1	620	23.4
N813624		58	2.6	10.2	294	26.2
N813625		61	1.3	11.8	178	26.5
N813626		68	1.8	10.1	80	24.1
N813627		67	2.3	14.2	104	23.6
N813628		35	4.6	9.9	198	18.1
N813629		2	0.1	0.8	18	<0.5
N813630		33	2.1	10.9	497	21.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-51

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12171400

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.