



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 9-AUG-2012
Account: ROCKHA

CERTIFICATE WH12171401

Project: Klaza-51

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-AUG-2012
Account: ROCKHA

Project: Klaza-51

CERTIFICATE OF ANALYSIS WH12171401

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N813631		3.85	0.049	1.78	7.04	75.1	730	1.48	1.66	1.35	2.96	34.2	1.8	10	5.90	29.8
N813632		7.25	<0.005	0.22	6.75	8.7	340	1.48	0.44	3.40	0.29	22.7	1.3	10	7.17	34.0
N813633		5.07	0.093	0.74	7.22	665	350	1.54	0.47	3.03	1.64	29.2	1.5	5	8.14	17.4
N813634		0.22	0.765	10.00	6.55	1755	800	1.58	6.45	1.79	43.2	45.0	17.1	16	17.30	108.5
N813635		5.21	<0.005	0.30	7.26	23.7	610	1.17	0.25	2.09	0.75	31.4	0.9	6	7.24	3.6
N813636		5.61	1.095	20.6	7.04	2470	530	1.31	0.95	1.55	122.5	34.7	2.1	6	7.80	137.0
N813637		7.18	0.130	2.43	6.96	333	490	1.37	1.35	1.46	5.61	26.5	1.2	6	6.35	51.7
N813638		4.52	1.550	1.66	7.07	2850	470	1.41	0.30	1.48	15.60	29.5	1.5	5	6.38	16.9
N813639		4.52	0.060	1.01	7.26	109.0	560	1.39	0.87	1.19	4.71	30.5	0.6	5	7.81	28.1
N813640		10.49	0.028	1.23	6.57	73.4	520	1.55	0.28	2.79	6.13	26.3	3.3	6	8.55	7.1
N813641		3.28	0.090	3.44	6.87	136.0	1020	1.41	1.48	2.47	8.13	39.5	3.2	6	11.40	29.1
N813642		4.16	0.009	0.23	6.85	10.8	1420	1.46	0.18	2.43	0.49	42.6	4.6	6	11.45	5.5
N813643		2.23	0.005	0.40	7.33	11.3	1400	1.46	0.33	2.42	0.53	38.9	4.2	5	11.20	9.0
N813644		8.23	0.142	5.12	7.19	351	910	1.57	7.69	1.75	14.45	47.8	7.7	6	13.90	78.5
N813645		3.05	<0.005	0.03	0.13	<5	30	0.05	0.03	18.90	0.09	1.11	0.8	1	0.36	2.3
N813646		8.34	0.012	0.33	7.62	42.8	660	1.81	0.60	2.30	0.67	50.6	6.0	9	18.95	17.8
N813647		4.61	0.050	0.67	7.55	54.1	1240	1.74	0.79	2.10	4.80	55.9	5.7	8	18.60	28.3
N813648		9.15	0.005	0.14	7.57	12.2	1010	1.58	0.06	2.86	0.16	49.6	6.9	9	16.35	15.3
N813649		6.73	0.006	0.05	7.08	8.0	1420	1.66	0.06	3.11	0.05	46.2	6.6	9	15.40	13.7
N813650		<0.02	0.007	0.05	7.50	9.4	1410	1.56	0.05	3.14	0.06	51.7	6.7	9	16.15	14.0
N813651		10.85	<0.005	0.03	7.52	8.2	1120	1.81	0.05	3.26	0.08	54.0	6.9	10	21.8	17.1
N813652		4.54	<0.005	<0.01	0.08	<5	20	0.05	<0.01	21.7	0.06	1.43	1.4	1	0.22	2.0
N813653		5.75	0.073	0.57	7.42	166.5	830	1.64	0.40	2.65	2.64	51.6	6.8	9	23.4	25.3
N813654		7.91	0.007	0.18	7.38	28.2	590	1.69	0.09	3.83	0.72	50.3	6.0	8	18.40	12.2
N813655		6.23	<0.005	0.10	8.23	11.5	430	2.26	0.10	3.74	0.61	42.7	6.1	8	16.45	3.1
N813656		4.69	0.053	0.61	7.71	63.3	940	2.02	0.59	3.30	1.58	49.7	6.1	8	18.90	19.9
N813657		5.41	0.006	0.11	7.43	17.2	1130	2.26	0.13	3.36	0.41	41.6	6.2	7	15.50	11.3
N813658		0.27	2.27	24.4	6.17	3510	460	1.38	19.65	2.22	73.6	44.3	9.7	18	14.15	453
N813659		4.94	0.012	0.17	8.13	24.1	2660	1.84	0.17	3.45	0.45	52.0	6.9	8	18.70	8.9
N813660		4.99	0.147	0.55	7.00	113.0	390	1.68	0.62	2.35	1.14	43.3	7.2	8	24.9	12.5
N813661		7.45	0.014	0.12	7.55	29.1	2410	1.80	0.11	2.65	0.24	63.3	6.0	21	20.3	11.0
N813662		4.90	0.660	0.92	7.96	130.5	1760	1.84	1.27	2.58	6.79	49.8	5.5	9	22.1	28.3
N813663		7.37	0.005	0.08	7.68	13.5	1830	1.62	0.12	2.48	0.16	41.5	5.0	12	12.45	7.5
N813664		10.95	0.013	0.17	7.24	20.2	1210	1.65	0.20	2.40	0.51	44.5	3.4	9	15.45	2.8
N813665		6.37	0.235	1.93	8.13	175.0	1210	1.54	0.59	2.39	26.5	50.1	4.4	11	16.35	30.1
N813666		11.62	0.006	0.19	7.00	17.0	1530	1.30	0.18	2.09	0.28	31.3	3.5	10	10.20	3.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-AUG-2012
Account: ROCKHA

Project: Klaza-51

CERTIFICATE OF ANALYSIS WH12171401

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N813631		2.24	16.05	0.13	1.0	0.259	2.63	11.2	63.9	0.54	666	0.77	0.05	6.9	1.4	340
N813632		1.70	16.45	0.08	1.0	0.194	1.42	8.2	93.8	0.64	568	0.26	0.49	7.8	1.5	500
N813633		1.82	15.75	0.10	0.8	0.259	1.55	9.9	158.5	0.88	863	0.27	0.14	6.8	1.3	470
N813634		4.98	15.40	0.09	1.2	0.984	2.70	22.1	25.4	0.66	1910	11.95	0.25	7.7	16.1	480
N813635		1.41	15.75	0.10	0.8	0.109	2.47	9.9	352	0.67	649	0.32	0.12	7.1	1.0	210
N813636		3.82	17.05	0.09	0.7	1.945	3.04	10.8	67.9	0.65	1250	0.73	0.05	6.4	1.3	280
N813637		2.23	15.10	0.08	0.7	0.337	2.85	7.5	101.0	0.28	742	0.64	0.07	6.6	0.8	160
N813638		1.68	15.00	0.11	0.8	0.307	3.01	9.1	76.1	0.42	746	0.67	0.07	6.7	1.0	130
N813639		1.75	14.55	0.11	0.9	0.281	3.02	10.2	51.3	0.41	970	1.10	0.06	6.5	0.7	60
N813640		1.45	16.20	0.10	0.9	0.142	2.07	8.2	143.0	0.50	648	0.48	0.78	7.7	1.3	380
N813641		1.90	15.75	0.09	1.0	0.134	2.08	16.7	403	0.73	686	0.59	0.09	7.2	2.6	560
N813642		2.51	15.15	0.11	1.3	0.059	2.20	21.1	25.8	0.69	515	0.60	1.35	7.9	2.6	530
N813643		2.61	14.95	0.10	1.2	0.053	2.19	17.0	26.8	0.72	492	0.54	1.41	7.8	2.3	570
N813644		4.20	15.80	0.10	1.2	0.467	2.68	22.4	60.0	0.68	661	1.39	0.08	7.4	2.8	560
N813645		0.43	0.32	0.14	<0.1	<0.005	0.06	0.5	1.6	11.65	198	0.18	0.01	0.1	2.7	170
N813646		3.56	16.30	0.06	1.3	0.070	2.10	30.6	441	0.91	1100	1.02	0.04	7.9	2.4	620
N813647		3.55	16.25	0.09	2.2	0.109	2.47	33.0	320	0.95	1280	7.30	0.06	9.0	2.7	610
N813648		2.64	18.00	0.08	3.4	0.034	2.23	28.2	570	1.06	596	1.54	0.07	10.3	3.8	790
N813649		2.43	17.05	0.08	3.3	0.029	2.16	25.4	530	1.03	496	0.43	0.07	10.0	3.8	740
N813650		2.47	18.60	0.10	3.4	0.034	2.20	29.2	540	1.06	498	0.47	0.07	10.5	4.1	750
N813651		2.50	17.40	0.08	3.5	0.029	2.63	31.1	286	1.08	541	0.77	0.06	10.2	3.6	740
N813652		0.47	0.31	<0.05	<0.1	<0.005	0.02	0.7	2.1	13.40	210	0.34	0.01	0.3	1.6	190
N813653		3.95	15.25	<0.05	1.7	0.091	2.74	30.9	52.1	1.02	1580	1.40	0.05	7.5	2.6	590
N813654		2.82	13.90	<0.05	1.3	0.033	1.82	30.3	740	1.28	1020	0.97	0.03	7.6	2.7	600
N813655		2.79	15.15	0.05	1.3	0.039	1.78	24.1	1150	1.21	1020	0.72	0.02	8.0	2.2	710
N813656		3.69	14.90	0.06	1.2	0.099	2.26	30.4	540	1.16	1440	1.23	0.04	7.7	2.4	620
N813657		3.02	15.25	0.05	1.2	0.042	1.88	23.3	740	1.06	1000	0.84	0.03	8.2	2.3	670
N813658		6.69	13.70	0.09	0.9	1.830	2.62	23.6	22.7	0.91	1890	12.20	0.04	5.8	13.2	450
N813659		2.93	15.45	0.07	1.2	0.041	2.03	31.5	890	1.15	949	1.08	0.03	8.0	2.3	640
N813660		3.09	14.60	0.06	1.1	0.061	2.71	24.0	43.9	0.84	1680	2.49	0.04	7.1	2.8	550
N813661		2.71	16.70	0.08	3.5	0.036	2.52	36.3	180.0	0.88	767	1.04	0.05	10.0	5.8	1290
N813662		3.18	15.15	0.09	1.3	0.206	3.21	29.7	22.7	0.93	1940	1.70	0.04	7.5	2.8	590
N813663		3.13	16.00	0.14	1.2	0.038	2.97	22.1	44.8	0.74	554	0.98	1.02	8.6	2.6	580
N813664		2.52	17.55	0.09	1.3	0.045	2.35	20.4	78.6	0.72	620	0.57	0.44	8.7	2.5	620
N813665		4.79	15.55	0.12	1.1	0.359	3.14	28.5	55.1	0.75	1950	1.93	0.18	7.8	2.5	620
N813666		2.42	15.70	0.13	1.1	0.047	2.13	14.2	99.4	0.61	674	1.41	0.09	7.8	2.6	600



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-AUG-2012
Account: ROCKHA

Project: Klaza-51

CERTIFICATE OF ANALYSIS WH12171401

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N813631		205	190.5	<0.002	1.18	11.65	8.3	1	4.2	78.4	0.60	0.29	17.4	0.201	4.6
N813632		13.9	62.2	<0.002	0.09	6.92	9.5	1	3.5	230	0.75	0.08	11.5	0.221	2.5
N813633		87.2	83.9	<0.002	0.29	12.00	10.4	1	3.1	180.5	0.54	0.07	12.9	0.212	3.3
N813634		1255	160.5	0.003	2.90	31.7	9.1	1	5.7	148.0	0.59	0.31	11.5	0.196	5.2
N813635		38.0	149.0	0.002	0.11	4.41	8.6	1	3.1	110.5	0.55	0.05	11.4	0.216	3.1
N813636		2970	198.0	0.002	2.90	43.2	11.8	1	15.0	67.2	0.47	0.08	10.8	0.202	3.0
N813637		347	162.5	0.002	1.49	13.70	5.5	1	3.8	76.4	0.52	<0.05	10.1	0.202	2.5
N813638		557	182.5	0.002	0.71	13.75	6.0	1	2.9	75.1	0.63	<0.05	15.4	0.193	3.3
N813639		52.2	191.5	0.002	0.85	9.48	4.2	1	3.3	68.3	0.66	<0.05	15.3	0.180	2.7
N813640		139.0	114.5	0.003	0.31	6.06	9.1	1	3.6	202	0.59	<0.05	9.8	0.219	3.0
N813641		250	96.2	0.003	0.64	15.05	9.5	1	4.0	145.0	0.54	<0.05	10.6	0.223	3.8
N813642		28.9	85.1	0.002	0.11	3.50	9.2	1	1.5	282	0.68	<0.05	13.3	0.221	4.0
N813643		29.1	87.0	0.002	0.08	3.80	9.6	1	1.6	297	0.64	0.09	12.3	0.239	3.7
N813644		238	133.5	<0.002	2.03	17.30	10.3	1	4.1	117.0	0.56	0.05	11.6	0.233	3.7
N813645		1.7	2.4	0.003	0.01	<0.05	0.5	1	0.3	39.7	<0.05	<0.05	<0.2	0.005	0.4
N813646		26.1	106.0	<0.002	0.46	23.3	10.1	<1	2.3	177.5	0.69	<0.05	14.6	0.246	4.5
N813647		150.5	129.5	<0.002	0.45	26.6	9.5	<1	2.7	309	0.76	<0.05	13.3	0.256	6.5
N813648		17.6	88.6	<0.002	0.18	9.86	7.7	<1	2.5	342	0.79	<0.05	9.7	0.300	5.0
N813649		13.2	71.8	<0.002	0.14	14.40	7.3	<1	2.5	352	0.83	<0.05	9.0	0.281	4.8
N813650		12.7	84.1	<0.002	0.14	15.05	7.6	<1	2.6	361	0.84	<0.05	9.6	0.282	4.9
N813651		9.9	116.5	<0.002	0.12	10.85	8.0	<1	2.8	321	0.81	<0.05	9.8	0.302	5.0
N813652		1.5	1.4	<0.002	0.01	0.05	0.3	<1	<0.2	53.3	<0.05	<0.05	<0.2	<0.005	0.8
N813653		95.4	139.5	<0.002	1.18	17.70	9.2	<1	3.6	153.0	0.63	<0.05	11.9	0.245	5.0
N813654		32.2	90.1	<0.002	0.23	23.5	9.0	<1	2.2	254	0.69	<0.05	13.7	0.226	3.5
N813655		17.7	80.9	<0.002	0.11	21.2	10.0	<1	1.3	252	0.73	<0.05	14.3	0.273	2.6
N813656		61.5	112.0	<0.002	0.50	26.0	9.9	<1	2.1	205	0.63	<0.05	12.9	0.254	4.9
N813657		15.7	72.0	<0.002	0.15	26.8	10.2	<1	1.3	251	0.70	<0.05	11.4	0.265	3.7
N813658		2820	146.0	<0.002	5.03	89.3	7.8	<1	7.8	82.0	0.50	0.58	10.6	0.188	5.2
N813659		17.8	104.0	<0.002	0.29	21.3	10.7	<1	1.3	283	0.68	<0.05	13.7	0.265	3.5
N813660		69.5	144.5	<0.002	1.72	22.9	8.8	<1	1.7	284	0.60	<0.05	11.8	0.230	4.9
N813661		15.0	90.0	<0.002	0.27	18.65	6.2	<1	1.3	484	0.69	<0.05	8.6	0.344	3.3
N813662		85.9	177.5	<0.002	1.58	9.68	9.6	<1	2.2	185.5	0.68	<0.05	14.7	0.244	5.4
N813663		20.4	102.0	<0.002	0.10	4.74	10.7	<1	1.5	288	0.81	<0.05	13.3	0.265	4.3
N813664		35.1	85.4	<0.002	0.09	13.50	10.4	<1	1.7	196.0	0.77	<0.05	12.0	0.249	3.4
N813665		543	152.0	<0.002	2.12	15.55	11.1	<1	3.4	141.5	0.65	<0.05	14.0	0.266	4.2
N813666		24.1	69.8	<0.002	0.10	16.50	9.7	1	1.9	151.0	0.72	<0.05	10.5	0.249	3.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-AUG-2012
 Account: ROCKHA

Project: Klaza-51

CERTIFICATE OF ANALYSIS WH12171401

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N813631		47	2.9	11.8	265	25.4
N813632		56	0.9	11.5	43	30.2
N813633		55	1.9	12.1	133	24.7
N813634		55	5.1	11.5	2900	38.4
N813635		45	1.8	11.1	72	20.7
N813636		50	4.0	10.1	5060	19.1
N813637		36	2.7	9.4	351	19.0
N813638		35	1.6	11.7	954	20.8
N813639		27	3.2	11.2	390	22.3
N813640		49	1.8	10.8	285	25.3
N813641		64	3.5	12.2	435	31.2
N813642		60	2.1	13.6	55	37.5
N813643		65	1.8	13.5	57	34.6
N813644		66	3.8	12.3	736	32.4
N813645		4	0.2	0.8	14	<0.5
N813646		64	7.0	14.0	106	37.1
N813647		67	6.6	15.3	465	76.2
N813648		71	3.4	14.5	65	121.0
N813649		65	3.6	12.9	51	111.5
N813650		64	3.8	14.1	52	116.5
N813651		71	3.5	15.0	59	122.0
N813652		3	0.1	0.9	18	0.7
N813653		66	5.3	13.9	317	53.5
N813654		57	5.0	14.7	114	38.4
N813655		69	6.6	14.3	111	36.0
N813656		69	6.0	14.7	182	34.8
N813657		69	6.0	13.7	92	36.6
N813658		58	4.9	9.5	5540	24.6
N813659		69	6.4	15.1	88	34.7
N813660		63	6.0	13.1	158	35.7
N813661		62	2.2	10.3	90	134.5
N813662		64	3.2	14.2	635	41.2
N813663		72	1.3	14.9	50	31.1
N813664		69	2.1	14.5	65	38.4
N813665		74	3.9	14.8	2540	31.1
N813666		71	2.3	11.6	59	27.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-51

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12171401

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.