



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8-AUG-2012
Account: ROCKHA

CERTIFICATE WH12171406

Project: Klaza-88

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-AUG-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12171406

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N810556		5.83	<0.005	0.07	7.91	6.2	2330	1.44	0.16	1.74	0.12	48.7	7.7	12	8.75	14.4
N810557		0.23	4.33	>100	5.61	7220	1290	1.10	53.2	1.99	219	32.1	9.1	18	11.25	1290
N810558		4.20	<0.005	0.18	7.66	16.6	2040	1.49	0.51	2.56	0.21	47.1	6.7	10	11.25	10.5
N810559		3.05	<0.005	0.67	7.32	6.8	2080	1.48	0.25	2.57	0.10	44.0	6.2	12	7.73	4.8
N810560		2.75	<0.005	0.08	7.23	20.8	2230	1.44	0.30	2.68	0.13	39.4	7.7	10	6.22	10.1
N810561		2.80	<0.005	0.05	7.50	9.8	2030	1.51	0.15	2.62	0.07	42.2	6.7	11	5.14	9.8
N810562		2.91	<0.005	0.10	7.29	17.6	1860	1.52	0.33	2.76	0.21	48.0	8.2	11	10.60	10.0
N810563		1.48	<0.005	<0.01	0.07	<5	40	0.05	0.02	19.90	0.05	1.40	3.0	1	0.18	1.0
N810564		5.45	<0.005	0.05	7.07	4.4	2020	1.26	0.16	2.55	0.10	40.5	5.9	13	6.72	5.1
N810565		2.76	<0.005	0.10	7.06	26.6	1810	1.47	0.58	2.39	0.14	35.6	8.3	12	11.80	6.4
N810566		3.10	<0.005	0.11	7.07	16.3	1530	1.54	0.45	2.68	0.12	36.9	10.7	9	12.60	3.0
N810567		2.78	<0.005	0.08	7.22	13.7	1870	1.50	0.54	2.73	0.10	40.3	9.4	10	9.61	9.5
N810568		3.35	<0.005	0.10	7.33	48.6	970	1.34	0.43	2.50	0.24	43.2	7.4	8	17.70	5.1
N810569		4.68	<0.005	0.06	7.88	7.1	1780	1.43	0.15	1.69	0.09	46.3	7.0	10	14.05	6.2
N810570		2.02	<0.005	0.06	7.67	28.8	1410	1.52	0.72	2.08	0.11	47.8	9.8	9	10.55	17.1
N810571		2.51	<0.005	0.03	7.59	7.0	2090	1.56	0.32	2.79	0.10	45.0	8.7	11	7.98	7.7
N810572		1.18	<0.005	0.02	7.75	4.6	2090	1.59	0.18	2.79	0.09	45.9	7.9	13	7.88	7.2
N810573		2.19	<0.005	0.09	7.40	28.2	2160	1.51	0.95	2.04	0.20	54.4	10.4	10	9.25	6.2
N810574		1.90	<0.005	<0.01	0.09	<5	30	<0.05	0.13	21.0	0.06	1.23	1.0	1	0.15	1.1
N810575		2.84	<0.005	0.19	8.25	17.8	1530	1.29	0.93	1.52	0.34	55.5	7.3	11	11.40	18.5
N810576		2.78	<0.005	0.31	7.45	32.6	1120	1.51	1.64	2.44	0.66	54.6	9.8	16	13.45	9.8
N810577		4.49	<0.005	0.12	6.78	30.7	1270	1.48	0.61	2.59	0.22	46.8	9.7	9	15.95	7.3
N810578		5.65	<0.005	0.11	5.78	34.5	2260	1.09	0.25	2.77	0.25	41.4	6.8	9	18.80	6.5
N810579		0.22	4.25	>100	5.76	8510	530	1.02	57.7	1.99	231	34.1	8.9	18	11.95	1285
N810580		2.58	<0.005	0.09	7.84	18.9	1090	1.31	0.59	2.18	0.29	44.7	7.8	9	15.10	7.4
N810581		5.13	<0.005	0.14	7.64	23.9	1610	1.51	0.71	2.03	0.34	49.0	9.9	10	13.30	9.2
N810582		3.73	<0.005	0.06	7.34	19.7	1540	1.41	0.48	2.66	0.19	46.9	8.3	12	19.65	6.2
N810583		2.89	<0.005	0.14	7.34	25.0	2840	1.40	0.50	2.90	0.33	50.0	11.1	10	17.45	5.7
N810584		3.44	<0.005	0.06	7.61	12.0	1900	1.36	0.24	2.77	0.11	45.5	8.3	16	11.60	4.9
N810585		2.53	<0.005	0.03	7.79	7.4	2080	1.54	0.15	2.74	0.10	50.3	8.5	13	7.71	4.9
N810586		<0.02	<0.005	0.04	7.87	7.8	2110	1.54	0.16	2.76	0.12	53.0	8.5	14	7.72	5.2
N810587		4.57	<0.005	0.07	7.80	9.7	2000	1.71	0.20	2.84	0.17	48.3	9.7	16	11.10	5.6
N810588		6.05	<0.005	0.04	7.67	6.8	2020	1.52	0.13	2.84	0.10	46.6	7.7	11	9.98	8.1
N810589		5.10	<0.005	0.04	7.70	12.8	1760	1.76	0.25	3.16	0.13	57.8	10.3	14	16.25	5.7
N810590		2.55	<0.005	0.03	8.12	12.9	2120	1.73	0.12	2.73	0.10	50.8	7.2	14	8.20	5.0
N810591		2.37	<0.005	0.08	7.99	12.9	2180	1.61	1.11	2.73	0.10	43.8	10.4	12	12.30	6.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-AUG-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12171406

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N810556		3.30	16.70	0.12	1.3	0.040	2.56	24.3	32.7	0.62	772	0.80	0.97	8.4	3.1	640
N810557		8.00	12.35	0.15	0.9	4.42	2.25	16.0	32.7	0.63	3030	14.05	0.08	5.6	13.4	440
N810558		3.28	16.50	0.13	1.3	0.052	2.69	23.3	17.0	0.72	699	0.60	1.72	8.2	3.0	610
N810559		3.09	15.85	0.12	1.4	0.036	2.56	21.1	16.0	0.80	600	0.96	2.19	8.3	2.8	610
N810560		3.14	16.15	0.13	1.2	0.035	2.52	18.7	14.6	0.75	628	0.94	2.18	8.2	3.1	630
N810561		3.21	15.70	0.13	1.3	0.035	2.43	20.7	17.5	0.91	627	0.62	2.27	8.2	2.8	620
N810562		3.15	16.25	0.14	1.3	0.033	2.45	22.9	26.8	0.81	730	0.72	1.84	8.3	3.4	600
N810563		0.45	0.22	<0.05	<0.1	<0.005	0.03	0.7	1.0	12.40	217	<0.05	0.01	0.3	2.3	150
N810564		2.78	15.20	0.09	1.2	0.032	2.60	19.5	14.8	0.75	551	1.42	2.09	7.2	2.5	550
N810565		3.03	15.30	0.10	1.3	0.039	2.55	15.9	25.5	0.68	595	1.91	1.62	7.7	2.9	570
N810566		2.52	14.75	0.12	1.2	0.039	2.66	16.8	25.8	0.64	712	1.08	0.90	7.3	2.3	530
N810567		2.89	15.85	0.12	1.3	0.038	2.54	19.1	20.0	0.67	572	1.03	1.94	7.8	2.9	550
N810568		2.64	15.15	0.12	1.2	0.032	2.32	22.3	71.1	0.82	758	1.19	0.06	7.3	2.5	550
N810569		2.86	17.20	0.12	1.5	0.037	2.61	22.2	44.7	0.51	571	2.41	0.40	9.0	2.7	620
N810570		3.29	17.05	0.15	1.5	0.039	2.56	23.6	43.8	0.67	729	3.00	0.55	8.7	4.4	610
N810571		3.13	17.05	0.16	1.6	0.037	2.67	21.9	16.9	0.79	635	1.88	2.12	8.9	3.0	610
N810572		3.09	17.35	0.17	1.5	0.034	2.71	22.7	16.8	0.81	624	1.55	2.22	9.0	3.1	600
N810573		3.52	17.45	0.18	1.6	0.034	2.51	27.7	25.3	0.73	796	2.17	0.17	8.6	3.2	580
N810574		0.48	0.30	0.10	<0.1	<0.005	0.03	0.6	0.9	12.80	213	0.06	0.01	0.3	2.1	170
N810575		2.90	17.65	0.15	1.7	0.034	2.50	29.2	40.5	0.62	609	3.63	0.07	9.3	2.6	650
N810576		3.25	16.05	0.16	1.5	0.036	2.71	29.9	22.1	0.94	732	2.20	0.04	8.0	3.9	600
N810577		2.52	15.55	0.15	1.3	0.030	2.55	24.8	24.6	0.86	718	1.59	0.04	7.2	2.7	530
N810578		2.24	13.00	0.15	1.1	0.027	1.96	23.0	48.1	0.81	647	1.84	0.04	6.5	2.4	450
N810579		8.39	13.35	0.17	1.1	5.16	2.32	18.0	26.8	0.63	3100	15.30	0.08	6.1	13.4	470
N810580		2.81	17.85	0.14	1.7	0.040	2.14	22.4	54.1	0.68	700	1.55	0.06	9.3	2.5	650
N810581		2.86	17.00	0.16	1.5	0.036	2.43	26.2	35.0	0.78	825	1.48	0.05	8.1	3.0	590
N810582		3.12	17.00	0.16	1.4	0.038	2.59	24.5	38.5	0.86	874	0.96	0.07	8.3	2.7	600
N810583		2.88	17.05	0.17	1.5	0.036	2.56	26.3	44.4	0.98	846	1.51	0.10	8.2	2.8	590
N810584		3.04	17.55	0.18	1.5	0.039	2.75	22.4	16.6	0.70	616	1.87	1.75	8.5	2.9	610
N810585		3.31	17.95	0.18	1.6	0.041	2.73	25.0	15.7	0.89	663	1.86	2.29	9.2	3.4	680
N810586		3.36	18.05	0.19	1.6	0.041	2.69	26.9	15.7	0.90	668	0.77	2.31	9.2	3.5	660
N810587		3.19	17.70	0.19	1.5	0.041	2.64	24.3	15.3	0.80	680	0.89	2.25	9.0	3.3	640
N810588		3.14	17.25	0.18	1.4	0.045	2.58	23.3	19.0	0.81	669	1.02	2.10	8.6	3.1	650
N810589		3.96	19.30	0.19	1.7	0.059	2.72	27.6	25.1	1.05	913	3.59	1.75	11.1	4.0	780
N810590		3.22	18.20	0.18	1.5	0.040	2.83	25.7	23.1	0.83	632	1.29	2.39	9.0	3.1	620
N810591		3.44	18.25	0.19	1.4	0.041	2.70	21.2	25.6	0.80	567	1.06	2.11	9.1	3.5	660



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-AUG-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12171406

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N810556		13.9	98.8	<0.002	0.04	11.40	12.8	1	1.6	212	0.62	<0.05	13.2	0.282	1.01	3.0
N810557		9350	124.0	<0.002	7.09	209	7.2	2	7.6	121.5	0.40	0.42	8.3	0.180	2.01	4.9
N810558		22.6	112.0	<0.002	0.13	3.79	12.4	1	1.5	313	0.61	<0.05	13.4	0.270	1.23	4.5
N810559		16.0	93.1	<0.002	0.03	1.79	11.6	1	1.4	386	0.67	<0.05	12.1	0.267	1.01	5.1
N810560		20.4	94.2	<0.002	0.24	2.78	10.8	1	1.5	362	0.61	<0.05	11.4	0.278	1.12	3.8
N810561		14.7	87.6	<0.002	0.06	1.88	11.7	1	1.5	414	0.64	<0.05	11.4	0.271	0.92	4.7
N810562		20.8	88.9	<0.002	0.17	4.91	11.7	1	1.5	335	0.61	<0.05	12.1	0.265	1.18	4.3
N810563		1.3	1.2	<0.002	0.01	<0.05	0.2	1	<0.2	51.9	<0.05	<0.05	<0.2	<0.005	<0.02	0.6
N810564		16.7	91.6	<0.002	0.03	1.57	10.2	1	1.3	360	0.55	<0.05	12.3	0.239	0.96	3.8
N810565		19.8	92.9	<0.002	0.16	4.69	10.3	1	1.3	271	0.65	<0.05	12.4	0.247	1.20	4.8
N810566		14.5	102.0	<0.002	0.21	5.50	10.3	1	1.3	173.5	0.58	<0.05	13.9	0.241	1.49	5.2
N810567		15.4	96.8	<0.002	0.22	2.92	10.7	1	1.2	324	0.61	<0.05	14.1	0.250	1.19	4.8
N810568		15.8	86.6	<0.002	0.21	16.40	10.5	1	1.2	100.5	0.59	<0.05	12.7	0.238	1.44	3.9
N810569		16.7	92.1	<0.002	0.03	9.53	12.2	1	1.6	128.0	0.75	<0.05	14.8	0.278	1.06	4.0
N810570		13.9	101.0	0.002	0.44	10.25	11.8	1	1.4	120.0	0.75	<0.05	13.4	0.264	1.31	4.9
N810571		17.2	92.5	<0.002	0.11	2.17	12.0	1	1.4	372	0.82	<0.05	12.6	0.273	0.96	4.9
N810572		16.8	98.6	<0.002	0.05	1.89	11.7	1	1.5	391	0.78	<0.05	13.1	0.268	0.94	4.7
N810573		16.5	101.0	0.002	0.73	13.35	13.0	1	1.6	103.0	0.81	<0.05	14.4	0.253	1.26	6.0
N810574		1.5	1.1	<0.002	0.01	0.05	0.3	1	<0.2	47.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.6
N810575		41.2	97.1	<0.002	0.39	14.10	11.6	1	1.6	82.0	0.86	<0.05	15.5	0.288	1.14	5.0
N810576		102.5	133.5	<0.002	0.83	16.60	11.0	1	1.6	95.6	0.73	<0.05	13.7	0.243	1.85	6.2
N810577		16.6	105.0	<0.002	0.31	17.70	10.5	1	1.2	115.5	0.62	<0.05	12.6	0.228	1.81	3.8
N810578		16.9	79.8	<0.002	0.22	32.3	8.5	1	1.1	140.0	0.56	<0.05	11.3	0.198	1.68	3.9
N810579		9800	131.0	0.002	7.30	215	6.8	2	9.2	125.0	0.48	0.57	8.5	0.183	2.20	5.3
N810580		18.0	75.3	<0.002	0.22	11.90	12.3	1	1.6	134.0	0.88	<0.05	13.9	0.278	1.24	4.3
N810581		24.6	107.0	<0.002	0.32	15.25	11.5	1	1.5	84.5	0.72	<0.05	14.7	0.251	1.45	4.7
N810582		26.0	101.0	<0.002	0.21	15.00	12.1	1	1.6	114.5	0.69	<0.05	13.4	0.255	1.44	5.7
N810583		21.2	109.0	<0.002	0.36	13.65	11.7	1	1.6	127.5	0.67	<0.05	13.1	0.260	1.67	4.9
N810584		18.3	105.0	<0.002	0.14	4.70	11.9	1	1.6	303	0.74	<0.05	12.6	0.264	1.24	4.3
N810585		16.9	98.2	<0.002	0.04	2.01	13.4	1	1.8	393	0.76	<0.05	13.6	0.287	1.12	4.7
N810586		18.3	103.0	<0.002	0.04	2.03	13.5	1	1.8	396	0.73	<0.05	14.8	0.282	1.15	5.0
N810587		20.2	107.0	<0.002	0.08	2.60	12.8	1	1.8	385	0.76	<0.05	12.8	0.274	1.11	4.5
N810588		17.2	100.5	<0.002	0.03	2.86	12.4	1	1.7	384	0.74	<0.05	14.6	0.275	1.04	4.6
N810589		17.3	108.0	0.002	0.07	4.82	16.8	1	2.1	327	0.97	<0.05	13.3	0.344	1.37	5.8
N810590		18.3	109.0	0.002	0.04	1.64	12.5	1	1.7	411	0.77	<0.05	16.3	0.271	1.22	6.6
N810591		19.1	108.5	<0.002	0.30	2.99	13.0	1	1.6	394	0.70	<0.05	14.7	0.287	1.15	4.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-AUG-2012
 Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12171406

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N810556		79	4.6	17.5	63	32.2		
N810557		51	4.3	9.0	>10000	28.6	119	1.630
N810558		77	2.6	16.9	67	32.1		
N810559		75	1.8	16.8	54	35.5		
N810560		71	2.2	15.1	53	29.9		
N810561		77	1.6	17.1	48	33.8		
N810562		77	1.8	16.4	59	36.1		
N810563		2	0.3	0.9	14	<0.5		
N810564		69	1.8	14.9	45	33.1		
N810565		71	2.8	14.8	54	31.8		
N810566		70	3.1	14.0	43	30.7		
N810567		71	2.3	14.7	45	34.6		
N810568		69	3.3	15.2	61	30.8		
N810569		78	9.0	16.4	49	39.6		
N810570		75	8.0	19.4	53	43.5		
N810571		78	1.4	18.0	49	45.3		
N810572		73	1.1	18.5	48	44.4		
N810573		83	4.1	21.7	63	45.1		
N810574		2	0.1	0.9	16	0.5		
N810575		80	7.2	18.6	63	49.6		
N810576		72	3.2	18.0	93	43.3		
N810577		68	3.2	16.6	73	37.6		
N810578		58	3.9	14.9	63	32.8		
N810579		54	4.6	10.1	>10000	37.3	116	1.610
N810580		81	5.1	17.5	79	46.9		
N810581		73	4.4	16.5	72	42.3		
N810582		75	3.9	18.9	56	40.9		
N810583		75	4.0	18.2	69	43.7		
N810584		75	2.3	16.7	50	44.5		
N810585		83	1.5	19.9	53	45.3		
N810586		80	1.4	20.0	52	46.9		
N810587		79	1.7	19.0	56	45.5		
N810588		78	2.0	17.4	54	39.9		
N810589		100	2.4	22.0	69	45.0		
N810590		77	1.5	19.1	50	41.3		
N810591		81	2.0	17.1	52	42.6		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-88

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12171406

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.