



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2-AUG-2012
This copy reported on
7-AUG-2012
Account: ROCKHA

CERTIFICATE WH12173675

Project: Klaza-70

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12147078**

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-AUG-2012
Account: ROCKHA

Project: Klaza-70

CERTIFICATE OF ANALYSIS WH12173675

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
N828460		0.006	0.18	7.10	13.9	2220	1.32	0.29	1.96	0.44	46.4	3.4	9	10.05	4.0	2.08
N828461		0.006	0.12	7.19	12.7	2160	1.19	0.26	1.58	0.67	47.6	4.2	8	12.15	4.6	2.66
N828462		<0.005	0.11	7.31	11.1	2270	1.32	0.23	1.98	0.13	48.8	5.3	9	16.15	2.7	2.83
N828463		<0.005	0.14	7.02	18.6	1470	1.50	0.34	1.59	0.26	45.0	4.1	8	12.25	7.4	2.77
N828464		0.012	0.44	6.69	33.6	2560	1.40	0.76	1.80	0.41	50.7	4.8	8	11.60	29.6	2.67
N828465		<0.005	0.01	0.08	<5	30	<0.05	0.03	19.55	0.06	1.22	0.6	1	0.31	1.4	0.45
N828466		0.009	0.18	7.09	44.8	1500	1.36	0.26	2.17	0.28	47.9	4.0	8	17.85	4.7	2.85
N828467		<0.005	0.11	7.04	21.7	1670	1.36	0.17	1.96	0.13	49.3	3.3	9	14.30	1.7	2.37
N828468		<0.005	0.12	6.50	9.1	2090	1.30	0.15	2.67	0.13	50.3	3.4	10	11.10	1.3	2.30
N828469		<0.005	0.11	7.04	14.8	2300	1.18	0.16	1.84	0.13	61.8	3.4	9	10.90	1.5	2.42
N828470		<0.005	0.11	7.28	15.3	2270	1.25	0.17	1.84	0.14	67.8	3.6	9	11.20	1.3	2.52
N828471		<0.005	0.08	7.60	24.9	1150	1.12	0.14	0.86	0.13	55.9	3.8	8	15.20	1.9	2.44
N828472		<0.005	0.08	7.29	20.8	1840	1.22	0.15	1.41	0.17	44.8	3.4	9	12.85	1.5	2.64
N828473		0.005	0.11	7.25	24.1	2170	1.54	0.11	1.59	0.18	49.0	4.2	8	13.75	1.0	2.56
N828474		<0.005	0.19	7.48	20.5	1920	1.36	0.26	1.76	0.76	52.5	3.4	9	14.30	4.4	2.56
N828475		0.009	0.36	7.45	26.6	1380	1.55	0.45	1.56	1.22	60.9	2.9	8	16.15	20.9	2.85
N828476		2.23	25.1	5.96	3390	1330	1.32	19.40	2.13	80.1	47.4	10.2	20	14.75	420	6.49
N828477		0.053	1.16	6.94	50.1	2130	1.42	1.55	1.55	11.75	68.4	3.1	7	9.47	32.8	3.92
N828478		<0.005	0.11	7.19	11.2	1960	1.42	0.19	2.46	0.27	53.4	3.0	10	10.80	0.9	2.07
N828479		<0.005	0.07	7.21	8.0	1680	1.61	0.15	3.03	0.15	51.9	3.7	8	15.55	1.7	2.87
N828480		<0.005	0.08	7.08	9.1	1740	1.55	0.14	3.08	0.14	49.3	3.8	9	14.05	2.4	2.72
N828481		<0.005	0.35	7.46	125.0	1670	1.56	0.35	1.81	3.09	52.2	3.7	9	17.60	4.5	3.50
N828482		0.583	5.02	5.40	750	580	1.16	5.38	1.02	29.3	46.0	5.0	7	7.75	159.0	5.42
N828483		<0.005	0.02	0.07	<5	20	0.06	0.04	20.4	0.14	1.27	0.6	2	0.20	1.7	0.45
N828484		0.312	6.77	5.41	416	720	1.08	4.09	0.81	17.10	41.2	2.7	7	18.15	648	5.02
N828485		0.154	1.01	6.93	556	680	1.25	0.95	2.43	7.38	52.2	3.6	7	14.70	20.3	3.38
N828486		0.062	1.73	6.99	155.5	1030	1.24	0.31	2.65	22.1	33.8	2.6	8	8.99	8.8	2.21
N828487		0.030	0.30	6.92	67.2	1070	1.46	0.28	2.61	1.59	34.6	1.5	9	9.88	2.7	1.63
N828488		0.070	0.93	6.70	410	1020	1.28	0.35	2.31	6.55	32.9	1.7	9	9.86	5.7	2.32
N828489		4.53	>100	5.48	8180	1290	1.06	61.4	1.92	232	36.1	8.9	18	11.10	1250	8.11
N828490		0.503	5.86	6.49	806	800	1.29	8.43	1.91	4.77	45.2	3.6	8	10.55	82.5	5.57
N828491		0.268	2.39	7.19	352	770	1.15	2.79	0.79	18.70	49.9	2.7	9	8.36	27.9	5.14
N828492		0.099	1.76	7.56	282	1200	1.33	2.05	2.01	9.82	49.6	2.6	9	11.30	37.6	4.82
N828493		0.312	2.88	6.28	1010	680	1.26	3.30	2.31	22.6	49.9	2.8	9	9.74	96.7	5.95
N828494		0.022	0.62	6.94	125.0	1160	1.47	0.65	3.02	2.72	54.9	4.0	8	9.63	3.4	2.97
N828495		0.739	4.88	6.80	703	580	1.30	7.51	1.26	3.73	54.7	3.6	8	10.30	29.8	6.98

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12147078**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-AUG-2012
Account: ROCKHA

Project: Klaza-70

CERTIFICATE OF ANALYSIS WH12173675

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
N828460		14.70	0.15	1.0	0.052	2.70	21.7	35.1	0.76	701	1.58	0.10	4.3	2.4	570
N828461		15.60	0.15	1.1	0.088	2.85	22.1	26.1	0.58	853	0.79	0.20	6.1	2.3	570
N828462		15.80	0.16	1.3	0.045	2.78	22.3	21.3	0.56	489	1.10	1.09	7.0	2.1	580
N828463		15.85	0.14	1.3	0.068	1.48	19.8	213	0.56	904	0.85	0.03	7.0	1.8	610
N828464		16.00	0.15	1.1	0.154	3.05	25.9	17.0	0.69	1010	1.98	0.05	5.4	2.1	570
N828465		0.22	0.14	<0.1	0.006	0.03	0.6	1.3	12.15	210	0.11	<0.01	0.2	1.2	180
N828466		15.85	0.17	1.1	0.040	2.40	21.7	79.9	0.74	1140	1.38	0.04	7.0	2.1	590
N828467		15.50	0.15	1.2	0.032	2.30	22.0	80.0	0.70	696	0.89	0.26	6.2	2.1	610
N828468		14.50	0.14	1.0	0.037	2.24	26.4	15.7	0.69	606	0.39	1.49	5.9	1.9	500
N828469		16.00	0.15	1.2	0.036	2.31	31.9	53.5	0.57	652	0.98	0.77	6.6	2.2	580
N828470		16.05	0.17	1.3	0.034	2.40	35.4	55.5	0.58	682	0.89	0.71	6.6	2.2	580
N828471		16.30	0.17	1.3	0.038	1.27	28.7	158.0	0.35	798	2.00	0.03	7.6	2.1	630
N828472		16.00	0.13	1.3	0.041	1.48	21.5	161.0	0.51	833	0.72	0.03	7.1	1.9	620
N828473		15.05	0.14	1.2	0.038	2.11	23.8	135.5	0.59	854	1.71	0.05	6.4	2.6	590
N828474		16.85	0.16	1.2	0.056	2.25	25.3	103.0	0.64	830	0.75	0.05	7.1	2.5	610
N828475		16.65	0.15	1.2	0.066	2.18	29.1	120.0	0.65	912	0.82	0.05	6.5	2.3	590
N828476		14.50	0.17	0.9	1.640	2.52	24.9	25.9	0.88	1920	12.35	0.04	5.6	15.5	450
N828477		16.75	0.15	0.9	0.248	2.92	38.7	35.9	0.81	1660	1.59	0.06	4.7	2.1	540
N828478		16.40	0.14	1.1	0.044	2.57	25.7	73.0	0.81	756	0.96	0.39	5.7	2.5	600
N828479		15.90	0.15	1.2	0.050	2.17	23.7	12.4	0.78	586	0.84	1.72	6.6	2.4	680
N828480		16.50	0.15	1.2	0.045	2.17	22.5	12.1	0.77	592	0.81	1.83	6.6	2.5	660
N828481		16.25	0.15	1.3	0.184	2.56	24.6	48.3	0.56	929	1.18	0.34	7.4	2.6	600
N828482		13.45	0.15	0.9	0.679	2.45	23.0	17.3	0.48	1360	1.66	0.03	4.2	2.0	370
N828483		0.22	0.13	<0.1	0.007	0.03	0.6	1.2	12.75	220	0.09	<0.01	0.1	1.3	170
N828484		11.60	0.14	0.8	0.404	2.11	19.3	31.0	0.42	1880	11.00	0.03	4.1	1.8	360
N828485		14.65	0.15	1.0	0.209	2.51	25.6	34.3	0.92	2600	2.47	0.04	5.5	2.1	510
N828486		15.55	0.14	1.0	0.180	2.65	11.7	22.2	0.88	2230	2.33	0.16	5.6	2.4	530
N828487		16.00	0.15	0.9	0.086	2.59	11.1	19.0	0.89	2170	0.85	0.19	5.5	1.9	530
N828488		15.10	0.15	0.8	0.190	2.67	11.9	10.7	0.86	2100	1.28	0.11	4.9	2.2	490
N828489		12.95	0.14	1.1	4.38	2.25	16.1	33.5	0.62	3200	13.35	0.08	5.2	14.9	460
N828490		14.90	0.16	0.9	0.156	2.57	21.0	25.8	0.71	1950	1.32	0.03	5.5	1.8	500
N828491		15.85	0.14	0.9	0.801	3.14	22.5	6.2	0.52	1930	3.06	0.05	5.0	1.6	570
N828492		16.70	0.17	0.9	0.331	3.21	18.3	8.7	0.84	3550	2.26	0.07	5.3	2.1	600
N828493		15.10	0.15	0.7	0.562	2.72	22.3	16.1	0.90	3550	3.39	0.04	4.3	2.5	480
N828494		15.50	0.14	0.9	0.105	2.32	26.1	26.8	0.72	1420	0.40	0.73	6.2	2.2	600
N828495		15.80	0.18	1.0	0.148	3.01	28.5	7.6	0.63	2940	1.45	0.03	6.0	2.6	550

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12147078**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-AUG-2012
Account: ROCKHA

Project: Klaza-70

CERTIFICATE OF ANALYSIS WH12173675

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
N828460		126.0	0.003	0.26	11.55	8.8	1	1.7	72.1	0.41	<0.05	13.3	0.155	1.66	6.7	65
N828461		116.5	<0.002	0.18	14.35	9.2	1	2.1	86.1	0.59	<0.05	13.1	0.206	1.50	5.0	66
N828462		107.5	<0.002	0.15	7.63	9.3	1	1.8	223	0.64	<0.05	13.4	0.232	1.30	4.6	64
N828463		56.0	<0.002	0.25	27.6	9.5	1	1.9	179.0	0.61	0.06	11.8	0.242	1.07	4.2	68
N828464		135.0	<0.002	0.47	25.7	10.0	1	2.2	54.7	0.50	0.12	13.1	0.182	2.02	5.5	64
N828465		1.9	<0.002	0.01	0.34	0.2	1	<0.2	44.0	<0.05	<0.05	<0.2	<0.005	<0.02	0.4	2
N828466		89.5	<0.002	0.26	17.90	9.3	1	2.0	99.7	0.62	<0.05	12.0	0.227	1.58	4.7	66
N828467		86.3	<0.002	0.15	20.2	9.4	1	2.1	139.0	0.56	<0.05	12.1	0.203	1.44	5.0	66
N828468		93.1	<0.002	0.13	5.10	9.1	1	2.3	224	0.52	<0.05	11.6	0.181	1.12	4.4	67
N828469		89.9	<0.002	0.17	21.2	9.2	1	2.2	205	0.61	<0.05	12.8	0.206	1.09	4.3	62
N828470		96.3	<0.002	0.18	22.4	9.6	1	2.1	204	0.66	<0.05	14.2	0.219	1.23	4.6	67
N828471		70.3	<0.002	0.30	46.0	10.1	1	2.1	252	0.72	<0.05	15.3	0.238	0.90	5.2	60
N828472		63.3	<0.002	0.18	31.0	9.5	1	2.0	229	0.72	<0.05	12.3	0.240	0.99	3.7	66
N828473		91.0	<0.002	0.24	23.6	8.7	1	1.9	124.0	0.61	<0.05	13.6	0.220	1.60	5.3	64
N828474		92.3	<0.002	0.24	20.2	10.2	1	2.5	135.0	0.67	<0.05	13.5	0.235	1.75	4.7	69
N828475		90.1	<0.002	0.30	29.0	9.6	1	2.6	106.0	0.60	<0.05	14.1	0.216	1.67	4.6	68
N828476		164.5	<0.002	4.63	96.5	8.0	1	8.1	95.2	0.47	0.35	11.4	0.176	2.28	6.1	55
N828477		144.5	<0.002	0.98	17.80	10.1	1	3.4	43.3	0.44	0.08	14.4	0.162	2.44	5.8	71
N828478		96.4	<0.002	0.20	6.96	9.4	1	2.2	118.0	0.54	<0.05	13.3	0.188	1.76	5.2	67
N828479		86.8	<0.002	0.08	3.33	9.9	1	2.2	312	0.62	<0.05	11.6	0.252	1.24	5.0	80
N828480		88.3	0.003	0.10	2.91	9.5	1	2.4	330	0.59	<0.05	10.9	0.243	1.18	4.6	76
N828481		117.5	0.003	0.52	12.90	9.8	1	2.9	128.0	0.70	<0.05	14.3	0.243	2.09	4.2	69
N828482		168.0	<0.002	4.89	45.6	7.1	1	7.2	27.0	0.38	0.34	9.5	0.146	2.41	4.2	47
N828483		1.7	<0.002	0.01	0.13	0.2	1	<0.2	45.9	<0.05	<0.05	<0.2	<0.005	<0.02	0.5	2
N828484		135.0	0.002	2.61	185.0	6.4	1	5.4	79.4	0.38	0.15	10.5	0.148	2.29	3.9	47
N828485		153.5	<0.002	1.15	20.3	9.0	1	4.3	131.0	0.52	<0.05	12.6	0.191	2.72	3.7	59
N828486		149.0	0.003	0.95	10.35	9.0	1	4.4	88.3	0.52	<0.05	12.3	0.199	2.79	3.2	72
N828487		132.5	0.003	0.33	5.00	8.8	1	2.9	97.3	0.51	<0.05	12.0	0.183	2.83	3.1	63
N828488		175.0	<0.002	0.86	10.10	8.1	1	4.6	73.1	0.46	<0.05	12.7	0.166	2.87	3.3	61
N828489		133.0	0.003	6.93	214	7.2	1	8.6	126.0	0.44	0.44	8.8	0.181	2.03	5.9	52
N828490		181.0	0.002	4.63	21.1	8.7	1	6.5	63.0	0.49	0.10	12.5	0.187	2.69	4.2	55
N828491		219	<0.002	2.92	16.30	9.3	<1	5.9	25.8	0.48	0.10	12.6	0.192	3.14	3.2	61
N828492		216	<0.002	1.35	13.05	9.5	1	5.9	50.2	0.48	<0.05	15.4	0.188	3.39	5.0	56
N828493		176.0	<0.002	2.72	30.8	8.4	1	4.9	48.2	0.38	0.11	10.2	0.148	2.72	3.3	57
N828494		110.5	0.002	0.64	6.13	9.1	1	3.2	178.5	0.56	0.13	10.8	0.217	2.07	4.5	70
N828495		192.5	<0.002	4.70	12.75	9.3	1	7.7	38.8	0.51	0.07	13.2	0.205	3.20	4.2	61

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12147078**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2-AUG-2012
Account: ROCKHA

Project: Klaza-70

CERTIFICATE OF ANALYSIS WH12173675

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N828460		1.9	11.1	99	24.0		
N828461		2.5	13.2	139	28.0		
N828462		1.7	13.2	81	30.6		
N828463		3.6	12.5	94	32.0		
N828464		3.6	11.1	104	27.2		
N828465		0.1	0.7	15	<0.5		
N828466		3.2	12.3	146	30.6		
N828467		2.7	13.1	101	28.9		
N828468		1.5	14.8	81	25.1		
N828469		2.1	13.4	68	32.0		
N828470		2.6	14.2	72	32.5		
N828471		5.9	14.6	62	34.2		
N828472		5.3	12.2	70	30.7		
N828473		3.6	12.4	68	30.1		
N828474		4.6	13.3	103	33.6		
N828475		2.9	13.5	140	30.9		
N828476		5.3	10.1	5210	24.1		
N828477		4.5	10.2	935	24.0		
N828478		1.4	11.9	63	27.3		
N828479		1.2	13.6	52	31.2		
N828480		0.9	13.8	53	31.5		
N828481		2.9	12.7	341	35.8		
N828482		6.4	7.8	1760	22.7		
N828483		0.1	0.8	20	<0.5		
N828484		4.5	7.9	1110	19.0		
N828485		4.2	12.2	709	26.0		
N828486		1.7	10.7	1660	23.3		
N828487		2.0	11.0	191	23.3		
N828488		2.0	10.3	755	22.2		
N828489		4.7	8.8	>10000	29.3	119	1.620
N828490		4.6	11.2	381	24.8		
N828491		3.4	7.4	1570	22.6		
N828492		2.9	9.4	941	22.8		
N828493		5.6	8.9	1820	19.5		
N828494		2.1	12.3	249	25.2		
N828495		4.9	10.1	333	25.6		

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12147078**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-70

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12173675

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.