



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 7-AUG-2012  
This copy reported on  
9-AUG-2012  
Account: ROCKHA

**CERTIFICATE WH12173677**

Project: Klaza-66

P.O. No.: Batch 7

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12145813\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-AUG-2012  
Account: ROCKHA

Project: Klaza-66

**CERTIFICATE OF ANALYSIS WH12173677**

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
N829667		0.23	7.48	35.0	1360	1.59	0.93	3.55	0.17	50.0	12.4	8	22.1	4.8	3.45	14.30
N829668		0.48	7.21	27.8	2070	1.83	1.11	3.11	2.41	57.8	9.3	8	19.75	7.5	3.90	14.15
N829669		11.70	5.95	513	610	1.26	15.65	2.14	35.5	36.0	17.7	6	11.55	473	8.09	13.50
N829670		2.23	7.47	116.5	1050	1.67	5.43	1.96	1.84	54.1	9.2	9	14.70	62.6	4.82	16.35
N829671		>100	5.73	6970	820	1.06	68.6	1.94	219	30.9	8.2	17	10.20	1300	8.16	11.55
N829672		5.01	6.33	300	230	1.41	10.60	1.63	20.1	43.1	13.3	7	14.50	88.9	6.81	13.90
N829673		11.55	6.03	1370	470	1.17	24.0	0.86	25.8	36.2	8.6	7	11.10	250	8.19	13.50
N829674		0.08	0.12	6	20	0.09	0.11	21.3	0.17	1.33	0.6	1	0.30	3.3	0.49	0.34
N829675		2.11	7.18	216	360	1.35	3.09	0.90	1.36	54.5	5.9	8	9.33	90.0	6.92	15.95
N829676		1.09	7.92	426	860	1.60	1.99	1.84	1.12	51.5	5.4	10	13.65	35.2	5.70	17.40
N829677		2.11	7.73	1645	600	1.73	3.11	0.98	2.50	58.3	5.9	8	11.75	134.5	7.53	18.00
N829678		1.39	7.84	3970	850	1.73	2.61	0.75	3.77	59.1	5.4	8	8.73	36.2	8.92	20.8
N829679		0.29	8.19	72.0	2200	1.54	0.40	2.77	0.38	48.2	6.2	9	18.95	46.4	3.68	16.40
N829680		0.29	8.01	35.9	2160	1.48	0.81	2.13	0.30	50.1	9.7	9	15.85	30.3	4.18	16.35
N829681		26.5	6.33	3750	290	1.34	19.30	2.38	81.5	44.2	10.7	19	14.05	463	6.91	13.75
N829682		0.43	7.85	71.1	1850	1.54	0.60	1.85	1.27	48.4	7.7	9	16.10	15.1	4.00	15.80
N829683		10.00	5.98	6230	480	1.35	15.50	1.46	27.0	44.8	10.2	8	14.05	448	6.91	14.25
N829684		0.38	7.24	44.3	1770	1.69	0.59	2.84	0.72	50.6	5.9	10	28.4	9.3	2.72	15.25
N829685		0.14	8.22	11.1	2340	1.94	0.27	2.27	0.15	44.6	7.5	10	21.4	13.1	4.25	16.35
N829686		0.60	7.72	51.0	1380	1.64	1.41	2.56	0.66	49.8	9.1	10	17.40	38.0	3.98	15.75
N829687		1.09	7.82	427	1640	2.14	1.11	3.12	5.21	65.8	6.4	12	28.4	26.0	3.27	16.95
N829688		0.46	7.81	98.4	2280	2.36	0.52	3.98	1.34	68.0	5.3	11	24.0	17.9	2.89	17.90
N829689		0.19	7.61	39.2	2540	2.08	0.25	4.33	0.91	66.9	4.9	10	23.4	4.4	2.83	16.25
N829690		0.28	7.84	16.6	1870	1.49	0.58	2.86	0.21	46.0	8.8	9	18.95	16.7	3.24	15.45
N829691		0.26	7.88	85.3	2250	1.66	0.61	2.55	0.21	48.8	8.9	10	24.2	20.2	3.24	16.15
N829692		1.14	7.27	279	1200	1.43	1.73	1.62	0.59	50.9	7.4	8	13.40	82.4	4.94	14.65
N829693		0.82	7.74	1360	820	1.50	1.92	1.83	2.08	47.8	8.6	8	11.55	29.8	4.75	15.50
N829694		0.55	7.41	153.5	1700	1.53	0.64	2.59	3.70	44.7	8.3	9	16.95	15.7	3.53	14.85
N829695		5.80	6.13	448	310	1.43	8.14	2.96	17.40	41.6	13.6	7	13.40	164.5	6.16	13.05
N829696		0.04	0.09	<5	40	0.07	0.05	21.2	0.11	1.27	0.6	<1	0.33	2.3	0.48	0.28
N829697		0.13	7.55	12.1	2130	1.52	0.34	2.13	0.19	31.8	6.8	9	16.00	13.3	3.17	15.60
N829698		0.29	7.06	27.8	1570	1.27	0.76	2.82	0.37	39.4	7.0	9	13.65	22.6	2.50	15.05
N829699		1.18	7.27	416	640	1.62	1.47	2.43	3.00	47.9	8.9	7	16.50	81.9	4.25	15.70
N829700		1.84	7.44	785	440	1.49	3.10	2.06	0.58	49.2	9.5	9	14.35	35.1	4.69	16.05
N829701		0.83	7.60	149.0	2070	1.45	1.73	2.22	0.40	43.1	7.1	10	15.10	51.0	3.88	15.00
N829702		0.96	7.60	146.5	1940	1.53	1.68	2.17	0.40	45.9	7.5	10	15.65	52.0	3.84	15.70

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12145813\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-AUG-2012  
Account: ROCKHA

Project: Klaza-66

**CERTIFICATE OF ANALYSIS WH12173677**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5	ppm 0.1
N829667		0.17	0.9	0.232	2.95	29.4	13.6	1.14	1000	0.54	0.11	6.1	3.2	590	13.1	132.0
N829668		0.17	0.9	0.372	2.92	34.6	14.2	1.05	1300	0.90	0.09	6.2	3.6	570	114.0	128.0
N829669		0.14	0.7	0.564	2.58	18.7	14.5	0.97	7370	2.96	0.04	5.0	3.0	440	934	137.0
N829670		0.17	1.1	0.219	2.79	32.4	37.3	0.95	1880	1.91	0.04	7.0	3.2	590	117.5	147.0
N829671		0.08	1.1	4.13	2.35	17.0	27.4	0.62	3000	13.90	0.09	4.9	11.8	470	9310	125.5
N829672		0.14	1.0	0.219	2.67	22.8	20.2	0.88	9000	2.91	0.03	5.9	3.1	510	710	139.0
N829673		0.13	1.0	0.367	2.68	19.6	12.2	0.62	2210	4.10	0.03	5.1	2.7	430	794	164.5
N829674		0.14	<0.1	0.012	0.04	0.7	1.2	13.10	235	0.25	0.01	0.2	2.0	180	5.4	2.2
N829675		0.15	1.2	0.281	3.25	29.4	8.9	0.99	1710	1.41	0.04	6.8	2.7	550	77.7	191.0
N829676		0.14	1.2	0.222	3.23	30.0	28.3	0.98	1240	3.65	0.43	7.4	3.0	660	62.8	163.5
N829677		0.14	1.2	0.326	3.39	33.5	17.4	1.01	2010	2.02	0.04	6.7	3.2	570	154.0	184.0
N829678		0.17	1.1	0.269	3.48	31.5	10.8	0.81	1740	3.57	0.06	6.9	3.3	620	133.5	186.0
N829679		0.14	1.2	0.093	2.67	24.3	30.3	0.90	738	0.52	0.31	7.9	3.0	700	18.1	85.8
N829680		0.17	1.0	0.155	2.40	25.8	49.4	0.87	741	3.14	0.10	7.6	3.8	640	20.8	99.1
N829681		0.14	1.0	1.700	2.76	22.5	23.4	0.97	2040	13.30	0.04	5.6	16.4	470	2970	153.0
N829682		0.13	1.3	0.085	2.46	26.3	53.1	0.75	1080	7.71	0.06	7.6	3.0	610	63.3	92.7
N829683		0.14	0.9	0.616	2.29	26.5	32.0	0.63	1840	6.33	0.03	5.5	4.7	440	516	139.5
N829684		0.15	1.5	0.086	2.74	27.0	49.8	0.82	934	1.85	0.05	7.8	2.5	680	39.3	104.5
N829685		0.16	1.2	0.049	2.88	21.9	29.4	0.96	565	1.64	1.13	8.1	3.2	640	16.9	100.5
N829686		0.15	1.0	0.096	2.76	26.4	70.2	0.87	1120	1.14	0.50	7.2	3.1	610	38.4	117.0
N829687		0.20	2.4	0.056	2.94	36.4	42.1	1.04	1400	2.03	0.07	10.3	3.1	870	124.0	112.5
N829688		0.17	2.5	0.048	3.05	34.5	56.2	1.09	1120	1.63	0.07	11.0	3.2	890	51.7	100.5
N829689		0.17	2.3	0.038	2.84	35.0	55.6	1.14	1230	1.15	0.09	10.2	2.9	860	35.0	89.9
N829690		0.15	1.0	0.066	2.84	24.3	31.4	0.89	780	1.10	1.00	6.8	2.7	600	20.2	99.1
N829691		0.16	1.2	0.076	2.81	26.3	37.6	0.76	497	1.45	1.57	7.7	3.1	630	22.8	107.0
N829692		0.15	1.2	0.135	2.77	28.2	45.3	0.85	988	0.53	0.11	6.6	2.7	560	56.2	153.5
N829693		0.16	1.0	0.137	2.31	24.9	29.2	0.68	630	0.65	0.55	7.2	2.7	600	77.8	105.5
N829694		0.16	1.0	0.117	2.78	24.1	48.4	0.83	4360	0.64	0.06	6.6	3.0	580	114.0	98.9
N829695		0.13	0.7	0.183	2.60	23.2	19.2	1.09	4440	5.71	0.04	5.3	3.4	440	378	134.5
N829696		0.13	<0.1	0.012	0.04	0.6	1.2	13.05	227	0.23	<0.01	0.2	1.6	180	2.8	2.0
N829697		0.16	1.2	0.062	2.77	14.1	59.2	0.74	558	3.51	0.10	7.8	2.8	650	17.5	67.5
N829698		0.15	1.0	0.098	2.51	19.5	71.7	0.69	649	6.34	0.06	7.2	2.6	620	21.4	75.6
N829699		0.16	1.0	0.293	2.98	26.4	30.4	0.95	1820	43.6	0.05	6.8	2.9	540	128.0	148.5
N829700		0.16	1.0	0.129	3.00	25.5	31.7	0.74	662	4.65	0.09	7.0	2.8	590	78.8	137.0
N829701		0.15	1.0	0.169	3.40	23.3	29.1	0.79	934	4.07	0.09	6.7	2.8	620	39.6	128.5
N829702		0.17	1.0	0.175	3.32	25.9	30.7	0.78	921	3.16	0.09	7.0	3.0	600	37.3	136.0

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12145813\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-AUG-2012  
Account: ROCKHA

Project: Klaza-66

**CERTIFICATE OF ANALYSIS WH12173677**

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
N829667		0.002	1.34	8.02	9.8	1	3.8	137.5	0.56	0.08	12.4	0.226	2.13	3.2	67	2.7
N829668		0.003	1.01	7.31	10.0	1	5.0	113.5	0.56	0.10	12.5	0.220	2.07	2.8	64	4.1
N829669		0.003	6.69	47.8	8.5	2	11.5	70.8	0.45	0.51	9.3	0.179	2.36	4.3	56	7.3
N829670		0.003	1.71	16.10	10.7	1	6.4	106.0	0.58	0.32	13.5	0.247	2.42	3.5	68	6.2
N829671		<0.002	7.10	211	6.7	1	8.0	121.5	0.42	0.43	7.3	0.175	2.01	4.7	52	3.7
N829672		0.003	4.24	25.7	8.5	1	7.8	74.0	0.54	0.66	11.5	0.207	2.46	3.7	60	7.1
N829673		<0.002	6.56	43.9	7.5	1	9.0	34.0	0.49	0.54	9.8	0.172	2.19	3.3	53	7.2
N829674		0.002	0.02	0.36	0.3	1	0.5	44.3	<0.05	<0.05	<0.2	<0.005	0.02	0.6	1	0.1
N829675		<0.002	3.95	13.05	9.3	1	8.5	42.6	0.67	0.34	13.2	0.229	2.76	5.1	66	8.5
N829676		0.004	2.41	6.77	10.6	1	6.4	153.0	0.70	0.11	13.6	0.266	2.33	5.1	73	6.1
N829677		0.004	2.83	10.60	10.0	1	10.6	51.0	0.64	0.12	13.8	0.237	2.93	5.0	67	12.0
N829678		0.003	6.06	10.15	10.6	1	10.8	39.8	0.60	0.11	12.7	0.248	2.99	4.1	70	15.4
N829679		0.002	0.27	15.80	10.6	1	3.6	204	0.74	<0.05	11.3	0.294	1.62	4.7	82	3.3
N829680		0.005	0.66	14.55	10.7	<1	6.1	163.5	0.64	0.05	13.8	0.174	1.56	4.0	79	5.2
N829681		0.007	5.10	92.1	7.9	1	8.3	94.6	0.49	0.40	10.0	0.187	2.53	5.1	59	5.1
N829682		0.009	0.44	12.80	10.5	<1	4.8	129.5	0.68	<0.05	14.6	0.273	1.55	3.6	76	6.5
N829683		0.005	5.54	113.5	7.8	1	9.2	73.2	0.48	0.75	10.7	0.186	1.88	3.5	54	8.0
N829684		0.004	0.55	12.75	8.3	1	3.5	169.0	0.66	0.06	10.5	0.251	1.76	5.0	65	3.6
N829685		0.005	0.08	4.30	11.0	1	2.5	347	0.64	<0.05	11.8	0.279	1.17	3.5	76	1.7
N829686		0.004	1.01	15.90	10.7	<1	4.0	202	0.62	0.07	12.2	0.264	1.96	4.4	73	5.4
N829687		0.004	0.88	11.70	6.3	1	3.3	229	0.75	<0.05	11.2	0.260	1.89	5.4	53	3.3
N829688		0.003	0.20	10.65	6.3	<1	2.8	281	0.81	<0.05	10.0	0.272	1.96	5.4	54	2.1
N829689		0.004	0.12	8.37	5.7	1	2.0	303	0.76	<0.05	10.0	0.258	1.74	4.9	50	1.4
N829690		0.004	0.67	5.68	9.5	1	2.6	294	0.54	0.06	10.8	0.262	1.60	3.3	69	4.7
N829691		0.003	0.37	6.16	10.5	1	2.9	343	0.64	<0.05	12.8	0.264	1.33	4.4	71	3.5
N829692		0.005	1.74	18.85	9.5	<1	6.6	104.0	0.67	<0.05	15.1	0.241	2.12	4.2	66	6.8
N829693		0.004	1.44	13.40	10.1	<1	7.7	160.0	0.66	<0.05	12.1	0.251	1.46	3.2	67	6.2
N829694		0.003	0.72	11.85	9.5	<1	3.9	127.5	0.59	0.07	12.1	0.250	2.13	4.0	69	4.6
N829695		0.002	4.65	31.8	8.0	1	8.2	91.1	0.47	0.72	10.1	0.190	2.26	5.8	57	6.2
N829696		0.004	0.02	0.27	0.2	<1	0.5	46.9	<0.05	<0.05	<0.2	<0.005	0.02	0.5	2	0.1
N829697		0.002	0.21	7.79	8.9	1	2.5	132.5	0.75	<0.05	10.3	0.279	1.47	3.6	77	6.3
N829698		0.003	0.62	12.10	9.3	<1	2.7	180.5	0.64	0.06	10.7	0.260	1.54	3.7	73	11.9
N829699		0.004	1.97	13.80	10.6	1	6.0	112.0	0.60	0.21	11.7	0.249	2.04	4.6	74	10.9
N829700		0.003	2.70	9.57	10.4	1	6.0	121.0	0.60	0.29	11.8	0.251	1.88	3.7	70	8.5
N829701		0.002	1.35	9.46	9.7	<1	3.6	141.0	0.57	0.22	11.9	0.263	2.03	4.4	74	11.0
N829702		0.002	1.32	9.64	10.3	1	3.9	140.5	0.60	0.34	13.0	0.257	2.01	4.9	72	10.8

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12145813\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-AUG-2012  
 Account: ROCKHA

Project: Klaza-66

**CERTIFICATE OF ANALYSIS WH12173677**

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N829667		14.8	39	21.4		
N829668		14.7	251	21.4		
N829669		9.6	3020	16.5		
N829670		12.6	189	24.3		
N829671		8.6	>10000	30.5	118	1.585
N829672		10.1	1720	23.1		
N829673		7.5	2170	21.0		
N829674		0.8	24	<0.5		
N829675		8.6	158	26.3		
N829676		12.3	138	26.6		
N829677		8.8	296	27.0		
N829678		8.9	360	25.9		
N829679		14.9	73	27.1		
N829680		14.8	63	24.9		
N829681		10.1	5720	24.5		
N829682		14.2	135	29.0		
N829683		9.3	2040	20.7		
N829684		12.3	105	42.6		
N829685		15.6	49	28.3		
N829686		14.2	98	24.0		
N829687		12.5	510	75.0		
N829688		13.2	165	80.4		
N829689		13.3	127	78.1		
N829690		14.1	51	24.0		
N829691		15.6	45	26.0		
N829692		11.7	95	23.4		
N829693		13.3	164	22.1		
N829694		13.6	316	21.5		
N829695		11.2	1420	17.6		
N829696		0.8	20	<0.5		
N829697		11.2	47	26.7		
N829698		13.0	56	23.7		
N829699		13.4	290	22.4		
N829700		14.1	73	23.2		
N829701		12.9	69	22.5		
N829702		13.9	65	22.5		

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12145813\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza-66

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 7-AUG-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12173677**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.