



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11-AUG-2012
Account: ROCKHA

CERTIFICATE WH12174368

Project: Klaza TR-12-36

P.O. No.: Batch 10

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174368

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N815227		1.81	0.008	0.48	7.89	105.5	2090	1.87	0.90	0.69	3.19	57.4	11.6	10	22.7	36.2
N815228		1.26	<0.005	0.28	8.29	63.5	2140	1.91	0.62	0.56	2.96	48.9	10.2	10	23.8	22.2
N815229		1.48	0.050	1.12	7.93	251	1750	1.69	0.62	0.58	3.84	53.3	10.0	11	22.4	20.9
N815230		1.87	0.022	0.74	7.31	238	3740	1.98	0.65	0.29	4.77	57.7	11.2	9	22.8	25.0
N815231		1.99	<0.005	0.29	8.05	39.8	1430	1.70	0.72	0.84	1.73	49.0	11.5	13	14.90	18.2
N815232		1.73	0.011	0.42	8.32	54.2	1590	1.91	0.71	1.02	2.64	66.1	13.6	14	20.1	32.1
N815233		4.77	0.007	0.33	8.10	52.9	1850	1.77	0.83	1.33	1.85	55.8	10.9	14	14.00	38.3
N815234		5.62	0.078	1.46	7.74	148.0	1220	1.78	1.37	0.22	3.76	47.4	9.3	11	22.3	36.8
N815235		4.70	<0.005	0.27	8.26	36.7	2000	1.59	0.68	1.54	1.28	49.9	10.8	13	9.85	52.9
N815236		0.48	1.315	34.7	8.00	562	1260	2.10	1.29	0.29	32.3	73.4	6.4	19	3.57	136.5
N815237		5.75	<0.005	0.33	7.82	23.6	2020	1.62	0.55	0.62	1.24	48.3	9.0	11	18.35	20.9
N815238		5.41	0.012	0.75	7.75	63.2	2160	1.72	0.76	0.40	1.98	49.3	8.5	10	22.4	16.8
N815239		5.47	0.025	1.21	7.92	238	1530	1.78	0.61	0.35	3.48	52.6	8.6	9	24.1	28.3
N815240		4.04	0.012	1.20	8.26	96.9	1690	1.65	0.56	0.98	2.19	46.2	10.5	11	21.3	43.3
N815241		4.51	0.006	0.33	8.47	78.1	1480	1.90	1.15	0.52	4.90	41.4	9.3	10	25.2	7.7
N815242		4.67	0.009	0.33	7.93	161.5	1840	1.99	0.63	0.86	6.12	48.3	8.6	10	19.30	8.8
N815243		7.96	0.015	0.49	8.12	502	2460	1.70	0.82	0.47	6.66	45.1	7.1	10	25.8	23.8
N815244		7.14	0.340	3.30	7.53	2860	1160	1.59	2.14	0.40	14.15	43.6	11.2	11	24.1	35.0
N815245		6.67	0.005	0.22	7.46	114.5	4030	1.73	0.56	2.02	0.50	41.2	8.7	10	23.8	12.1
N815246		5.50	0.036	0.34	7.36	266	2130	1.86	0.83	1.85	0.78	36.3	9.7	12	23.9	13.0
N815247		5.46	0.020	0.42	6.73	187.5	700	2.12	1.33	3.11	1.28	30.5	9.6	12	50.8	20.9
N815248		5.22	0.018	1.12	7.69	145.0	2620	1.56	1.76	2.63	3.48	39.8	11.1	12	40.1	28.7
N815249		1.95	<0.005	0.05	0.11	<5	30	0.07	0.04	21.0	0.09	1.30	0.8	<1	0.52	2.3
N815250		6.02	<0.005	0.17	7.63	12.4	1490	1.31	0.31	1.42	1.32	42.7	9.7	13	15.20	19.2
N815251		6.58	<0.005	0.21	7.97	4.5	1230	1.41	0.41	1.38	0.67	50.5	9.1	13	8.00	26.4
N815252		4.78	<0.005	0.76	7.92	5.4	1150	1.43	0.89	1.51	1.06	40.1	9.2	12	9.28	46.9
N815253		6.01	0.089	10.65	6.39	802	940	1.61	0.16	0.52	25.2	38.4	9.0	12	20.0	58.8
N815254		5.60	0.076	6.55	6.66	384	910	1.54	0.25	0.34	14.65	43.0	8.7	11	25.9	80.3
N815255		5.20	0.170	13.20	7.00	510	490	1.38	0.89	0.29	14.65	48.3	7.1	11	31.5	133.5
N815256		5.09	0.006	0.41	8.59	27.2	1160	1.59	0.14	0.70	3.78	49.4	8.6	15	12.70	26.7
N815257		4.42	0.200	27.0	6.56	449	490	1.38	0.18	0.85	22.7	41.6	8.0	12	22.0	120.5
N815258		6.63	<0.005	0.48	7.68	7.1	1110	1.31	0.07	1.79	4.68	43.1	9.1	13	8.23	7.6
N815259		6.08	<0.005	0.26	7.87	19.3	1150	1.44	0.19	1.66	8.94	48.7	9.6	11	15.90	13.2
N815260		5.25	<0.005	0.15	7.92	25.3	870	1.66	0.08	0.82	10.85	58.7	9.6	12	25.4	17.4
N815261		5.30	<0.005	0.08	7.99	7.5	1180	1.31	0.07	1.83	2.64	45.3	9.4	10	5.91	7.6
N815262		5.06	<0.005	0.11	8.23	9.2	1150	1.48	0.20	1.61	1.87	49.5	10.3	15	9.58	13.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174368

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
N815227		3.20	17.55	0.15	1.5	0.091	2.94	31.2	19.5	0.44	2420	12.30	1.36	7.6	4.0	660
N815228		3.81	18.55	0.15	1.6	0.053	2.76	24.4	41.2	0.24	750	10.40	1.02	8.2	4.5	720
N815229		3.55	19.10	0.16	1.6	0.076	2.76	24.4	43.8	0.20	1370	14.45	1.18	8.3	4.3	680
N815230		3.78	17.10	0.18	1.6	0.072	2.84	31.0	33.2	0.28	1960	18.55	0.39	7.6	4.3	650
N815231		3.04	18.65	0.14	1.7	0.037	2.34	24.2	18.5	0.50	714	5.51	1.69	8.5	5.2	690
N815232		3.69	18.90	0.15	1.7	0.074	2.60	33.3	18.1	0.51	1740	11.15	1.49	8.6	6.7	720
N815233		3.55	17.60	0.14	1.7	0.046	2.44	29.5	17.8	0.64	782	5.64	1.83	8.4	5.2	730
N815234		3.30	18.20	0.14	1.8	0.082	3.22	22.1	24.0	0.25	1560	15.45	0.28	8.3	3.7	530
N815235		3.31	17.95	0.14	1.6	0.034	2.50	23.3	12.8	0.67	672	4.33	2.02	8.3	4.3	700
N815236		5.76	24.6	0.22	2.7	0.217	3.49	33.6	24.8	0.28	1060	6.09	0.08	12.8	7.5	1860
N815237		3.18	17.65	0.13	1.9	0.042	2.61	23.3	38.3	0.25	805	9.03	0.95	8.5	3.7	670
N815238		3.31	17.95	0.14	1.9	0.057	3.10	24.9	44.8	0.25	1950	12.40	0.67	8.6	4.0	630
N815239		3.23	18.20	0.17	2.2	0.060	3.26	27.5	49.0	0.25	1700	10.80	0.37	9.0	3.7	610
N815240		3.17	18.80	0.15	1.7	0.043	2.85	23.2	50.6	0.30	652	5.72	1.23	8.4	3.9	680
N815241		3.23	18.75	0.15	1.8	0.107	1.68	16.3	25.8	0.50	939	2.55	2.52	9.3	4.0	720
N815242		2.94	17.95	0.12	1.7	0.093	2.10	23.1	15.4	0.47	916	2.94	2.09	8.3	3.7	650
N815243		2.83	18.15	0.14	1.6	0.050	2.33	22.3	30.8	0.29	700	2.48	1.10	8.8	3.2	680
N815244		4.10	17.85	0.15	1.6	0.260	2.86	21.5	17.0	0.30	1420	4.97	0.50	8.4	3.4	650
N815245		3.03	16.90	0.13	1.4	0.045	2.42	19.1	15.7	0.50	962	2.42	1.63	8.2	2.6	680
N815246		3.22	18.80	0.14	1.6	0.062	2.51	16.5	18.7	0.49	919	2.29	1.71	9.2	3.3	730
N815247		2.62	17.75	0.13	1.2	0.053	2.25	13.7	23.0	0.41	990	4.41	0.96	8.9	4.0	570
N815248		3.50	17.95	0.14	0.9	0.090	2.13	18.3	22.2	0.94	986	3.57	1.53	8.3	4.9	590
N815249		0.51	0.27	0.08	<0.1	<0.005	0.04	0.6	1.2	12.55	220	0.22	0.01	0.2	1.9	180
N815250		3.31	17.00	0.15	0.7	0.030	2.06	20.3	19.5	1.10	901	1.08	1.61	8.1	4.7	560
N815251		3.28	15.10	0.15	0.6	0.042	2.20	26.6	15.0	1.17	877	5.00	1.88	7.9	5.9	540
N815252		3.37	15.45	0.16	0.6	0.105	1.97	23.2	15.4	1.18	1020	2.92	1.82	7.8	5.0	580
N815253		4.31	14.15	0.16	0.5	0.085	2.50	30.9	20.5	0.26	10050	69.0	0.03	6.4	5.4	450
N815254		3.41	13.65	0.15	0.5	0.109	2.38	26.6	23.1	0.32	4850	13.65	0.14	6.4	4.8	470
N815255		3.59	15.05	0.17	0.6	0.156	2.55	27.5	23.9	0.32	1390	4.17	0.08	7.4	3.7	500
N815256		3.31	17.30	0.16	0.7	0.035	2.29	24.3	31.8	0.51	696	1.71	0.95	9.0	5.0	620
N815257		3.93	14.40	0.17	0.5	0.223	2.19	23.0	26.9	0.23	2950	5.68	0.03	7.0	3.7	460
N815258		3.21	14.95	0.15	0.6	0.035	2.00	21.6	18.4	1.08	814	0.58	1.87	7.7	4.8	550
N815259		3.20	15.20	0.17	0.7	0.038	2.20	26.7	17.0	0.96	1280	1.65	1.92	7.9	5.5	540
N815260		3.06	17.25	0.15	0.7	0.039	2.30	29.0	14.7	0.92	1160	1.45	1.53	8.3	6.2	560
N815261		3.25	15.70	0.14	0.6	0.032	2.10	22.5	17.3	1.09	768	0.66	2.09	8.1	4.8	550
N815262		3.52	15.75	0.14	0.7	0.051	2.07	25.7	17.8	1.11	961	1.63	1.86	8.1	6.0	610



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174368

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N815227		80.9	161.0	<0.002	<0.01	9.18	13.5	1	2.7	195.5	0.62	<0.05	15.1	0.263	2.49	2.1
N815228		32.9	118.0	<0.002	0.02	5.35	14.0	1	2.0	173.5	0.62	<0.05	15.7	0.278	1.42	2.4
N815229		216	133.5	<0.002	0.01	7.69	13.6	1	1.8	160.5	0.59	<0.05	14.4	0.281	1.46	2.5
N815230		281	160.5	<0.002	0.08	9.11	13.4	1	2.3	81.3	0.57	<0.05	14.6	0.258	2.06	2.8
N815231		33.1	123.0	<0.002	0.01	3.81	12.8	<1	3.1	203	0.62	<0.05	13.4	0.290	1.55	2.0
N815232		62.1	148.5	<0.002	0.02	6.86	14.2	1	3.8	225	0.64	<0.05	15.4	0.303	2.17	2.6
N815233		35.2	113.5	<0.002	0.05	3.90	13.8	<1	3.7	293	0.63	<0.05	14.7	0.303	1.65	2.8
N815234		172.5	195.5	<0.002	0.05	12.00	13.4	1	3.5	60.2	0.65	0.31	13.5	0.276	2.86	2.8
N815235		46.0	107.5	<0.002	0.04	2.90	12.1	1	3.2	332	0.69	0.07	13.4	0.296	1.38	2.3
N815236		4010	166.0	0.006	0.64	69.5	15.6	5	21.8	407	0.80	0.27	7.4	0.460	2.27	3.6
N815237		25.7	133.0	<0.002	0.03	9.71	12.4	1	2.8	171.5	0.69	<0.05	16.0	0.270	1.62	2.7
N815238		75.5	173.5	<0.002	0.06	8.77	12.5	<1	2.8	112.0	0.69	<0.05	14.5	0.263	2.37	3.0
N815239		179.5	178.0	<0.002	0.05	15.35	11.5	1	3.2	88.2	0.97	<0.05	18.3	0.262	2.93	3.4
N815240		44.8	141.5	<0.002	0.04	14.05	12.4	1	4.5	197.0	0.68	<0.05	13.7	0.292	2.23	2.4
N815241		33.1	90.6	<0.002	0.02	5.17	13.1	1	7.6	175.5	0.71	<0.05	13.5	0.308	1.53	2.3
N815242		29.9	104.5	<0.002	0.03	4.40	12.3	1	3.8	227	0.67	<0.05	14.4	0.271	1.44	2.1
N815243		25.7	114.0	<0.002	0.04	9.03	13.0	1	3.8	123.0	0.67	<0.05	14.0	0.294	1.71	2.1
N815244		669	151.5	<0.002	0.09	18.45	12.5	1	2.8	78.0	0.62	<0.05	14.8	0.268	2.28	3.4
N815245		22.9	103.0	<0.002	0.09	4.65	11.5	1	1.8	254	0.66	<0.05	11.3	0.285	1.54	2.5
N815246		43.3	93.7	<0.002	0.04	5.83	12.3	<1	2.0	239	0.73	<0.05	10.2	0.299	1.61	2.3
N815247		49.1	92.3	<0.002	0.02	7.79	9.1	1	2.1	210	0.67	<0.05	8.4	0.266	1.81	2.6
N815248		125.5	86.8	<0.002	0.10	4.59	11.9	2	2.1	300	0.65	<0.05	10.6	0.281	1.40	2.0
N815249		2.4	1.8	<0.002	0.02	0.14	0.2	<1	<0.2	47.5	<0.05	<0.05	0.2	<0.005	0.03	0.7
N815250		20.7	82.6	<0.002	0.02	2.41	12.2	2	1.7	269	0.69	<0.05	12.3	0.280	0.99	1.5
N815251		21.4	86.9	<0.002	0.01	1.49	11.5	<1	1.4	294	0.69	<0.05	13.3	0.289	0.85	1.6
N815252		51.5	76.2	<0.002	0.03	1.48	12.0	1	1.6	306	0.63	<0.05	11.8	0.295	0.77	1.4
N815253		2790	142.0	0.002	0.28	52.9	11.1	1	1.6	52.0	0.53	<0.05	10.7	0.232	3.04	3.4
N815254		1765	138.5	<0.002	0.14	51.5	10.9	1	1.9	68.9	0.56	<0.05	12.0	0.241	2.58	3.1
N815255		4370	148.5	<0.002	0.83	46.9	11.3	1	3.4	48.8	0.61	<0.05	12.6	0.272	1.78	3.1
N815256		38.4	101.0	<0.002	0.02	7.82	12.2	1	1.5	164.0	0.74	<0.05	13.6	0.315	0.89	1.9
N815257		8590	135.5	<0.002	0.91	74.0	11.1	<1	2.6	49.7	0.56	<0.05	9.8	0.233	2.14	3.1
N815258		33.0	72.6	<0.002	0.01	2.04	11.0	1	1.2	333	0.59	<0.05	10.8	0.285	0.66	1.3
N815259		40.7	89.4	0.002	0.01	2.61	11.8	<1	1.4	305	0.68	<0.05	13.6	0.287	0.76	1.9
N815260		18.1	137.0	<0.002	<0.01	3.33	13.4	<1	1.3	176.5	0.64	<0.05	14.1	0.292	1.07	1.6
N815261		16.7	71.5	<0.002	<0.01	1.34	11.2	<1	1.3	339	0.70	<0.05	12.0	0.293	0.61	1.4
N815262		25.8	84.4	<0.002	0.01	3.12	13.3	1	1.4	304	0.64	<0.05	13.4	0.320	0.81	1.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174368

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N815227		83	8.2	19.4	244	42.8
N815228		90	4.1	19.0	203	51.8
N815229		89	3.9	16.0	214	54.1
N815230		81	4.3	18.1	425	60.7
N815231		88	3.3	13.3	153	50.6
N815232		91	4.3	17.8	193	53.3
N815233		91	3.9	19.6	156	47.8
N815234		87	5.3	14.1	409	54.4
N815235		89	1.7	13.0	157	45.7
N815236		151	4.0	19.2	2560	69.9
N815237		79	4.3	16.1	110	58.9
N815238		80	2.8	16.6	224	58.4
N815239		76	4.1	18.2	333	59.8
N815240		87	9.3	15.9	198	47.2
N815241		89	4.7	13.3	668	55.2
N815242		83	3.6	14.8	569	46.8
N815243		84	4.7	16.3	523	51.1
N815244		82	2.3	16.8	1290	47.3
N815245		88	2.6	16.1	77	38.6
N815246		93	2.6	15.6	94	44.9
N815247		81	2.3	10.6	147	37.3
N815248		92	3.9	13.5	384	20.4
N815249		3	0.1	0.9	18	0.5
N815250		93	3.2	17.0	70	12.9
N815251		93	3.0	12.3	84	12.8
N815252		97	2.5	15.2	170	12.3
N815253		85	14.6	28.0	1610	11.5
N815254		82	5.2	25.9	1310	11.3
N815255		86	4.6	12.2	1620	12.5
N815256		101	3.7	14.3	617	15.8
N815257		80	5.0	15.7	2160	10.9
N815258		90	2.3	13.1	489	11.9
N815259		93	3.0	17.6	496	17.2
N815260		94	2.0	14.2	1070	15.1
N815261		93	1.9	9.9	244	13.7
N815262		104	3.0	13.2	184	14.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-36

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12174368

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.