



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 13-AUG-2012

Account: ROCKHA

CERTIFICATE WH12174430

Project: Klaza TR-12-36

P.O. No.: Batch 9

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174430

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N815191		3.24	0.005	0.80	7.88	71.2	1140	1.32	0.43	1.24	4.04	55.6	7.5	9	18.85	70.1
N815192		3.00	0.006	0.75	8.23	112.0	1110	1.52	0.34	0.67	4.68	58.4	8.5	12	20.9	59.5
N815193		2.96	0.007	0.69	8.46	77.3	1150	1.62	0.21	1.55	4.63	56.2	10.4	12	18.45	59.4
N815194		2.94	0.005	0.42	7.90	95.8	990	1.55	0.25	0.35	5.89	45.3	9.0	11	24.0	58.9
N815195		2.61	0.236	37.0	6.11	1715	630	1.04	13.15	0.13	9.70	41.9	2.3	9	45.6	388
N815196		1.84	0.012	1.29	8.26	211	1300	1.56	0.28	0.46	5.62	47.6	11.9	11	19.95	82.4
N815197		2.93	0.006	0.94	7.95	252	1470	1.41	0.45	0.82	9.18	51.4	9.8	13	22.8	65.5
N815198		2.76	<0.005	0.39	8.24	102.0	870	1.41	0.37	0.64	6.67	62.6	8.3	11	26.3	37.8
N815199		2.30	0.011	1.20	8.06	303	1340	1.40	0.20	0.60	9.98	55.9	8.6	11	25.3	40.9
N815200		2.76	0.008	0.69	8.45	122.0	1140	1.41	0.21	0.71	4.32	50.4	7.7	11	25.1	47.6
N815201		3.51	0.005	0.32	8.22	113.0	1070	1.38	0.22	0.77	5.03	56.6	10.6	11	23.0	30.0
N815202		3.98	<0.005	0.44	8.22	139.5	1210	1.27	0.24	0.30	6.87	50.1	9.1	11	28.6	40.5
N815203		2.85	<0.005	0.41	8.02	125.0	880	1.31	0.18	0.58	5.46	50.7	7.5	11	22.9	38.5
N815204		2.49	0.011	2.97	8.75	84.4	1660	1.46	13.60	1.19	5.20	58.2	8.6	11	19.30	208
N815205		2.17	0.007	0.35	7.91	125.0	1610	1.32	0.21	1.13	5.03	54.7	10.5	10	19.00	76.1
N815206		2.31	<0.005	0.28	8.05	112.0	880	1.21	0.26	0.46	4.31	51.5	7.2	10	24.5	74.5
N815207		2.59	<0.005	0.30	8.32	99.5	840	1.44	0.29	0.64	4.02	55.0	7.6	12	31.5	108.5
N815208		2.51	0.047	1.98	7.90	271	1350	1.56	0.32	1.26	7.78	52.1	9.9	9	22.0	147.5
N815209		2.61	0.047	2.24	7.30	406	1170	1.49	0.72	0.30	13.75	64.0	8.0	7	22.8	80.5
N815210		2.46	0.016	0.67	7.47	127.0	1140	1.30	0.28	0.22	7.16	55.5	6.6	6	24.1	44.8
N815211		3.17	0.019	1.56	8.70	198.0	1620	1.71	0.71	0.60	9.04	60.2	11.7	9	27.1	74.9
N815212		2.57	0.393	2.82	7.08	507	1270	1.42	1.55	0.24	7.22	48.3	7.1	5	23.7	94.8
N815213		2.47	0.439	1.89	7.71	438	1600	1.44	0.89	0.20	11.60	55.9	11.7	6	18.30	111.0
N815214		3.62	0.519	2.69	7.47	1010	1250	1.40	0.74	0.18	22.9	61.0	10.1	5	34.7	141.5
N815215		2.25	<0.005	0.05	0.07	<5	30	<0.05	0.02	19.35	0.16	1.40	0.7	1	0.27	2.6
N815216		3.63	0.014	0.48	10.30	170.0	2370	2.30	0.87	0.84	3.59	56.9	9.2	9	23.1	30.2
N815217		2.69	0.036	1.17	7.10	248	2060	1.53	0.54	0.39	6.89	54.2	5.3	6	18.20	35.3
N815218		2.81	0.013	0.30	8.10	76.1	1570	1.59	0.76	0.77	2.35	50.0	5.8	8	19.25	21.0
N815219		2.66	0.009	0.20	7.94	76.9	1530	1.55	0.40	0.36	2.19	54.3	6.1	8	15.45	12.4
N815220		2.29	0.016	0.60	7.68	135.5	1650	1.52	1.03	0.24	2.87	54.6	7.0	7	24.0	23.0
N815221		2.52	0.008	0.25	8.55	70.6	1920	1.32	0.56	0.54	1.79	49.3	6.0	7	16.90	19.3
N815222		2.76	0.011	0.28	8.19	59.3	1710	1.32	1.42	1.06	1.75	56.4	9.0	12	16.60	24.5
N815223		1.85	0.011	0.24	7.98	57.2	1740	1.48	0.84	1.42	1.84	60.3	9.1	12	17.25	20.0
N815224		0.26	1.335	30.8	8.13	550	1280	1.66	1.24	0.31	28.6	75.9	5.8	19	3.59	136.5
N815225		2.55	0.013	0.43	7.71	93.5	1690	1.45	1.02	1.03	2.61	65.3	8.4	12	18.25	26.9
N815226		2.06	0.005	0.25	7.89	33.5	2050	1.41	0.81	1.26	1.92	63.0	9.6	10	16.95	28.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174430

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N815191		2.79	16.70	0.08	0.8	0.031	2.19	30.5	22.8	0.57	886	4.56	1.72	9.2	4.8	490
N815192		3.34	17.85	0.08	0.7	0.048	2.50	30.5	54.2	0.43	992	6.38	1.03	8.6	5.5	620
N815193		3.42	18.30	0.10	0.8	0.028	2.25	28.8	18.7	0.64	1000	5.76	1.62	9.6	6.4	600
N815194		3.23	17.25	0.07	0.8	0.037	3.06	25.9	19.9	0.29	1150	15.20	0.23	8.8	4.8	560
N815195		4.74	14.50	0.09	0.6	0.499	2.54	27.7	17.8	0.25	1130	38.2	0.03	6.3	2.2	300
N815196		3.61	17.85	0.08	0.8	0.077	2.83	26.0	25.2	0.31	1780	15.70	0.48	9.0	5.2	540
N815197		3.35	17.10	0.10	0.7	0.092	2.52	27.7	17.3	0.50	2470	14.70	0.93	8.4	5.6	550
N815198		3.10	18.40	0.08	0.7	0.082	2.17	32.8	60.0	0.27	709	9.19	0.85	9.3	5.0	610
N815199		3.31	17.70	0.10	0.7	0.079	2.54	35.7	49.5	0.35	1900	18.05	0.55	8.1	6.2	580
N815200		3.11	17.05	0.09	0.7	0.086	2.70	28.5	41.4	0.44	1480	8.11	0.71	8.0	4.8	600
N815201		3.23	18.10	0.10	0.7	0.026	2.37	30.5	37.9	0.46	1340	7.74	0.79	8.5	5.4	570
N815202		3.07	18.05	0.09	0.7	0.020	2.73	33.4	65.2	0.18	1280	16.00	0.05	8.5	5.1	550
N815203		2.74	17.95	0.08	0.7	0.035	2.46	29.6	68.9	0.24	859	8.66	0.53	8.8	4.8	570
N815204		3.61	19.70	0.09	0.7	0.201	2.34	31.5	32.2	0.42	1590	11.80	1.69	9.2	5.4	630
N815205		3.99	16.50	0.09	0.6	0.066	2.20	25.0	17.4	0.60	2060	7.74	1.28	8.2	6.2	520
N815206		2.54	17.25	0.09	0.7	0.022	2.47	28.2	45.0	0.20	470	8.59	0.26	9.0	3.6	520
N815207		2.78	17.75	0.11	0.8	0.028	2.46	29.9	40.8	0.20	383	7.13	0.74	8.8	4.3	610
N815208		3.59	17.25	0.11	0.9	0.104	2.36	36.2	27.0	0.40	1600	15.15	1.24	7.8	4.8	820
N815209		3.51	15.90	0.12	1.5	0.100	2.70	39.9	39.3	0.22	2600	27.9	0.08	7.5	4.1	780
N815210		2.65	16.15	0.09	1.4	0.055	2.68	32.7	49.3	0.17	2320	16.45	0.06	7.7	3.7	550
N815211		4.73	18.20	0.20	1.5	0.125	3.16	36.0	41.9	0.31	1860	20.3	0.68	7.7	6.0	1160
N815212		2.37	15.70	0.11	1.5	0.121	2.69	33.0	22.0	0.21	1720	15.70	0.27	7.4	3.2	440
N815213		2.33	16.15	0.11	1.7	0.069	3.12	31.8	30.2	0.21	3520	18.80	0.52	7.6	4.7	350
N815214		2.39	16.90	0.13	1.5	0.136	2.76	36.0	25.2	0.19	4720	26.4	0.05	7.7	4.3	240
N815215		0.45	0.24	0.08	<0.1	<0.005	0.02	1.3	1.0	12.20	213	0.29	<0.01	0.1	2.0	150
N815216		3.27	22.8	0.17	2.4	0.040	3.60	24.3	49.7	0.39	569	4.11	1.80	11.4	4.1	700
N815217		2.59	14.95	0.17	1.7	0.108	3.02	33.4	22.4	0.30	4110	20.7	0.36	7.3	2.5	400
N815218		2.11	16.10	0.16	1.7	0.037	2.60	23.2	21.5	0.31	862	4.71	1.73	8.0	2.6	530
N815219		2.37	15.50	0.17	1.9	0.024	3.02	27.7	39.8	0.20	601	5.30	0.93	8.2	2.5	460
N815220		2.24	14.90	0.18	1.7	0.047	2.59	31.4	50.4	0.21	1190	11.45	0.24	7.8	2.6	470
N815221		2.44	16.60	0.17	1.5	0.026	2.75	24.2	35.8	0.30	367	3.13	1.11	8.1	2.6	530
N815222		2.85	17.10	0.20	1.5	0.043	2.30	27.8	22.4	0.55	613	3.78	1.79	8.6	5.1	650
N815223		3.19	16.40	0.21	1.7	0.044	2.23	31.4	17.9	0.64	932	3.94	1.99	8.2	5.2	660
N815224		5.92	23.3	0.27	2.6	0.245	3.45	36.9	21.8	0.31	1080	6.20	0.08	12.5	7.1	1880
N815225		3.12	16.15	0.21	1.7	0.068	2.56	37.1	24.8	0.45	1440	9.95	1.24	8.4	4.6	650
N815226		3.35	17.45	0.21	1.8	0.053	2.63	35.0	15.9	0.60	1010	4.75	1.91	8.4	4.4	650



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174430

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N815191		57.2	120.0	<0.002	<0.01	3.67	11.3	1	1.6	256	0.82	<0.05	16.3	0.242	0.90	1.6
N815192		39.1	138.0	<0.002	<0.01	12.05	13.8	1	2.0	175.5	0.70	<0.05	16.4	0.301	1.25	1.9
N815193		34.2	123.0	0.002	<0.01	6.75	14.1	1	1.7	296	0.83	<0.05	17.4	0.294	1.23	1.6
N815194		20.9	163.5	0.002	<0.01	37.7	13.0	1	1.7	68.9	0.79	<0.05	14.7	0.291	1.73	2.4
N815195		4970	184.5	<0.002	0.29	158.5	9.6	<1	2.1	45.9	0.55	<0.05	11.3	0.219	1.63	3.3
N815196		250	156.5	<0.002	<0.01	26.5	14.3	1	2.0	125.0	0.77	<0.05	16.0	0.284	1.46	2.5
N815197		96.1	145.0	<0.002	<0.01	12.30	14.0	1	1.8	198.0	0.77	<0.05	14.3	0.275	1.44	1.8
N815198		44.8	115.5	<0.002	<0.01	7.67	13.9	1	1.9	154.5	0.86	<0.05	17.8	0.293	1.29	2.5
N815199		403	154.0	<0.002	<0.01	14.15	14.9	1	1.9	136.5	0.70	<0.05	15.2	0.283	1.67	2.3
N815200		230	164.0	<0.002	<0.01	13.45	14.1	1	1.7	154.5	0.69	<0.05	15.6	0.284	1.98	2.2
N815201		40.4	131.5	<0.002	<0.01	9.94	14.8	1	1.6	157.0	0.72	<0.05	15.1	0.287	1.45	2.3
N815202		87.3	158.5	0.003	<0.01	13.20	14.3	1	2.1	53.5	0.72	<0.05	15.7	0.278	2.23	3.3
N815203		27.0	132.5	<0.002	<0.01	10.85	13.7	1	1.8	119.0	0.69	<0.05	15.6	0.277	1.63	2.3
N815204		101.5	141.5	<0.002	0.01	16.40	14.7	1	4.1	303	0.71	0.44	15.4	0.306	1.51	2.0
N815205		48.0	113.5	<0.002	<0.01	9.70	13.2	1	2.1	243	0.64	<0.05	14.4	0.263	1.13	1.5
N815206		18.4	128.0	0.003	<0.01	12.20	12.5	1	1.6	84.0	0.76	<0.05	15.2	0.278	1.41	2.7
N815207		19.7	121.0	0.002	<0.01	12.25	13.3	1	2.2	130.0	0.70	<0.05	14.7	0.316	1.40	2.5
N815208		239	135.0	0.002	<0.01	16.90	15.1	1	2.5	252	0.58	<0.05	13.5	0.298	1.50	2.4
N815209		505	173.5	<0.002	<0.01	24.0	14.2	1	2.9	67.9	0.70	<0.05	18.2	0.260	2.24	3.5
N815210		48.0	161.5	<0.002	<0.01	17.90	11.0	1	2.8	79.6	0.71	<0.05	19.1	0.204	1.94	2.8
N815211		62.5	165.0	<0.002	0.02	21.2	17.7	1	4.8	144.5	0.57	<0.05	14.5	0.366	2.34	3.7
N815212		405	181.5	<0.002	<0.01	22.9	9.7	1	3.2	76.9	0.68	<0.05	18.2	0.178	2.19	2.7
N815213		261	179.0	0.002	<0.01	17.40	8.4	1	2.7	76.9	0.85	<0.05	23.7	0.179	1.95	2.6
N815214		569	193.5	<0.002	<0.01	28.1	9.3	1	2.7	61.3	0.82	<0.05	20.4	0.179	2.57	3.4
N815215		4.2	1.8	0.002	<0.01	0.22	0.2	<1	0.3	51.4	<0.05	<0.05	0.2	<0.005	0.02	0.6
N815216		64.3	176.5	<0.002	0.01	10.35	13.2	1	2.6	216	1.16	<0.05	23.1	0.270	1.53	3.0
N815217		272	172.0	<0.002	0.02	16.05	8.3	1	2.1	72.3	0.75	0.06	20.6	0.170	2.34	2.9
N815218		51.7	130.5	<0.002	<0.01	6.61	9.9	1	2.8	188.5	0.79	<0.05	19.7	0.223	1.25	2.4
N815219		32.4	148.5	<0.002	<0.01	8.08	8.6	1	1.3	95.0	0.87	<0.05	22.5	0.197	1.29	2.6
N815220		193.5	150.0	<0.002	0.02	16.45	9.3	1	2.2	71.2	0.80	<0.05	19.6	0.211	1.76	2.9
N815221		25.1	128.0	<0.002	0.01	8.38	9.5	1	1.7	139.0	0.78	<0.05	19.1	0.229	1.20	2.2
N815222		31.3	114.5	<0.002	<0.01	4.66	11.8	1	2.7	230	0.70	<0.05	15.9	0.281	1.00	2.0
N815223		46.8	113.0	<0.002	0.01	4.56	12.3	1	2.0	289	0.68	0.05	17.0	0.283	0.99	2.0
N815224		4260	187.0	0.004	0.66	70.3	14.4	5	19.5	410	0.81	0.34	7.7	0.453	1.99	3.8
N815225		52.6	146.0	<0.002	0.01	7.46	12.3	2	2.8	208	0.69	<0.05	18.0	0.278	1.59	2.5
N815226		23.4	134.5	<0.002	<0.01	3.50	12.9	1	1.8	286	0.67	0.05	16.1	0.266	1.23	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174430

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N815191		73	8.1	11.5	583	19.7
N815192		96	7.2	13.5	550	15.4
N815193		92	6.4	14.1	663	16.5
N815194		94	5.1	15.4	450	14.7
N815195		73	4.6	11.8	452	10.7
N815196		94	5.2	18.9	577	15.0
N815197		89	5.4	18.3	536	15.1
N815198		95	2.6	18.1	509	15.5
N815199		96	2.7	21.7	559	13.2
N815200		95	2.9	17.5	681	13.2
N815201		94	2.4	18.1	659	13.7
N815202		94	3.7	23.3	376	14.2
N815203		90	3.6	17.0	411	13.8
N815204		99	4.3	19.9	535	16.0
N815205		86	6.2	16.1	591	12.1
N815206		87	4.2	16.1	280	17.1
N815207		97	4.7	17.6	308	15.5
N815208		110	4.0	24.6	483	20.7
N815209		98	4.8	21.2	487	37.5
N815210		63	3.2	18.3	346	37.0
N815211		151	7.5	23.6	442	39.0
N815212		55	2.3	19.2	294	42.4
N815213		50	2.7	17.3	415	40.2
N815214		50	3.6	22.7	555	40.3
N815215		2	0.1	0.9	18	<0.5
N815216		74	4.5	20.6	443	70.1
N815217		48	2.8	18.7	561	51.1
N815218		55	4.6	13.9	232	48.0
N815219		55	2.1	15.3	185	51.0
N815220		60	4.3	16.7	239	42.0
N815221		60	6.6	14.3	181	40.2
N815222		82	6.5	16.4	177	40.7
N815223		82	12.8	17.9	180	46.6
N815224		148	3.9	22.2	2540	74.2
N815225		84	5.5	20.8	214	48.9
N815226		78	5.9	18.2	179	48.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-36

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12174430

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.