



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 14-AUG-2012

Account: ROCKHA

CERTIFICATE WH12174431

Project: Klaza TR-12-36

P.O. No.: Batch 7

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174431

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N815037		4.91	<0.005	0.16	7.96	19.4	1360	1.52	0.52	1.18	1.95	69.2	11.7	18	15.70	28.0
N815038		5.84	<0.005	0.12	8.29	15.1	1150	1.49	0.24	0.75	1.43	53.7	9.5	16	13.85	17.8
N815039		4.67	<0.005	0.18	8.42	17.1	1160	1.42	0.20	1.40	1.24	44.8	9.5	17	15.60	16.9
N815040		4.24	0.082	4.93	8.22	284	1340	1.91	0.53	0.27	9.11	58.5	15.4	18	24.5	177.0
N815041		5.00	0.013	0.92	8.75	54.7	1110	1.67	0.23	0.72	3.99	57.0	11.2	15	25.4	44.7
N815042		4.30	0.006	0.75	8.53	30.1	1270	1.46	0.20	1.59	2.01	52.0	10.8	17	15.70	45.0
N815043		5.35	<0.005	0.40	8.06	13.8	1290	1.53	0.10	2.24	1.34	56.0	10.9	19	12.55	26.4
N815044		4.34	0.008	0.20	8.74	9.3	1200	1.58	0.18	1.32	2.84	51.4	10.0	15	14.50	32.8
N815045		5.46	<0.005	0.26	9.08	23.4	1270	1.47	0.19	0.69	3.26	45.6	10.9	14	15.90	32.8
N815046		5.43	<0.005	0.27	8.65	39.3	1590	1.47	0.21	0.27	3.26	49.2	10.3	16	28.4	25.1
N815047		5.97	0.075	1.49	8.37	441	1450	1.55	0.19	0.65	6.34	53.6	10.1	16	19.80	21.9
N815048		4.92	<0.005	0.24	8.48	50.2	960	1.55	0.11	0.26	2.82	45.1	11.0	15	42.9	22.6
N815049		5.51	<0.005	0.18	8.63	18.3	1280	1.62	0.08	1.33	2.28	49.4	11.3	15	15.60	26.4
N815050		4.87	<0.005	0.14	8.85	10.8	1310	1.62	0.06	1.02	2.71	52.0	11.1	13	15.00	14.7
N815051		5.21	<0.005	0.35	8.47	17.2	1270	1.66	1.29	1.65	1.96	53.3	9.1	13	13.20	68.2
N815052		4.41	0.007	1.29	8.58	63.6	1280	1.81	0.35	0.92	2.47	60.0	8.8	15	19.50	27.2
N815053		4.61	0.009	0.14	8.60	11.7	1140	1.89	0.11	0.59	1.73	56.1	8.4	12	19.75	17.5
N815054		5.48	<0.005	0.18	8.16	13.9	1260	1.55	0.15	1.46	2.04	61.3	9.2	13	18.90	18.3
N815055		6.05	<0.005	0.22	8.65	18.8	1240	1.60	0.10	0.88	2.06	63.7	8.4	13	19.50	32.9
N815056		6.30	0.008	0.33	8.21	77.2	1120	1.66	0.19	0.22	3.79	49.2	9.0	11	29.3	30.3
N815057		7.01	0.011	0.76	7.80	252	1440	1.71	0.33	0.21	7.96	57.5	8.4	16	23.5	54.7
N815058		5.28	0.138	8.74	6.99	1460	1940	1.97	1.82	0.19	17.20	49.7	11.0	14	22.3	228
N815059		5.68	0.162	9.27	7.81	730	1230	1.32	2.59	0.13	8.39	49.2	4.1	18	23.5	186.0
N815060		6.56	0.796	17.65	7.99	2190	800	1.26	1.06	0.18	22.6	53.6	1.2	11	24.4	122.0
N815061		6.39	0.193	6.96	7.42	616	1680	1.46	0.56	0.26	14.40	51.2	7.4	14	20.5	59.3
N815062		6.24	0.010	1.55	8.61	93.8	1100	1.38	0.83	0.81	2.99	59.4	8.1	12	16.55	29.2
N815063		4.56	0.012	3.54	8.16	84.3	1310	1.47	3.27	1.12	5.99	58.2	8.2	14	21.6	67.4
N815064		4.38	0.010	2.56	8.47	161.0	1580	1.55	1.39	0.20	6.00	45.2	8.7	14	30.7	81.1
N815065		4.64	0.013	8.89	8.53	100.5	2250	1.70	1.69	0.21	8.50	53.7	6.3	13	28.3	80.9
N815066		4.95	0.011	0.70	8.73	33.0	1170	1.54	0.70	0.26	3.89	46.3	6.0	7	20.7	60.9
N815067		3.13	<0.005	0.01	0.06	<5	70	<0.05	0.03	20.7	0.08	1.14	1.5	<1	0.14	2.0
N815068		5.00	0.044	1.57	6.91	306	1130	1.19	1.72	0.16	7.08	50.7	3.7	9	22.4	33.8
N815069		5.30	0.266	7.93	6.30	1600	1280	1.55	1.82	0.18	20.1	44.7	6.6	9	32.0	167.0
N815070		5.91	0.094	9.17	6.89	758	1370	1.60	1.54	0.26	10.90	45.3	7.6	7	33.3	204
N815071		0.23	1.310	35.2	8.22	560	1300	2.00	1.43	0.32	32.0	78.1	6.2	20	3.44	144.0
N815072		6.32	0.025	0.62	8.55	122.5	1330	1.73	0.36	1.01	4.47	56.8	10.6	10	23.7	46.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174431

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N815037		3.55	17.80	0.11	0.9	0.124	2.32	29.9	20.8	0.82	1300	7.79	1.46	9.8	6.4	570
N815038		3.41	18.35	0.10	0.7	0.040	2.19	21.5	23.9	0.51	720	4.87	1.04	9.1	5.8	580
N815039		3.46	18.15	0.12	0.7	0.034	2.18	20.2	23.5	0.65	646	6.44	1.36	9.8	5.6	610
N815040		4.27	17.95	0.16	0.7	0.247	3.20	34.2	35.3	0.27	5490	75.3	0.16	8.2	5.9	480
N815041		3.68	18.20	0.13	0.7	0.053	2.61	27.4	42.4	0.31	1490	13.75	0.72	8.5	5.7	570
N815042		3.85	18.30	0.11	0.7	0.054	2.50	22.4	20.6	0.72	1220	7.93	1.66	9.8	6.8	630
N815043		3.83	18.05	0.10	0.8	0.042	2.20	22.8	18.2	0.84	800	3.68	2.22	10.4	8.2	670
N815044		3.49	19.65	0.10	0.8	0.035	2.13	16.1	17.0	0.58	576	3.83	1.48	10.5	6.3	670
N815045		3.81	19.30	0.10	0.8	0.037	2.21	16.8	28.7	0.59	658	5.08	0.72	9.5	6.5	650
N815046		3.22	19.25	0.11	0.8	0.036	2.33	21.3	41.1	0.26	1160	11.90	0.17	9.5	5.9	530
N815047		3.71	18.10	0.14	0.7	0.074	2.87	32.1	18.9	0.35	2150	10.45	0.65	9.2	6.1	530
N815048		3.38	18.45	0.12	0.6	0.037	2.66	22.1	50.1	0.24	1230	9.52	0.13	8.5	6.0	550
N815049		3.59	19.05	0.11	0.7	0.028	1.94	17.6	15.7	0.48	880	4.96	1.64	9.7	5.9	650
N815050		4.88	18.65	0.13	0.6	0.028	1.81	20.1	22.6	0.64	1180	10.15	1.10	9.0	6.7	620
N815051		3.32	17.35	0.10	1.0	0.030	2.35	20.3	13.9	0.58	790	3.82	2.05	10.8	5.3	550
N815052		3.39	18.40	0.11	0.9	0.076	2.83	30.9	14.9	0.37	1730	12.45	1.11	10.0	4.9	450
N815053		3.61	17.85	0.10	1.0	0.021	2.52	26.4	21.7	0.30	763	10.30	0.91	9.5	4.7	450
N815054		3.23	17.55	0.12	1.0	0.020	2.35	27.7	12.4	0.33	982	5.44	1.80	10.0	5.0	460
N815055		3.02	18.15	0.14	1.0	0.020	2.36	29.8	16.7	0.39	685	5.57	1.22	10.4	4.6	470
N815056		2.77	17.80	0.12	0.8	0.018	3.14	33.3	46.4	0.21	1840	16.20	0.06	7.9	4.3	400
N815057		3.35	16.60	0.16	0.9	0.033	3.20	37.8	23.0	0.26	4100	27.4	0.08	8.0	5.4	410
N815058		4.53	16.45	0.18	0.8	0.270	3.06	53.4	12.6	0.25	9230	69.4	0.05	7.6	5.3	360
N815059		3.48	15.95	0.12	0.9	0.205	3.38	32.5	13.9	0.25	1920	12.90	0.06	8.7	3.1	300
N815060		3.92	15.95	0.12	0.9	0.288	3.28	31.3	35.9	0.27	651	6.97	0.04	7.4	1.3	270
N815061		3.60	15.00	0.13	1.3	0.159	2.47	31.5	78.4	0.22	3820	13.95	0.11	7.3	4.5	460
N815062		2.95	18.15	0.12	0.9	0.043	2.09	32.9	86.3	0.31	1030	6.93	0.73	8.9	4.5	490
N815063		3.63	16.60	0.11	0.9	0.230	2.56	31.3	18.0	0.45	2920	11.90	1.12	8.7	4.8	430
N815064		3.32	17.75	0.14	1.1	0.222	3.68	27.7	13.3	0.29	3080	17.00	0.07	8.6	4.2	460
N815065		4.51	16.95	0.14	0.9	0.418	3.38	33.7	24.0	0.23	5340	16.90	0.04	7.2	4.4	400
N815066		2.84	18.00	0.18	1.0	0.297	2.70	25.2	39.7	0.38	911	8.92	0.35	9.1	4.5	430
N815067		0.48	0.39	0.13	<0.1	0.005	0.02	0.5	1.0	13.00	222	0.18	<0.01	0.3	<0.2	180
N815068		2.81	14.80	0.21	0.9	0.176	2.90	32.3	14.6	0.23	2130	14.65	0.07	8.1	2.5	290
N815069		3.50	14.10	0.21	0.9	0.345	2.51	34.6	26.5	0.21	3930	30.3	0.06	7.8	3.6	320
N815070		3.59	15.45	0.27	0.9	0.165	2.51	30.5	36.7	0.25	2620	20.1	0.21	8.3	3.6	370
N815071		6.07	24.4	0.20	2.2	0.225	3.66	37.5	24.0	0.31	1100	6.29	0.08	11.9	7.2	1830
N815072		3.83	17.60	0.17	1.0	0.055	2.70	29.2	39.8	0.46	1440	8.27	0.83	7.7	4.1	860



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174431

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N815037		62.9	97.3	<0.002	0.01	7.68	13.5	1	1.6	240	0.76	<0.05	18.0	0.302	0.93	1.5
N815038		19.8	96.0	<0.002	<0.01	6.20	13.3	1	1.4	180.5	0.73	<0.05	15.5	0.300	0.95	1.6
N815039		18.6	85.3	0.002	<0.01	5.06	13.6	1	1.7	243	0.74	<0.05	13.3	0.335	0.82	1.5
N815040		1795	181.0	<0.002	0.03	31.3	13.5	1	1.8	83.2	0.68	<0.05	15.6	0.275	3.00	3.4
N815041		807	128.5	<0.002	0.01	8.82	12.7	<1	1.5	127.5	0.68	<0.05	16.8	0.304	1.60	2.5
N815042		793	99.9	0.002	0.01	4.82	13.2	1	1.7	265	0.72	<0.05	15.7	0.345	1.14	1.8
N815043		403	80.7	<0.002	<0.01	1.59	13.7	1	1.7	360	0.83	<0.05	13.8	0.352	0.71	1.4
N815044		22.2	85.5	<0.002	<0.01	3.33	15.7	1	1.9	270	0.96	<0.05	16.1	0.350	0.80	1.8
N815045		25.2	87.8	<0.002	<0.01	4.90	13.7	1	1.7	147.5	0.83	<0.05	15.1	0.331	0.83	1.8
N815046		29.7	111.0	0.002	0.02	10.20	12.6	1	1.6	95.0	0.74	<0.05	15.3	0.297	1.53	2.2
N815047		365	153.0	<0.002	0.03	12.75	13.5	1	1.7	144.5	0.72	<0.05	15.1	0.311	2.40	2.5
N815048		14.9	142.0	<0.002	<0.01	7.14	12.9	1	1.4	46.3	0.62	<0.05	13.5	0.304	1.86	2.3
N815049		15.1	76.7	<0.002	<0.01	2.99	15.0	1	1.6	279	0.73	<0.05	14.2	0.344	0.77	1.8
N815050		14.3	82.5	<0.002	<0.01	2.02	14.5	1	1.4	213	0.70	<0.05	16.2	0.325	0.80	1.7
N815051		17.1	94.5	<0.002	<0.01	2.57	12.1	1	1.5	294	0.94	0.07	19.5	0.304	0.86	1.7
N815052		85.2	153.5	<0.002	<0.01	5.92	10.9	1	1.5	170.0	0.86	0.10	18.4	0.257	1.53	2.0
N815053		15.8	116.5	<0.002	<0.01	6.93	10.8	1	1.2	132.5	0.90	<0.05	17.8	0.247	1.12	2.3
N815054		16.5	100.5	<0.002	<0.01	3.28	11.1	1	1.2	265	0.86	<0.05	19.7	0.260	1.08	1.9
N815055		17.7	108.5	0.003	<0.01	7.17	11.5	1	1.5	196.0	0.85	<0.05	20.6	0.269	0.98	2.0
N815056		21.0	162.0	<0.002	<0.01	9.42	10.6	1	1.3	46.4	0.65	<0.05	17.3	0.223	2.41	2.6
N815057		196.5	182.0	<0.002	0.01	26.6	10.8	1	1.4	48.0	0.71	<0.05	17.7	0.214	2.65	2.5
N815058		1735	180.0	<0.002	0.02	155.0	10.6	2	1.5	99.0	0.70	<0.05	16.4	0.194	2.49	2.9
N815059		827	177.5	<0.002	0.10	213	8.6	1	1.9	79.2	0.83	0.05	16.6	0.255	2.38	2.5
N815060		1870	196.5	<0.002	0.30	86.5	7.7	1	1.9	163.5	0.72	<0.05	15.8	0.233	3.38	2.9
N815061		777	140.0	<0.002	0.07	39.7	8.3	1	1.5	179.5	0.69	<0.05	16.6	0.238	2.47	3.2
N815062		67.0	99.6	<0.002	0.01	11.10	9.9	1	1.3	176.5	0.79	<0.05	20.3	0.264	1.39	2.4
N815063		591	126.0	<0.002	0.01	16.65	9.0	<1	1.3	201	0.90	0.08	19.2	0.250	1.84	2.4
N815064		237	242	<0.002	0.01	33.0	9.9	1	4.2	34.6	0.85	0.13	19.3	0.238	3.28	2.8
N815065		562	175.5	<0.002	0.03	53.2	8.8	1	1.7	58.2	0.68	<0.05	19.6	0.227	2.78	3.7
N815066		210	135.5	<0.002	<0.01	13.55	10.5	2	1.6	100.5	0.84	<0.05	20.1	0.227	1.59	2.2
N815067		2.0	0.9	<0.002	0.02	0.13	0.3	1	<0.2	48.3	<0.05	<0.05	<0.2	<0.005	<0.02	0.8
N815068		301	154.0	<0.002	0.07	18.05	8.1	1	1.7	54.1	0.79	<0.05	16.8	0.197	2.29	2.3
N815069		1070	134.5	<0.002	0.01	63.2	8.3	2	1.4	47.4	0.75	0.07	17.4	0.185	2.27	3.4
N815070		917	122.5	<0.002	0.02	76.1	9.3	2	1.2	74.8	0.81	0.12	19.0	0.204	1.91	3.1
N815071		4080	173.0	0.006	0.64	69.3	14.7	4	21.2	415	0.78	0.29	7.9	0.470	2.09	4.0
N815072		124.0	130.0	0.002	<0.01	15.50	11.2	1	1.5	213	0.67	<0.05	17.2	0.320	1.79	2.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174431

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N815037		96	19.7	14.2	215	19.6
N815038		94	6.0	13.2	155	13.7
N815039		100	11.3	14.0	197	14.0
N815040		93	18.1	18.7	1480	15.0
N815041		96	14.9	14.6	679	14.5
N815042		101	9.1	13.3	525	16.1
N815043		108	8.8	12.5	238	15.2
N815044		112	7.9	11.3	156	15.2
N815045		103	8.7	11.3	245	14.4
N815046		91	6.8	13.1	256	15.6
N815047		98	3.7	14.9	449	14.1
N815048		95	4.8	12.8	188	13.0
N815049		106	3.8	12.3	188	13.8
N815050		107	5.8	21.0	206	13.3
N815051		88	3.8	10.8	173	23.2
N815052		77	1.9	13.9	203	23.2
N815053		76	3.4	15.7	154	22.9
N815054		76	1.8	14.4	170	24.2
N815055		77	3.7	14.5	232	23.2
N815056		74	4.8	17.4	413	20.6
N815057		73	3.4	18.6	633	19.4
N815058		68	3.7	41.5	1150	19.7
N815059		70	4.7	12.2	687	23.8
N815060		68	4.8	7.9	930	21.7
N815061		69	4.5	14.9	1260	27.3
N815062		77	2.4	14.7	506	25.1
N815063		71	1.8	14.6	1020	25.6
N815064		66	4.2	16.4	642	29.4
N815065		71	2.7	17.3	839	27.2
N815066		69	4.6	12.5	706	25.5
N815067		2	0.1	0.8	15	<0.5
N815068		57	6.0	11.8	595	23.2
N815069		56	9.0	21.8	1120	23.2
N815070		60	6.0	19.6	1170	23.6
N815071		150	3.9	21.1	2570	70.5
N815072		104	3.8	16.6	665	29.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-36

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12174431

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.