



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 14-AUG-2012
Account: ROCKHA

CERTIFICATE WH12174432

Project: Klaza TR-12-36

P.O. No.: Batch 5

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174432

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M897851		3.43	0.433	4.55	7.65	421	700	0.98	2.55	0.11	0.45	47.3	1.0	13	11.35	39.8
M897852		4.32	0.235	2.83	5.97	641	500	1.08	2.10	0.13	1.25	55.2	1.2	6	14.50	54.0
M897853		3.98	0.036	0.75	6.64	402	740	1.34	0.60	0.17	2.68	60.1	9.5	6	13.65	61.2
M897854		3.30	0.078	0.61	7.98	742	1110	1.71	0.43	0.39	3.96	61.0	13.0	16	13.90	55.2
M897855		3.91	0.044	0.44	8.56	244	1040	1.48	0.34	0.60	1.73	55.2	8.7	16	12.60	33.3
M897856		3.20	0.016	0.26	8.47	113.0	1140	1.42	0.28	1.04	1.16	58.3	9.3	15	10.60	20.8
M897857		2.94	0.014	0.17	8.57	57.9	1030	1.48	0.35	1.11	0.87	55.3	9.5	17	10.65	12.9
M897858		3.02	0.014	0.28	8.41	67.9	1080	1.40	3.17	0.67	0.76	51.8	8.5	14	10.60	14.3
M897859		3.90	0.010	0.23	8.39	48.1	920	1.48	0.38	0.62	0.79	55.0	8.2	13	15.55	11.0
M897860		3.26	0.006	0.12	8.49	30.8	960	1.34	0.22	0.40	0.46	48.7	8.5	13	11.55	11.6
M897861		3.17	0.007	0.14	8.85	65.1	880	1.47	0.49	0.39	0.84	55.1	8.4	14	11.70	12.4
M897862		3.51	0.006	0.13	8.76	38.6	1060	1.56	0.43	0.73	0.48	56.6	9.0	15	10.50	12.7
M897863		2.54	0.020	0.17	7.76	51.1	1300	1.33	0.46	0.25	0.79	57.9	5.5	10	12.25	9.4
M897864		2.79	0.007	0.09	7.98	23.9	1480	1.54	0.22	0.23	0.44	59.9	7.2	10	15.40	10.0
M897865		2.91	0.006	0.10	8.28	34.5	1030	1.24	0.14	1.13	0.42	46.9	7.3	12	10.20	8.1
M897866		3.05	0.005	0.10	8.21	35.0	850	1.42	0.16	0.45	0.47	49.6	9.4	14	14.10	9.4
M897867		3.65	0.006	0.12	8.13	40.1	1220	1.29	0.11	1.54	0.44	52.6	8.3	13	8.82	15.1
M897868		0.25	1.290	32.2	8.01	528	1260	1.92	1.40	0.31	31.4	77.1	6.0	19	3.34	139.5
M897869		2.93	0.006	0.24	8.49	29.0	880	1.27	0.16	1.22	0.41	55.1	8.9	13	17.20	11.4
M897870		4.37	<0.005	0.13	8.32	28.1	980	1.54	0.04	1.46	0.47	52.7	9.8	15	16.60	6.8
M897871		3.75	0.005	0.19	8.35	28.9	1040	1.24	0.73	0.85	0.39	56.5	8.3	14	19.20	15.5
M897872		4.18	0.008	0.72	8.15	44.6	1110	1.38	15.30	0.76	1.33	59.8	9.8	15	14.30	58.3
M897873		4.00	0.020	0.47	7.86	71.8	970	1.67	0.95	0.67	1.04	57.2	9.5	16	16.30	32.6
M897874		4.58	0.016	0.54	8.06	94.7	990	1.66	0.30	0.59	1.52	54.2	9.4	15	16.60	33.9
M897875		3.57	0.018	0.95	8.10	134.0	1160	1.66	0.81	1.10	1.77	46.6	9.9	16	12.55	52.8
M897876		3.73	0.008	0.50	7.96	48.7	1250	1.59	0.28	1.48	1.05	45.0	10.7	14	9.78	30.0
M897877		3.83	0.242	2.44	8.23	146.5	1150	1.52	1.77	0.72	1.98	55.2	10.3	17	15.15	64.3
M897878		3.40	0.228	1.11	8.48	88.6	1170	1.59	0.93	0.99	1.85	51.9	11.0	17	14.75	40.7
M897879		3.54	0.007	0.39	8.33	43.5	1260	1.39	0.18	0.65	0.94	52.0	10.8	15	12.00	20.1
M897880		2.91	0.005	0.31	8.43	54.4	1090	1.18	0.12	0.28	0.95	46.6	9.2	13	16.00	21.3
M897881		3.75	<0.005	0.03	0.11	<5	30	0.10	0.03	19.85	0.07	1.47	0.6	2	0.37	2.2
M897882		3.93	0.013	0.55	7.83	77.9	830	1.62	0.97	0.64	2.08	52.8	9.8	16	18.50	41.2
M897883		3.72	<0.005	0.34	8.29	29.2	1200	1.37	0.29	0.67	1.12	54.3	9.7	17	12.25	37.0
M897884		4.60	0.005	0.24	8.19	11.7	1240	1.64	0.09	1.69	1.09	52.2	12.5	18	11.10	50.5
M897885		3.76	0.006	0.18	8.33	17.3	1150	1.62	0.14	1.35	1.08	53.7	10.5	16	12.45	18.8
M897886		3.49	0.007	0.25	8.18	22.2	1210	1.54	0.15	1.98	0.95	50.3	10.5	15	10.20	18.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174432

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M897851		1.68	17.10	0.11	0.8	0.230	3.52	25.9	9.8	0.34	191	2.76	0.03	8.0	1.3	180
M897852		2.22	12.05	0.14	1.5	0.127	2.53	32.3	14.6	0.23	174	1.80	0.03	7.5	1.5	210
M897853		1.91	13.00	0.13	1.4	0.054	2.75	35.5	17.2	0.25	1640	3.96	0.08	8.1	2.8	180
M897854		3.41	17.75	0.15	0.7	0.057	3.02	33.1	16.9	0.35	3770	4.80	0.26	9.1	7.5	560
M897855		3.34	17.75	0.11	0.7	0.044	2.24	25.9	23.3	0.38	1320	2.45	0.75	9.0	5.4	620
M897856		3.27	17.50	0.11	0.6	0.031	2.45	28.3	17.6	0.46	1120	1.82	1.30	8.6	5.4	610
M897857		3.49	17.85	0.13	0.6	0.029	2.21	25.7	14.4	0.51	1260	1.85	1.57	8.6	6.8	650
M897858		3.38	17.70	0.13	0.8	0.032	2.29	26.4	17.8	0.35	895	1.83	1.22	9.3	4.7	650
M897859		3.23	17.30	0.13	0.8	0.039	2.24	27.6	17.0	0.33	912	1.92	1.20	8.6	4.6	630
M897860		2.95	16.45	0.11	0.7	0.026	2.15	21.3	17.2	0.32	668	1.39	0.96	8.6	4.4	630
M897861		3.20	18.25	0.13	0.7	0.058	2.13	26.6	19.2	0.25	1160	2.42	0.78	9.0	5.0	690
M897862		3.33	18.40	0.14	0.8	0.040	2.24	26.6	16.0	0.39	678	1.73	1.41	9.9	5.4	670
M897863		2.53	15.15	0.15	1.3	0.033	2.81	31.4	13.0	0.27	1140	2.91	0.59	8.2	3.8	430
M897864		2.79	15.70	0.11	0.7	0.021	2.85	31.6	13.6	0.26	829	2.90	0.54	8.5	4.2	460
M897865		2.95	15.90	0.10	0.6	0.030	2.20	22.3	11.3	0.34	682	1.32	1.71	8.1	4.4	600
M897866		3.30	15.75	0.12	0.6	0.025	2.50	25.9	9.5	0.31	1020	2.27	1.57	7.8	4.9	620
M897867		3.17	16.40	0.15	0.7	0.027	2.14	25.1	13.2	0.56	877	1.40	2.18	8.5	4.8	630
M897868		5.93	23.7	0.20	2.2	0.222	3.53	38.5	23.1	0.30	1070	6.16	0.08	11.5	7.4	1790
M897869		3.40	17.10	0.12	0.7	0.019	2.39	27.7	14.0	0.35	719	2.02	1.74	7.9	4.8	590
M897870		3.40	17.30	0.11	0.7	0.027	2.09	29.0	18.3	0.37	787	1.82	1.59	8.8	5.3	610
M897871		3.23	17.15	0.12	0.8	0.026	2.12	31.7	26.2	0.29	638	2.19	1.01	8.8	5.0	610
M897872		3.54	16.45	0.11	0.8	0.061	2.21	28.5	25.8	0.43	1660	4.05	1.02	8.1	5.6	600
M897873		3.31	17.40	0.19	0.8	0.061	2.61	27.3	18.1	0.35	1260	3.16	0.67	9.6	6.4	610
M897874		3.24	17.70	0.16	0.7	0.069	2.38	28.5	21.5	0.31	1430	3.40	0.57	8.9	5.7	600
M897875		3.37	16.80	0.15	0.8	0.074	2.25	25.6	15.5	0.44	1460	2.88	1.04	9.5	6.3	660
M897876		3.48	18.10	0.13	0.7	0.048	2.06	19.2	14.2	0.47	1020	1.93	1.55	9.7	6.2	660
M897877		3.54	18.45	0.17	0.7	0.082	2.18	29.4	21.4	0.40	1500	3.88	0.70	9.3	6.3	640
M897878		3.53	18.25	0.14	0.8	0.053	2.17	29.9	20.7	0.53	1460	3.07	0.88	9.3	6.5	670
M897879		3.34	17.90	0.13	0.7	0.036	1.99	26.4	22.9	0.58	839	2.24	0.71	9.6	5.9	630
M897880		3.19	17.55	0.13	0.6	0.028	1.88	22.7	22.4	0.35	719	7.94	0.25	9.2	5.2	640
M897881		0.46	0.33	0.13	<0.1	0.006	0.03	0.7	1.3	12.20	212	0.12	0.01	0.2	1.7	170
M897882		3.34	17.00	0.19	0.7	0.053	1.92	30.9	43.7	0.32	1120	4.65	0.38	8.6	6.6	610
M897883		3.52	19.05	0.16	0.6	0.050	1.96	28.8	20.6	0.47	565	2.72	0.82	9.6	8.0	680
M897884		3.88	19.30	0.10	0.7	0.052	1.91	23.6	15.1	0.60	704	2.08	1.70	10.3	7.1	710
M897885		3.37	19.15	0.14	0.7	0.053	1.87	25.2	15.2	0.54	877	2.99	1.79	9.5	7.4	630
M897886		3.28	18.10	0.15	0.8	0.051	1.92	24.8	15.7	0.71	943	2.75	1.86	9.5	7.1	640



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174432

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M897851		846	231	<0.002	0.19	96.4	9.7	<1	2.4	176.5	0.71	<0.05	7.8	0.291	2.87	1.5
M897852		197.0	143.5	<0.002	0.22	65.3	4.0	1	1.0	126.0	0.92	<0.05	24.9	0.133	1.98	2.3
M897853		78.0	150.5	<0.002	0.09	26.8	4.9	1	0.9	68.7	0.92	<0.05	24.6	0.148	2.30	2.4
M897854		101.0	185.0	0.002	0.02	29.0	12.0	1	1.5	86.0	0.91	<0.05	14.7	0.312	2.47	2.5
M897855		43.8	116.5	<0.002	0.01	23.5	11.9	<1	1.4	126.0	0.73	<0.05	16.4	0.318	1.34	2.0
M897856		23.5	120.5	0.002	0.01	10.55	11.5	<1	1.4	203	0.71	<0.05	15.7	0.310	1.39	1.9
M897857		17.8	120.0	<0.002	<0.01	5.95	12.3	1	1.5	226	0.75	<0.05	14.5	0.317	1.27	1.9
M897858		15.9	109.0	<0.002	<0.01	8.56	11.5	1	1.5	172.5	0.85	<0.05	16.4	0.309	1.05	2.3
M897859		18.1	106.5	<0.002	<0.01	7.16	11.1	<1	1.8	169.5	0.86	<0.05	16.9	0.303	1.28	2.3
M897860		17.0	103.5	<0.002	<0.01	6.23	11.1	<1	1.3	144.0	0.88	<0.05	16.6	0.310	1.31	1.8
M897861		21.7	107.5	<0.002	<0.01	10.30	12.1	1	2.8	108.0	0.88	<0.05	16.0	0.327	1.33	2.2
M897862		18.8	105.5	<0.002	<0.01	5.57	12.3	1	2.0	175.0	0.94	<0.05	16.2	0.325	1.01	2.0
M897863		22.8	160.0	<0.002	0.01	6.34	8.0	<1	1.5	58.9	0.87	<0.05	17.6	0.227	1.74	2.2
M897864		10.2	156.5	<0.002	0.02	5.07	8.3	<1	1.1	54.5	0.83	<0.05	20.2	0.244	1.73	2.0
M897865		12.9	97.9	<0.002	<0.01	4.14	10.6	1	1.4	227	0.72	<0.05	14.5	0.291	1.06	1.9
M897866		11.4	145.0	<0.002	0.01	3.94	10.8	<1	1.2	115.0	0.71	<0.05	14.3	0.307	1.52	1.9
M897867		16.2	93.9	<0.002	<0.01	3.05	12.4	1	1.2	309	0.79	<0.05	15.0	0.303	0.91	1.8
M897868		3980	169.0	0.008	0.62	69.2	14.5	5	20.9	406	0.73	0.32	7.6	0.456	1.96	3.9
M897869		15.2	105.0	<0.002	<0.01	2.77	10.3	1	1.5	239	0.73	<0.05	15.5	0.299	1.00	2.1
M897870		13.5	89.5	0.003	<0.01	2.85	11.5	1	1.4	238	0.88	<0.05	16.1	0.307	0.87	2.2
M897871		13.7	97.9	<0.002	0.01	4.75	11.2	1	1.4	153.5	0.85	<0.05	16.1	0.313	1.01	2.2
M897872		69.0	120.5	<0.002	<0.01	8.10	11.0	<1	1.9	154.5	0.80	0.20	15.9	0.306	1.53	2.3
M897873		91.2	153.5	0.002	<0.01	9.46	12.4	1	1.6	130.5	0.92	0.05	16.2	0.298	2.19	2.4
M897874		67.2	144.5	0.002	<0.01	12.15	12.4	<1	1.5	117.0	0.86	<0.05	15.9	0.297	1.93	2.3
M897875		98.4	115.0	<0.002	<0.01	12.20	12.8	1	1.5	188.5	0.87	<0.05	15.6	0.316	1.51	2.2
M897876		28.6	77.5	0.002	<0.01	7.71	12.1	1	1.6	260	0.91	<0.05	13.0	0.325	0.92	2.0
M897877		175.0	122.0	0.002	0.01	25.4	13.2	1	1.6	147.5	0.83	<0.05	14.7	0.319	1.36	2.4
M897878		95.3	116.0	0.002	0.01	15.90	13.0	1	1.4	171.0	0.84	<0.05	14.0	0.322	1.34	2.6
M897879		23.7	87.9	0.002	<0.01	7.30	13.1	1	1.4	148.0	0.84	<0.05	15.2	0.311	0.91	1.8
M897880		20.5	89.4	0.002	<0.01	9.55	12.8	1	1.3	73.7	0.83	<0.05	15.2	0.308	0.89	2.3
M897881		2.1	2.1	<0.002	0.01	0.09	0.3	<1	0.2	51.6	<0.05	<0.05	0.2	<0.005	0.03	1.1
M897882		44.7	103.5	0.002	<0.01	14.85	12.6	1	1.4	107.5	0.77	<0.05	13.8	0.312	1.27	2.6
M897883		19.5	98.4	0.002	<0.01	6.61	14.4	1	1.5	173.5	0.70	<0.05	14.0	0.321	0.77	2.3
M897884		14.7	87.1	0.002	<0.01	2.48	16.6	1	1.7	299	0.80	<0.05	12.9	0.350	0.65	2.2
M897885		17.8	98.6	0.002	<0.01	3.24	13.7	<1	2.1	255	0.76	<0.05	13.0	0.308	0.80	2.3
M897886		33.9	82.0	0.002	<0.01	4.46	13.5	1	1.5	322	0.80	<0.05	14.1	0.313	0.79	1.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-36

CERTIFICATE OF ANALYSIS WH12174432

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M897851		78	3.4	3.8	52	20.1
M897852		32	1.5	7.1	98	41.4
M897853		34	1.9	9.8	151	38.7
M897854		92	3.9	16.6	314	17.7
M897855		93	3.3	13.6	170	15.2
M897856		92	1.9	14.4	130	15.0
M897857		94	2.4	15.9	102	15.1
M897858		92	3.3	15.8	104	18.2
M897859		90	2.8	15.5	96	17.0
M897860		90	3.2	14.6	73	16.0
M897861		95	4.0	16.2	96	16.3
M897862		96	2.6	16.0	78	18.0
M897863		64	2.7	11.7	85	20.3
M897864		69	3.7	12.0	63	18.9
M897865		84	2.0	13.1	69	15.0
M897866		90	1.7	13.9	78	13.5
M897867		89	1.6	15.8	82	14.8
M897868		146	3.8	20.2	2480	66.6
M897869		92	3.1	14.6	72	15.5
M897870		95	2.6	15.5	70	15.6
M897871		96	4.6	15.0	70	17.2
M897872		95	4.0	13.6	207	17.2
M897873		93	3.5	14.0	130	18.0
M897874		91	4.2	15.8	171	15.0
M897875		99	4.4	17.2	206	17.1
M897876		103	3.1	13.5	140	15.1
M897877		97	5.0	18.7	226	16.7
M897878		101	5.5	18.0	192	18.1
M897879		96	10.8	15.0	134	14.7
M897880		95	15.9	14.7	134	14.6
M897881		2	0.2	0.8	19	<0.5
M897882		97	8.3	18.8	200	16.2
M897883		106	4.2	16.3	150	15.2
M897884		119	6.5	16.7	111	14.1
M897885		99	3.2	15.2	123	16.0
M897886		95	3.3	15.4	141	17.3



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016 - 510 W HASTINGS STREET

VANCOUVER BC V6B 1L8

Project: Klaza TR-12-36

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 14-AUG-2012

Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12174432

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.