



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 18-AUG-2012

Account: ROCKHA

CERTIFICATE WH12176021

Project: Klaza - 91

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-AUG-2012
Account: ROCKHA

Project: Klaza - 91

CERTIFICATE OF ANALYSIS WH12176021

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N810772		6.41	<0.005	0.12	7.66	18.8	2280	1.41	0.28	2.59	0.24	53.1	6.5	8	12.60	4.9
N810773		7.63	<0.005	0.08	7.52	17.8	4410	1.21	0.76	2.20	0.08	53.8	11.1	10	16.55	4.7
N810774		7.97	<0.005	0.06	8.01	8.4	3070	1.18	0.78	1.85	0.09	60.3	8.5	10	20.2	4.8
N810775		8.65	<0.005	0.04	7.66	7.9	2800	1.32	0.31	1.96	0.07	56.6	5.0	10	22.0	3.4
N810776		0.25	2.19	25.7	6.38	3780	170	1.23	20.9	2.30	86.5	46.7	11.4	20	16.05	475
N810777		8.00	0.005	0.10	7.49	51.0	2150	1.37	0.36	2.51	0.24	46.5	8.9	9	15.00	4.4
N810778		3.19	<0.005	0.04	7.99	13.7	2390	1.33	0.28	2.32	0.10	51.1	7.7	9	20.8	4.2
N810779		3.68	<0.005	0.05	7.28	55.8	3130	1.40	0.28	2.08	0.10	49.3	10.1	8	32.4	6.6
N810780		3.68	<0.005	0.01	0.06	<5	20	0.06	0.02	21.2	0.06	1.24	1.2	<1	0.17	3.1
N810781		2.44	<0.005	0.08	7.67	12.0	2540	1.55	0.36	1.60	0.07	49.8	5.4	8	25.7	4.1
N810782		8.90	<0.005	0.05	7.65	8.6	2130	1.58	0.27	2.31	0.10	53.9	9.3	9	19.15	1.6
N810783		8.76	<0.005	0.06	8.01	12.0	4180	1.64	0.81	2.43	0.12	61.9	9.9	10	20.1	1.2
N810784		3.85	<0.005	0.05	8.59	7.9	6030	1.66	0.76	2.83	0.12	60.0	9.2	9	14.45	2.2
N810785		1.55	<0.005	0.04	8.44	7.9	5730	1.61	0.78	2.74	0.12	64.3	9.3	12	14.35	1.8
N810786		4.80	<0.005	0.06	9.89	17.9	5100	1.72	2.63	7.64	0.32	64.0	7.8	10	24.6	1.3
N810787		8.44	<0.005	0.05	8.98	13.8	1880	1.74	1.93	3.14	0.23	57.2	7.3	10	18.95	2.0
N810788		3.79	<0.005	0.06	8.69	10.9	2290	1.23	0.75	4.05	0.11	55.5	4.9	8	15.90	2.6
N810789		4.31	<0.005	0.01	0.07	<5	20	0.05	0.02	21.9	0.06	1.30	1.2	<1	0.16	2.1
N810790		4.29	<0.005	0.07	8.32	9.1	2370	1.63	0.77	2.43	0.15	63.4	4.8	10	11.75	2.7
N810791		8.54	<0.005	0.08	7.90	11.5	3170	1.41	0.29	2.42	0.11	57.2	8.4	9	13.15	4.4
N810792		7.36	<0.005	0.07	7.90	8.6	2660	1.48	0.21	2.41	0.19	62.5	4.7	10	12.20	4.0
N810793		0.22	0.753	10.85	7.03	1960	300	1.72	7.26	1.95	49.2	51.3	19.1	21	19.45	126.0
N810794		9.24	<0.005	0.08	7.47	13.5	2390	1.27	0.23	3.95	0.33	56.7	5.2	9	14.50	2.9
N810795		8.36	<0.005	0.03	7.83	14.7	2160	1.56	0.21	2.07	0.10	54.9	4.1	9	20.6	0.8
N810796		5.39	0.007	0.24	7.48	27.8	1310	1.46	0.52	4.78	0.66	54.4	3.9	6	10.90	2.4
N810797		3.19	<0.005	0.04	8.43	11.9	1990	1.54	0.24	2.93	0.09	52.5	4.7	9	14.90	1.0
N810798		5.44	<0.005	0.02	8.64	11.8	1800	1.59	0.31	2.95	0.08	55.0	4.2	8	17.50	0.7
N810799		5.02	<0.005	0.05	7.45	20.5	2200	1.63	0.41	3.16	0.20	48.9	5.2	8	20.3	1.0
N810800		7.88	<0.005	0.06	8.90	13.7	2380	1.65	0.49	3.16	0.09	55.2	6.1	10	21.6	1.4
N810801		7.38	<0.005	0.10	7.80	27.2	2390	1.83	0.73	2.48	0.26	36.5	5.2	10	22.2	2.7
N810802		6.77	<0.005	0.08	7.75	16.5	2910	1.58	1.37	4.21	0.15	40.4	4.6	9	22.9	4.3
N810803		5.71	<0.005	0.18	6.92	15.8	1980	1.67	0.92	3.18	0.11	37.5	6.9	8	13.55	5.3
N810804		4.34	<0.005	0.15	6.37	9.3	2010	1.42	0.30	4.34	0.19	30.2	3.1	7	7.91	4.6
N810805		4.76	<0.005	0.11	8.02	10.7	2440	1.58	0.75	3.90	0.15	43.8	3.5	9	9.58	1.5
N810806		<0.02	<0.005	0.10	8.03	10.7	2350	1.57	0.83	4.16	0.16	42.3	3.4	9	9.19	1.3
N810807		7.01	<0.005	0.14	6.87	13.9	1230	1.40	0.46	3.33	0.17	33.9	2.6	8	11.45	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-AUG-2012
Account: ROCKHA

Project: Klaza - 91

CERTIFICATE OF ANALYSIS WH12176021

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N810772		3.29	16.20	0.16	1.0	0.069	2.47	28.2	67.0	1.00	948	0.12	0.78	7.7	2.7	660
N810773		3.28	15.40	0.15	1.0	0.051	2.44	29.2	24.6	0.92	816	0.13	1.83	7.3	2.9	640
N810774		3.27	16.35	0.16	1.1	0.052	2.30	34.1	26.0	0.88	688	0.16	2.43	8.0	3.6	680
N810775		3.03	15.10	0.17	1.0	0.056	2.77	31.6	16.8	0.66	628	0.17	2.47	7.9	2.8	650
N810776		7.04	14.95	0.20	1.0	1.910	2.72	24.1	22.4	0.94	1980	13.10	0.04	6.1	16.2	470
N810777		3.17	16.15	0.16	1.0	0.070	2.55	23.3	27.9	0.84	1000	0.14	1.42	7.8	4.3	620
N810778		3.43	16.20	0.16	1.1	0.063	2.68	26.4	32.8	0.79	764	0.13	1.70	8.6	2.2	690
N810779		2.56	15.20	0.15	1.0	0.061	2.11	27.0	45.4	0.73	681	0.15	0.18	7.9	3.6	600
N810780		0.47	0.22	0.05	<0.1	0.005	0.02	0.6	1.0	12.65	202	0.12	0.01	0.2	1.4	170
N810781		2.81	14.35	0.17	1.0	0.060	2.66	25.3	24.3	0.50	522	0.19	1.66	7.7	2.3	640
N810782		3.13	15.45	0.16	1.0	0.053	2.39	29.2	19.3	0.73	589	0.15	2.54	7.7	2.8	620
N810783		3.34	18.35	0.17	1.0	0.091	1.78	34.2	27.0	0.96	670	0.18	2.80	8.8	3.2	680
N810784		3.51	17.70	0.18	1.2	0.084	1.81	32.6	17.0	1.06	804	0.18	3.26	9.0	3.3	710
N810785		3.41	17.50	0.18	1.1	0.088	1.78	35.8	16.7	1.04	782	0.16	3.06	9.0	3.1	680
N810786		5.12	29.5	0.20	1.3	0.465	1.77	30.5	22.9	1.13	1590	0.15	1.70	11.8	3.4	900
N810787		3.95	20.8	0.18	1.2	0.242	2.32	28.5	43.1	1.17	744	0.17	1.68	10.5	4.2	810
N810788		3.42	17.30	0.18	1.1	0.078	3.07	28.8	26.6	1.04	779	0.13	2.71	8.6	2.8	670
N810789		0.48	0.23	0.05	<0.1	0.005	0.02	0.6	1.1	13.05	216	0.09	0.01	0.2	1.5	200
N810790		3.18	16.30	0.17	1.3	0.065	2.81	33.4	22.7	1.05	626	0.16	3.01	8.8	3.4	690
N810791		3.09	16.25	0.17	1.1	0.068	3.10	30.5	23.9	0.91	516	0.17	2.63	8.3	3.1	620
N810792		2.91	16.80	0.19	1.3	0.062	3.40	33.6	29.8	1.02	481	0.21	2.17	9.5	3.4	650
N810793		5.45	17.30	0.21	1.5	1.120	2.92	26.3	26.7	0.71	2050	13.90	0.27	8.6	17.9	530
N810794		2.73	16.25	0.18	1.2	0.065	3.01	30.5	28.1	0.83	573	0.21	1.61	8.7	2.9	620
N810795		2.69	17.75	0.17	1.1	0.071	2.52	29.7	34.9	0.78	495	0.16	2.40	8.7	2.8	640
N810796		3.77	17.05	0.18	1.0	0.137	1.90	30.5	70.1	1.47	1720	0.12	0.56	7.6	2.9	600
N810797		3.41	19.05	0.18	1.2	0.081	2.66	26.0	35.5	0.88	611	0.14	2.39	10.0	3.6	730
N810798		3.33	20.5	0.18	1.2	0.103	2.90	27.7	26.0	0.90	707	0.14	2.90	9.4	3.2	670
N810799		3.02	16.05	0.16	1.2	0.075	2.47	24.0	32.3	0.95	844	0.19	1.51	9.0	2.5	680
N810800		3.53	18.65	0.18	1.2	0.088	2.96	27.5	22.0	1.07	755	0.15	3.37	10.0	3.3	790
N810801		3.69	19.95	0.15	1.0	0.134	2.67	17.1	54.5	0.79	896	0.10	1.67	9.0	2.8	660
N810802		3.98	20.7	0.17	1.0	0.197	2.06	19.3	40.0	0.81	1100	0.07	1.55	8.8	2.9	670
N810803		2.90	15.55	0.16	0.9	0.086	2.03	18.1	56.2	0.86	1270	0.05	1.34	8.1	2.7	550
N810804		2.57	13.10	0.16	0.8	0.056	2.46	15.0	53.3	1.15	1400	0.05	0.56	7.0	2.4	520
N810805		3.53	19.30	0.17	1.1	0.096	2.13	21.2	21.9	0.91	1060	0.07	2.23	9.2	2.7	660
N810806		3.61	19.35	0.17	1.2	0.099	2.02	20.4	20.8	0.89	1080	0.06	2.15	9.0	2.6	650
N810807		2.79	14.35	0.14	1.1	0.067	2.36	16.7	51.5	0.93	1270	0.05	1.16	8.1	2.6	590



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-AUG-2012
Account: ROCKHA

Project: Klaza - 91

CERTIFICATE OF ANALYSIS WH12176021

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N810772		11.8	117.5	<0.002	0.14	10.15	12.2	1	2.1	182.0	0.66	<0.05	13.5	0.271	1.78	3.6
N810773		15.4	98.7	<0.002	0.16	7.58	11.5	1	1.9	245	0.61	<0.05	12.8	0.276	1.45	3.6
N810774		18.2	95.1	<0.002	0.05	8.43	12.8	1	1.9	241	0.69	<0.05	15.4	0.283	1.31	4.0
N810775		14.6	110.5	<0.002	0.02	8.76	12.2	1	1.9	254	0.66	<0.05	13.7	0.267	1.52	3.7
N810776		2980	162.0	0.002	5.16	98.1	8.3	2	8.9	95.8	0.52	0.42	10.8	0.188	2.58	5.7
N810777		16.7	103.5	<0.002	0.13	10.50	11.6	1	2.0	223	0.66	<0.05	12.8	0.265	1.50	3.5
N810778		17.6	105.0	<0.002	0.03	10.25	12.4	1	2.1	263	0.76	<0.05	14.2	0.299	1.60	3.3
N810779		19.0	87.9	<0.002	0.34	29.3	11.5	1	2.4	200	0.75	<0.05	14.4	0.260	3.45	5.7
N810780		1.4	0.9	<0.002	0.01	0.05	0.2	1	<0.2	47.9	<0.05	<0.05	<0.2	<0.005	<0.02	0.8
N810781		14.8	94.3	<0.002	0.06	13.65	12.9	1	2.1	199.0	0.68	<0.05	13.2	0.282	1.65	3.5
N810782		18.7	86.1	<0.002	0.03	9.95	12.8	1	1.7	244	0.70	<0.05	14.2	0.273	1.18	4.1
N810783		21.7	82.8	<0.002	0.12	14.75	13.6	2	2.6	372	0.73	<0.05	15.9	0.278	1.02	4.8
N810784		20.8	79.6	<0.002	0.14	8.49	14.1	1	2.1	676	0.74	<0.05	15.4	0.292	0.89	4.9
N810785		20.9	77.4	<0.002	0.14	8.95	13.8	2	2.0	670	0.75	<0.05	16.3	0.294	0.88	4.9
N810786		40.8	62.9	<0.002	0.11	22.9	16.0	2	3.1	1180	0.94	<0.05	14.8	0.385	1.04	5.0
N810787		25.5	101.0	<0.002	0.03	21.0	14.5	2	2.3	352	0.86	<0.05	16.7	0.356	1.17	4.5
N810788		18.4	134.5	<0.002	0.05	12.25	12.4	1	2.1	270	0.71	<0.05	14.4	0.298	1.40	5.2
N810789		1.4	1.0	<0.002	0.01	0.05	0.3	1	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	<0.02	0.6
N810790		20.8	96.3	<0.002	0.01	9.78	14.3	1	2.0	289	0.76	<0.05	16.6	0.300	1.17	4.6
N810791		18.6	116.0	<0.002	0.05	11.15	13.6	1	2.1	233	0.74	<0.05	14.5	0.272	1.29	4.9
N810792		20.3	146.0	<0.002	0.01	9.22	14.4	1	2.1	245	0.94	<0.05	16.7	0.290	1.58	4.9
N810793		1395	176.0	0.002	3.24	40.3	10.0	2	7.2	163.5	0.74	0.40	13.0	0.217	2.95	6.0
N810794		22.9	129.5	<0.002	0.01	11.10	12.9	1	1.9	311	0.82	<0.05	16.0	0.275	1.36	4.5
N810795		17.8	116.0	<0.002	0.01	18.90	12.9	1	1.6	258	0.76	<0.05	15.9	0.278	1.27	4.2
N810796		21.7	123.5	<0.002	0.41	12.25	11.7	2	1.9	280	0.62	<0.05	12.8	0.263	1.70	3.5
N810797		16.1	107.0	<0.002	0.01	12.85	13.7	1	1.7	269	0.79	<0.05	12.9	0.331	1.30	3.2
N810798		13.8	136.5	<0.002	0.03	9.19	13.3	1	1.8	240	0.76	<0.05	14.4	0.286	1.74	3.9
N810799		16.1	102.5	<0.002	0.12	9.29	12.3	1	1.9	289	0.73	<0.05	13.1	0.294	1.84	3.6
N810800		14.9	119.0	<0.002	0.03	9.11	14.3	1	2.1	348	0.81	<0.05	14.0	0.332	1.57	4.4
N810801		23.7	90.1	<0.002	0.12	30.4	11.5	1	2.1	346	0.64	<0.05	10.7	0.298	1.78	3.2
N810802		41.2	72.8	<0.002	0.11	16.80	11.4	1	2.9	1255	0.61	<0.05	11.9	0.291	1.27	4.0
N810803		16.9	75.2	<0.002	0.19	8.66	10.3	1	2.0	272	0.59	<0.05	10.6	0.262	1.63	3.3
N810804		9.9	88.3	<0.002	0.13	8.59	9.0	1	1.7	199.5	0.51	<0.05	9.5	0.224	1.81	3.1
N810805		26.9	69.0	<0.002	0.05	10.10	12.1	1	2.5	474	0.65	<0.05	12.5	0.297	1.23	4.2
N810806		27.8	63.8	<0.002	0.04	10.50	11.7	1	2.5	509	0.65	<0.05	12.4	0.293	1.16	4.4
N810807		16.6	82.6	<0.002	0.09	7.92	10.0	1	1.6	204	0.61	<0.05	11.0	0.264	1.85	3.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2012
 Account: ROCKHA

Project: Klaza - 91

CERTIFICATE OF ANALYSIS WH12176021

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N810772		79	4.1	14.8	77	24.6
N810773		77	4.1	16.1	68	23.5
N810774		74	6.4	17.7	74	27.5
N810775		74	3.0	17.7	53	25.7
N810776		62	5.5	11.1	5620	27.6
N810777		79	3.6	16.3	64	25.3
N810778		81	3.6	18.9	57	27.0
N810779		72	2.9	15.9	43	25.4
N810780		3	0.3	0.8	15	<0.5
N810781		73	4.1	14.5	42	23.9
N810782		74	3.8	16.8	46	25.4
N810783		82	3.6	20.7	60	26.8
N810784		81	2.3	22.4	72	30.6
N810785		80	2.2	21.3	72	28.4
N810786		140	3.1	25.1	96	33.5
N810787		107	6.9	18.7	59	31.1
N810788		89	3.6	22.1	50	28.5
N810789		3	0.2	0.9	16	<0.5
N810790		82	2.5	19.4	48	31.3
N810791		75	3.4	19.0	33	27.7
N810792		77	3.8	22.3	38	32.7
N810793		63	6.1	14.1	3230	47.8
N810794		79	3.2	21.9	41	31.4
N810795		81	4.2	18.2	37	30.6
N810796		81	3.7	20.5	98	25.2
N810797		90	3.4	18.6	50	32.2
N810798		87	3.0	18.3	46	33.1
N810799		81	3.2	17.5	60	31.4
N810800		97	3.1	20.0	54	33.8
N810801		98	4.4	13.7	66	28.0
N810802		98	2.1	15.6	51	26.7
N810803		70	2.9	12.8	55	25.8
N810804		64	2.5	12.1	58	23.4
N810805		93	2.7	16.3	55	31.2
N810806		96	2.6	15.8	54	31.3
N810807		70	2.8	12.6	64	29.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 91

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12176021

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.