



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 16-AUG-2012

Account: ROCKHA

CERTIFICATE WH12176025

Project: Klaza - 94

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza - 94

CERTIFICATE OF ANALYSIS WH12176025

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N812106		4.74	<0.005	0.09	7.69	37.9	1560	2.25	0.10	3.15	0.13	78.7	11.2	36	26.4	18.2
N812107		5.01	<0.005	0.22	6.72	17.9	1500	1.95	0.40	2.71	0.26	56.5	8.2	10	19.60	20.7
N812108		5.63	<0.005	0.14	6.89	8.6	1290	2.17	0.07	2.80	0.07	47.1	8.1	10	20.7	6.7
N812109		6.09	<0.005	0.07	7.50	3.6	1960	2.25	0.05	2.99	0.08	69.6	8.9	11	23.3	5.9
N812110		4.79	<0.005	0.07	7.39	3.9	2120	1.71	0.08	3.04	0.07	62.5	9.1	11	20.2	6.8
N812111		0.27	0.816	11.25	6.88	1910	640	1.72	7.52	2.00	44.3	54.2	18.7	20	19.25	110.0
N812112		5.47	<0.005	0.11	7.17	6.4	1850	1.50	0.09	2.92	0.14	49.8	8.8	10	23.3	10.0
N812113		5.46	<0.005	0.14	7.08	5.9	2010	1.54	0.27	3.34	0.08	54.3	8.2	11	19.65	9.6
N812114		4.32	<0.005	0.04	7.11	3.8	1750	1.75	0.07	3.45	0.05	50.4	8.8	11	20.5	10.2
N812115		<0.02	<0.005	0.04	7.04	3.1	1730	1.66	0.07	3.42	0.05	47.5	8.4	11	19.95	9.0
N812116		2.47	0.011	1.22	6.89	40.0	1050	1.61	0.29	3.71	4.58	52.7	8.4	8	17.65	19.6
N812117		4.22	<0.005	0.11	6.93	5.4	2020	1.61	0.12	3.79	0.10	53.7	8.2	10	18.90	7.9
N812118		3.03	<0.005	0.01	0.08	<5	20	0.08	0.02	20.6	0.06	1.53	1.5	1	0.18	1.4
N812119		5.00	<0.005	0.20	6.57	15.9	1520	1.89	0.52	3.83	0.19	47.5	8.9	9	16.20	7.8
N812120		2.89	<0.005	0.29	7.10	20.8	860	1.99	0.19	1.86	0.48	53.3	9.4	9	21.7	6.0
N812121		3.78	<0.005	0.10	7.34	5.4	1800	1.73	0.13	2.45	0.11	48.3	9.3	10	23.9	7.5
N812122		0.26	0.764	11.85	6.77	1860	1120	1.74	7.51	1.95	43.9	54.3	18.0	21	18.80	107.5
N812123		5.85	<0.005	0.13	7.04	10.2	1860	1.94	0.11	3.11	0.22	55.9	9.3	11	21.5	8.9
N812124		5.50	<0.005	0.07	7.09	6.8	2100	1.83	0.10	2.98	0.16	52.4	9.4	11	21.7	7.8
N812125		5.38	<0.005	0.06	6.79	4.7	1450	1.36	0.10	2.92	0.19	48.1	9.0	11	18.55	7.1
N812126		4.37	<0.005	0.09	6.60	8.9	2030	1.41	0.17	3.00	0.36	48.0	10.3	8	16.55	8.8
N812127		2.56	<0.005	0.07	6.61	5.0	1540	1.23	0.09	2.93	0.20	42.5	8.7	8	23.4	6.1
N812128		1.06	<0.005	0.06	6.89	4.4	1400	1.24	0.09	2.73	0.18	42.5	8.5	7	23.1	6.9
N812129		3.32	<0.005	0.10	6.85	6.8	2350	1.29	0.13	3.27	0.31	48.8	8.0	8	17.95	14.3
N812130		2.19	0.039	0.46	6.25	220	1290	1.23	0.14	3.55	2.09	41.1	7.8	8	15.60	11.2
N812131		4.14	<0.005	0.18	6.93	55.2	1040	1.37	0.09	2.73	0.85	41.9	8.2	10	21.7	5.3
N812132		4.21	<0.005	0.19	7.00	34.2	1970	1.28	0.09	4.29	1.13	53.7	8.2	10	16.05	12.6
N812133		2.98	<0.005	0.06	6.58	3.9	3380	1.31	0.23	5.12	0.15	51.3	7.5	8	16.25	4.6
N812134		3.45	<0.005	0.01	0.10	<5	40	0.05	0.04	21.5	0.05	1.38	1.3	1	0.19	2.0
N812135		2.34	<0.005	0.04	6.89	8.4	1080	1.41	0.12	3.02	0.13	43.2	7.8	9	11.70	1.9
N812136		1.83	0.008	0.32	6.46	183.0	1030	1.44	0.11	2.33	0.35	47.3	8.1	8	17.30	12.6
N812137		4.20	<0.005	0.10	6.61	37.6	1140	1.40	0.14	3.28	0.18	42.6	7.2	9	15.45	10.1
N812138		2.56	<0.005	0.05	7.13	4.0	1800	1.45	0.28	3.41	0.10	43.0	8.2	11	20.6	1.8
N812139		5.37	<0.005	0.06	7.34	2.2	2060	1.46	0.11	3.14	0.07	45.0	8.6	14	18.95	5.4
N812140		5.63	<0.005	0.07	7.13	4.4	1740	1.37	0.07	2.93	0.11	42.4	8.0	11	23.6	7.3
N812141		4.31	<0.005	0.15	6.90	10.7	1140	1.44	0.14	2.69	0.27	42.5	7.3	9	17.90	10.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza - 94

CERTIFICATE OF ANALYSIS WH12176025

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N812106		3.33	20.1	0.14	3.4	0.044	1.79	44.0	188.5	1.09	814	1.10	0.10	11.5	11.3	1170
N812107		2.72	17.60	0.13	1.5	0.042	2.63	31.1	84.1	0.66	1040	1.15	0.14	8.9	2.7	540
N812108		2.96	17.70	0.14	1.3	0.044	2.72	24.3	58.5	0.73	1020	0.92	0.93	8.8	2.9	600
N812109		3.08	19.05	0.15	1.5	0.037	2.78	37.8	21.2	0.70	778	0.97	2.09	9.5	3.0	620
N812110		3.19	18.70	0.14	1.5	0.037	2.73	33.4	58.9	0.80	738	0.90	1.78	9.5	3.1	640
N812111		5.62	17.45	0.16	1.5	0.989	2.99	29.7	31.3	0.73	2070	14.20	0.27	9.1	16.0	520
N812112		2.99	18.35	0.15	1.5	0.038	2.69	25.7	92.3	0.72	886	1.18	1.00	9.5	3.0	610
N812113		2.86	16.95	0.15	1.3	0.038	2.69	29.2	58.4	0.86	1080	1.03	0.29	9.0	2.8	590
N812114		3.09	17.60	0.19	1.5	0.034	2.82	26.0	39.3	0.62	831	0.91	1.55	9.3	3.0	600
N812115		3.10	16.95	0.14	1.5	0.036	2.79	24.5	41.0	0.61	830	0.75	1.56	9.0	2.9	610
N812116		3.43	17.55	0.15	1.3	0.091	2.88	28.5	37.9	0.76	2880	0.38	0.18	8.9	3.0	590
N812117		3.02	18.60	0.15	1.3	0.044	2.84	28.5	40.5	0.75	1220	0.48	0.13	9.1	2.9	580
N812118		0.45	0.36	0.06	<0.1	<0.005	0.03	0.8	1.2	12.15	194	0.13	0.01	0.3	2.1	170
N812119		2.93	21.0	0.13	1.3	0.061	3.31	24.2	25.9	0.65	1980	0.32	0.10	9.1	2.6	570
N812120		2.94	20.0	0.15	1.4	0.051	2.89	28.3	95.6	0.65	1620	0.85	0.04	9.4	2.9	600
N812121		3.22	19.45	0.16	1.4	0.045	2.81	24.6	50.4	0.69	923	0.68	1.17	9.5	2.8	630
N812122		5.49	17.55	0.18	1.5	0.949	2.95	30.2	31.1	0.71	2030	13.80	0.26	8.9	16.1	510
N812123		2.95	19.30	0.17	1.5	0.046	2.71	29.2	63.8	0.79	983	0.72	0.82	9.9	3.0	620
N812124		3.17	18.50	0.14	1.3	0.045	2.65	27.0	63.7	0.85	1000	0.59	0.63	9.3	3.1	630
N812125		3.01	17.40	0.16	1.3	0.047	2.49	23.7	59.6	0.82	979	0.61	0.72	9.1	3.6	610
N812126		2.96	16.10	0.16	1.3	0.034	2.50	24.2	46.0	0.86	1160	0.70	0.04	8.6	3.1	570
N812127		3.04	17.10	0.18	1.5	0.034	2.32	20.6	45.3	0.69	978	0.77	0.09	9.0	3.2	590
N812128		3.04	17.20	0.16	1.4	0.034	2.47	20.7	39.6	0.70	990	1.47	0.05	8.9	3.1	610
N812129		2.88	14.45	0.18	1.2	0.029	2.35	25.4	91.3	0.89	1140	0.89	0.04	8.0	2.9	580
N812130		2.85	12.90	0.15	1.0	0.031	2.67	21.9	32.7	0.81	2640	0.88	0.02	6.8	2.5	500
N812131		3.03	16.35	0.15	1.3	0.037	2.89	20.3	71.8	0.64	1680	0.89	0.04	8.6	2.9	630
N812132		3.07	14.10	0.19	1.1	0.035	2.67	28.9	28.2	0.86	1780	1.78	0.03	7.8	3.1	600
N812133		3.21	14.95	0.16	1.2	0.050	2.61	27.3	31.8	1.08	1420	0.40	0.13	6.9	3.0	490
N812134		0.47	0.26	0.05	<0.1	<0.005	0.03	0.7	0.9	12.70	202	0.28	0.01	0.3	2.8	200
N812135		2.97	16.30	0.12	1.3	0.037	2.71	22.1	37.9	0.73	1110	0.35	0.15	7.9	2.9	570
N812136		2.50	16.05	0.15	1.3	0.037	3.02	25.7	14.5	0.77	1820	0.57	0.03	7.7	2.9	460
N812137		2.99	15.15	0.13	1.2	0.036	2.88	21.8	18.6	0.97	1480	0.70	0.48	7.4	2.6	530
N812138		3.26	17.40	0.15	1.2	0.047	2.63	20.6	9.0	0.65	1040	0.41	2.10	8.6	3.1	610
N812139		3.24	17.30	0.15	1.3	0.038	2.77	21.5	9.8	0.88	795	1.06	2.04	8.6	3.3	630
N812140		3.06	17.00	0.17	1.2	0.038	2.79	20.0	41.9	0.79	854	0.86	1.14	8.8	3.0	640
N812141		2.99	15.30	0.15	1.1	0.036	2.62	21.5	62.8	0.85	1190	0.71	0.05	7.9	2.7	590



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza - 94

CERTIFICATE OF ANALYSIS WH12176025

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N812106		17.7	99.0	<0.002	0.05	14.35	10.5	1	3.3	440	0.77	<0.05	12.8	0.364	3.0
N812107		24.3	128.0	<0.002	0.12	15.20	9.7	1	3.7	166.5	0.81	<0.05	16.6	0.232	4.6
N812108		18.3	128.5	<0.002	0.04	7.87	10.8	1	1.8	206	0.69	<0.05	12.0	0.262	6.5
N812109		19.1	132.0	<0.002	0.01	3.72	11.8	1	1.8	350	0.76	<0.05	16.5	0.270	4.3
N812110		20.6	101.5	<0.002	0.02	4.38	10.9	1	1.7	398	0.73	<0.05	14.5	0.276	4.2
N812111		1410	170.5	0.002	3.25	38.6	8.7	1	6.6	158.5	0.70	0.33	13.6	0.216	6.0
N812112		25.4	103.5	<0.002	0.04	6.42	10.4	1	2.0	300	0.75	<0.05	13.4	0.263	4.0
N812113		18.5	109.5	<0.002	0.08	12.30	10.1	1	2.4	195.5	0.73	<0.05	13.9	0.255	4.7
N812114		16.6	115.5	<0.002	0.01	6.38	10.5	1	1.8	313	0.77	<0.05	13.5	0.262	4.6
N812115		16.0	109.5	<0.002	0.01	6.10	9.9	1	1.8	310	0.75	<0.05	13.4	0.259	4.0
N812116		165.5	135.0	<0.002	0.51	24.0	10.5	1	2.9	163.0	0.70	<0.05	13.6	0.257	6.1
N812117		14.0	126.0	<0.002	0.07	11.25	10.7	1	2.6	187.5	0.72	<0.05	14.0	0.254	3.5
N812118		1.9	1.6	<0.002	0.03	0.09	0.2	1	<0.2	55.0	<0.05	<0.05	<0.2	<0.005	0.6
N812119		15.4	164.0	<0.002	0.18	25.7	11.1	1	2.7	146.0	0.70	<0.05	12.4	0.249	4.9
N812120		33.6	155.0	<0.002	0.16	35.3	11.9	1	2.0	136.0	0.73	<0.05	14.3	0.259	4.8
N812121		19.6	113.5	<0.002	0.02	9.02	11.6	1	2.3	242	0.76	<0.05	12.8	0.275	3.1
N812122		1370	170.0	0.002	3.19	38.2	8.8	1	6.5	157.0	0.69	0.32	13.7	0.215	5.9
N812123		20.2	118.0	<0.002	0.04	12.05	12.0	1	2.2	232	0.76	<0.05	13.4	0.277	5.3
N812124		16.4	107.5	<0.002	0.05	12.05	10.8	1	2.2	219	0.71	<0.05	12.7	0.266	2.9
N812125		16.7	100.5	<0.002	0.03	10.50	11.8	1	1.8	192.5	0.69	<0.05	11.1	0.270	2.6
N812126		13.6	105.0	<0.002	0.08	15.60	10.7	1	1.9	125.5	0.69	<0.05	11.2	0.250	3.4
N812127		19.0	89.2	<0.002	0.04	13.45	10.8	1	1.8	132.5	0.75	<0.05	10.8	0.257	3.4
N812128		16.8	97.0	<0.002	0.03	12.20	10.6	1	1.8	118.5	0.74	<0.05	10.9	0.263	3.2
N812129		14.7	99.3	<0.002	0.07	14.60	10.2	1	2.4	170.0	0.63	<0.05	11.7	0.250	3.0
N812130		102.0	122.5	<0.002	0.63	20.0	9.0	1	1.8	118.0	0.52	<0.05	9.9	0.225	4.9
N812131		29.2	118.0	<0.002	0.20	15.00	11.2	1	1.7	135.0	0.62	<0.05	10.7	0.281	4.7
N812132		57.0	133.0	<0.002	0.24	11.55	10.6	1	2.5	126.0	0.59	<0.05	12.4	0.257	3.8
N812133		12.4	128.0	<0.002	0.10	14.30	9.7	1	1.7	176.0	0.55	<0.05	10.6	0.228	5.3
N812134		1.4	1.6	<0.002	0.01	0.07	0.2	1	<0.2	43.0	<0.05	<0.05	<0.2	<0.005	0.6
N812135		13.0	120.0	<0.002	0.13	10.75	10.4	1	1.6	113.0	0.65	<0.05	12.0	0.248	4.6
N812136		74.9	180.0	<0.002	0.28	18.15	10.0	1	2.4	67.1	0.67	<0.05	14.1	0.214	10.0
N812137		18.2	127.0	<0.002	0.12	8.73	9.3	1	2.4	133.0	0.61	<0.05	11.3	0.231	6.9
N812138		18.5	103.5	<0.002	0.02	4.53	10.3	1	1.7	263	0.65	<0.05	10.5	0.279	3.7
N812139		17.3	106.0	<0.002	0.01	2.77	11.1	1	1.6	405	0.65	<0.05	10.6	0.278	4.2
N812140		20.5	101.0	<0.002	0.03	6.46	11.1	1	1.7	307	0.70	<0.05	10.1	0.283	3.7
N812141		29.6	102.0	<0.002	0.08	12.15	10.2	1	1.7	150.5	0.62	<0.05	10.4	0.254	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2012
 Account: ROCKHA

Project: Klaza - 94

CERTIFICATE OF ANALYSIS WH12176025

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N812106		80	3.0	17.3	75	121.0
N812107		63	3.1	16.0	65	36.3
N812108		74	1.3	15.6	61	32.0
N812109		78	1.8	17.0	56	36.8
N812110		78	1.2	16.7	56	37.1
N812111		59	6.0	13.4	3100	45.4
N812112		74	2.1	15.2	65	35.7
N812113		70	1.7	16.6	61	33.3
N812114		74	0.9	15.9	54	36.3
N812115		73	0.9	15.1	55	36.2
N812116		71	2.6	17.3	564	32.7
N812117		74	1.5	16.3	63	34.1
N812118		2	0.1	1.0	13	0.8
N812119		71	2.2	16.3	68	34.9
N812120		70	1.6	15.0	101	37.0
N812121		77	1.5	15.2	61	34.3
N812122		59	6.0	13.3	3050	44.1
N812123		78	1.5	17.2	90	36.8
N812124		74	1.4	15.5	72	34.0
N812125		75	1.5	16.2	72	30.4
N812126		70	2.8	16.0	81	31.0
N812127		72	3.7	15.6	66	33.7
N812128		73	3.5	14.8	65	33.4
N812129		69	2.7	16.4	88	29.2
N812130		64	1.6	15.0	177	24.8
N812131		80	2.8	14.2	130	31.3
N812132		69	2.0	16.8	126	27.5
N812133		75	1.4	19.9	77	27.6
N812134		2	0.1	0.9	13	<0.5
N812135		68	1.1	13.0	81	31.0
N812136		59	1.3	13.8	52	31.1
N812137		65	1.3	15.2	66	27.5
N812138		81	1.0	14.1	91	28.8
N812139		81	1.3	16.3	59	29.6
N812140		82	2.1	15.2	70	27.9
N812141		72	2.0	14.4	94	27.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 94

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12176025

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.