



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 18-AUG-2012
Account: ROCKHA

CERTIFICATE WH12176321

Project: Klaza-88

P.O. No.: Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-AUG-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12176321

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N810664		0.28	4.16	97.8	5.03	7600	950	0.88	53.5	1.83	205	34.9	7.6	16	11.35	1190
N810665		2.85	<0.005	0.25	7.31	31.2	2230	1.35	0.24	3.00	0.39	44.6	8.1	15	13.15	8.5
N810666		4.24	0.013	1.10	6.76	101.0	1420	1.28	0.29	3.08	4.29	53.4	10.0	11	26.7	16.2
N810667		1.73	<0.005	0.07	7.29	3.6	2280	1.40	0.13	2.93	0.10	51.1	7.7	13	17.20	4.0
N810668		1.54	<0.005	0.16	7.04	5.6	2040	1.60	0.13	2.66	0.09	50.8	8.3	11	13.20	5.6
N810669		2.91	0.025	0.22	6.82	38.9	1590	1.38	0.28	2.65	0.52	45.3	9.0	12	20.2	4.2
N810670		7.88	4.64	>100	3.10	6570	130	0.65	72.7	3.09	324	24.6	66.2	7	5.09	1325
N810671		1.72	<0.005	0.10	0.08	6	20	0.07	0.06	21.1	0.22	1.46	1.2	<1	0.38	2.6
N810672		4.78	0.008	0.99	6.78	66.3	280	1.83	0.29	3.57	0.79	58.3	6.2	15	21.4	8.1
N810673		3.04	0.032	4.33	6.87	103.0	800	1.68	0.43	4.42	6.04	73.1	7.6	14	14.60	19.0
N810674		5.29	<0.005	0.22	6.79	18.0	1740	1.55	0.12	2.97	0.45	66.3	5.1	12	24.0	11.9
N810675		4.46	<0.005	0.53	7.02	21.5	1040	1.62	0.14	3.25	0.61	63.4	6.0	12	34.7	30.1
N810676		5.28	1.125	62.7	3.97	2130	230	0.79	58.5	1.29	23.5	59.1	49.4	13	7.97	1615
N810677		2.13	<0.005	0.06	0.09	<5	40	0.07	0.06	20.1	0.07	1.35	1.2	1	0.31	2.2
N810678		2.85	<0.005	0.28	7.34	10.1	2080	1.51	0.29	2.78	0.23	47.9	5.8	14	10.60	13.7
N810679		2.98	<0.005	0.20	7.25	17.4	2140	1.36	0.24	2.34	0.24	49.6	6.6	16	15.35	4.8
N810680		3.71	<0.005	1.28	7.42	14.3	1930	1.49	0.17	2.63	0.36	45.9	6.8	11	22.3	13.2
N810681		2.70	0.063	0.19	7.57	6.8	2010	1.37	0.12	2.73	0.24	50.6	9.4	16	16.10	6.5
N810682		3.19	<0.005	0.14	7.17	4.5	2010	1.40	0.08	2.75	0.21	49.1	7.0	9	13.55	6.8
N810683		<0.02	<0.005	0.15	7.00	5.6	2040	1.47	0.12	2.77	0.22	45.1	7.4	12	12.95	9.5
N810684		2.50	0.248	3.85	6.65	503	1320	1.46	1.25	3.26	2.26	51.6	9.8	14	14.30	21.8
N810685		3.57	<0.005	0.36	7.49	17.7	1990	1.53	0.26	2.71	0.45	54.6	8.0	13	15.70	44.0
N810686		4.39	0.099	0.92	6.92	321	1340	1.35	0.44	2.58	1.85	50.1	15.5	16	14.70	12.6
N810687		6.71	<0.005	0.09	7.06	12.6	1940	1.47	0.14	2.39	0.09	50.7	9.9	14	7.69	5.9
N810688		6.54	0.231	0.11	7.53	9.1	1970	1.49	0.15	2.67	0.11	55.9	9.3	13	9.97	26.5
N810689		2.81	<0.005	0.09	7.36	5.9	2060	1.44	0.17	2.66	0.11	50.9	9.0	13	8.49	11.3
N810690		2.96	<0.005	0.12	7.25	7.2	1950	1.57	0.20	2.58	0.20	50.6	9.8	14	8.19	16.0
N810691		2.33	<0.005	0.07	7.79	3.7	2070	1.66	0.10	2.83	0.10	59.9	8.5	10	4.16	14.3
N810692		3.02	<0.005	0.19	7.60	48.2	1160	1.83	0.28	2.01	0.44	41.9	9.4	21	21.8	5.6
N810693		0.26	0.773	9.71	6.37	1685	1230	1.48	6.37	1.83	43.9	44.1	16.9	19	16.15	108.5
N810694		3.98	<0.005	0.19	7.86	33.4	1070	1.54	0.29	3.51	0.28	60.7	8.2	14	25.6	4.9
N810695		4.95	<0.005	0.22	6.72	47.9	1200	1.62	0.39	2.15	1.16	35.9	8.2	13	24.4	7.0
N810696		6.00	<0.005	0.13	7.37	39.0	1510	1.66	0.18	2.24	0.58	51.6	8.1	11	14.85	5.2
N810697		4.67	<0.005	0.46	7.32	140.5	1040	2.23	0.55	3.21	5.41	50.7	7.9	12	29.4	9.4
N810698		4.87	<0.005	0.12	7.24	37.1	1040	1.71	0.10	4.14	0.17	66.7	9.1	30	27.7	18.8
N810699		5.57	<0.005	0.10	6.95	19.6	2120	1.46	0.25	2.50	0.13	45.3	7.5	10	21.9	6.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-AUG-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12176321

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N810664		7.58	11.00	0.19	1.0	3.96	2.13	18.4	24.9	0.58	2780	14.30	0.07	5.4	11.8	420
N810665		3.37	15.40	0.15	1.3	0.039	2.78	22.1	13.4	0.90	1100	1.94	1.72	8.0	3.2	600
N810666		2.93	16.20	0.15	1.3	0.129	2.89	27.8	43.2	0.94	1300	1.49	0.62	8.4	3.1	550
N810667		3.02	17.20	0.17	1.5	0.053	2.67	25.5	7.9	0.75	762	1.94	2.01	8.8	3.3	570
N810668		2.99	17.30	0.15	1.2	0.055	2.59	24.8	8.6	0.80	733	1.76	1.98	8.9	3.7	570
N810669		2.93	15.50	0.16	1.3	0.056	2.83	22.6	32.1	0.71	1250	1.16	0.99	8.3	2.9	560
N810670		16.55	6.54	0.33	0.5	2.86	1.35	13.6	5.0	1.17	3210	1.82	0.02	3.6	2.2	230
N810671		0.48	0.25	0.06	<0.1	<0.005	0.03	0.7	1.0	12.50	214	0.20	0.01	0.3	2.6	180
N810672		2.51	18.00	0.12	3.2	0.029	2.69	31.3	34.1	1.35	1080	1.31	0.03	9.5	5.5	970
N810673		2.55	19.70	0.12	3.1	0.067	1.47	39.5	70.5	1.60	1060	3.22	0.02	12.0	5.3	880
N810674		2.25	18.75	0.17	2.6	0.026	1.60	33.8	75.7	0.87	683	1.42	0.04	11.7	3.2	820
N810675		2.39	18.95	0.16	2.6	0.049	2.78	31.9	37.0	0.82	736	1.39	0.06	12.1	3.4	870
N810676		9.53	9.76	0.23	0.7	1.115	1.59	39.6	22.4	0.43	1050	3.49	0.03	4.8	3.2	330
N810677		0.45	0.29	0.05	<0.1	0.006	0.04	0.7	1.1	11.90	199	0.11	0.01	0.3	2.1	170
N810678		3.24	18.05	0.14	1.2	0.101	3.00	23.3	9.3	0.79	738	10.65	1.77	8.5	2.8	610
N810679		3.39	17.25	0.15	1.3	0.106	3.23	25.5	16.3	0.72	1040	2.41	1.27	8.0	2.8	590
N810680		3.23	16.85	0.15	1.3	0.060	2.95	22.2	27.8	0.76	936	2.40	1.57	8.7	3.0	660
N810681		3.31	17.10	0.17	1.1	0.046	2.90	25.6	16.5	0.82	955	1.91	1.83	8.4	2.9	610
N810682		3.01	16.20	0.15	1.4	0.038	2.63	24.6	9.2	0.79	810	1.40	1.99	8.0	2.9	590
N810683		2.97	16.10	0.13	1.2	0.056	2.58	21.8	10.0	0.78	819	1.01	2.00	7.2	3.0	600
N810684		4.79	14.30	0.13	1.3	0.239	2.53	28.5	21.2	1.12	3930	1.80	0.91	6.3	2.9	540
N810685		3.04	16.00	0.52	1.3	0.064	2.66	32.4	19.4	0.77	810	1.95	1.53	7.3	2.9	580
N810686		3.93	15.60	0.17	1.2	0.137	3.25	26.1	22.7	0.77	2900	1.71	0.24	6.8	2.8	530
N810687		3.13	16.00	0.25	1.2	0.073	2.67	25.9	14.0	0.82	788	1.59	1.75	7.3	3.5	560
N810688		3.23	17.10	0.20	1.5	0.060	2.50	28.0	16.6	0.85	738	1.38	2.05	8.1	3.4	650
N810689		3.15	16.60	0.15	1.3	0.064	2.69	27.1	11.6	0.82	839	2.04	1.91	7.5	3.3	580
N810690		2.95	16.25	0.17	1.4	0.045	2.51	24.7	12.2	0.80	681	1.86	1.99	7.8	3.0	590
N810691		3.28	17.25	0.27	1.8	0.046	2.45	31.5	12.6	0.93	704	2.60	2.28	8.1	3.3	630
N810692		3.10	17.85	0.14	2.1	0.047	2.43	19.5	65.8	0.22	745	2.45	0.55	8.5	4.7	830
N810693		5.08	14.65	0.15	1.5	0.916	2.61	23.9	26.8	0.67	1880	11.75	0.25	6.8	15.3	470
N810694		3.16	16.75	0.26	1.4	0.044	2.57	33.2	48.4	0.27	1150	2.18	0.71	7.6	3.6	630
N810695		3.00	18.05	0.13	1.4	0.051	2.48	15.2	79.3	0.19	913	3.48	0.34	8.8	3.6	660
N810696		2.97	16.65	0.15	1.4	0.032	2.49	27.2	42.9	0.45	653	1.69	1.42	7.8	3.3	600
N810697		2.93	15.45	0.23	1.9	0.039	2.48	25.5	44.3	0.35	1260	2.15	0.33	8.2	4.5	750
N810698		3.38	18.95	0.12	4.8	0.039	2.01	35.2	74.1	0.95	834	1.45	0.10	11.2	12.1	1710
N810699		2.76	12.95	0.14	1.6	0.037	2.17	22.2	43.4	0.76	731	0.93	1.38	7.5	3.1	600



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-AUG-2012
Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12176321

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N810664		8870	120.5	0.002	6.61	206	5.8	2	7.6	105.5	0.39	0.48	7.5	0.168	1.87	4.6
N810665		34.1	101.0	<0.002	0.13	3.14	10.2	1	1.7	340	0.63	<0.05	11.4	0.259	1.29	4.0
N810666		171.0	122.0	<0.002	0.28	8.25	10.4	1	2.6	215	0.66	0.14	12.8	0.242	2.10	4.5
N810667		18.7	108.0	<0.002	0.04	1.67	10.9	1	1.6	431	0.70	<0.05	12.8	0.254	1.22	4.7
N810668		20.1	104.0	<0.002	0.05	1.26	11.0	1	1.8	372	0.69	<0.05	12.9	0.252	1.18	4.4
N810669		54.3	107.5	<0.002	0.26	3.87	10.0	1	1.8	250	0.68	0.11	11.3	0.249	1.66	4.1
N810670		>10000	79.0	<0.002	>10.0	219	3.3	4	11.7	77.1	0.25	7.58	5.3	0.103	1.29	2.1
N810671		10.1	1.9	<0.002	0.04	0.17	0.2	1	<0.2	45.4	<0.05	<0.05	0.3	<0.005	<0.02	1.9
N810672		50.9	161.5	<0.002	0.55	10.10	6.6	1	1.2	200	0.63	<0.05	8.7	0.263	3.13	4.0
N810673		508	103.5	<0.002	0.74	12.70	6.6	1	1.7	302	0.76	<0.05	10.6	0.246	1.95	6.6
N810674		30.9	66.1	<0.002	0.10	5.75	6.0	1	1.2	276	0.76	<0.05	9.7	0.236	1.23	4.6
N810675		43.2	104.0	<0.002	0.05	8.04	6.0	1	1.3	280	0.79	<0.05	9.4	0.256	2.07	4.6
N810676		2180	95.3	0.003	9.64	71.7	5.4	2	8.3	78.5	0.35	7.25	6.9	0.139	1.54	3.1
N810677		3.2	1.8	<0.002	0.03	0.11	0.2	1	<0.2	42.7	<0.05	<0.05	<0.2	<0.005	0.02	0.8
N810678		27.2	119.5	<0.002	0.05	3.30	11.7	1	1.9	356	0.65	<0.05	12.0	0.272	1.50	3.8
N810679		21.1	145.5	<0.002	0.17	4.24	11.1	1	2.2	285	0.65	<0.05	12.5	0.258	1.79	4.4
N810680		32.3	112.5	<0.002	0.10	4.75	11.7	1	1.6	311	0.66	<0.05	11.2	0.285	1.51	3.8
N810681		19.3	119.0	<0.002	0.15	2.08	11.2	1	1.6	358	0.63	<0.05	13.4	0.273	1.32	4.1
N810682		29.5	113.0	<0.002	0.03	1.72	10.7	1	1.4	369	0.59	<0.05	11.9	0.256	1.20	3.8
N810683		29.7	99.5	0.003	0.04	1.70	11.0	1	1.7	377	0.56	<0.05	10.4	0.269	1.31	3.1
N810684		444	137.5	0.003	1.41	9.68	10.6	1	3.6	256	0.53	<0.05	11.0	0.232	1.74	4.7
N810685		26.3	130.0	0.002	0.07	3.24	12.2	<1	1.8	329	0.60	<0.05	13.4	0.261	1.41	4.0
N810686		40.7	198.5	0.002	1.98	8.45	11.0	<1	3.3	115.0	0.55	<0.05	12.3	0.243	2.63	3.8
N810687		15.4	125.5	0.003	0.11	1.94	11.1	1	2.0	324	0.57	<0.05	12.0	0.257	1.34	3.6
N810688		16.7	103.5	0.002	0.08	1.49	12.6	1	2.2	378	0.64	<0.05	12.8	0.280	1.12	4.1
N810689		19.5	118.5	0.002	0.08	1.85	11.5	1	2.2	341	0.61	<0.05	12.7	0.260	1.38	4.2
N810690		24.8	110.5	0.003	0.09	1.10	11.7	1	2.3	351	0.66	<0.05	11.5	0.270	1.16	4.1
N810691		17.2	111.0	0.005	0.01	0.64	13.0	1	2.1	410	0.70	<0.05	14.4	0.284	0.97	4.8
N810692		17.3	94.5	<0.002	0.01	9.51	11.1	1	1.9	112.5	0.73	<0.05	9.7	0.321	1.85	2.8
N810693		1280	156.0	0.003	3.10	31.2	9.0	1	6.1	147.5	0.56	0.32	10.7	0.200	2.51	5.0
N810694		22.4	127.5	0.003	0.01	7.98	13.1	1	1.8	159.0	0.61	<0.05	13.7	0.282	1.73	3.3
N810695		22.2	107.0	0.002	0.02	10.00	12.2	<1	2.1	111.5	0.71	<0.05	8.7	0.296	1.89	2.6
N810696		18.1	112.0	0.004	0.02	4.76	12.0	1	1.8	247	0.63	<0.05	12.7	0.275	1.41	2.6
N810697		73.7	113.5	0.002	0.04	11.60	11.8	1	1.8	116.0	0.64	<0.05	11.2	0.289	2.04	4.6
N810698		13.8	64.2	0.005	0.02	16.65	8.0	1	1.3	344	0.74	<0.05	6.9	0.434	1.72	5.7
N810699		13.0	93.4	0.003	0.17	6.09	11.2	1	1.6	153.5	0.68	<0.05	12.5	0.264	1.66	4.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2012
 Account: ROCKHA

Project: Klaza-88

CERTIFICATE OF ANALYSIS WH12176321

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
N810664		48	4.2	9.0	>10000	27.6			1.535
N810665		74	1.7	16.3	84	29.1			
N810666		67	3.2	16.6	388	30.3			
N810667		71	1.5	17.8	53	33.2			
N810668		70	1.4	17.7	53	29.1			
N810669		71	2.1	15.5	86	28.4			
N810670		29	5.6	5.8	>10000	12.6	188	1.950	2.50
N810671		2	0.1	1.0	33	<0.5			
N810672		55	4.8	13.8	108	119.5			
N810673		48	4.9	15.4	399	110.5			
N810674		46	2.5	13.3	87	81.9			
N810675		51	1.7	13.6	90	86.5			
N810676		38	3.3	7.2	1630	18.8			
N810677		2	0.1	0.8	16	0.5			
N810678		75	1.3	17.0	62	27.8			
N810679		72	2.6	16.5	68	27.3			
N810680		83	2.0	17.0	70	29.3			
N810681		76	1.7	17.3	65	25.8			
N810682		71	1.3	16.8	53	30.7			
N810683		74	1.1	13.6	56	27.2			
N810684		65	4.7	13.7	180	26.9			
N810685		71	3.0	16.4	65	30.0			
N810686		68	3.2	12.7	169	27.1			
N810687		70	1.4	14.5	50	27.7			
N810688		80	1.5	16.5	54	31.0			
N810689		72	1.1	15.2	51	28.7			
N810690		73	0.9	15.4	60	29.7			
N810691		78	0.5	18.0	52	35.5			
N810692		85	1.5	11.9	93	56.5			
N810693		55	4.9	10.8	2800	36.9			
N810694		79	1.2	16.1	67	29.9			
N810695		91	2.1	11.5	140	30.6			
N810696		74	0.8	14.1	89	30.8			
N810697		71	1.5	13.0	336	56.6			
N810698		84	1.6	11.6	77	177.5			
N810699		65	1.0	10.2	50	35.3			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-88

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12176321

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.