



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 16-AUG-2012

Account: ROCKHA

CERTIFICATE WH12176322

Project: Klaza-89

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza-89

CERTIFICATE OF ANALYSIS WH12176322

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N810362		0.23	0.583	9.95	6.34	1705	1040	1.56	6.54	1.82	44.4	44.6	16.9	17	16.45	109.0
N810363		5.00	0.009	0.32	6.99	23.0	3240	1.60	0.22	2.57	1.82	51.2	6.2	13	12.80	15.8
N810364		7.76	0.006	0.69	6.51	28.8	1670	1.74	0.40	7.34	1.84	55.8	8.0	12	14.25	30.5
N810365		3.82	<0.005	0.02	0.08	<5	50	0.09	0.03	20.7	0.08	1.17	0.6	1	0.14	1.7
N810366		5.98	<0.005	0.09	7.51	6.8	2070	1.55	0.16	2.44	0.16	45.7	6.2	13	7.98	6.9
N810367		<0.02	<0.005	0.14	7.30	7.2	2040	1.61	0.17	2.40	0.16	42.4	6.2	13	8.17	7.6
N810368		6.70	0.011	0.62	7.92	22.7	2300	1.58	0.62	2.38	2.31	50.5	8.2	25	10.65	17.3
N810369		4.19	0.005	0.99	7.05	32.9	1520	1.67	0.66	1.94	2.44	51.6	8.8	50	13.20	22.9
N810370		5.86	0.035	2.11	6.81	81.4	1220	1.58	1.09	2.53	17.30	48.3	11.2	21	17.60	28.5
N810371		11.16	0.007	0.43	7.12	24.7	1690	1.50	0.36	2.03	1.08	50.8	6.7	13	16.35	9.6
N810372		6.90	0.008	0.22	7.33	14.6	1930	1.31	0.31	1.56	0.36	46.6	6.8	12	13.65	14.5
N810373		5.00	<0.005	0.18	8.00	12.7	2320	1.40	0.26	1.31	0.21	54.7	6.9	11	15.25	13.1
N810374		5.22	<0.005	0.06	8.04	6.1	1830	1.31	0.11	0.99	0.08	57.7	7.4	14	18.30	12.2
N810375		2.92	0.007	0.05	7.71	6.8	1760	1.17	0.11	1.19	0.08	45.1	7.4	10	16.60	13.9
N810376		6.15	<0.005	0.15	5.36	16.3	1520	1.26	0.16	1.98	0.23	27.2	6.7	15	11.60	10.1
N810377		3.59	0.094	0.80	7.00	26.7	390	1.41	1.97	2.28	2.19	49.1	9.4	16	12.65	10.9
N810378		3.76	0.007	0.39	7.29	95.1	1890	2.14	0.49	3.84	0.78	33.7	23.7	285	21.8	32.4
N810379		5.14	<0.005	0.34	5.98	28	1360	1.11	0.19	10.25	0.76	39.1	8.0	44	12.20	18.1
N810380		6.56	<0.005	0.11	8.03	10.7	1770	1.54	0.12	4.45	0.15	35.2	17.5	233	9.59	27.3
N810381		4.22	<0.005	0.14	6.84	14.4	1700	1.43	0.17	2.84	0.21	43.8	6.9	21	9.13	22.5
N810382		0.24	0.768	9.95	6.34	1685	950	1.35	6.12	1.83	44.2	46.5	17.2	18	16.30	108.0
N810383		6.60	<0.005	0.17	6.98	6.9	1980	1.42	0.10	2.61	0.10	44.3	6.8	22	9.10	15.0
N810384		5.34	<0.005	0.15	5.86	8.2	1650	1.13	0.11	2.16	0.15	34.1	6.8	14	10.10	17.3
N810385		5.95	<0.005	0.12	6.40	9.8	1500	1.16	0.09	6.15	0.45	46.2	6.3	17	15.15	18.1
N810386		6.01	<0.005	0.08	6.95	6.4	1870	1.52	0.10	2.40	0.10	46.4	7.0	13	10.40	11.3
N810387		6.97	<0.005	0.06	7.10	5.0	2010	1.34	0.08	2.37	0.07	50.8	6.5	37	7.42	14.1
N810388		5.19	0.005	0.20	6.58	16.5	1600	1.28	0.14	3.15	0.15	43.7	8.8	15	16.25	12.0
N810389		12.05	<0.005	0.08	7.27	4.8	1990	1.46	0.09	2.60	0.42	49.6	7.3	16	7.10	13.9
N810390		8.36	<0.005	0.10	7.65	4.8	2060	1.58	0.10	2.95	0.53	51.4	7.9	13	8.51	15.2
N810391		3.91	0.006	0.16	6.81	20.6	1850	1.46	0.17	2.46	0.26	51.8	7.3	13	18.15	10.0
N810392		2.44	<0.005	0.02	0.12	6	30	0.05	0.04	20.5	0.08	1.40	0.6	1	0.20	1.9
N810393		4.18	<0.005	0.12	7.57	8.2	2000	1.57	0.12	2.90	0.12	46.9	7.1	15	13.25	11.3
N810394		4.10	0.008	0.14	7.11	8.6	1980	1.37	0.27	2.76	0.11	46.5	7.4	12	9.54	11.0
N810395		6.41	0.009	0.28	7.37	12.6	1970	1.45	0.19	2.08	0.49	51.1	7.0	16	18.45	11.6
N810396		6.50	<0.005	0.30	7.46	13.9	1790	1.60	0.15	2.52	0.33	47.3	8.1	12	17.75	18.9
N810397		7.29	<0.005	0.28	6.95	10.1	1630	1.30	0.14	2.18	0.22	43.3	7.0	14	18.65	6.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza-89

CERTIFICATE OF ANALYSIS WH12176322

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N810362		5.10	14.80	0.16	1.4	0.897	2.62	23.7	27.2	0.67	1880	12.05	0.25	7.0	15.8	480
N810363		2.95	15.60	0.12	1.7	0.061	2.53	28.3	43.2	0.82	969	1.27	0.08	7.6	2.9	550
N810364		2.67	14.50	0.18	1.5	0.065	2.39	31.6	20.2	0.75	1740	2.01	0.06	6.4	3.5	490
N810365		0.46	0.22	0.18	<0.1	0.008	0.03	0.6	1.3	12.85	208	0.63	<0.01	0.1	1.7	180
N810366		2.76	16.25	0.15	1.6	0.041	3.00	22.2	16.8	0.66	490	4.73	1.54	7.7	2.8	580
N810367		2.66	16.55	0.17	1.7	0.040	2.85	21.4	17.5	0.64	469	6.06	1.49	8.2	3.0	570
N810368		3.37	16.70	0.14	1.6	0.082	3.06	26.6	32.9	0.76	866	5.11	0.31	8.4	3.8	640
N810369		4.08	16.45	0.13	1.4	0.106	2.77	27.1	21.1	0.84	1610	3.27	1.00	7.6	15.1	570
N810370		4.08	14.55	0.14	1.4	0.315	2.61	27.6	27.2	0.91	1840	13.80	0.07	6.6	5.5	480
N810371		2.83	15.20	0.11	1.4	0.066	2.52	26.8	39.9	0.71	1090	3.44	0.08	7.4	3.5	570
N810372		2.89	15.95	0.08	1.6	0.044	2.07	23.9	36.2	0.56	866	3.84	0.06	7.5	3.1	590
N810373		2.94	17.00	0.12	1.6	0.042	2.03	29.9	42.9	0.51	784	2.92	0.07	8.2	3.0	650
N810374		2.83	18.25	0.13	1.8	0.036	2.66	32.2	33.2	0.35	524	2.97	0.10	8.7	3.3	640
N810375		2.79	17.60	0.14	1.7	0.031	2.58	22.5	32.5	0.35	566	2.94	0.09	8.3	3.2	620
N810376		2.48	15.65	0.29	1.6	0.042	1.82	11.3	51.5	0.43	699	4.84	0.06	7.9	3.9	570
N810377		4.92	15.55	0.12	1.4	0.094	2.64	25.6	27.6	0.74	749	8.96	0.40	7.0	6.8	550
N810378		4.16	15.70	0.14	2.0	0.081	2.55	16.2	47.2	1.37	1640	1.92	0.09	5.6	66.4	560
N810379		2.58	11.95	0.10	1.2	0.028	1.86	24.3	37.7	0.96	1310	1.94	0.07	5.2	14.2	460
N810380		3.83	16.05	0.10	2.1	0.037	1.65	16.5	59.6	2.08	951	1.72	0.23	6.7	60.9	670
N810381		2.74	16.05	0.09	1.5	0.040	2.42	21.3	17.8	0.79	737	1.81	1.73	7.3	6.7	550
N810382		5.10	15.30	0.15	1.4	0.925	2.59	24.2	26.7	0.67	1880	12.45	0.25	6.9	15.9	490
N810383		2.79	15.80	0.11	1.7	0.032	2.50	22.2	13.7	0.78	555	2.02	2.08	7.4	4.6	570
N810384		2.40	15.75	0.22	1.4	0.044	2.41	14.8	23.1	0.47	569	1.51	0.90	7.5	3.7	540
N810385		2.38	14.45	0.14	1.3	0.034	2.34	24.3	36.9	0.72	1040	1.51	0.09	6.9	3.1	520
N810386		2.64	16.35	0.15	1.5	0.038	2.52	23.8	17.0	0.71	540	1.04	1.85	7.3	3.0	560
N810387		2.76	15.65	0.13	1.4	0.032	2.53	26.2	13.6	0.80	538	2.98	1.99	7.5	3.1	550
N810388		2.78	15.20	0.11	1.4	0.046	2.41	20.8	19.2	0.82	785	1.12	0.93	7.0	3.0	540
N810389		2.87	16.10	0.12	1.4	0.037	2.58	24.2	12.1	0.79	622	1.75	2.11	7.5	3.0	590
N810390		3.03	16.80	0.13	1.5	0.039	2.53	25.4	14.3	0.87	715	1.80	2.29	7.7	3.7	630
N810391		2.93	16.05	0.14	1.5	0.055	2.54	26.5	20.4	0.75	1160	2.06	0.87	7.3	3.0	530
N810392		0.51	0.30	0.10	<0.1	0.006	0.04	0.7	1.2	12.75	226	0.17	0.02	0.2	1.9	180
N810393		3.00	16.80	0.17	1.5	0.044	2.77	22.6	14.7	0.78	924	1.50	1.98	7.7	2.9	600
N810394		2.84	15.60	0.14	1.5	0.042	2.63	23.3	10.0	0.77	818	1.87	2.06	7.2	2.8	550
N810395		2.85	17.50	0.14	1.5	0.084	2.68	27.3	25.6	0.64	1030	2.06	0.63	8.1	3.1	580
N810396		2.99	17.45	0.17	1.6	0.052	2.87	25.1	21.8	0.76	1230	1.42	1.22	8.4	3.3	590
N810397		2.80	16.55	0.13	1.6	0.032	2.52	21.8	29.0	0.69	1060	1.58	0.11	7.7	3.2	570



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza-89

CERTIFICATE OF ANALYSIS WH12176322

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N810362		1280	153.0	0.004	3.09	31.8	9.0	1	6.1	147.0	0.56	0.33	10.4	0.203	4.9
N810363		104.0	102.5	0.002	0.35	7.56	10.3	2	2.3	166.0	0.74	<0.05	13.0	0.236	5.1
N810364		105.0	114.5	0.003	0.40	12.40	9.5	1	2.4	177.5	0.56	<0.05	12.3	0.203	11.1
N810365		1.8	1.2	0.003	0.01	0.08	0.2	<1	0.3	51.5	<0.05	<0.05	<0.2	<0.005	0.5
N810366		20.9	110.5	0.002	0.07	3.58	9.7	1	1.9	284	0.74	<0.05	14.6	0.259	3.9
N810367		21.3	110.0	0.002	0.07	3.83	10.1	<1	2.0	278	0.75	<0.05	13.4	0.248	3.6
N810368		93.2	118.5	0.005	0.49	6.98	11.5	1	2.5	144.5	0.69	0.08	14.4	0.283	3.7
N810369		136.5	136.5	0.003	0.34	6.01	12.8	1	2.8	205	0.61	<0.05	11.8	0.261	5.1
N810370		183.0	142.0	0.003	1.41	11.40	9.7	1	2.7	83.0	0.60	0.31	13.1	0.214	4.4
N810371		70.6	108.0	0.003	0.28	12.95	10.3	1	1.9	88.3	0.66	0.05	13.2	0.244	3.9
N810372		31.7	83.0	0.004	0.19	15.75	10.6	<1	1.9	68.1	0.67	<0.05	13.1	0.255	2.5
N810373		14.5	103.5	0.002	0.15	20.3	11.8	1	2.0	84.6	0.69	<0.05	14.8	0.268	3.6
N810374		14.7	131.5	<0.002	0.01	14.45	11.7	1	2.1	74.9	0.73	<0.05	15.9	0.278	2.7
N810375		15.9	121.0	<0.002	0.01	14.35	11.4	1	2.1	80.7	0.73	<0.05	13.8	0.268	2.4
N810376		12.5	35.5	0.002	0.11	21.1	8.2	1	1.9	85.9	0.73	<0.05	7.7	0.253	2.6
N810377		92.4	124.0	0.003	3.13	5.89	10.0	1	3.1	132.0	0.61	0.27	12.7	0.233	4.9
N810378		63.0	114.5	0.004	0.55	16.95	22.2	<1	1.4	117.5	0.42	<0.05	5.5	0.336	5.9
N810379		51.9	86.6	0.004	0.35	11.95	9.5	1	1.6	251	0.43	<0.05	9.8	0.195	8.1
N810380		16.1	45.6	0.002	0.06	14.40	18.6	1	1.5	193.0	0.53	<0.05	6.4	0.339	3.4
N810381		23.7	92.2	0.003	0.32	3.71	9.7	1	2.0	291	0.63	<0.05	12.5	0.239	4.2
N810382		1275	155.0	0.003	3.10	30.8	8.6	1	6.2	146.0	0.56	0.28	11.3	0.199	5.2
N810383		19.5	101.0	0.002	0.05	1.96	9.7	<1	2.0	356	0.68	<0.05	12.6	0.250	4.3
N810384		19.1	73.3	0.003	0.08	6.52	8.0	<1	2.2	179.0	0.65	<0.05	10.0	0.241	2.7
N810385		36.8	87.3	0.002	0.08	7.74	8.4	1	3.1	151.5	0.57	<0.05	12.0	0.220	3.1
N810386		18.2	105.0	0.002	0.04	2.47	9.6	1	2.2	318	0.61	<0.05	12.2	0.242	4.6
N810387		16.3	113.0	0.002	0.03	1.89	9.8	<1	2.2	344	0.64	<0.05	13.7	0.243	4.4
N810388		16.5	88.3	0.002	0.22	4.18	9.2	1	2.3	192.5	0.63	<0.05	11.4	0.231	3.4
N810389		20.0	98.1	0.003	0.03	1.49	9.8	<1	2.3	347	0.65	<0.05	12.5	0.255	4.0
N810390		17.3	104.0	0.002	0.04	1.73	11.1	1	2.1	374	0.68	<0.05	12.7	0.270	4.5
N810391		20.3	118.0	0.002	0.23	9.09	9.9	<1	2.0	174.0	0.63	<0.05	13.4	0.232	4.8
N810392		1.7	1.8	<0.002	0.02	0.07	0.2	<1	0.2	49.5	<0.05	<0.05	0.2	<0.005	0.6
N810393		17.1	102.0	0.004	0.10	1.88	9.6	1	1.8	331	0.71	<0.05	12.8	0.259	4.4
N810394		17.1	102.5	0.002	0.18	1.52	9.1	1	1.7	342	0.67	<0.05	12.3	0.240	4.2
N810395		56.5	119.0	0.002	0.18	10.70	10.7	<1	1.9	158.0	0.70	<0.05	14.6	0.247	4.2
N810396		61.4	125.5	0.002	0.19	8.29	10.4	1	2.0	228	0.75	<0.05	13.9	0.258	4.9
N810397		17.1	88.3	0.002	0.09	13.55	10.3	1	1.7	93.5	0.65	<0.05	12.7	0.244	4.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2012
 Account: ROCKHA

Project: Klaza-89

CERTIFICATE OF ANALYSIS WH12176322

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N810362		55	5.0	10.4	2810	36.8
N810363		62	3.5	12.7	172	37.3
N810364		56	1.7	17.9	148	34.4
N810365		3	0.1	0.7	15	0.5
N810366		68	3.5	13.7	41	37.6
N810367		65	3.1	14.1	38	43.4
N810368		76	5.0	14.7	189	41.5
N810369		77	4.6	13.1	234	40.6
N810370		60	3.9	11.4	1200	32.5
N810371		65	6.3	13.4	125	34.5
N810372		69	10.0	13.6	65	38.4
N810373		70	7.6	16.3	52	39.5
N810374		73	4.6	15.6	38	44.6
N810375		71	4.6	13.4	38	41.2
N810376		68	6.9	9.5	52	37.8
N810377		65	2.6	11.4	174	35.3
N810378		145	3.8	15.6	132	62.3
N810379		64	2.2	16.3	107	31.6
N810380		125	4.2	13.0	79	61.0
N810381		67	1.2	12.9	62	40.2
N810382		54	5.2	11.4	2780	37.9
N810383		69	0.6	14.7	44	44.1
N810384		66	2.5	10.4	43	32.5
N810385		59	3.3	16.0	73	32.9
N810386		65	0.7	14.2	40	43.6
N810387		66	1.2	15.2	38	35.1
N810388		64	2.0	14.7	46	33.8
N810389		68	0.8	15.5	62	39.5
N810390		76	1.0	16.7	73	36.6
N810391		66	1.7	15.2	66	37.7
N810392		3	0.1	0.9	17	0.6
N810393		70	1.2	14.8	50	39.2
N810394		65	1.1	13.5	47	36.3
N810395		65	2.6	16.0	69	44.3
N810396		71	1.7	15.3	69	43.4
N810397		70	2.2	15.1	57	45.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-89

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12176322

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.