



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 16-AUG-2012

Account: ROCKHA

CERTIFICATE WH12176324

Project: Klaza-90

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza-90

CERTIFICATE OF ANALYSIS WH12176324

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N813668		2.28	<0.005	0.09	7.16	4.6	1620	1.41	0.06	2.75	0.18	51.9	8.2	11	12.60	8.3
N813669		1.78	0.007	1.08	6.55	29.2	1040	1.14	0.98	2.21	0.61	53.4	6.0	19	18.10	16.0
N813670		2.43	<0.005	0.01	0.10	<5	50	<0.05	0.04	20.7	0.07	1.60	0.7	2	0.31	2.6
N813671		4.24	<0.005	0.06	7.49	3.9	1780	1.51	0.08	2.91	0.09	52.1	8.8	15	8.76	6.9
N813672		5.04	<0.005	0.05	7.61	4.1	1960	1.42	0.13	3.27	0.11	46.2	9.0	13	8.72	7.7
N813673		4.12	<0.005	0.07	7.75	3.6	2000	1.54	0.07	3.07	0.07	50.6	9.6	14	6.54	9.3
N813674		<0.02	<0.005	0.05	7.55	3.5	2010	1.42	0.06	3.06	0.08	45.5	9.0	17	6.03	7.1
N813675		5.61	<0.005	0.05	7.44	2.1	1970	1.60	0.07	2.92	0.06	48.0	8.7	12	3.95	6.4
N813676		6.05	<0.005	0.05	7.99	3.1	2070	1.39	0.09	3.08	0.07	54.0	8.7	17	5.12	7.5
N813677		2.87	<0.005	0.06	7.87	2.9	2060	1.53	0.09	3.10	0.06	52.3	8.8	11	5.91	8.5
N813678		5.72	<0.005	0.04	7.47	2.8	1970	1.44	0.10	2.96	0.08	51.0	9.0	15	8.78	6.5
N813679		5.82	<0.005	0.34	8.00	3.9	1960	1.46	7.57	3.11	0.21	50.0	9.4	13	15.55	31.8
N813680		3.02	<0.005	0.07	7.31	4.4	2040	1.46	0.46	2.87	0.10	39.2	9.1	15	13.15	14.5
N813681		2.16	<0.005	0.35	6.86	13.3	1000	1.18	0.57	5.23	0.51	41.6	8.6	10	13.90	16.7
N813682		0.24	0.747	10.25	6.62	1750	1080	1.40	6.71	1.90	44.2	46.2	17.5	17	16.65	112.5
N813683		1.89	<0.005	0.07	6.89	7.2	1260	1.24	0.40	4.66	0.24	44.7	8.5	10	14.20	7.1
N813684		4.23	<0.005	0.03	7.98	3.6	2180	1.40	0.25	3.12	0.06	48.8	8.6	14	13.40	5.7
N813685		2.86	<0.005	0.05	7.80	3.3	2170	1.34	0.32	3.08	0.06	49.3	8.9	21	11.25	8.7
N813686		1.83	<0.005	0.41	7.35	23.5	1330	1.31	0.54	3.14	0.37	44.6	8.3	11	14.75	23.1
N813687		4.15	<0.005	0.22	7.53	4.5	2060	1.60	0.62	2.99	0.07	42.4	8.8	14	9.44	13.6
N813688		2.78	<0.005	0.18	7.26	7.0	1490	1.52	0.92	2.92	0.08	38.0	8.2	12	11.10	13.5
N813689		1.51	0.017	3.64	7.40	84.4	830	1.43	1.02	2.73	1.25	43.3	7.5	23	24.0	76.2
N813690		2.37	<0.005	0.11	0.07	<5	20	0.05	0.07	20.2	0.05	1.20	0.6	<1	0.18	3.8
N813691		4.31	<0.005	0.07	7.50	2.4	2120	1.66	0.35	2.81	0.06	49.3	8.0	14	7.99	9.8
N813692		5.65	<0.005	0.05	7.28	3.3	2080	1.67	0.31	2.92	0.04	44.1	8.1	16	9.62	8.2
N813693		0.23	0.666	10.25	6.81	1855	350	1.62	5.88	1.89	41.6	40.7	17.0	19	16.15	107.0
N813694		5.85	<0.005	0.23	7.55	5.2	2120	1.79	0.39	2.92	0.10	42.7	8.6	14	5.55	5.6
N813695		5.54	0.119	0.07	7.46	3.5	2090	1.65	0.30	2.85	0.12	41.3	8.4	14	6.31	6.8
N813696		5.09	<0.005	0.06	7.47	3.3	2080	1.61	0.23	2.91	0.09	42.1	8.4	14	6.84	6.3
N813697		4.57	<0.005	0.06	7.72	3.1	2080	1.70	0.24	2.93	0.10	44.4	8.7	19	11.80	9.5
N813698		2.98	<0.005	0.06	7.36	2.4	2050	1.68	0.17	2.92	0.07	41.9	8.6	12	10.55	7.3
N813699		2.01	<0.005	0.15	7.30	10.2	2190	1.71	0.18	4.40	0.31	42.5	9.2	13	16.15	9.4
N813700		2.94	<0.005	0.04	7.31	3.0	2000	1.71	0.13	2.71	0.06	44.9	8.6	16	15.35	5.4
N813701		1.84	<0.005	0.02	7.30	1.3	1900	1.68	0.12	3.05	0.07	39.8	8.8	14	12.20	8.1
N813702		3.78	<0.005	0.03	7.69	2.3	2140	1.64	0.17	2.94	0.08	44.3	8.7	12	4.77	6.1
N813703		2.84	<0.005	0.04	7.43	2.5	2070	1.55	0.21	2.85	0.07	39.2	8.3	14	5.80	7.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza-90

CERTIFICATE OF ANALYSIS WH12176324

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N813668		2.87	16.60	0.14	1.5	0.037	2.62	26.7	13.2	0.76	831	1.15	1.42	7.5	3.4	610
N813669		2.48	14.50	0.15	1.8	0.097	2.69	29.8	14.7	0.70	1600	159.5	0.08	9.6	2.8	500
N813670		0.48	0.30	0.07	<0.1	0.006	0.04	0.8	1.5	13.00	214	0.29	0.01	0.3	2.1	200
N813671		3.10	17.25	0.16	1.6	0.039	2.44	24.9	17.9	0.91	780	6.52	1.98	8.1	3.1	630
N813672		3.35	17.10	0.11	1.7	0.043	2.49	21.8	18.2	1.03	827	6.92	2.10	7.7	3.4	680
N813673		3.27	17.90	0.17	1.7	0.035	2.44	27.4	20.0	0.96	749	3.65	2.17	7.8	3.3	650
N813674		3.23	17.10	0.10	1.6	0.039	2.40	21.3	19.3	0.96	754	3.25	2.19	7.7	3.2	650
N813675		3.17	17.10	0.12	1.7	0.038	2.33	24.0	20.4	0.90	687	2.93	2.28	7.8	3.4	640
N813676		3.39	17.15	0.18	1.7	0.035	2.49	27.6	19.9	0.99	729	7.31	2.33	7.7	3.2	670
N813677		3.21	17.15	0.15	1.6	0.038	2.38	25.2	19.6	0.94	709	49.1	2.29	7.7	3.1	660
N813678		3.25	16.95	0.14	1.6	0.032	2.36	25.6	17.0	0.94	700	6.10	2.15	7.6	3.5	640
N813679		3.51	17.90	0.21	1.5	0.079	2.16	26.0	16.7	0.96	828	3.65	1.98	7.8	3.7	690
N813680		3.09	17.90	0.14	1.4	0.036	2.27	17.6	19.0	0.88	680	6.02	2.11	8.1	3.3	640
N813681		3.06	14.20	0.13	1.2	0.031	1.86	22.3	122.5	1.80	1800	7.58	0.09	6.5	2.8	570
N813682		5.28	15.95	0.18	1.5	0.938	2.70	25.1	27.9	0.70	1960	13.15	0.26	7.1	16.1	490
N813683		3.03	15.40	0.15	1.2	0.032	1.86	22.7	130.0	1.34	1060	2.17	0.97	6.9	3.1	610
N813684		3.38	16.70	0.20	1.3	0.031	2.38	24.1	18.9	0.97	739	3.51	2.26	7.4	3.1	690
N813685		3.39	16.40	0.12	1.4	0.041	2.44	24.9	15.1	0.93	786	3.18	2.14	7.7	3.3	670
N813686		3.37	16.50	0.14	1.4	0.042	2.75	22.5	40.1	0.89	1980	10.10	0.72	7.5	3.1	640
N813687		3.34	16.00	0.09	1.2	0.047	2.33	20.0	18.1	0.98	826	10.10	2.20	8.1	3.3	670
N813688		3.19	15.20	0.07	1.3	0.043	2.52	18.7	11.3	0.86	1090	22.7	1.84	7.7	3.0	640
N813689		3.67	14.55	0.09	1.2	0.301	3.15	24.1	7.4	0.83	5660	15.25	0.12	6.9	3.2	600
N813690		0.47	0.21	0.05	<0.1	0.012	0.02	0.6	0.8	12.40	218	0.20	0.01	0.2	1.6	180
N813691		3.09	16.20	0.12	1.3	0.035	2.34	24.4	14.1	0.86	674	5.17	2.12	7.6	3.3	610
N813692		3.11	16.15	0.09	1.3	0.036	2.40	21.5	12.7	0.86	674	6.72	1.92	7.6	3.1	610
N813693		5.46	14.95	0.10	1.4	0.813	2.77	22.3	24.9	0.70	2020	11.85	0.26	7.4	16.1	510
N813694		3.33	15.90	0.09	1.3	0.042	2.30	21.0	15.5	0.96	725	8.30	2.20	8.1	3.4	650
N813695		3.20	16.35	0.11	1.4	0.035	2.43	19.2	13.8	0.89	677	1.66	2.11	7.7	3.2	620
N813696		3.11	16.10	0.10	1.5	0.037	2.43	20.5	15.4	0.89	695	1.25	2.18	7.9	3.2	630
N813697		3.31	16.60	0.09	1.5	0.041	2.48	21.9	14.8	0.86	772	1.49	2.08	8.1	3.5	670
N813698		3.15	16.35	0.10	1.6	0.041	2.46	20.1	14.6	0.84	765	1.11	2.18	8.1	3.3	630
N813699		3.55	15.30	0.10	1.2	0.035	2.46	22.5	26.5	1.38	1600	0.96	1.33	7.5	3.5	610
N813700		3.21	16.40	0.10	1.4	0.042	2.45	22.4	18.1	0.80	707	0.81	2.09	8.1	3.3	660
N813701		3.31	16.65	0.10	1.5	0.041	2.33	18.8	22.5	0.88	758	0.91	1.98	8.4	3.6	660
N813702		3.19	16.75	0.10	1.4	0.040	2.28	22.4	14.2	0.92	704	0.82	2.29	8.0	3.5	650
N813703		3.26	15.90	0.08	1.3	0.033	2.38	19.4	13.2	0.91	717	0.90	2.16	7.8	3.3	640



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-AUG-2012
Account: ROCKHA

Project: Klaza-90

CERTIFICATE OF ANALYSIS WH12176324

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N813668		18.1	113.0	0.002	0.02	26.7	11.8	1	2.2	299	0.64	<0.05	12.7	0.277	5.2
N813669		71.4	129.0	0.017	0.14	93.4	9.5	1	2.9	96.1	1.02	0.06	16.1	0.228	5.5
N813670		1.6	1.9	0.002	0.01	0.18	0.2	<1	0.3	43.5	<0.05	<0.05	<0.2	<0.005	0.5
N813671		15.9	115.0	0.002	0.02	4.24	12.1	<1	2.0	372	0.65	<0.05	12.9	0.284	4.5
N813672		17.4	99.2	0.002	0.01	21.3	12.0	<1	2.2	399	0.66	<0.05	12.0	0.294	4.5
N813673		16.6	110.0	0.003	0.02	7.53	12.6	1	2.5	396	0.67	<0.05	12.7	0.303	4.2
N813674		16.4	97.1	0.004	0.02	7.46	12.1	<1	2.1	396	0.65	<0.05	11.6	0.293	3.9
N813675		15.4	90.7	<0.002	<0.01	0.99	11.8	1	1.9	405	0.69	<0.05	12.4	0.280	4.3
N813676		15.2	111.5	0.004	0.01	2.08	12.1	1	2.1	426	0.67	<0.05	14.6	0.303	5.3
N813677		14.8	101.5	0.004	0.02	2.95	11.6	1	2.2	426	0.67	<0.05	13.5	0.287	4.5
N813678		15.6	99.0	0.002	0.01	10.55	12.1	<1	2.1	397	0.62	<0.05	12.4	0.289	3.9
N813679		30.6	101.5	<0.002	0.02	16.80	12.3	1	2.5	401	0.59	0.11	13.4	0.298	4.2
N813680		17.9	94.2	0.002	0.01	2.55	11.9	1	2.4	396	0.63	<0.05	9.3	0.283	4.1
N813681		21.7	110.5	<0.002	0.15	19.95	10.3	<1	2.6	202	0.58	<0.05	11.2	0.262	6.3
N813682		1330	165.0	0.002	3.21	32.0	9.2	1	6.1	153.5	0.62	0.28	11.6	0.208	5.3
N813683		20.4	66.6	0.002	0.03	8.09	10.7	<1	2.1	339	0.49	<0.05	9.2	0.271	2.9
N813684		14.4	101.0	0.002	0.03	1.31	12.0	1	2.0	440	0.57	<0.05	12.2	0.302	4.0
N813685		14.7	99.6	0.003	0.07	1.49	12.5	1	2.1	418	0.61	<0.05	11.8	0.312	3.9
N813686		40.8	140.0	<0.002	0.12	8.54	12.1	1	2.2	188.0	0.61	<0.05	11.4	0.280	5.2
N813687		13.8	75.6	0.002	0.09	1.70	11.3	1	2.3	424	0.62	<0.05	10.3	0.292	3.8
N813688		16.2	87.8	0.003	0.12	7.25	10.4	1	2.3	351	0.63	<0.05	9.9	0.286	4.2
N813689		229	140.5	<0.002	0.46	76.9	10.0	1	2.2	117.5	0.56	<0.05	11.6	0.263	7.0
N813690		1.5	1.3	<0.002	0.01	0.12	0.3	1	0.5	42.0	<0.05	<0.05	<0.2	<0.005	0.5
N813691		14.4	91.1	0.002	0.05	1.16	11.2	1	2.4	406	0.59	<0.05	12.6	0.270	4.9
N813692		14.3	85.9	0.002	0.04	15.50	10.6	1	2.3	390	0.60	<0.05	11.4	0.271	4.0
N813693		1360	143.5	0.003	3.23	39.8	8.6	1	6.0	153.0	0.60	0.29	10.6	0.212	5.2
N813694		16.3	77.4	0.002	0.03	3.71	11.7	1	2.3	419	0.64	<0.05	10.6	0.279	3.5
N813695		15.0	77.4	<0.002	0.01	5.36	10.9	1	2.2	411	0.62	<0.05	10.3	0.271	3.5
N813696		15.2	76.8	<0.002	0.01	4.31	10.9	2	2.3	411	0.61	<0.05	10.6	0.281	3.6
N813697		15.4	93.0	<0.002	0.01	6.59	11.1	1	2.5	407	0.65	<0.05	12.6	0.280	4.7
N813698		15.3	81.4	<0.002	0.01	1.84	10.9	1	2.3	413	0.67	<0.05	11.3	0.285	3.8
N813699		21.3	105.0	<0.002	0.09	32.5	11.0	1	2.4	347	0.59	<0.05	11.8	0.255	7.6
N813700		15.1	85.5	<0.002	0.01	1.93	11.4	1	2.2	411	0.66	<0.05	12.0	0.290	3.8
N813701		15.1	77.0	<0.002	0.01	10.90	11.2	1	2.4	403	0.67	<0.05	10.2	0.283	3.7
N813702		14.8	80.8	<0.002	<0.01	1.06	11.2	1	2.2	438	0.67	<0.05	11.4	0.264	3.9
N813703		14.5	73.9	<0.002	0.01	5.01	10.7	<1	2.2	420	0.64	<0.05	10.4	0.285	4.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2012
 Account: ROCKHA

Project: Klaza-90

CERTIFICATE OF ANALYSIS WH12176324

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N813668		78	2.7	15.6	58	42.3
N813669		55	28.8	11.4	64	45.9
N813670		3	0.1	0.8	17	0.5
N813671		82	34.2	17.5	54	44.5
N813672		88	6.9	16.4	60	45.3
N813673		87	6.5	17.6	58	47.7
N813674		88	6.1	16.0	58	43.3
N813675		80	2.8	16.4	53	44.7
N813676		90	6.8	17.6	57	45.2
N813677		81	5.6	16.9	52	40.7
N813678		83	4.8	15.9	56	39.0
N813679		88	6.7	15.2	83	36.7
N813680		82	5.5	16.0	57	34.9
N813681		74	9.5	15.2	85	27.5
N813682		57	5.3	11.8	2900	42.1
N813683		74	6.7	15.0	68	31.6
N813684		86	5.5	16.2	54	34.2
N813685		91	2.9	16.1	59	32.1
N813686		79	4.2	15.3	106	31.6
N813687		85	5.9	15.8	56	29.2
N813688		82	3.0	13.1	52	30.6
N813689		76	4.7	13.8	150	29.6
N813690		3	0.1	0.8	14	<0.5
N813691		78	2.1	16.5	51	32.4
N813692		79	1.4	15.2	51	31.3
N813693		58	5.1	11.3	3100	36.6
N813694		84	1.2	16.5	54	31.3
N813695		79	1.2	15.5	51	33.1
N813696		82	1.4	15.2	55	36.7
N813697		83	0.5	15.9	57	35.0
N813698		84	0.5	15.2	58	37.1
N813699		79	0.7	17.8	79	30.4
N813700		85	0.5	15.9	60	31.7
N813701		84	0.5	15.2	58	36.0
N813702		77	0.3	16.5	52	31.4
N813703		85	0.3	15.4	57	28.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-90

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12176324

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.