



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 17-AUG-2012

Account: ROCKHA

CERTIFICATE WH12176325

Project: Klaza-90

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-AUG-2012
Account: ROCKHA

Project: Klaza-90

CERTIFICATE OF ANALYSIS WH12176325

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N813704		1.27	<0.005	0.05	7.56	4.5	2010	1.59	0.23	3.19	0.10	41.8	8.7	11	12.15	6.8
N813705		2.69	<0.005	0.05	7.63	1.8	2110	1.68	0.37	2.92	0.08	43.1	8.5	11	3.46	8.4
N813706		0.26	0.731	10.00	6.79	1805	790	1.60	6.12	1.86	41.2	43.4	17.0	17	16.10	107.0
N813707		1.48	<0.005	0.21	7.98	6.6	2170	1.75	0.40	3.09	0.15	46.1	9.0	9	10.40	15.4
N813708		3.40	<0.005	0.09	8.05	3.6	2130	1.79	0.41	3.07	0.08	46.7	9.0	9	9.34	8.1
N813709		1.69	<0.005	0.05	7.72	5.7	1730	1.83	0.19	2.84	0.09	43.6	9.3	9	18.20	4.8
N813710		1.51	<0.005	0.06	7.51	4.4	1760	1.62	0.41	2.90	0.06	43.1	8.5	7	12.75	7.1
N813711		3.38	<0.005	0.45	7.30	3.0	2060	1.80	13.80	2.71	0.09	41.3	8.8	10	6.24	43.6
N813712		1.51	<0.005	0.54	7.48	3.0	2100	1.66	17.15	2.79	0.12	43.9	9.4	9	5.86	70.8
N813713		1.51	<0.005	0.08	7.72	3.4	2250	1.71	0.37	3.03	0.05	48.1	8.6	9	8.14	11.7
N813714		2.97	<0.005	0.06	7.61	2.0	2090	1.60	2.09	2.75	0.05	42.9	8.5	9	6.16	11.7
N813715		4.77	<0.005	0.05	7.58	1.8	2040	1.76	0.25	2.98	0.05	41.5	8.4	9	5.65	5.1
N813716		4.73	<0.005	0.04	7.63	2.1	2090	1.77	0.18	2.81	0.07	44.6	8.7	11	5.94	8.4
N813717		4.74	<0.005	0.05	7.57	2.5	2110	1.76	0.29	2.67	0.07	47.6	8.9	9	5.48	9.2
N813718		4.85	<0.005	0.12	7.52	2.1	2100	1.69	0.51	2.71	0.07	44.9	8.8	9	6.74	21.9
N813719		3.14	<0.005	0.12	7.98	4.7	2170	1.57	7.75	2.77	0.10	43.4	8.7	9	7.48	24.0
N813720		2.19	<0.005	0.06	7.53	3.7	1900	1.79	0.21	2.62	0.07	44.4	8.8	8	10.70	10.9
N813721		1.63	<0.005	0.18	6.86	17.1	1190	1.43	0.20	4.45	0.20	45.3	7.7	5	20.7	8.1
N813722		3.99	<0.005	0.03	0.06	<5	10	0.06	0.09	20.4	0.06	1.19	0.6	<1	0.16	2.3
N813723		2.16	<0.005	0.08	7.67	5.2	1780	1.35	0.11	2.75	0.07	44.9	8.2	9	19.60	9.7
N813724		1.57	<0.005	0.06	6.75	6.1	1160	1.16	0.19	6.27	0.20	46.3	7.6	6	14.65	9.4
N813725		2.75	<0.005	0.01	0.09	<5	20	0.05	0.05	20.2	0.06	1.18	0.6	<1	0.20	2.0
N813726		5.10	<0.005	0.07	7.87	3.7	2080	1.50	12.95	2.88	0.19	52.5	8.5	10	7.11	17.0
N813727		4.16	<0.005	0.09	7.80	0.3	2150	1.16	1.22	2.86	0.15	47.3	8.1	11	8.28	19.0
N813728		0.26	0.719	10.00	7.21	1995	1620	1.38	7.19	2.01	45.9	49.7	17.6	22	16.55	115.5
N813729		5.41	<0.005	0.08	7.89	2.9	2090	1.34	0.33	2.94	0.08	43.6	8.1	12	8.91	8.5
N813730		4.91	<0.005	0.05	7.05	4.4	1830	1.15	0.20	2.98	0.10	39.9	7.9	9	13.55	7.2
N813731		2.71	<0.005	0.03	7.52	2.6	2150	1.63	0.30	2.91	0.06	43.9	8.4	10	20.6	4.9
N813732		1.46	<0.005	0.07	7.29	9.5	1000	1.53	0.48	4.26	0.39	58.1	9.8	7	25.6	9.1
N813733		4.12	<0.005	0.04	7.60	1.9	2220	1.48	0.32	2.92	0.06	47.3	8.5	10	9.97	7.0
N813734		<0.02	<0.005	0.03	7.84	1.3	2240	1.36	0.27	2.94	0.04	47.0	8.1	10	9.53	6.7
N813735		4.07	<0.005	0.09	7.66	2.9	1970	1.31	1.29	3.03	0.07	45.4	8.5	10	11.40	26.8
N813736		2.50	<0.005	0.30	6.93	7.1	820	1.19	2.85	3.02	0.16	40.1	7.1	10	16.50	42.5
N813737		2.18	<0.005	5.36	7.50	20.1	1310	1.39	34.5	3.40	1.47	51.0	8.6	11	14.20	86.1
N813738		5.39	<0.005	0.09	7.68	2.8	2090	1.37	1.38	2.95	0.10	50.5	8.1	11	9.33	18.9
N813739		4.87	<0.005	0.08	7.92	2.3	2110	1.20	1.37	3.00	0.08	46.8	8.2	11	7.91	12.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-AUG-2012
Account: ROCKHA

Project: Klaza-90

CERTIFICATE OF ANALYSIS WH12176325

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N813704		3.27	15.50	0.10	1.3	0.038	2.45	20.2	21.3	0.97	826	0.39	1.89	7.4	3.3	640
N813705		3.16	16.25	0.12	1.3	0.035	2.35	20.3	13.0	0.91	682	0.45	2.24	7.9	3.6	640
N813706		5.38	15.25	0.13	1.4	0.813	2.77	23.6	24.8	0.70	1980	12.10	0.26	7.4	16.5	500
N813707		3.30	17.15	0.11	1.5	0.039	2.46	23.7	12.7	0.94	720	0.38	2.20	8.0	3.7	660
N813708		3.32	17.10	0.10	1.5	0.043	2.49	22.7	16.9	0.94	724	0.46	2.30	8.3	3.4	680
N813709		3.27	16.65	0.10	1.4	0.044	2.45	22.5	17.3	0.86	765	0.39	1.61	8.3	4.0	660
N813710		3.05	16.25	0.11	1.4	0.036	2.37	21.4	14.5	0.86	682	0.37	1.83	7.9	3.5	640
N813711		3.06	16.70	0.10	1.4	0.043	2.37	20.0	15.3	0.89	661	0.36	2.20	8.0	3.5	650
N813712		3.27	16.85	0.10	1.4	0.042	2.38	22.2	15.7	0.95	695	0.46	2.26	8.3	3.6	650
N813713		3.13	16.40	0.13	1.4	0.040	2.36	23.6	14.0	0.92	683	0.44	2.10	7.8	3.8	630
N813714		3.11	16.15	0.12	1.4	0.037	2.39	22.2	13.3	0.90	678	0.52	2.20	8.0	3.9	630
N813715		3.06	16.45	0.10	1.5	0.039	2.37	20.3	14.1	0.91	709	0.78	2.23	8.1	3.7	620
N813716		3.18	16.50	0.11	1.5	0.042	2.36	21.5	14.4	0.97	724	0.54	2.29	8.5	3.4	650
N813717		3.16	16.15	0.11	1.7	0.037	2.33	23.6	13.9	0.98	711	0.42	2.24	8.3	3.4	630
N813718		3.20	16.40	0.11	1.4	0.041	2.36	22.1	16.0	0.98	694	0.45	2.17	8.1	3.6	640
N813719		3.31	16.00	0.13	1.5	0.041	2.26	22.9	15.9	1.00	707	0.92	2.17	7.8	3.6	670
N813720		3.25	15.00	0.11	1.5	0.038	2.35	22.6	30.9	0.99	768	0.32	1.34	8.1	3.5	650
N813721		3.10	14.15	0.12	1.2	0.037	2.20	24.6	65.0	1.36	2300	0.66	0.78	6.9	3.3	560
N813722		0.45	0.20	0.10	<0.1	0.006	0.02	0.6	1.0	12.55	193	0.14	0.01	0.2	1.9	180
N813723		3.11	17.15	0.14	1.6	0.051	2.67	19.2	111.0	0.79	684	0.88	1.23	8.6	3.2	660
N813724		3.02	14.35	0.14	1.3	0.045	2.13	22.9	104.0	1.51	1360	1.00	0.54	6.7	2.7	550
N813725		0.48	0.24	0.08	<0.1	0.010	0.03	0.6	1.6	12.00	213	0.20	0.01	0.2	1.9	160
N813726		3.19	17.95	0.14	1.7	0.056	2.44	22.6	16.5	0.93	717	1.51	2.36	9.0	3.1	650
N813727		3.24	16.75	0.15	1.4	0.041	2.52	21.4	13.8	0.89	696	0.55	2.19	7.9	3.1	660
N813728		5.61	16.75	0.14	1.6	0.970	3.03	23.2	22.2	0.73	2150	13.90	0.27	7.9	16.9	540
N813729		3.26	16.55	0.15	1.4	0.045	2.48	20.6	14.4	0.87	711	0.38	2.19	7.6	2.9	670
N813730		3.00	16.60	0.12	1.4	0.042	2.38	17.8	33.2	0.85	693	0.41	1.73	7.8	2.7	640
N813731		3.11	17.40	0.15	1.4	0.044	2.59	19.7	19.3	0.73	649	0.38	2.11	8.0	2.9	670
N813732		3.15	19.80	0.23	1.5	0.058	2.23	28.2	153.5	1.19	1260	0.39	0.35	8.3	3.7	580
N813733		3.17	17.50	0.16	1.4	0.055	2.50	20.7	20.1	0.88	707	0.44	2.09	8.0	3.1	640
N813734		3.21	16.65	0.14	1.4	0.039	2.54	21.5	20.1	0.89	707	0.51	2.12	7.6	2.9	650
N813735		3.32	17.20	0.14	1.4	0.040	2.42	19.9	11.6	0.89	727	0.42	2.13	8.0	3.1	700
N813736		2.95	15.00	0.13	1.2	0.035	2.33	18.2	31.5	0.89	910	0.30	1.17	7.2	2.8	620
N813737		3.48	16.35	0.13	1.4	0.106	2.99	24.9	16.5	0.94	2530	0.28	0.39	7.9	3.1	630
N813738		3.19	17.40	0.14	1.4	0.040	2.61	22.2	13.0	0.86	796	0.39	1.99	7.9	2.9	640
N813739		3.26	17.00	0.13	1.4	0.038	2.58	20.8	17.0	0.91	730	0.36	2.19	8.0	2.9	670



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-AUG-2012
Account: ROCKHA

Project: Klaza-90

CERTIFICATE OF ANALYSIS WH12176325

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N813704		15.6	78.2	<0.002	0.02	28.8	10.4	1	2.2	387	0.62	<0.05	11.0	0.276	3.8
N813705		14.7	71.7	<0.002	0.01	1.38	11.0	1	2.1	429	0.64	<0.05	11.2	0.278	4.1
N813706		1355	151.5	<0.002	3.18	36.1	8.6	1	6.1	151.5	0.60	0.30	11.2	0.214	5.1
N813707		18.0	84.2	<0.002	0.02	14.25	11.5	1	2.2	447	0.63	<0.05	12.5	0.287	3.7
N813708		15.8	89.1	<0.002	0.01	4.29	12.0	1	2.3	449	0.68	<0.05	12.3	0.295	4.1
N813709		16.2	97.3	<0.002	0.01	36.9	12.4	1	2.3	361	0.69	<0.05	12.4	0.285	4.6
N813710		14.4	94.9	<0.002	0.01	25.7	11.4	1	2.5	386	0.62	<0.05	11.8	0.275	4.2
N813711		15.1	83.1	<0.002	0.01	2.06	11.6	1	2.2	418	0.66	0.42	11.3	0.274	4.0
N813712		14.5	84.4	<0.002	0.01	1.06	11.6	2	2.3	427	0.66	0.51	11.1	0.286	4.0
N813713		14.4	93.6	<0.002	0.01	8.71	11.6	1	2.1	422	0.65	<0.05	13.1	0.274	4.8
N813714		15.6	90.5	<0.002	0.01	0.76	11.2	1	2.2	421	0.68	<0.05	12.3	0.277	4.4
N813715		15.5	80.4	<0.002	0.01	2.31	10.8	1	2.1	428	0.66	<0.05	11.6	0.273	4.0
N813716		15.5	82.1	<0.002	0.01	1.20	11.6	1	2.2	432	0.80	<0.05	12.2	0.283	4.7
N813717		15.1	88.2	<0.002	0.01	1.03	11.5	1	2.2	433	0.86	<0.05	12.7	0.274	4.6
N813718		14.7	89.4	<0.002	0.04	1.09	11.2	1	2.3	426	0.67	<0.05	12.7	0.281	4.4
N813719		19.3	91.2	<0.002	0.03	2.24	12.0	1	2.3	453	0.66	<0.05	12.3	0.279	4.4
N813720		15.2	86.2	<0.002	0.04	2.74	11.3	1	2.3	377	0.76	<0.05	12.5	0.283	4.3
N813721		16.8	101.5	<0.002	0.10	17.00	10.3	1	1.9	297	0.63	<0.05	11.4	0.245	7.6
N813722		1.4	1.0	<0.002	0.02	<0.05	0.2	<1	0.3	49.3	<0.05	<0.05	<0.2	<0.005	0.7
N813723		18.1	108.5	<0.002	0.01	5.87	11.9	1	2.3	322	0.73	<0.05	13.4	0.281	4.7
N813724		19.0	81.6	<0.002	0.05	8.73	9.9	<1	2.2	324	0.58	<0.05	12.8	0.227	5.5
N813725		1.2	1.3	<0.002	0.01	0.06	0.2	<1	0.4	42.9	<0.05	<0.05	<0.2	<0.005	0.6
N813726		18.8	107.5	<0.002	0.01	1.16	12.5	1	2.8	417	0.84	1.22	13.7	0.274	6.0
N813727		15.4	90.3	<0.002	0.02	1.07	11.2	<1	2.6	432	0.70	<0.05	13.1	0.278	4.6
N813728		1415	170.0	<0.002	3.35	35.6	9.6	1	6.5	165.5	0.62	0.29	13.1	0.215	6.1
N813729		15.8	95.1	<0.002	0.01	1.29	11.1	1	2.3	430	0.63	<0.05	12.7	0.279	4.4
N813730		16.3	88.2	<0.002	0.01	6.45	11.1	1	2.3	375	0.63	<0.05	11.6	0.269	3.9
N813731		15.3	94.9	<0.002	0.01	2.34	11.4	1	2.2	441	0.61	<0.05	11.3	0.278	3.8
N813732		21.3	121.5	<0.002	0.02	50.2	13.7	1	3.6	243	0.67	<0.05	13.7	0.246	5.9
N813733		15.6	96.3	<0.002	0.01	1.37	11.9	1	2.3	421	0.60	<0.05	12.7	0.273	4.3
N813734		14.8	101.0	<0.002	0.01	1.31	11.2	1	2.3	427	0.59	<0.05	13.0	0.279	4.2
N813735		16.0	96.7	<0.002	0.01	6.36	11.5	1	2.5	437	0.62	<0.05	12.3	0.287	4.5
N813736		17.7	99.0	<0.002	0.01	21.2	10.5	1	2.6	262	0.57	<0.05	10.6	0.261	3.7
N813737		71.7	154.0	<0.002	0.12	21.8	12.4	2	3.5	157.0	0.65	0.67	13.9	0.275	5.9
N813738		15.2	105.0	<0.002	0.06	3.71	11.7	2	2.5	402	0.61	<0.05	12.2	0.271	4.4
N813739		16.2	96.7	<0.002	0.03	4.12	11.5	1	2.4	429	0.64	<0.05	13.2	0.285	5.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17-AUG-2012
 Account: ROCKHA

Project: Klaza-90

CERTIFICATE OF ANALYSIS WH12176325

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N813704		81	0.5	14.6	59	28.9
N813705		82	0.3	16.2	55	30.8
N813706		59	5.1	11.6	3060	37.8
N813707		84	0.3	16.1	57	35.6
N813708		87	0.6	17.0	59	34.8
N813709		85	0.6	17.2	61	33.0
N813710		81	0.5	15.7	53	31.5
N813711		80	0.6	16.8	53	32.8
N813712		84	0.6	17.2	57	32.1
N813713		78	1.0	17.2	53	30.9
N813714		80	0.6	16.8	55	32.4
N813715		79	1.5	16.4	54	32.7
N813716		85	1.3	17.5	58	33.5
N813717		81	4.9	18.0	56	34.9
N813718		83	0.5	16.8	58	33.5
N813719		82	0.5	18.0	56	31.6
N813720		82	1.0	16.3	56	33.0
N813721		70	2.6	16.4	63	28.2
N813722		2	0.1	0.9	14	0.5
N813723		83	1.8	15.3	55	36.3
N813724		70	2.1	18.9	66	30.8
N813725		2	0.2	0.8	13	<0.5
N813726		83	1.3	19.0	53	38.1
N813727		82	0.4	15.5	52	31.8
N813728		62	5.6	11.9	3230	41.3
N813729		83	0.4	15.9	54	30.9
N813730		80	0.7	14.5	52	31.4
N813731		82	0.5	14.5	51	33.1
N813732		78	1.4	22.0	76	35.8
N813733		81	0.5	15.9	51	34.2
N813734		82	0.4	15.8	52	31.0
N813735		85	0.9	14.8	54	32.8
N813736		78	1.3	12.1	73	30.1
N813737		79	2.4	14.4	229	32.8
N813738		81	0.7	15.9	57	36.1
N813739		85	0.4	15.8	55	34.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-90

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12176325

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.