



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 21-AUG-2012

Account: ROCKHA

CERTIFICATE WH12179916

Project: Klaza TR-12-37

P.O. No.: Batch 6

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 1-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-37

CERTIFICATE OF ANALYSIS WH12179916

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N815468		4.95	<0.005	0.59	8.32	27.0	1560	1.70	9.29	0.35	0.81	46.2	7.5	14	26.3	50.2
N815469		4.72	<0.005	0.30	8.49	12.9	1110	1.69	0.32	0.96	0.56	40.2	8.4	16	25.0	59.9
N815470		7.46	<0.005	0.34	8.08	26.6	1170	1.65	3.10	0.28	0.84	48.9	10.6	13	16.55	48.6
N815471		3.54	<0.005	0.18	7.89	13.1	540	1.65	0.71	0.29	0.56	45.9	10.1	13	13.90	38.3
N815472		4.01	<0.005	0.20	7.82	16.9	640	1.67	0.67	0.29	0.59	43.4	9.3	13	14.30	27.7
N815473		4.91	<0.005	0.17	7.94	23.1	1560	1.44	1.01	0.24	0.69	48.5	11.7	13	13.85	13.0
N815474		5.14	<0.005	0.21	8.07	19.0	1160	1.62	0.52	0.39	0.54	46.2	9.0	15	15.20	17.4
N815475		4.27	<0.005	0.27	8.06	48.1	610	1.83	0.20	0.27	0.91	50.7	7.7	12	17.10	31.6
N815476		4.34	<0.005	0.19	8.19	10.2	860	1.74	3.25	0.60	0.34	51.5	9.2	14	18.40	19.2
N815477		5.19	<0.005	0.08	8.12	12.3	1070	1.77	0.25	0.91	0.29	49.8	10.0	13	11.80	10.8
N815478		3.72	<0.005	0.11	8.06	18.0	940	1.62	0.23	0.66	0.45	48.5	6.5	13	20.4	18.5
N815479		8.50	<0.005	0.09	7.98	11.6	1020	1.78	0.21	0.40	0.38	46.3	7.2	13	13.80	13.3
N815480		5.22	<0.005	0.06	7.77	4.4	1280	1.11	0.09	0.40	0.12	33.1	10.2	10	8.24	7.8
N815481		6.27	<0.005	0.11	7.87	6.9	1420	1.60	0.34	0.31	0.21	56.5	6.8	11	9.92	17.9
N815482		6.14	<0.005	0.08	7.57	10.2	900	1.52	0.18	0.40	0.20	49.8	7.4	15	9.20	19.0
N815483		4.56	<0.005	0.12	8.43	18.2	850	1.83	0.16	0.61	0.20	76.7	8.4	32	24.5	22.0
N815484		4.68	<0.005	0.11	8.58	23.8	2280	1.98	0.22	0.58	0.25	75.4	8.5	37	15.65	26.4
N815485		4.99	<0.005	0.10	8.16	12.6	1300	1.64	0.22	0.56	0.25	66.0	9.6	24	12.45	17.0
N815486		4.67	<0.005	0.19	7.23	11.7	1440	1.17	0.33	0.21	0.21	57.3	6.6	10	10.20	21.5
N815487		3.34	<0.005	0.11	8.01	9.6	1210	1.41	0.19	0.37	0.28	46.5	9.0	12	13.35	11.0
N815488		3.91	<0.005	0.10	7.82	10.6	1820	1.49	0.19	0.35	0.28	48.9	9.3	11	15.75	8.8
N815489		4.43	<0.005	0.10	7.76	9.7	860	1.42	0.18	0.23	0.21	50.4	9.4	10	16.65	8.3
N815490		5.77	<0.005	2.95	7.93	8.2	1120	1.51	0.16	0.29	0.15	41.6	8.7	11	16.85	14.6
N815491		3.69	0.007	0.21	7.70	20.6	820	1.36	0.19	1.08	0.32	32.5	7.3	10	25.6	5.5
N815492		4.29	<0.005	0.10	7.94	10.0	1270	1.22	0.31	0.25	0.28	46.4	8.7	13	12.30	13.3
N815493		4.06	<0.005	0.26	7.99	12.8	1020	1.45	0.96	0.23	0.32	45.3	9.6	11	13.05	19.9
N815494		7.01	<0.005	0.14	7.79	16.4	900	1.44	0.39	0.25	0.30	50.3	8.2	12	12.50	15.0
N815495		0.23	1.300	32.1	7.88	541	1240	1.80	1.29	0.30	31.0	75.0	5.7	18	3.23	130.5
N815496		6.59	0.005	0.85	8.12	29.4	1700	1.48	6.33	0.28	0.52	44.0	9.8	12	13.05	27.6
N815497		3.32	<0.005	0.26	7.64	34.9	2110	1.77	0.30	0.26	0.36	44.5	8.7	10	16.50	8.8
N815498		5.54	<0.005	0.37	8.09	31.7	1540	1.77	0.87	0.34	0.43	51.0	8.9	10	15.25	15.6
N815499		4.00	0.010	1.11	7.87	185.5	1200	1.64	0.65	0.96	3.51	40.3	9.7	11	28.7	13.3
N815500		1.65	<0.005	0.05	0.10	<5	30	0.05	0.04	20.6	0.07	1.26	0.6	<1	0.26	1.7
N815501		4.65	<0.005	0.29	8.18	36.1	1290	2.07	0.30	0.46	0.73	75.5	6.6	16	30.7	13.1
N815502		4.84	<0.005	0.19	8.01	11.1	1000	2.19	0.11	0.43	0.29	81.9	5.0	10	28.6	7.7
N815503		4.03	<0.005	0.28	7.77	11.8	1150	1.88	0.24	0.44	0.39	76.3	6.1	27	27.1	16.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-37

CERTIFICATE OF ANALYSIS WH12179916

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
N815468		3.45	18.75	0.16	0.8	0.059	2.32	23.9	37.9	0.21	335	8.55	0.12	9.2	5.8	600
N815469		3.39	18.80	0.17	0.8	0.037	2.15	18.7	25.2	0.35	307	5.05	1.08	10.3	6.2	630
N815470		3.59	17.55	0.21	0.7	0.071	2.67	26.9	44.0	0.24	548	8.53	0.18	9.5	6.6	590
N815471		3.29	17.45	0.20	0.7	0.052	3.01	25.0	31.5	0.30	445	7.59	0.07	9.0	6.0	580
N815472		3.13	17.35	0.23	0.8	0.042	3.11	23.5	27.6	0.31	512	6.66	0.09	9.0	6.2	580
N815473		3.35	18.25	0.21	0.8	0.065	2.95	26.1	64.6	0.29	1420	10.80	0.06	9.4	6.0	580
N815474		3.25	17.60	0.23	0.9	0.042	2.43	24.1	30.9	0.29	602	4.85	1.00	10.4	7.1	590
N815475		3.85	17.95	0.23	0.8	0.035	2.20	27.5	76.5	0.18	516	8.77	0.08	9.1	8.4	610
N815476		3.18	18.35	0.23	0.8	0.035	2.16	27.3	42.0	0.32	411	3.01	1.25	9.9	6.2	620
N815477		3.32	18.25	0.23	0.8	0.030	2.22	23.1	23.9	0.61	479	2.04	1.92	9.3	6.5	610
N815478		3.22	17.45	0.23	0.7	0.032	1.96	22.6	105.5	0.19	256	3.35	1.39	9.5	6.6	610
N815479		2.96	17.55	0.23	0.8	0.023	2.41	24.1	43.9	0.31	438	3.45	1.56	8.9	6.3	540
N815480		3.12	16.75	0.14	0.8	0.028	2.15	11.6	24.4	0.77	418	0.81	1.19	8.4	5.7	510
N815481		2.86	17.10	0.17	0.9	0.035	2.27	29.0	24.0	0.26	466	3.38	1.78	8.2	5.4	500
N815482		2.97	16.55	0.18	0.9	0.028	1.99	25.5	21.9	0.27	266	3.29	2.11	8.2	6.0	590
N815483		3.63	21.1	0.22	4.1	0.046	1.75	44.4	111.5	0.27	263	3.74	0.60	11.2	12.7	1570
N815484		3.98	22.9	0.21	4.4	0.051	1.97	40.6	105.5	0.25	259	5.12	0.23	12.1	15.0	1750
N815485		3.59	19.55	0.20	2.6	0.046	1.97	36.4	49.3	0.30	523	2.83	1.79	9.6	11.0	1120
N815486		2.58	15.85	0.17	1.0	0.027	2.81	34.3	15.3	0.24	515	4.11	0.60	7.8	4.8	410
N815487		3.23	18.90	0.16	0.8	0.035	3.54	25.2	12.0	0.31	1460	4.11	0.14	7.5	5.5	520
N815488		3.16	18.85	0.16	0.7	0.033	3.12	25.5	12.2	0.27	1360	3.95	0.67	8.3	5.5	470
N815489		3.18	17.45	0.17	0.8	0.031	3.10	27.0	15.3	0.27	1300	4.18	0.32	8.2	5.0	500
N815490		3.12	17.25	0.15	0.7	0.030	2.99	22.6	19.2	0.25	1040	2.67	0.29	7.3	5.2	510
N815491		3.08	17.75	0.17	0.7	0.039	3.22	16.3	17.1	0.29	2170	2.80	0.38	7.5	4.9	530
N815492		3.31	17.55	0.18	0.8	0.041	2.84	24.4	41.8	0.28	1280	3.97	0.83	7.2	6.3	530
N815493		3.04	18.05	0.17	0.9	0.047	3.08	23.7	17.4	0.25	1720	3.20	0.39	8.2	5.8	530
N815494		3.19	15.65	0.15	0.8	0.037	2.52	26.8	23.2	0.22	793	3.21	0.55	8.4	5.5	510
N815495		5.68	23.5	0.21	2.3	0.234	3.50	36.9	23.4	0.29	1070	5.66	0.06	12.1	6.8	1780
N815496		3.55	17.55	0.20	0.8	0.053	3.04	25.0	26.7	0.28	2070	5.06	0.10	8.3	6.1	530
N815497		3.36	16.40	0.16	0.8	0.040	3.19	24.2	18.6	0.27	2030	4.40	0.02	7.8	5.4	460
N815498		3.35	18.35	0.17	0.8	0.052	3.35	28.3	17.5	0.28	2120	4.11	0.06	8.0	5.1	520
N815499		3.53	16.95	0.17	0.8	0.037	3.36	20.1	14.5	0.30	3390	4.61	0.08	8.0	5.0	530
N815500		0.47	0.22	0.17	<0.1	0.011	0.04	0.7	1.0	12.15	227	0.12	<0.01	0.1	1.5	230
N815501		2.71	19.40	0.26	2.6	0.038	2.92	41.2	65.0	0.29	1120	3.14	0.06	10.8	7.6	940
N815502		2.56	20.3	0.25	2.6	0.030	2.70	44.1	82.8	0.24	779	2.65	0.07	11.4	4.8	1050
N815503		2.45	21.1	0.21	3.5	0.033	2.66	42.0	95.0	0.25	889	2.67	0.05	11.4	12.6	950



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-37

CERTIFICATE OF ANALYSIS WH12179916

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N815468		54.8	131.5	<0.002	0.03	13.55	14.5	1	3.7	94.2	0.68	0.57	13.8	0.290	1.79	3.5
N815469		27.2	100.0	<0.002	0.01	7.06	14.4	1	1.4	235	0.77	0.05	12.7	0.308	1.00	3.1
N815470		22.4	150.0	<0.002	0.03	13.85	14.5	1	1.5	117.0	0.74	0.06	12.4	0.305	2.08	3.3
N815471		9.1	178.0	<0.002	0.01	15.80	14.5	1	1.6	71.3	0.67	<0.05	11.5	0.304	2.15	2.6
N815472		11.0	183.0	<0.002	0.01	14.25	13.6	1	1.4	104.5	0.70	<0.05	11.9	0.296	2.22	2.7
N815473		14.5	184.5	<0.002	0.03	8.92	14.8	1	1.6	111.5	0.73	<0.05	12.2	0.312	2.56	3.0
N815474		30.3	134.5	<0.002	0.02	8.51	14.2	1	1.5	150.0	0.98	<0.05	13.6	0.301	1.78	2.9
N815475		25.9	110.0	<0.002	0.01	15.00	14.6	1	1.3	70.2	0.72	<0.05	13.7	0.287	1.36	2.9
N815476		21.9	114.0	<0.002	0.01	5.29	14.3	1	1.8	176.5	0.78	0.06	15.0	0.307	1.31	2.1
N815477		14.5	115.5	<0.002	0.01	2.97	13.6	1	1.3	253	0.72	<0.05	13.7	0.290	1.08	1.9
N815478		25.5	84.3	<0.002	<0.01	4.76	13.9	1	1.3	216	0.72	<0.05	12.5	0.299	0.92	2.1
N815479		14.0	134.5	<0.002	0.01	3.87	12.5	1	1.3	162.5	0.78	<0.05	14.2	0.253	1.28	2.1
N815480		12.5	78.8	<0.002	0.01	1.61	9.1	<1	1.4	171.5	0.82	<0.05	12.8	0.257	0.67	1.7
N815481		14.7	128.5	0.002	0.03	3.53	10.4	1	1.3	153.0	0.86	<0.05	15.5	0.251	1.11	2.4
N815482		12.4	98.4	<0.002	0.01	3.37	10.4	1	1.5	215	0.72	<0.05	13.6	0.278	0.94	2.4
N815483		15.0	77.6	<0.002	0.01	15.30	10.1	<1	1.4	158.5	0.77	<0.05	11.2	0.441	0.72	3.8
N815484		18.2	83.9	<0.002	0.05	12.15	9.8	2	1.5	164.0	0.71	<0.05	10.2	0.479	0.81	4.1
N815485		13.6	102.5	0.002	0.02	4.93	11.0	1	1.3	239	0.74	<0.05	12.2	0.367	0.98	2.8
N815486		12.7	161.0	0.003	0.03	7.50	8.9	1	1.1	75.4	0.79	<0.05	18.1	0.213	1.61	2.2
N815487		13.1	210	<0.002	0.03	8.35	11.3	1	1.5	51.3	0.67	<0.05	15.2	0.273	2.08	2.1
N815488		8.7	189.5	0.003	0.04	10.25	11.5	1	1.3	85.6	0.69	<0.05	15.8	0.266	1.87	2.0
N815489		10.2	175.0	<0.002	0.02	12.15	11.4	<1	1.2	72.2	0.74	<0.05	17.0	0.280	2.03	2.0
N815490		10.8	163.5	0.002	0.02	10.65	10.8	<1	1.2	82.0	0.65	<0.05	16.0	0.275	1.83	1.7
N815491		21.4	179.5	<0.002	0.15	7.45	11.1	1	1.2	99.0	0.64	<0.05	13.0	0.286	1.87	2.0
N815492		11.9	181.5	0.003	0.02	4.16	11.8	<1	1.5	69.9	0.64	<0.05	14.6	0.279	1.75	2.6
N815493		14.4	174.5	<0.002	0.02	12.80	12.0	1	1.8	67.0	0.70	<0.05	14.3	0.289	1.94	2.7
N815494		12.7	130.0	<0.002	0.03	12.45	11.2	1	1.4	103.5	0.75	<0.05	15.7	0.286	1.53	2.3
N815495		4000	179.0	0.006	0.62	64.9	15.0	4	20.5	386	0.78	0.33	8.1	0.458	2.09	4.1
N815496		22.2	185.5	0.002	0.05	15.15	11.7	1	1.7	100.5	0.74	0.05	15.5	0.291	2.39	2.8
N815497		19.0	171.5	<0.002	0.06	14.15	11.4	<1	1.3	85.0	0.69	<0.05	15.6	0.267	2.42	2.5
N815498		16.9	195.0	<0.002	0.06	14.90	11.8	1	1.4	71.8	0.72	<0.05	16.3	0.277	2.58	2.9
N815499		59.6	186.0	0.003	0.16	20.3	11.5	1	1.4	87.1	0.74	<0.05	13.4	0.287	2.50	3.1
N815500		1.5	1.9	<0.002	0.01	0.18	0.2	<1	0.2	39.1	<0.05	<0.05	0.2	<0.005	0.03	0.7
N815501		34.3	150.0	<0.002	0.03	9.42	7.4	1	1.6	137.5	0.82	<0.05	14.6	0.297	1.97	4.0
N815502		21.8	125.5	<0.002	0.01	7.06	6.1	1	1.6	130.5	0.78	<0.05	13.4	0.292	1.60	4.0
N815503		21.5	132.5	<0.002	0.01	5.91	6.5	1	1.7	210	0.80	<0.05	13.6	0.284	1.61	4.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-37

CERTIFICATE OF ANALYSIS WH12179916

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N815468		97	6.7	16.3	200	16.8
N815469		103	4.6	13.6	141	16.1
N815470		98	5.6	16.6	159	16.1
N815471		99	3.5	14.2	88	15.2
N815472		95	3.8	13.5	84	17.2
N815473		98	2.9	14.9	111	16.4
N815474		96	3.0	14.2	96	18.3
N815475		97	3.5	18.4	131	16.6
N815476		94	2.9	16.5	93	18.2
N815477		96	1.7	12.9	75	16.2
N815478		96	1.3	13.8	72	14.8
N815479		85	2.5	13.7	61	18.3
N815480		79	3.7	9.1	50	20.5
N815481		79	4.2	12.4	58	20.7
N815482		88	6.4	11.2	58	24.2
N815483		96	4.3	17.7	76	163.0
N815484		100	1.9	17.6	91	193.0
N815485		96	1.7	14.9	78	100.0
N815486		69	1.8	12.8	47	26.1
N815487		90	1.8	12.3	58	18.3
N815488		91	1.5	13.1	57	18.1
N815489		89	1.3	13.7	57	18.2
N815490		90	28.5	12.6	52	15.2
N815491		91	1.7	11.6	60	15.8
N815492		96	2.3	10.6	74	16.5
N815493		93	2.1	10.8	62	19.4
N815494		85	1.2	10.5	58	18.5
N815495		147	3.7	19.9	2470	67.4
N815496		91	2.0	13.8	90	19.4
N815497		86	1.0	14.1	70	17.8
N815498		92	1.5	14.9	87	18.7
N815499		94	1.8	12.6	302	19.3
N815500		1	0.1	0.8	13	<0.5
N815501		61	1.8	14.1	124	90.3
N815502		47	1.5	14.3	83	87.1
N815503		54	1.5	13.3	102	139.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-37

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12179916

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.