



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22-AUG-2012
Account: ROCKHA

CERTIFICATE WH12179919

Project: Klaza TR-12-37

P.O. No.: Batch 3

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 1-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-37

CERTIFICATE OF ANALYSIS WH12179919

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N815360		5.67	<0.005	0.23	8.60	16.4	1190	0.94	1.00	3.32	0.67	25.1	15.8	7	13.35	81.4
N815361		6.46	<0.005	0.16	8.85	8.1	610	1.01	0.48	4.92	1.51	29.1	17.4	9	11.75	37.9
N815362		5.63	<0.005	0.08	8.67	4.2	840	1.17	0.26	4.07	0.33	24.9	15.9	4	10.85	21.1
N815363		8.41	0.126	10.60	6.86	172.5	870	0.97	0.21	2.70	56.4	18.80	6.7	5	20.5	130.5
N815364		7.54	0.040	1.05	8.08	83.0	1060	1.23	0.38	3.49	14.30	21.2	13.5	7	15.10	30.8
N815365		5.84	0.009	0.57	6.76	44.4	700	1.14	1.07	2.92	0.69	19.35	13.5	19	15.80	36.8
N815366		6.98	0.006	1.15	7.90	21.9	740	1.45	2.45	3.69	0.83	48.2	12.4	8	13.00	87.9
N815367		6.32	<0.005	0.34	8.35	5.4	660	1.24	1.08	4.04	0.28	38.9	10.8	14	11.15	58.8
N815368		5.48	<0.005	0.16	8.07	10.6	840	1.40	0.60	2.50	0.43	50.3	11.7	15	7.69	25.7
N815369		4.95	<0.005	0.23	8.03	17.7	920	1.24	0.65	2.40	0.47	45.0	12.0	21	6.47	28.9
N815370		7.52	<0.005	0.31	8.86	14.4	730	0.99	0.64	2.86	1.00	38.4	12.1	11	13.50	64.7
N815371		5.47	<0.005	0.27	8.85	7.8	620	0.97	0.79	2.49	1.20	29.3	15.1	6	17.05	53.1
N815372		6.56	<0.005	0.54	8.32	8.6	660	1.06	0.69	2.69	0.87	38.5	18.5	40	10.70	135.5
N815373		6.70	<0.005	0.25	8.73	12.6	780	1.17	0.58	3.23	0.61	39.1	19.0	47	9.12	57.1
N815374		7.20	0.005	0.85	8.67	23.5	1440	1.50	3.49	1.84	1.23	51.2	22.4	44	19.85	227
N815375		7.02	<0.005	0.27	8.75	16.0	1520	2.22	1.02	1.07	0.54	58.1	18.8	38	28.7	96.1
N815376		5.00	<0.005	0.13	9.23	7.3	960	1.54	0.41	1.45	0.40	37.2	17.8	39	18.80	33.1
N815377		4.88	<0.005	0.16	8.23	21.0	760	2.14	0.31	1.34	0.44	44.6	13.3	33	33.8	37.3
N815378		5.53	<0.005	0.14	7.39	8.8	2330	2.25	0.33	1.47	0.58	43.7	7.3	18	19.35	12.3
N815379		5.82	<0.005	0.09	7.98	17.7	1160	2.05	0.23	1.02	0.19	42.0	12.5	28	20.5	19.0
N815380		5.50	<0.005	0.28	8.39	7.8	740	1.34	1.26	3.87	0.30	26.3	19.9	33	14.05	32.3
N815381		4.55	<0.005	0.38	8.86	27.0	910	1.18	1.03	2.83	0.49	43.0	17.7	47	21.8	66.7
N815382		5.63	0.006	1.34	8.91	84.9	1040	1.90	0.73	1.25	4.89	31.0	20.3	60	29.4	77.3
N815383		4.80	<0.005	0.42	8.79	10.3	920	1.52	2.36	3.23	0.79	41.6	20.7	56	10.40	69.2
N815384		0.23	1.330	34.0	7.67	538	1200	2.34	1.25	0.29	32.9	78.3	6.2	18	3.36	131.5
N815385		6.06	<0.005	0.39	8.75	46.1	550	1.55	0.87	1.30	1.12	28.7	18.7	45	24.1	41.2
N815386		6.34	<0.005	0.80	8.38	19.7	1200	1.76	6.77	2.93	0.63	23.2	13.8	31	42.4	36.9
N815387		6.93	0.029	1.40	8.06	80.1	1080	1.80	0.56	2.49	0.94	17.00	10.6	4	38.0	71.2
N815388		7.04	0.141	2.13	7.48	181.5	1150	1.53	0.69	2.45	5.14	17.90	11.6	4	23.0	163.5
N815389		6.84	<0.005	0.19	8.20	8.3	1750	1.57	0.67	2.13	1.12	18.75	11.2	4	37.4	31.3
N815390		5.97	0.048	3.88	9.16	71.7	1510	2.53	0.64	0.86	9.61	21.0	11.5	3	24.8	278
N815391		5.28	0.038	1.92	9.30	268	1040	2.25	0.63	1.04	2.40	21.8	11.8	11	20.9	90.9
N815392		7.06	0.032	1.65	8.18	112.0	2500	1.89	1.18	1.16	0.47	26.6	4.9	11	21.0	55.6
N815393		2.30	<0.005	0.01	0.11	<5	20	0.09	0.02	21.4	0.09	1.26	1.6	<1	0.32	2.4
N815394		5.75	0.015	0.69	7.72	130.0	750	1.87	0.54	0.36	1.75	36.5	6.4	15	23.4	26.5
N815395		5.68	0.075	3.63	7.47	390	1030	2.08	2.03	0.28	2.60	38.6	9.0	17	30.0	91.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-37

CERTIFICATE OF ANALYSIS WH12179919

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N815360		4.97	19.75	0.17	1.3	0.105	1.12	12.2	23.8	1.55	2230	1.02	1.49	5.0	4.5	650
N815361		5.12	18.95	0.16	1.1	0.221	0.94	13.7	21.6	1.68	1490	1.00	1.78	5.9	5.2	870
N815362		5.08	19.90	0.15	1.2	0.048	0.86	12.1	20.3	1.64	1260	0.86	1.69	5.2	3.9	730
N815363		2.87	16.10	0.17	1.1	0.227	2.85	8.9	10.5	0.57	4400	1.37	0.11	4.5	2.4	630
N815364		4.37	17.95	0.19	1.2	0.115	1.90	10.5	12.4	0.72	2890	1.53	1.06	4.7	4.3	660
N815365		3.87	18.45	0.17	1.4	0.071	3.04	8.7	16.0	0.33	2430	4.13	0.07	5.1	5.9	640
N815366		4.56	22.5	0.21	2.0	0.136	1.86	22.3	20.4	0.73	2870	2.47	0.71	7.3	3.8	630
N815367		4.34	21.2	0.19	1.9	0.142	1.87	19.2	15.1	1.51	1940	0.84	1.14	6.2	5.5	660
N815368		3.87	18.50	0.18	1.8	0.055	1.64	23.9	18.5	1.11	1190	1.01	2.00	8.5	6.2	680
N815369		3.76	18.20	0.17	1.8	0.074	1.49	21.2	19.9	1.18	1160	1.62	1.84	7.8	8.8	690
N815370		4.10	18.75	0.21	1.8	0.066	1.47	18.3	29.2	1.16	1440	1.29	1.50	6.1	6.2	750
N815371		4.38	19.20	0.16	1.2	0.059	1.11	15.1	21.0	1.15	1310	0.91	1.94	4.8	4.6	750
N815372		4.19	19.25	0.13	1.2	0.066	1.39	17.3	21.6	1.60	1370	0.98	1.57	6.2	14.8	730
N815373		4.54	20.2	0.16	1.1	0.063	1.23	18.0	20.6	1.80	1310	1.22	2.13	6.9	18.0	760
N815374		4.90	19.60	0.20	1.2	0.088	1.52	26.3	28.9	1.07	1860	3.14	1.21	6.5	17.7	760
N815375		4.46	23.3	0.19	1.8	0.086	1.82	29.1	39.0	0.65	1080	2.28	0.76	8.9	19.5	800
N815376		4.73	20.5	0.17	1.3	0.063	1.07	16.6	37.3	0.97	1170	1.29	1.01	6.6	15.8	790
N815377		4.12	21.6	0.16	1.9	0.048	2.21	21.3	39.8	0.43	1280	2.57	0.41	8.7	12.2	790
N815378		2.48	20.8	0.12	2.1	0.027	2.34	20.6	39.6	0.28	568	1.67	0.20	10.7	7.3	740
N815379		3.25	20.2	0.17	1.5	0.040	1.96	19.9	50.7	0.28	811	1.97	0.59	8.3	10.8	800
N815380		5.27	20.1	0.16	1.0	0.069	1.18	12.5	24.0	1.61	1380	0.99	1.68	6.9	13.5	850
N815381		4.86	19.95	0.07	1.2	0.075	1.34	20.0	24.3	1.28	1620	1.23	1.76	6.7	16.4	800
N815382		4.24	21.1	0.17	1.1	0.123	2.17	15.8	30.4	0.46	4260	4.64	0.43	6.1	19.8	760
N815383		4.77	20.3	0.18	1.1	0.152	1.36	19.8	25.7	1.85	1540	1.26	2.04	6.6	20.9	740
N815384		5.59	23.1	0.24	2.1	0.251	3.39	38.9	26.4	0.28	1040	5.90	0.07	12.7	7.5	1750
N815385		4.79	21.3	0.17	1.1	0.072	1.35	13.7	49.4	0.61	1470	2.02	0.30	6.6	18.8	760
N815386		4.07	22.2	0.17	1.2	0.077	2.94	10.3	28.1	0.51	1770	3.77	0.43	7.0	11.6	950
N815387		3.32	20.8	0.13	1.1	0.128	3.49	7.1	18.1	0.26	1640	3.47	0.42	8.0	3.2	950
N815388		3.87	18.15	0.12	1.0	0.412	2.73	7.7	42.4	0.31	2600	5.73	0.20	7.1	2.9	870
N815389		3.98	19.65	0.13	0.9	0.064	2.50	7.9	55.8	0.25	1820	2.76	0.16	7.6	2.9	930
N815390		3.85	21.9	0.17	0.9	0.635	4.00	9.2	7.3	0.33	4620	4.48	0.08	7.5	2.9	970
N815391		3.90	22.4	0.16	1.1	0.113	4.28	9.5	7.9	0.38	3280	3.13	0.05	7.5	4.9	980
N815392		2.06	20.8	0.09	2.4	0.054	2.94	13.4	31.6	0.27	1100	1.50	0.04	8.2	5.3	580
N815393		0.49	0.40	<0.05	<0.1	0.005	0.04	0.6	1.0	12.60	232	1.01	0.01	0.3	0.3	200
N815394		2.66	19.00	0.06	2.1	0.058	2.80	18.0	19.2	0.23	2940	3.34	0.04	7.3	6.2	550
N815395		2.96	17.35	0.09	1.7	0.137	2.19	19.9	36.8	0.22	3910	32.2	0.04	6.1	6.8	590



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2012
Account: ROCKHA

Project: Klaza TR-12-37

CERTIFICATE OF ANALYSIS WH12179919

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N815360		17.1	39.7	<0.002	0.17	4.33	15.5	<1	1.3	387	0.36	0.08	3.7	0.390	1.09	1.2
N815361		19.3	26.8	<0.002	0.21	6.06	15.9	<1	1.3	406	0.40	0.06	3.8	0.460	0.67	1.2
N815362		22.0	25.2	<0.002	0.12	2.05	14.9	1	1.1	370	0.35	0.08	4.0	0.406	0.61	1.2
N815363		5930	139.0	<0.002	0.70	27.9	10.2	<1	0.9	137.0	0.31	0.05	3.1	0.316	2.51	1.2
N815364		804	91.9	<0.002	0.29	9.52	14.3	2	1.0	282	0.35	0.06	3.8	0.374	1.82	1.4
N815365		19.1	134.5	<0.002	0.69	13.95	12.2	1	1.5	108.5	0.38	0.17	4.0	0.348	2.31	1.5
N815366		64.1	87.9	0.002	0.83	8.67	13.6	2	3.0	188.0	0.56	0.26	8.6	0.332	1.83	2.2
N815367		35.4	78.6	<0.002	0.38	3.12	13.0	1	2.9	248	0.49	0.10	6.6	0.345	1.39	1.9
N815368		28.5	64.8	0.002	0.06	3.01	14.2	2	1.9	386	0.62	0.06	9.0	0.375	0.90	2.2
N815369		36.4	63.0	<0.002	0.08	3.83	13.7	1	1.6	365	0.54	0.09	8.0	0.359	0.90	2.1
N815370		40.4	58.3	<0.002	0.11	3.91	13.9	1	1.2	313	0.43	0.12	6.2	0.378	0.86	1.8
N815371		43.8	42.5	0.002	0.11	8.51	13.7	1	0.9	353	0.34	0.13	4.3	0.368	0.63	1.4
N815372		97.0	47.2	<0.002	0.06	3.20	17.7	2	1.1	330	0.39	0.19	4.9	0.389	0.69	1.2
N815373		38.2	35.3	<0.002	0.03	2.75	17.9	2	1.2	436	0.42	0.12	4.9	0.403	0.58	1.2
N815374		79.6	80.4	<0.002	0.07	14.25	19.7	3	1.3	266	0.41	0.35	5.9	0.378	0.84	1.5
N815375		33.7	93.0	<0.002	0.04	14.00	16.2	1	1.7	182.5	0.58	0.07	9.0	0.341	0.93	2.6
N815376		24.6	44.2	<0.002	0.05	6.70	18.9	2	1.3	220	0.42	0.07	5.3	0.414	0.67	1.5
N815377		37.3	94.6	<0.002	0.02	15.10	14.5	1	1.4	134.5	0.57	0.06	7.1	0.335	1.11	2.4
N815378		40.7	86.4	<0.002	0.05	10.90	7.0	1	1.6	135.0	0.78	<0.05	8.5	0.246	1.01	3.0
N815379		20.6	88.1	<0.002	0.04	11.20	13.3	2	1.3	142.5	0.55	0.09	6.9	0.337	1.03	2.2
N815380		35.8	28.1	<0.002	0.11	3.71	16.1	2	1.2	402	0.39	0.21	3.1	0.409	0.60	1.0
N815381		39.0	46.3	<0.002	0.07	4.97	17.0	1	1.3	390	0.43	0.33	5.1	0.400	0.71	1.4
N815382		296	113.5	<0.002	0.12	21.7	21.9	2	1.3	145.0	0.38	0.17	4.9	0.418	1.91	1.4
N815383		45.5	43.2	<0.002	0.09	3.70	20.3	2	1.3	443	0.41	0.43	5.5	0.423	0.68	1.3
N815384		3830	177.5	0.003	0.61	73.2	15.5	5	21.8	388	0.76	0.40	7.2	0.452	1.69	3.3
N815385		123.0	61.1	<0.002	0.03	12.55	20.1	2	1.2	121.0	0.41	0.20	4.7	0.403	1.04	1.3
N815386		59.7	127.0	<0.002	0.15	7.75	15.1	2	2.2	154.0	0.41	0.46	4.0	0.415	1.71	1.2
N815387		249	186.5	<0.002	0.44	11.40	11.1	2	1.6	146.0	0.49	0.19	2.9	0.445	2.94	1.1
N815388		662	129.5	<0.002	0.76	41.1	10.5	2	1.3	112.5	0.42	0.16	2.8	0.395	2.15	1.1
N815389		49.7	132.0	<0.002	0.11	17.10	11.5	1	1.3	94.1	0.45	0.23	2.8	0.417	2.25	1.0
N815390		1365	227	<0.002	0.52	31.1	13.9	2	1.4	64.2	0.44	0.23	3.3	0.404	2.70	1.3
N815391		419	205	<0.002	0.19	73.2	14.5	2	1.3	66.4	0.45	0.12	3.3	0.416	2.33	1.4
N815392		548	155.0	<0.002	0.15	59.7	5.6	<1	1.4	118.0	0.58	0.10	6.2	0.213	2.08	3.4
N815393		4.2	2.3	<0.002	0.02	0.16	0.3	1	<0.2	44.3	<0.05	<0.05	<0.2	<0.005	0.02	0.7
N815394		185.0	168.0	<0.002	0.08	45.6	6.6	<1	1.2	133.0	0.54	0.05	7.0	0.206	2.38	3.4
N815395		1045	134.0	0.003	0.17	91.7	8.1	<1	1.4	344	0.43	0.22	6.3	0.218	1.95	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2012
 Account: ROCKHA

Project: Klaza TR-12-37

CERTIFICATE OF ANALYSIS WH12179919

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N815360		153	2.0	16.1	269	45.7
N815361		158	3.0	16.0	243	42.2
N815362		148	1.6	13.9	180	44.1
N815363		98	2.7	10.8	4940	45.5
N815364		137	3.2	15.9	1360	44.2
N815365		126	4.9	10.4	127	57.4
N815366		140	4.9	19.2	189	76.0
N815367		153	2.5	18.3	170	69.8
N815368		116	1.8	18.9	135	69.3
N815369		112	1.8	17.3	146	73.3
N815370		120	1.6	17.3	182	60.5
N815371		121	1.8	20.5	205	42.1
N815372		133	1.4	17.7	153	51.7
N815373		137	1.8	18.8	126	46.7
N815374		133	2.7	26.3	197	49.0
N815375		106	3.0	19.1	192	79.1
N815376		142	2.2	17.0	141	52.8
N815377		105	2.0	17.1	119	83.2
N815378		57	1.6	9.8	102	88.0
N815379		104	1.9	13.1	94	65.0
N815380		144	2.0	15.2	143	40.5
N815381		144	2.3	22.2	129	47.4
N815382		157	3.6	20.8	477	45.5
N815383		153	2.0	20.0	164	45.7
N815384		143	3.7	18.9	2460	69.1
N815385		145	3.3	19.6	198	48.3
N815386		143	5.3	13.6	187	54.7
N815387		117	6.8	9.3	227	48.8
N815388		101	4.0	8.8	572	43.2
N815389		107	2.7	10.8	204	39.2
N815390		106	6.6	11.3	1000	41.0
N815391		114	10.3	11.5	336	48.3
N815392		43	1.9	7.7	101	98.6
N815393		2	0.1	0.9	16	0.5
N815394		50	2.7	11.2	226	90.1
N815395		64	3.8	11.8	340	71.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-37

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12179919

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.