



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 20-AUG-2012

Account: ROCKHA

CERTIFICATE WH12179923

Project: Klaza - 95

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2012
Account: ROCKHA

Project: Klaza - 95

CERTIFICATE OF ANALYSIS WH12179923

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N811200		2.17	<0.005	0.15	7.32	6.1	1320	1.33	0.30	1.86	0.18	48.3	4.2	10	13.25	9.4
N811201		4.01	<0.005	0.17	6.92	13.0	1750	1.45	0.13	2.36	0.12	39.6	6.6	10	17.05	7.6
N811202		2.73	<0.005	0.24	7.25	9.8	1750	1.44	0.24	1.91	0.89	48.4	5.7	10	14.90	18.5
N811203		8.12	<0.005	0.12	7.39	5.3	2030	1.65	0.15	2.55	0.07	49.9	7.8	18	9.22	8.4
N811204		7.25	<0.005	0.12	7.44	4.4	2100	1.53	0.13	2.54	0.07	49.1	6.5	13	7.61	9.5
N811205		3.09	0.016	0.83	7.49	40.3	2620	1.35	0.69	1.55	2.28	51.1	7.5	11	11.90	29.5
N811206		2.68	<0.005	0.16	7.29	6.7	1990	1.33	0.69	2.56	0.08	45.2	5.3	13	8.35	6.0
N811207		5.04	<0.005	0.21	6.84	12.0	1830	1.37	0.71	2.44	0.08	45.3	8.1	14	7.54	9.7
N811208		0.21	2.42	24.7	5.73	2790	1240	1.31	19.65	2.16	75.4	41.2	10.0	18	13.65	425
N811209		2.67	0.009	0.25	7.05	18.7	1810	1.46	0.40	2.29	0.33	44.6	5.6	12	9.30	7.9
N811210		3.03	<0.005	0.08	7.33	3.4	2000	1.55	0.12	2.54	0.07	48.8	6.9	13	9.72	8.1
N811211		1.07	<0.005	0.06	7.64	3.8	2060	1.82	0.14	2.66	0.08	51.5	7.3	12	10.35	9.3
N811212		3.74	<0.005	0.43	7.40	12.3	1630	1.52	4.08	2.35	0.13	54.2	5.5	10	11.50	6.9
N811213		2.25	0.041	2.14	7.07	74.8	1310	1.72	3.71	3.13	0.99	74.5	14.1	8	14.50	33.3
N811214		4.96	0.010	0.63	6.91	43.6	1710	1.37	0.61	2.59	3.32	42.5	5.4	9	11.15	29.7
N811215		3.05	0.007	0.80	7.41	49.9	2120	1.48	0.31	2.87	3.42	49.4	6.6	9	13.15	36.2
N811216		3.80	<0.005	0.13	7.09	8.8	2060	1.54	0.10	2.92	0.16	44.1	6.1	14	15.10	11.2
N811217		2.70	<0.005	0.22	7.18	28.2	1820	1.50	0.17	2.92	0.16	40.2	6.9	12	16.05	26.1
N811218		5.11	0.062	4.74	6.99	280	1460	1.39	0.94	2.16	11.30	49.4	9.3	10	15.85	21.2
N811219		3.16	<0.005	0.04	0.08	<5	40	0.07	0.05	21.1	0.08	1.27	0.6	2	0.20	3.2
N811220		2.26	<0.005	0.14	7.37	6.3	2100	1.77	0.23	2.83	0.14	45.7	6.5	12	10.25	9.9
N811221		4.77	0.009	0.39	7.05	29.8	1700	1.40	0.48	1.81	0.63	42.9	6.8	9	17.25	22.2
N811222		2.66	0.008	0.36	7.02	26.9	1810	1.79	0.37	2.18	0.46	43.5	8.0	10	15.20	24.8
N811223		4.18	0.005	0.18	7.55	6.4	2160	1.50	0.20	2.74	0.21	50.6	7.1	14	8.74	7.9
N811224		<0.02	0.005	0.18	7.41	7.3	2150	1.61	0.23	2.75	0.19	49.9	10.4	16	8.92	10.4
N811225		4.48	0.026	1.05	7.17	37.7	2110	1.41	0.47	2.85	20.4	49.0	5.8	16	12.50	13.4
N811226		2.45	0.005	0.19	7.14	10.0	2260	1.48	0.39	2.53	0.39	50.2	5.8	11	10.55	13.2
N811227		0.22	2.30	25.0	5.93	2860	810	1.27	20.6	2.27	77.3	42.5	10.4	20	13.75	434
N811228		7.83	<0.005	0.24	7.36	13.3	2300	1.64	0.32	2.61	0.40	46.4	7.0	13	8.20	5.5
N811229		4.00	0.006	0.39	7.46	20.5	1860	1.62	0.43	2.16	0.57	52.3	6.1	10	15.90	6.0
N811230		2.67	0.008	0.25	7.24	18.1	1500	1.30	0.48	2.61	0.21	43.9	8.5	10	21.4	6.4
N811231		4.51	0.010	0.59	6.54	23.5	1500	1.52	1.06	3.00	0.22	54.2	11.8	10	20.2	7.2
N811232		3.66	<0.005	0.02	0.07	<5	20	0.07	0.03	21.8	0.07	1.38	0.6	1	0.18	1.5
N811233		2.60	<0.005	0.16	6.06	15.8	3010	1.45	0.52	3.86	0.15	45.2	8.1	8	20.1	4.2
N811234		2.77	<0.005	0.09	7.37	7.4	2050	1.50	0.20	2.45	0.08	39.1	5.9	10	12.75	5.5
N811235		4.32	0.005	0.12	7.18	13.0	2120	1.56	0.20	2.51	0.11	45.9	6.2	12	9.03	10.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2012
Account: ROCKHA

Project: Klaza - 95

CERTIFICATE OF ANALYSIS WH12179923

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N811200		2.93	14.50	0.13	1.0	0.098	2.11	24.9	20.7	0.67	1120	0.65	0.76	7.8	2.8	580
N811201		2.93	14.20	0.14	1.0	0.042	2.55	19.7	32.7	0.66	902	2.85	1.18	7.6	3.0	570
N811202		2.91	14.15	0.15	1.0	0.060	2.51	25.2	21.4	0.65	792	0.64	1.41	7.7	2.8	570
N811203		2.92	14.55	0.17	1.0	0.040	2.57	25.6	13.9	0.80	851	0.79	2.16	7.9	3.2	590
N811204		3.01	15.10	0.17	1.1	0.047	2.62	24.8	13.1	0.75	713	0.77	2.20	8.3	3.3	610
N811205		3.57	16.25	0.09	0.8	0.067	2.61	29.4	20.8	0.61	1490	0.84	0.22	7.3	3.3	560
N811206		2.93	15.25	0.09	1.0	0.072	2.04	24.0	11.7	0.71	920	0.87	2.01	7.0	3.1	580
N811207		2.94	14.85	0.09	0.9	0.057	2.24	23.4	10.4	0.75	878	0.74	2.04	6.9	3.1	560
N811208		6.46	14.00	0.09	0.9	1.580	2.49	23.9	23.1	0.88	1820	12.40	0.03	5.6	15.4	420
N811209		2.97	15.85	0.09	0.9	0.053	2.57	23.3	14.2	0.59	834	1.44	1.23	7.2	2.8	560
N811210		2.98	16.00	0.11	1.0	0.045	2.56	25.1	11.4	0.78	528	2.17	2.23	7.9	2.9	610
N811211		3.14	17.10	0.11	1.1	0.053	2.58	28.2	12.1	0.82	563	6.51	2.27	8.3	3.2	630
N811212		3.17	17.45	0.12	1.1	0.129	2.45	29.1	22.5	0.64	817	1.36	0.91	8.2	3.2	580
N811213		3.44	17.45	0.14	1.1	0.248	2.55	44.7	27.9	0.65	1850	1.19	0.08	6.8	3.6	530
N811214		3.09	15.90	0.11	1.0	0.094	2.46	21.8	44.7	0.58	975	0.89	0.19	7.4	2.9	570
N811215		3.57	16.35	0.14	1.0	0.121	3.21	26.7	21.4	0.62	2030	1.09	0.22	7.4	3.0	570
N811216		2.80	15.15	0.11	1.0	0.049	2.61	23.9	14.0	0.64	785	0.90	1.65	7.2	2.7	580
N811217		2.94	14.90	0.11	1.0	0.037	2.60	19.8	19.1	0.81	1020	1.61	1.26	7.1	2.7	590
N811218		4.57	14.80	0.14	1.0	0.258	2.79	31.1	28.2	0.89	2860	0.97	0.04	6.3	3.2	530
N811219		0.45	0.24	0.10	<0.1	0.007	0.03	0.6	1.1	12.50	206	0.34	0.01	0.2	2.0	170
N811220		3.03	16.20	0.15	1.2	0.050	2.70	22.7	11.0	0.81	761	1.50	2.10	8.3	3.0	590
N811221		3.00	15.30	0.13	1.1	0.075	2.60	22.1	29.2	0.58	1250	1.08	0.21	7.9	3.5	570
N811222		2.98	16.15	0.13	1.1	0.072	2.64	22.9	17.0	0.58	1160	1.05	1.13	8.0	3.0	540
N811223		3.11	16.00	0.12	1.0	0.077	2.52	27.7	11.0	0.83	1020	1.04	2.07	7.5	3.3	610
N811224		3.16	16.25	0.10	1.0	0.078	2.56	25.7	11.6	0.84	1020	0.93	2.09	7.7	3.9	630
N811225		3.99	15.25	0.11	0.8	0.430	2.64	28.2	15.9	0.98	1960	0.51	1.12	6.5	2.8	560
N811226		2.93	15.85	0.11	0.8	0.089	2.37	27.9	14.8	0.75	906	0.73	2.02	7.1	3.0	550
N811227		6.80	14.15	0.14	0.9	1.590	2.55	24.8	23.2	0.92	1900	12.10	0.03	5.7	15.3	430
N811228		3.00	15.85	0.10	1.0	0.043	2.52	24.3	13.9	0.82	755	0.78	2.13	7.4	3.0	600
N811229		3.07	15.50	0.10	1.1	0.125	2.72	30.9	24.4	0.56	1380	0.98	0.85	7.2	2.6	550
N811230		2.63	15.70	0.10	1.0	0.044	2.54	23.5	33.9	0.52	702	0.90	1.15	7.4	2.7	600
N811231		3.46	14.65	0.10	1.0	0.058	1.88	30.4	13.1	0.76	1060	1.12	1.42	6.6	3.4	490
N811232		0.48	0.21	0.08	<0.1	0.006	0.03	0.7	1.0	12.80	198	0.24	0.01	0.2	1.7	190
N811233		3.19	14.50	0.11	0.9	0.104	1.72	23.5	18.4	0.60	1080	2.11	1.50	6.8	2.7	530
N811234		2.81	16.25	0.10	1.0	0.062	2.49	19.5	24.6	0.47	648	3.09	1.54	7.5	3.1	590
N811235		2.93	16.30	0.10	1.0	0.050	2.54	23.9	14.3	0.66	599	2.48	1.99	7.4	3.1	590



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20-AUG-2012
Account: ROCKHA

Project: Klaza - 95

CERTIFICATE OF ANALYSIS WH12179923

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N811200		10.6	100.5	<0.002	0.09	9.47	11.0	2	4.3	110.0	0.65	<0.05	13.6	0.254	3.9
N811201		15.9	82.2	<0.002	0.13	10.45	10.1	2	1.9	238	0.62	<0.05	10.9	0.243	2.5
N811202		33.9	97.9	<0.002	0.13	9.43	10.6	2	2.2	225	0.66	<0.05	14.0	0.245	3.4
N811203		14.9	92.6	<0.002	0.09	1.61	11.2	2	1.8	351	0.66	<0.05	14.0	0.249	3.4
N811204		14.4	89.7	<0.002	0.04	2.67	11.3	2	1.9	353	0.71	<0.05	14.5	0.257	3.2
N811205		160.5	147.5	<0.002	0.67	21.2	10.9	1	2.0	76.7	0.61	0.05	14.8	0.240	4.6
N811206		14.4	85.5	<0.002	0.07	3.31	10.1	1	2.1	329	0.59	0.17	13.5	0.242	3.5
N811207		15.8	84.9	<0.002	0.22	2.05	9.1	1	1.7	314	0.55	0.25	12.7	0.236	3.3
N811208		2660	155.0	<0.002	4.66	89.2	8.0	1	7.7	88.3	0.48	0.40	10.7	0.173	5.3
N811209		25.0	103.0	<0.002	0.16	5.32	9.9	1	1.5	232	0.60	<0.05	13.4	0.243	3.1
N811210		16.2	96.5	<0.002	0.01	1.63	10.4	1	1.6	379	0.66	<0.05	14.8	0.258	3.2
N811211		16.2	104.5	<0.002	0.01	1.74	11.9	1	2.0	389	0.69	<0.05	15.9	0.265	3.8
N811212		19.2	104.0	0.002	0.08	7.39	11.0	1	2.9	139.5	0.69	2.21	14.0	0.263	4.1
N811213		118.5	160.5	<0.002	0.72	23.2	10.4	2	3.9	66.0	0.57	1.11	14.8	0.219	7.5
N811214		158.5	97.7	<0.002	0.41	10.20	9.4	1	2.6	115.0	0.63	0.13	12.5	0.242	3.4
N811215		161.0	161.0	<0.002	0.55	6.82	10.3	1	4.6	121.0	0.57	<0.05	13.6	0.249	4.0
N811216		19.5	99.7	<0.002	0.02	3.18	9.7	1	1.9	298	0.63	<0.05	12.8	0.246	2.9
N811217		19.8	98.1	<0.002	0.13	8.21	9.4	1	4.0	249	0.64	0.05	12.5	0.251	4.8
N811218		1270	154.5	<0.002	1.44	15.40	9.1	2	3.0	62.5	0.55	0.07	15.5	0.219	6.2
N811219		4.8	1.5	<0.002	0.01	0.12	0.2	1	0.3	46.5	<0.05	<0.05	<0.2	<0.005	0.6
N811220		19.4	103.0	<0.002	0.04	2.54	10.0	1	2.1	364	0.83	<0.05	13.1	0.260	4.1
N811221		37.9	115.0	<0.002	0.22	17.00	9.4	1	2.7	96.2	0.83	<0.05	13.1	0.239	4.2
N811222		41.1	118.5	<0.002	0.27	8.85	10.1	1	2.5	215	0.87	0.06	12.5	0.239	4.4
N811223		43.4	100.5	<0.002	0.11	1.68	10.8	1	1.9	367	0.61	<0.05	14.0	0.255	3.8
N811224		39.4	95.1	<0.002	0.10	1.59	11.1	1	1.9	365	0.67	0.05	13.2	0.263	3.5
N811225		140.5	126.5	<0.002	0.78	3.76	9.9	1	2.5	232	0.53	0.15	13.3	0.229	4.8
N811226		15.2	102.0	<0.002	0.14	2.55	10.0	1	1.9	309	0.52	0.06	13.5	0.239	3.8
N811227		2790	159.5	<0.002	4.83	93.9	8.1	1	7.7	92.0	0.47	0.34	11.2	0.179	5.9
N811228		27.7	92.6	<0.002	0.04	1.60	10.1	1	1.7	376	0.57	<0.05	12.0	0.256	2.6
N811229		109.0	122.0	<0.002	0.26	5.93	10.0	1	1.9	157.5	0.61	0.06	16.7	0.242	2.7
N811230		19.3	98.8	0.002	0.23	5.57	10.2	1	1.8	203	0.54	0.08	13.7	0.257	4.4
N811231		17.8	104.5	<0.002	0.44	5.52	9.3	2	1.7	196.0	0.52	0.29	15.0	0.216	6.3
N811232		1.4	1.2	<0.002	0.01	0.08	0.2	1	<0.2	47.1	<0.05	<0.05	0.2	<0.005	0.9
N811233		14.2	71.7	<0.002	0.21	6.03	8.4	1	1.9	222	0.57	<0.05	10.1	0.220	4.4
N811234		17.4	89.8	<0.002	0.07	3.74	10.2	1	2.1	265	0.63	<0.05	14.4	0.261	3.7
N811235		15.2	99.4	<0.002	0.20	2.56	10.3	1	1.9	312	0.60	0.05	13.1	0.248	3.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-AUG-2012
 Account: ROCKHA

Project: Klaza - 95

CERTIFICATE OF ANALYSIS WH12179923

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N811200		70	2.3	14.0	79	23.0
N811201		68	2.6	13.5	52	22.1
N811202		68	1.8	13.9	119	23.1
N811203		69	1.6	15.0	45	23.5
N811204		72	2.1	14.3	46	26.3
N811205		70	5.2	13.9	246	21.9
N811206		67	2.1	13.4	47	24.4
N811207		65	1.8	12.9	46	22.0
N811208		55	5.1	9.4	5290	24.8
N811209		68	3.0	13.8	55	23.2
N811210		71	1.0	15.3	38	25.9
N811211		75	1.0	16.8	40	26.6
N811212		76	3.3	15.0	60	27.1
N811213		71	2.9	17.9	192	23.4
N811214		68	3.2	13.5	325	24.0
N811215		70	2.6	13.8	363	25.2
N811216		69	3.7	13.7	61	24.3
N811217		71	2.4	13.6	53	24.7
N811218		63	5.7	12.5	930	22.8
N811219		2	0.1	0.7	15	<0.5
N811220		73	3.1	15.1	60	26.6
N811221		66	4.0	13.9	130	24.9
N811222		66	3.0	14.1	106	26.4
N811223		72	1.4	15.1	62	24.6
N811224		75	1.5	15.2	61	24.9
N811225		65	2.7	13.5	1440	21.3
N811226		66	2.0	14.0	69	22.6
N811227		57	5.4	9.1	5460	25.2
N811228		71	1.8	14.9	61	26.0
N811229		67	2.6	14.1	102	26.8
N811230		71	2.6	13.0	63	27.5
N811231		61	2.6	16.2	67	24.5
N811232		2	0.1	0.7	16	<0.5
N811233		64	3.0	13.7	62	23.1
N811234		71	1.9	12.8	50	25.2
N811235		69	1.3	14.6	44	26.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 95

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12179923

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.