



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 4-SEP-2012
Account: ROCKHA

CERTIFICATE WH12180699

Project: Klaza - 105

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2012
Account: ROCKHA

Project: Klaza - 105

CERTIFICATE OF ANALYSIS WH12180699

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N814475		3.75	<0.005	0.24	7.43	12.5	2120	1.58	0.14	3.11	0.18	54.2	8.1	13	10.95	8.8
N814476		5.18	<0.005	0.15	7.26	6.2	2270	1.54	0.34	2.98	0.29	54.6	9.2	11	9.01	15.8
N814477		3.31	<0.005	0.21	7.08	9.7	1690	1.57	0.85	2.85	0.13	49.8	6.4	9	13.25	3.7
N814478		4.52	<0.005	0.15	7.35	5.3	2090	1.48	0.46	3.17	0.17	57.8	5.7	9	8.31	8.1
N814479		2.59	<0.005	0.35	7.19	5.1	2300	1.20	0.56	3.65	0.23	46.4	7.1	10	6.80	42.5
N814480		<0.02	<0.005	0.28	7.40	5.4	2310	1.17	0.44	3.59	0.18	51.2	6.9	10	7.36	44.5
N814481		4.34	<0.005	0.11	7.40	4.7	2320	1.57	0.21	2.59	0.15	50.8	5.5	10	7.15	10.6
N814482		5.89	<0.005	0.30	7.28	12.4	2310	1.47	0.71	3.65	0.06	54.6	8.9	8	11.60	37.9
N814483		3.49	<0.005	0.26	7.73	13.6	2010	1.43	0.59	3.05	0.06	54.1	16.9	9	5.29	37.8
N814484		3.03	<0.005	0.11	7.20	7.2	1950	1.40	0.21	2.50	0.09	56.1	9.3	10	5.44	12.7
N814485		0.30	0.725	10.00	6.89	1875	1180	1.42	5.99	2.04	43.7	52.0	16.9	21	16.55	112.0
N814486		7.31	<0.005	0.12	7.26	5.5	2290	1.38	0.10	2.76	0.09	52.0	7.6	11	6.59	4.6
N814487		4.74	<0.005	0.06	7.45	6.0	2330	1.46	0.34	2.77	0.09	59.1	6.9	11	7.24	2.3
N814488		2.36	<0.005	0.09	7.27	10.6	1580	1.37	0.42	3.08	0.06	53.5	6.8	10	11.85	2.0
N814489		4.34	<0.005	0.06	7.18	6.8	1530	1.46	0.45	2.93	0.09	51.5	8.0	11	7.75	1.6
N814490		3.46	<0.005	0.05	7.43	5.6	2490	1.52	0.19	2.94	0.08	50.5	8.0	10	6.37	2.3
N814491		1.83	<0.005	0.05	7.16	5.7	2410	1.34	0.20	2.80	0.08	53.9	8.4	11	6.51	2.8
N814492		8.26	<0.005	0.20	7.25	8.1	2300	1.39	0.19	2.83	0.11	51.9	10.2	11	6.15	62.4
N814493		4.69	<0.005	0.05	7.28	6.3	2100	1.40	0.33	3.15	0.09	53.8	5.8	10	6.25	4.7
N814494		1.16	<0.005	0.09	7.11	6.7	1850	1.70	0.41	3.08	0.05	57.5	5.6	10	7.17	4.1
N814495		4.46	<0.005	0.08	6.96	4.1	2160	1.31	0.14	2.53	0.06	54.8	5.8	10	7.01	8.8
N814496		3.24	<0.005	0.07	7.26	10.4	2360	1.28	0.47	2.54	0.06	56.2	5.0	10	10.95	7.0
N814497		0.30	0.818	9.53	6.56	1745	1180	1.42	5.53	1.92	41.6	49.5	16.3	20	16.00	106.0
N814498		7.60	<0.005	0.18	7.58	9.0	2220	1.50	0.14	2.56	0.14	54.8	7.4	12	7.81	7.8
N814499		2.37	<0.005	0.16	6.71	12.5	1860	1.41	0.13	3.14	0.16	44.3	7.0	9	11.45	7.9
N814500		3.66	<0.005	0.10	6.75	5.7	2070	1.64	0.10	2.98	0.10	41.5	8.7	10	14.45	9.8
N814501		3.15	0.006	0.32	6.18	25.6	1340	1.36	0.35	4.45	0.26	45.7	14.2	10	18.60	7.2
N814502		2.77	<0.005	0.02	0.06	<5	20	0.05	0.02	21.2	0.07	1.17	1.7	<1	0.37	1.8
N814503		7.40	<0.005	0.09	7.20	4.5	2060	1.49	0.13	2.85	0.07	43.2	7.8	10	9.61	5.9
N814504		3.02	<0.005	0.10	6.79	6.6	2000	1.57	0.31	2.54	0.06	45.3	10.0	10	6.66	6.3
N814505		3.80	<0.005	0.09	6.79	6.7	2020	1.66	0.49	2.34	0.06	43.5	7.8	9	7.19	2.6
N814506		3.15	0.019	0.30	4.32	23.2	2370	0.80	0.87	1.09	0.10	33.7	11.0	12	6.95	27.8
N814507		1.85	<0.005	0.01	0.08	<5	30	0.07	0.04	20.3	0.05	1.40	1.6	<1	0.26	2.8
N814508		2.99	0.096	0.54	6.98	37.2	2680	1.37	2.46	2.02	0.24	46.2	22.3	10	11.25	51.6
N814509		3.49	<0.005	0.10	7.00	6.1	2270	1.52	0.17	2.77	0.08	41.5	8.1	9	11.50	6.3
N814510		5.49	<0.005	0.16	7.59	7.8	2120	1.67	0.24	2.05	0.09	48.3	6.2	9	16.50	12.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2012
Account: ROCKHA

Project: Klaza - 105

CERTIFICATE OF ANALYSIS WH12180699

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N814475		3.28	16.15	0.18	1.3	0.045	2.75	23.0	14.1	0.90	1120	0.65	2.22	8.3	2.8	620
N814476		3.23	17.10	0.16	1.1	0.067	2.69	23.8	14.4	0.88	757	0.56	2.42	8.7	2.9	670
N814477		3.57	16.45	0.15	0.9	0.197	2.07	21.8	15.6	0.88	787	0.54	2.04	7.9	4.1	640
N814478		3.27	15.95	0.18	1.0	0.079	2.46	26.6	16.6	0.88	763	0.34	2.18	8.1	2.7	640
N814479		3.43	15.35	0.17	1.0	0.064	2.65	19.4	24.4	0.79	861	0.40	1.62	7.5	2.8	670
N814480		3.41	16.05	0.18	1.0	0.068	2.62	22.5	26.0	0.83	834	0.36	1.61	8.0	2.8	680
N814481		3.31	15.70	0.16	1.1	0.058	2.57	22.8	11.5	0.81	618	0.38	2.44	7.4	2.6	640
N814482		3.53	14.75	0.18	0.9	0.260	2.74	27.2	13.9	0.77	1050	1.01	0.83	7.1	2.6	720
N814483		3.83	15.75	0.20	1.0	0.115	2.46	25.8	11.1	0.89	858	0.33	2.26	7.3	2.7	760
N814484		3.35	15.65	0.21	1.1	0.068	2.59	26.2	10.1	0.91	712	0.30	2.53	7.2	2.7	620
N814485		5.47	15.10	0.19	1.3	0.878	3.04	23.9	24.8	0.75	2070	12.25	0.29	7.2	14.4	530
N814486		3.24	16.40	0.16	1.2	0.053	2.46	23.0	13.1	0.96	693	0.38	2.52	8.1	3.4	650
N814487		3.20	16.30	0.17	1.0	0.079	1.83	27.1	13.0	0.97	665	0.27	2.79	7.8	2.8	630
N814488		3.24	16.35	0.20	1.0	0.106	2.07	23.6	13.2	0.92	708	0.26	2.38	8.2	3.1	640
N814489		3.28	15.80	0.15	1.0	0.071	1.47	22.6	11.8	1.02	709	0.22	3.00	7.6	2.8	640
N814490		3.21	15.95	0.18	1.2	0.040	1.86	22.6	13.6	0.99	734	0.29	2.79	7.7	2.7	640
N814491		3.04	15.70	0.16	1.1	0.046	1.78	24.3	13.4	0.98	697	0.30	2.70	7.5	3.4	620
N814492		3.27	16.30	0.19	1.1	0.061	2.21	24.8	14.9	0.95	602	0.38	2.61	7.8	3.0	650
N814493		3.07	15.85	0.17	1.0	0.067	1.67	23.7	11.8	0.92	652	0.26	2.62	7.3	2.6	630
N814494		3.33	16.20	0.19	1.1	0.100	1.63	25.3	12.5	0.91	638	0.32	2.47	8.2	2.9	630
N814495		3.03	15.40	0.17	1.0	0.063	2.28	25.3	11.2	0.83	534	0.33	2.31	7.5	2.6	600
N814496		3.82	17.20	0.17	0.9	0.234	2.43	26.2	19.0	0.90	672	0.28	1.81	7.3	2.7	600
N814497		5.18	14.60	0.18	1.3	0.822	2.88	23.2	24.7	0.71	1950	11.85	0.27	7.1	14.1	490
N814498		3.32	16.65	0.19	1.1	0.079	2.66	25.0	17.0	0.95	581	0.35	2.50	7.9	2.6	660
N814499		3.43	15.75	0.16	1.1	0.063	2.80	19.1	16.1	1.01	767	0.71	1.80	7.6	2.9	650
N814500		3.38	18.95	0.13	1.2	0.058	2.62	19.3	14.6	0.89	759	0.42	2.10	10.0	2.7	720
N814501		3.25	15.80	0.12	0.9	0.086	2.40	24.2	84.3	1.41	1390	0.37	0.10	7.6	2.4	530
N814502		0.50	0.39	0.35	<0.1	0.006	0.03	0.6	1.0	12.90	219	<0.05	0.01	0.3	0.7	160
N814503		3.37	17.85	0.14	1.0	0.086	2.44	21.5	14.2	0.92	671	0.31	2.43	9.2	2.8	690
N814504		3.41	16.90	0.17	0.9	0.137	2.15	22.4	10.6	0.86	622	0.23	2.40	9.0	2.9	610
N814505		4.09	16.75	0.16	0.9	0.208	1.99	22.1	14.7	0.75	770	0.16	1.92	8.5	2.8	570
N814506		3.32	10.65	0.11	0.4	0.217	1.82	18.9	15.3	0.53	783	0.07	0.09	4.9	2.3	360
N814507		0.49	0.45	0.36	<0.1	0.008	0.03	0.7	1.1	12.30	233	<0.05	0.01	0.4	0.9	150
N814508		3.90	16.25	0.15	1.0	0.158	3.07	24.0	14.0	0.77	783	0.32	1.01	8.7	2.8	610
N814509		3.16	16.75	0.16	1.0	0.070	2.81	20.7	13.8	0.80	578	0.29	1.97	8.9	2.8	640
N814510		3.24	16.95	0.17	1.0	0.087	2.91	25.5	18.5	0.74	473	0.39	1.87	9.3	2.8	630



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2012
Account: ROCKHA

Project: Klaza - 105

CERTIFICATE OF ANALYSIS WH12180699

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N814475		18.9	115.0	<0.002	0.08	2.33	11.6	<1	1.6	396	0.70	<0.05	13.9	0.283	1.16	5.7
N814476		19.4	102.5	<0.002	0.02	1.81	11.7	1	1.6	406	0.68	<0.05	12.5	0.290	1.07	3.9
N814477		17.9	94.6	<0.002	0.08	3.93	11.7	1	1.8	289	0.60	<0.05	12.2	0.273	1.10	10.1
N814478		18.8	103.5	0.002	0.01	2.89	13.1	1	1.6	371	0.63	0.08	13.9	0.287	1.15	3.8
N814479		21.8	80.9	<0.002	0.02	3.18	9.7	1	1.4	284	0.61	0.11	11.1	0.295	1.06	2.3
N814480		18.7	93.7	<0.002	0.02	3.39	10.7	1	1.6	283	0.61	0.09	12.2	0.298	1.11	2.5
N814481		15.3	96.9	<0.002	0.01	1.95	10.9	1	1.5	414	0.60	<0.05	12.6	0.278	1.12	2.9
N814482		4.9	151.5	<0.002	0.16	2.36	11.5	<1	1.6	138.5	0.56	0.05	13.7	0.270	1.69	8.2
N814483		10.6	107.5	<0.002	0.07	1.72	10.6	<1	1.6	279	0.60	<0.05	14.7	0.267	1.28	4.3
N814484		15.3	102.0	<0.002	0.05	1.54	10.8	1	1.4	360	0.59	<0.05	13.9	0.261	1.06	3.7
N814485		1470	178.5	0.002	3.31	32.8	9.0	1	5.9	158.0	0.61	0.23	13.4	0.224	2.70	5.4
N814486		16.3	84.7	<0.002	0.01	1.20	11.3	1	1.5	446	0.65	<0.05	12.8	0.282	0.98	3.7
N814487		14.1	70.5	<0.002	0.01	2.16	11.0	1	1.6	491	0.62	<0.05	13.9	0.278	0.78	4.0
N814488		10.1	98.9	<0.002	0.12	3.21	12.1	1	1.6	275	0.64	<0.05	12.5	0.283	1.16	4.0
N814489		14.4	57.5	<0.002	0.02	2.54	11.0	1	1.7	481	0.58	<0.05	12.4	0.276	0.77	3.3
N814490		13.1	61.5	<0.002	0.01	1.30	10.8	1	1.4	513	0.62	<0.05	14.1	0.281	0.73	3.6
N814491		12.7	64.2	<0.002	0.01	1.25	10.5	1	1.5	501	0.63	<0.05	13.0	0.272	0.73	3.3
N814492		14.7	78.7	<0.002	0.03	1.37	10.8	1	1.8	500	0.61	<0.05	13.3	0.275	0.92	3.4
N814493		12.7	70.1	<0.002	0.02	1.76	10.8	<1	1.8	507	0.58	<0.05	13.1	0.279	0.83	3.6
N814494		12.4	80.6	<0.002	0.03	2.08	11.3	1	2.3	486	0.63	<0.05	14.2	0.278	0.95	3.6
N814495		12.2	103.5	0.002	0.02	1.40	10.7	1	1.8	387	0.59	<0.05	14.0	0.263	0.95	3.4
N814496		11.3	116.5	<0.002	0.09	4.50	11.1	1	3.1	286	0.58	<0.05	13.1	0.263	1.35	4.7
N814497		1390	174.0	0.003	3.14	31.7	8.7	1	5.8	150.0	0.60	0.27	13.4	0.210	2.57	5.4
N814498		16.3	107.5	<0.002	0.02	2.07	11.7	1	2.5	486	0.63	<0.05	13.5	0.281	1.17	3.4
N814499		15.0	100.5	<0.002	0.06	3.05	10.6	<1	1.5	366	0.64	<0.05	11.2	0.284	1.45	3.8
N814500		14.9	89.2	<0.002	0.02	2.43	14.1	2	2.0	402	0.74	<0.05	9.5	0.316	1.18	3.1
N814501		13.6	98.8	<0.002	0.38	9.96	10.5	2	1.9	186.5	0.60	<0.05	11.3	0.237	1.67	4.6
N814502		1.4	2.0	<0.002	0.01	0.13	0.5	1	<0.2	42.6	<0.05	<0.05	<0.2	<0.005	<0.02	0.3
N814503		13.4	85.2	<0.002	0.03	2.13	12.5	2	1.9	392	0.65	<0.05	10.6	0.290	1.01	3.0
N814504		12.6	77.3	<0.002	0.04	2.01	11.7	2	2.6	365	0.69	<0.05	11.0	0.267	1.00	3.1
N814505		9.9	82.9	<0.002	0.05	3.51	11.4	1	2.8	319	0.63	<0.05	10.5	0.258	1.14	3.3
N814506		11.9	80.4	<0.002	0.63	10.85	7.1	1	2.7	70.0	0.37	0.08	7.9	0.150	0.93	1.9
N814507		1.2	1.9	<0.002	<0.01	0.07	0.4	1	<0.2	38.1	<0.05	<0.05	<0.2	<0.005	<0.02	0.4
N814508		21.1	125.0	<0.002	0.89	13.30	11.9	2	3.0	203	0.70	0.17	12.5	0.257	1.47	3.9
N814509		14.0	93.5	<0.002	0.07	3.63	11.5	2	1.8	348	0.67	<0.05	10.6	0.276	1.15	2.7
N814510		15.1	116.5	<0.002	0.08	5.84	12.2	2	1.9	322	0.76	<0.05	13.8	0.283	1.28	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2012
 Account: ROCKHA

Project: Klaza - 105

CERTIFICATE OF ANALYSIS WH12180699

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
N814475		77	0.9	16.7	69	26.7	<1
N814476		82	1.0	16.4	73	25.8	<1
N814477		79	2.5	14.1	69	21.2	<1
N814478		83	1.6	16.8	64	23.2	<1
N814479		80	2.5	13.9	83	22.7	<1
N814480		81	2.5	14.8	72	24.2	<1
N814481		79	1.4	13.6	57	23.6	<1
N814482		80	2.9	12.9	51	19.8	<1
N814483		75	2.2	13.6	61	22.4	<1
N814484		74	1.7	14.7	64	25.7	<1
N814485		61	5.2	11.0	3180	36.5	10
N814486		79	0.8	15.6	56	25.2	<1
N814487		77	1.4	15.0	52	21.9	<1
N814488		78	1.9	14.5	48	22.2	<1
N814489		77	1.4	15.0	54	21.7	<1
N814490		80	0.9	14.7	52	26.0	<1
N814491		77	0.9	14.8	50	22.4	<1
N814492		79	1.1	15.1	47	25.0	<1
N814493		77	1.7	15.0	48	23.7	<1
N814494		79	1.9	15.5	52	24.7	<1
N814495		73	1.0	14.7	46	24.0	<1
N814496		80	2.6	15.7	57	21.4	<1
N814497		57	5.1	10.2	2980	35.1	9
N814498		80	1.2	15.7	52	24.0	<1
N814499		85	2.2	13.7	53	22.7	<1
N814500		101	1.6	17.6	55	27.7	<1
N814501		65	3.0	15.3	70	22.3	<1
N814502		3	0.1	0.8	16	<0.5	<1
N814503		85	1.0	16.9	55	25.2	<1
N814504		75	1.4	16.0	51	23.5	<1
N814505		71	2.0	13.7	54	21.1	<1
N814506		46	4.0	9.5	42	10.6	1
N814507		2	0.1	0.9	14	<0.5	<1
N814508		70	3.7	14.2	67	24.0	<1
N814509		77	1.5	15.5	54	23.8	<1
N814510		77	2.0	15.2	56	25.5	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 105

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12180699

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.