



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 31-AUG-2012

Account: ROCKHA

CERTIFICATE WH12181682

Project: Klaza -106

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-AUG-2012
Account: ROCKHA

Project: Klaza -106

CERTIFICATE OF ANALYSIS WH12181682

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M355461		3.63	0.015	0.39	7.95	74.6	1850	1.59	0.30	0.63	0.95	52.5	6.4	9	19.50	5.1
M355462		5.60	<0.005	0.16	7.77	17.5	2190	1.57	0.31	1.86	0.49	49.4	6.8	8	9.12	4.7
M355463		5.54	0.025	0.43	8.12	93.7	1870	1.50	0.22	0.65	1.11	59.4	6.5	8	26.2	8.0
M355464		4.69	<0.005	0.17	7.82	25.0	2300	1.56	0.08	1.81	0.70	49.9	6.2	8	14.70	4.7
M355465		6.51	<0.005	0.23	7.72	38.9	2200	1.49	0.33	1.66	0.44	51.3	11.2	9	11.50	8.1
M355466		<0.02	<0.005	0.21	7.90	36.9	2240	1.48	0.33	1.73	0.42	50.5	11.0	8	11.30	7.0
M355467		6.74	<0.005	0.08	7.78	14.3	2270	1.53	0.08	2.39	0.23	50.8	7.2	12	8.96	5.3
M355468		6.79	<0.005	0.08	7.68	21.9	1880	1.61	0.21	1.87	0.16	47.8	5.8	9	8.31	2.9
M355469		7.25	<0.005	0.09	7.37	12.6	2190	1.45	0.08	2.68	0.19	42.0	7.3	10	10.45	4.4
M355470		7.18	<0.005	0.06	7.16	8.2	1990	1.50	0.07	2.54	0.11	44.2	7.4	12	8.21	4.6
M355471		3.34	<0.005	0.05	7.54	9.0	2060	1.59	0.07	2.66	0.11	46.5	7.9	9	8.66	5.0
M355472		3.83	<0.005	0.11	7.23	17.1	1510	1.71	0.26	2.43	0.15	44.0	5.9	9	11.40	5.8
M355473		3.13	0.005	0.40	7.45	45.4	1930	1.59	0.67	1.80	1.39	54.9	11.4	9	14.30	8.3
M355474		5.26	<0.005	0.09	6.73	41.3	960	2.64	0.28	1.21	0.43	37.6	2.2	4	23.3	6.1
M355475		2.93	<0.005	0.04	6.65	25.4	1070	2.24	0.03	1.48	0.08	36.3	1.7	3	24.0	1.6
M355476		0.26	2.41	24.8	5.60	2250	1390	1.18	18.85	2.10	79.1	41.7	10.6	18	13.60	425
M355477		7.59	<0.005	0.04	6.51	13.9	1210	2.51	0.03	1.73	0.08	36.9	1.7	3	22.3	0.6
M355478		4.06	<0.005	0.05	6.54	29.4	780	2.86	0.11	1.56	0.06	34.7	1.6	3	27.7	<0.2
M355479		2.82	0.119	2.83	7.04	179.5	1530	2.50	2.49	2.44	12.25	42.0	9.0	9	21.1	37.6
M355480		3.80	<0.005	0.02	0.08	7	40	0.07	0.03	20.0	0.09	1.08	1.0	<1	0.23	2.4
M355481		8.30	<0.005	0.22	6.63	30.3	2160	1.51	0.33	2.73	0.49	34.9	7.2	10	14.10	5.5
M355482		2.32	0.005	0.18	6.87	16.4	1790	1.38	0.15	2.42	0.62	38.3	6.0	9	14.50	4.2
M355483		2.76	0.131	3.31	6.36	152.0	1190	1.44	1.99	2.59	9.96	37.1	8.0	7	15.65	50.7
M355484		4.69	<0.005	0.24	7.07	22.0	1560	1.40	0.13	2.29	0.33	39.3	5.2	7	19.70	5.8
M355485		2.66	0.010	0.36	7.17	28.6	1240	1.37	0.14	2.48	1.43	44.0	5.8	7	19.70	10.4
M355486		3.13	0.548	3.77	7.63	575	810	1.83	0.40	2.58	18.40	53.4	5.9	8	25.9	23.0
M355487		3.70	0.006	0.32	7.03	14.1	1090	1.82	0.16	3.10	0.53	45.1	6.2	13	28.3	7.5
M355488		6.57	<0.005	0.07	7.36	9.2	1800	1.69	0.07	2.61	0.14	54.7	5.7	9	26.4	4.0
M355489		0.26	2.32	26.4	5.84	2650	1380	1.34	18.15	2.16	80.5	42.1	10.2	18	14.45	445
M355490		6.19	<0.005	0.13	7.24	12.8	2300	1.62	0.14	2.89	0.19	53.6	7.0	20	29.8	12.3
M355491		4.97	0.033	0.59	7.33	39.4	1730	1.84	0.39	2.03	0.48	47.9	6.1	9	22.6	7.5
M355492		2.45	0.215	8.05	6.62	522	940	1.75	2.11	1.80	15.90	44.5	11.2	7	19.80	54.5
M355493		3.59	<0.005	0.03	0.11	8	30	0.07	0.02	21.1	0.10	1.32	1.1	<1	0.45	2.6
M355494		2.55	<0.005	0.13	6.88	5.3	2110	1.33	0.28	2.86	0.15	39.2	6.9	9	12.70	5.1
M355495		7.61	<0.005	0.06	7.24	4.4	2060	1.41	0.08	2.71	0.08	59.8	7.0	10	10.05	3.9
M355496		9.41	<0.005	0.05	7.56	3.6	2140	1.47	0.11	2.76	0.08	53.3	7.5	9	8.55	5.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-AUG-2012
Account: ROCKHA

Project: Klaza -106

CERTIFICATE OF ANALYSIS WH12181682

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M355461		2.90	18.90	0.12	0.9	0.094	2.32	28.9	21.0	0.23	901	1.24	1.97	9.1	2.9	660
M355462		2.71	18.20	0.12	1.0	0.042	2.66	24.6	12.1	0.50	492	0.64	2.33	8.3	3.1	590
M355463		2.93	19.10	0.12	1.1	0.058	2.85	33.5	22.9	0.20	1020	1.29	1.60	8.7	2.9	660
M355464		3.04	18.30	0.12	0.8	0.052	2.46	26.1	14.7	0.37	520	0.75	2.20	8.7	2.9	660
M355465		3.15	18.70	0.13	0.9	0.063	2.49	25.3	17.5	0.59	714	0.76	2.10	9.0	3.2	650
M355466		3.17	19.15	0.13	0.9	0.066	2.56	25.6	17.5	0.61	707	0.74	2.16	9.0	3.2	670
M355467		3.07	18.50	0.13	0.9	0.047	2.49	24.9	14.0	0.73	642	0.73	2.38	8.7	3.4	640
M355468		2.98	18.15	0.13	0.9	0.099	2.10	23.6	14.2	0.70	547	0.52	2.51	8.9	3.2	620
M355469		2.98	18.20	0.12	0.9	0.044	2.38	19.9	17.1	0.67	592	0.61	2.21	8.6	2.9	620
M355470		2.90	17.50	0.13	1.0	0.045	2.03	20.8	15.2	0.78	571	0.58	2.40	8.7	2.9	600
M355471		3.02	18.85	0.12	1.0	0.048	2.09	22.0	15.1	0.82	585	0.56	2.56	9.1	3.0	620
M355472		3.09	18.85	0.13	1.1	0.100	1.58	20.2	13.6	0.73	587	0.61	2.93	9.3	3.3	630
M355473		3.28	18.45	0.15	1.0	0.146	2.31	27.5	15.7	0.43	700	0.98	2.13	9.6	3.1	670
M355474		1.36	18.90	0.12	2.2	0.019	3.29	18.2	47.1	0.18	493	1.24	0.18	14.1	1.1	330
M355475		1.22	20.2	0.11	2.5	0.021	3.73	16.8	21.0	0.27	381	0.33	0.28	15.8	0.9	320
M355476		6.28	15.30	0.18	0.9	1.765	2.49	21.3	22.0	0.86	1840	13.60	0.04	6.1	15.2	430
M355477		1.27	19.65	0.11	2.5	0.021	3.54	16.7	16.9	0.28	450	0.36	0.42	16.2	0.9	320
M355478		1.22	19.30	0.10	2.5	0.016	2.96	16.5	31.9	0.37	400	1.38	0.09	16.2	0.8	300
M355479		3.57	16.90	0.13	1.2	0.613	3.03	22.2	20.5	0.84	1300	2.24	0.74	8.7	3.6	550
M355480		0.45	0.27	<0.05	<0.1	0.006	0.03	0.5	1.0	12.05	194	0.13	0.01	0.3	1.9	180
M355481		2.95	16.40	0.11	1.0	0.099	2.27	17.1	13.5	0.70	686	1.47	2.14	8.2	3.1	590
M355482		2.75	15.75	0.11	1.0	0.065	2.50	19.3	24.1	0.70	705	1.10	1.22	7.9	2.8	560
M355483		3.88	14.65	0.13	0.8	0.358	2.80	20.0	23.4	0.83	1790	3.63	0.08	6.8	3.2	480
M355484		2.95	17.20	0.12	0.9	0.057	2.56	19.7	42.6	0.64	715	0.84	0.53	8.2	2.7	590
M355485		2.44	16.85	0.12	0.9	0.095	2.94	22.2	97.6	0.68	1060	0.67	0.09	8.2	3.0	590
M355486		3.69	18.30	0.14	1.4	0.211	2.99	30.2	24.3	0.99	3600	2.97	0.05	8.5	4.1	620
M355487		2.66	17.80	0.12	2.5	0.037	2.61	22.1	24.6	1.11	882	0.69	0.07	8.2	6.1	730
M355488		2.34	19.20	0.13	2.3	0.032	2.73	29.9	24.6	1.03	545	0.46	0.06	8.8	4.2	810
M355489		6.57	14.85	0.16	0.9	1.720	2.60	23.1	22.8	0.90	1840	14.50	0.04	6.1	15.8	460
M355490		2.74	19.40	0.14	2.9	0.043	2.54	28.7	33.2	1.20	683	0.50	0.07	8.3	7.3	820
M355491		3.07	17.10	0.12	1.5	0.088	2.71	26.2	22.5	0.79	1560	0.62	0.05	8.3	3.9	630
M355492		3.95	15.55	0.14	1.2	0.436	2.35	23.4	43.4	0.67	2030	2.44	0.04	7.2	3.9	590
M355493		0.49	0.37	0.05	<0.1	0.009	0.05	0.7	1.2	12.75	216	0.14	<0.01	0.3	2.4	180
M355494		2.88	16.80	0.12	1.0	0.055	2.54	19.7	13.3	0.80	661	0.90	1.85	7.6	2.8	560
M355495		2.88	16.85	0.13	1.0	0.038	2.57	33.1	11.0	0.76	567	1.38	2.20	7.7	2.9	580
M355496		3.11	17.25	0.13	1.1	0.055	2.57	29.4	13.7	0.89	675	1.17	2.18	8.8	3.0	630



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-AUG-2012
Account: ROCKHA

Project: Klaza -106

CERTIFICATE OF ANALYSIS WH12181682

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M355461		21.0	126.0	<0.002	0.01	6.01	13.9	1	2.9	181.0	0.69	<0.05	14.7	0.267	1.50	2.3
M355462		23.0	110.0	<0.002	<0.01	1.73	11.0	1	1.7	361	0.64	<0.05	13.8	0.237	1.05	1.2
M355463		32.8	137.5	<0.002	0.01	6.28	13.3	1	2.2	182.0	0.67	<0.05	16.7	0.256	1.71	2.4
M355464		77.9	111.5	<0.002	0.01	3.01	12.5	1	1.7	342	0.68	<0.05	12.0	0.262	1.28	1.7
M355465		21.1	112.0	<0.002	0.01	2.34	13.1	1	2.4	328	0.66	<0.05	12.5	0.265	1.20	1.5
M355466		20.9	113.0	<0.002	0.01	2.27	13.2	1	2.3	342	0.65	<0.05	12.2	0.269	1.19	1.5
M355467		22.5	100.5	<0.002	0.01	1.49	12.3	1	1.9	399	0.63	<0.05	12.6	0.261	1.05	2.4
M355468		13.6	89.3	<0.002	<0.01	2.27	11.9	1	2.8	359	0.70	<0.05	13.8	0.257	0.90	2.0
M355469		15.3	90.1	<0.002	0.01	2.40	12.1	1	1.8	376	0.68	<0.05	10.2	0.258	1.05	2.3
M355470		13.5	84.6	<0.002	0.01	1.88	12.0	1	1.8	418	0.73	<0.05	12.2	0.251	0.93	3.0
M355471		13.6	90.3	<0.002	0.01	1.98	12.7	1	1.9	442	0.75	<0.05	12.4	0.257	0.95	3.2
M355472		10.7	84.9	<0.002	0.03	3.64	12.2	1	2.2	415	0.84	<0.05	12.1	0.256	1.04	3.7
M355473		97.2	124.0	<0.002	0.12	3.50	13.6	1	2.3	317	0.78	<0.05	13.7	0.272	1.43	2.5
M355474		27.1	154.0	<0.002	<0.01	2.52	3.7	1	3.5	131.5	1.44	<0.05	9.1	0.131	1.50	3.7
M355475		27.5	171.5	<0.002	0.01	1.78	3.2	1	1.9	228	1.57	<0.05	8.3	0.123	1.62	3.9
M355476		2760	159.5	<0.002	4.63	88.5	8.6	2	8.0	92.0	0.45	0.40	9.8	0.171	2.26	4.7
M355477		26.8	165.5	<0.002	0.01	1.59	3.2	1	1.8	295	1.47	<0.05	7.7	0.123	1.53	2.6
M355478		25.9	140.5	<0.002	0.02	1.87	2.9	1	2.1	269	1.46	<0.05	8.3	0.123	1.34	9.3
M355479		507	167.5	0.002	1.30	7.63	9.9	1	2.6	284	0.66	0.06	11.0	0.230	2.27	20.3
M355480		2.2	1.7	<0.002	0.01	0.05	0.2	1	<0.2	43.6	<0.05	<0.05	<0.2	<0.005	<0.02	0.5
M355481		56.8	84.6	<0.002	0.09	2.94	9.8	1	2.8	386	0.67	<0.05	8.5	0.245	1.14	2.8
M355482		32.6	104.5	<0.002	0.09	5.31	10.0	1	2.0	277	0.63	<0.05	10.1	0.240	1.35	2.9
M355483		805	179.5	0.002	1.78	11.50	8.6	1	3.6	126.0	0.52	0.09	9.9	0.205	2.57	5.4
M355484		23.2	99.3	<0.002	0.10	6.73	10.0	1	1.7	192.0	0.57	<0.05	10.3	0.243	1.62	1.9
M355485		36.3	119.0	<0.002	0.27	12.05	10.5	1	1.6	186.0	0.59	<0.05	16.0	0.245	1.95	1.9
M355486		759	175.5	0.002	1.34	15.30	11.3	1	3.6	193.0	0.70	<0.05	13.7	0.255	2.82	7.9
M355487		24.6	104.0	<0.002	0.09	8.45	9.4	1	1.5	269	0.59	<0.05	8.6	0.283	1.63	3.7
M355488		10.7	123.5	<0.002	0.12	6.72	8.0	1	1.3	253	0.58	<0.05	9.0	0.277	1.49	3.6
M355489		2870	171.5	<0.002	4.84	98.4	8.1	2	8.4	91.1	0.48	0.41	10.4	0.178	2.41	5.0
M355490		13.5	117.0	<0.002	0.18	11.10	10.0	1	1.5	272	0.54	<0.05	8.4	0.291	1.38	3.7
M355491		29.2	137.0	<0.002	0.26	9.10	11.1	1	2.3	172.0	0.67	<0.05	13.9	0.255	2.28	3.9
M355492		360	148.0	<0.002	2.18	26.0	10.8	2	3.6	246	0.54	0.27	10.7	0.242	2.07	6.7
M355493		2.0	2.9	<0.002	0.01	0.11	0.4	1	<0.2	40.8	<0.05	<0.05	<0.2	<0.005	0.02	0.5
M355494		14.4	95.4	<0.002	0.03	4.24	10.1	1	1.5	351	0.56	<0.05	9.4	0.245	1.08	2.8
M355495		14.9	100.0	<0.002	0.01	1.10	10.7	1	1.4	382	0.57	<0.05	13.7	0.248	0.92	3.3
M355496		13.4	114.0	<0.002	0.01	2.02	12.0	1	1.6	380	0.66	<0.05	14.3	0.271	1.05	4.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31-AUG-2012
 Account: ROCKHA

Project: Klaza -106

CERTIFICATE OF ANALYSIS WH12181682

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M355461		76	2.0	20.0	216	23.3	1
M355462		64	1.2	16.3	114	23.0	<1
M355463		73	5.4	21.2	172	26.2	<1
M355464		74	1.6	18.0	124	18.7	<1
M355465		73	1.8	17.4	143	20.7	1
M355466		74	1.7	17.2	147	20.3	<1
M355467		72	0.9	17.4	60	20.5	<1
M355468		70	1.3	15.0	56	22.0	<1
M355469		72	1.9	17.2	54	20.6	<1
M355470		68	0.7	17.5	47	21.7	<1
M355471		72	0.8	18.6	45	23.0	<1
M355472		72	1.5	17.9	56	23.2	<1
M355473		76	1.6	17.8	254	21.7	<1
M355474		18	1.4	16.6	111	52.0	<1
M355475		14	1.7	15.5	59	56.2	<1
M355476		54	4.9	9.7	5310	24.3	25
M355477		14	1.6	15.8	62	58.4	<1
M355478		14	1.9	16.2	69	56.2	<1
M355479		61	3.8	15.4	1290	27.1	3
M355480		2	0.1	0.9	17	<0.5	<1
M355481		70	1.5	15.7	94	19.9	<1
M355482		62	1.4	14.8	96	20.8	<1
M355483		57	5.1	13.2	1010	19.4	3
M355484		68	3.0	13.8	68	21.6	<1
M355485		68	3.3	15.3	171	20.6	<1
M355486		72	5.4	17.3	1500	36.2	4
M355487		72	3.1	15.2	90	75.5	<1
M355488		64	5.3	14.0	58	72.4	<1
M355489		56	5.2	11.0	5490	24.0	25
M355490		72	6.1	15.0	69	91.5	<1
M355491		71	4.9	16.2	80	40.0	1
M355492		66	5.5	12.3	1500	31.3	8
M355493		3	0.2	0.9	16	<0.5	<1
M355494		70	1.2	14.8	48	24.8	<1
M355495		70	1.7	16.9	42	24.8	<1
M355496		77	1.9	19.3	46	27.2	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza -106

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12181682

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.