



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 22-AUG-2012

Account: ROCKHA

CERTIFICATE WH12182336

Project: Klaza - 96

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2012
 Account: ROCKHA

Project: Klaza - 96

CERTIFICATE OF ANALYSIS WH12182336

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N813958		8.93	<0.005	0.35	7.56	12.5	1930	1.49	0.13	2.90	0.25	40.9	8.3	10	12.80	11.8
N813959		5.25	<0.005	0.11	7.29	4.9	2080	1.67	0.12	2.97	0.10	37.3	8.3	10	10.40	8.4
N813960		4.90	<0.005	0.11	7.32	11.1	1820	1.47	0.17	2.95	0.13	40.1	8.6	8	19.50	10.8
N813961		<0.02	<0.005	0.09	7.44	9.1	1840	1.55	0.11	2.91	0.11	41.2	8.2	9	18.75	9.9
N813962		2.82	<0.005	0.09	7.36	6.2	1960	1.56	0.23	2.94	0.09	38.3	8.4	9	11.95	11.4
N813963		2.78	<0.005	0.10	6.72	15.4	1500	1.59	0.26	2.84	0.13	39.0	8.1	8	18.20	9.6
N813964		4.02	<0.005	0.02	0.11	<5	20	0.05	0.02	21.2	0.07	1.08	0.8	2	0.31	2.6
N813965		6.69	<0.005	0.08	7.75	4.3	2080	1.38	0.11	3.26	0.10	42.6	8.7	11	12.35	14.1
N813966		7.08	<0.005	0.33	7.78	12.2	2690	1.36	0.17	1.73	0.15	42.0	9.7	10	11.30	54.3
N813967		7.72	<0.005	0.08	7.86	4.6	2180	1.62	0.11	2.91	0.12	47.7	9.2	12	9.74	10.8
N813968		7.79	<0.005	0.16	7.67	4.4	2180	1.10	0.12	3.13	0.12	37.6	8.9	11	10.90	16.7
N813969		8.07	<0.005	0.10	7.48	6.1	2040	1.05	0.10	3.01	0.08	36.6	8.7	10	11.55	8.9
N813970		4.27	<0.005	1.41	6.94	19.0	2390	0.95	0.34	3.17	0.56	37.5	7.4	7	10.05	43.4
N813971		2.65	<0.005	0.12	7.20	8.9	2090	1.03	0.24	2.98	0.06	41.7	7.7	7	12.00	9.3
N813972		6.16	0.005	0.15	7.34	13.5	1710	1.07	0.13	2.88	0.08	39.7	7.8	9	10.10	9.7
N813973		2.50	<0.005	0.09	6.89	6.0	1340	1.02	0.12	2.77	0.06	38.3	7.1	7	11.70	5.6
N813974		0.28	2.31	22.6	5.60	3300	620	0.98	17.30	2.06	67.7	35.1	9.7	17	11.90	413
N813975		3.53	<0.005	0.14	7.34	7.1	1460	1.12	0.13	1.82	0.08	41.6	7.9	8	11.30	11.0
N813976		3.49	0.008	0.48	7.41	577	1190	1.33	0.13	2.56	1.17	39.9	8.7	8	14.40	47.9
N813977		2.66	0.235	6.63	6.82	1965	420	1.09	0.20	3.30	14.60	43.5	11.2	7	12.20	424
N813978		4.28	<0.005	0.02	0.13	10	30	0.06	0.01	21.7	0.08	1.72	1.9	1	0.27	2.2
N813979		5.68	<0.005	0.14	8.03	11.5	2340	1.26	0.10	2.08	0.12	94.7	10.8	11	13.10	14.3
N813980		7.05	<0.005	0.12	7.28	6.2	1950	1.18	0.10	3.05	0.08	43.8	8.2	9	11.65	11.2
N813981		6.92	<0.005	0.11	7.55	5.8	2030	1.19	0.08	2.63	0.08	44.2	9.2	8	12.25	11.5
N813982		2.34	<0.005	0.12	8.22	7.3	2320	1.31	0.10	1.89	0.07	50.3	8.6	8	15.35	11.6
N813983		2.53	<0.005	0.16	6.65	8.1	1020	1.47	0.19	3.36	0.09	37.9	8.7	7	13.20	6.0
N813984		2.37	<0.005	0.14	7.84	5.9	1800	1.18	0.08	2.14	0.07	39.8	8.8	8	11.90	12.0
N813985		1.15	<0.005	0.08	7.38	5.5	1650	1.17	0.07	2.78	0.08	41.4	7.8	8	11.05	10.7
N813986		7.98	0.038	0.22	8.00	8.7	2070	1.37	0.27	2.35	0.08	40.6	9.3	9	12.35	26.9
N813987		8.81	<0.005	0.10	7.64	4.3	2170	1.59	0.16	2.86	0.08	36.9	8.8	10	14.90	9.2
N813988		6.96	0.008	0.18	7.27	9.0	1720	1.57	0.49	3.17	0.07	35.8	8.7	10	11.30	5.5
N813989		0.28	0.776	9.72	6.95	1870	1540	1.51	6.10	1.93	40.7	43.8	16.9	19	15.70	110.5
N813990		3.80	<0.005	0.25	7.62	4.0	2190	1.54	0.14	2.86	0.16	41.9	8.5	12	8.67	36.1
N813991		1.99	0.009	4.09	7.14	18.3	1700	1.46	0.36	2.82	5.19	42.1	8.0	8	12.05	15.7
N813992		3.95	<0.005	0.47	7.80	4.9	1910	1.69	0.11	2.82	0.38	46.2	8.6	9	9.98	13.5
N813993		5.23	<0.005	0.20	7.73	4.8	1980	1.69	0.08	2.67	0.26	47.0	8.8	10	9.28	13.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2012
Account: ROCKHA

Project: Klaza - 96

CERTIFICATE OF ANALYSIS WH12182336

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N813958		3.24	15.20	0.15	1.1	0.034	2.43	20.7	27.7	0.87	958	0.59	1.89	7.2	3.1	650
N813959		3.12	15.35	0.17	1.1	0.028	2.42	17.5	20.0	0.81	662	0.67	1.95	7.1	3.2	630
N813960		3.08	15.45	0.15	1.1	0.044	2.41	19.5	44.8	0.78	855	0.63	1.25	7.4	2.9	630
N813961		3.08	14.75	0.15	1.1	0.041	2.39	20.4	44.3	0.78	840	0.83	1.25	7.2	2.8	630
N813962		3.10	15.35	0.15	1.1	0.039	2.45	18.9	29.5	0.78	759	0.82	1.28	7.3	2.9	640
N813963		3.02	14.75	0.12	1.0	0.051	2.55	19.3	33.9	0.71	1070	1.22	0.78	6.8	2.5	570
N813964		0.55	0.29	0.12	<0.1	<0.005	0.04	0.6	1.3	12.70	221	0.21	0.01	0.1	1.9	200
N813965		3.24	15.75	0.19	1.0	0.039	2.44	21.4	19.6	0.87	713	2.84	1.30	7.5	3.0	660
N813966		3.29	16.05	0.16	1.1	0.052	2.53	21.0	26.8	0.68	807	0.78	0.64	7.7	3.0	680
N813967		3.27	16.50	0.15	1.2	0.037	2.43	24.5	22.1	0.98	711	0.82	2.25	7.9	3.2	650
N813968		3.30	16.65	0.22	1.0	0.037	2.47	19.0	13.7	0.92	778	1.02	2.21	8.4	3.9	690
N813969		3.22	16.00	0.23	1.1	0.036	2.52	18.4	13.9	0.86	847	1.06	2.01	8.2	3.4	680
N813970		2.83	14.55	0.22	1.1	0.034	2.51	19.7	23.2	0.98	2390	1.26	0.18	7.6	3.0	610
N813971		3.03	13.85	0.24	1.1	0.031	2.26	22.7	22.0	1.00	1100	1.58	0.10	8.0	3.0	640
N813972		3.11	15.30	0.21	0.9	0.077	2.87	21.5	20.6	0.98	1620	1.95	0.24	7.5	3.1	630
N813973		2.79	14.20	0.19	0.9	0.039	2.30	20.9	35.6	0.94	947	0.43	0.07	7.1	2.6	600
N813974		6.33	12.80	0.20	0.8	1.420	2.41	20.0	16.1	0.84	1760	11.95	0.04	5.5	14.8	430
N813975		3.11	15.30	0.18	1.0	0.050	2.75	22.3	29.2	0.75	1040	1.04	0.48	7.9	2.9	610
N813976		3.35	15.70	0.20	1.0	0.056	2.85	20.3	42.1	0.87	2660	1.78	0.23	7.9	3.0	660
N813977		5.44	13.75	0.20	0.7	0.149	2.84	25.7	26.2	1.08	4300	1.37	0.03	6.3	3.6	580
N813978		0.50	0.52	0.13	<0.1	0.005	0.05	0.9	1.3	12.90	225	0.16	0.01	0.4	3.7	210
N813979		3.37	17.45	0.21	0.9	0.051	2.68	56.3	20.7	0.78	799	0.90	1.30	7.8	3.3	690
N813980		3.11	16.80	0.20	1.0	0.038	2.39	22.6	24.6	0.54	705	0.68	0.83	8.1	3.0	690
N813981		3.22	16.60	0.23	0.9	0.040	2.29	22.9	30.2	0.63	783	1.10	0.43	8.1	3.1	700
N813982		3.23	16.95	0.20	1.1	0.044	2.55	27.1	31.4	0.73	928	0.94	0.66	8.8	3.1	700
N813983		2.87	14.15	0.17	0.9	0.059	2.18	20.1	35.6	1.00	1480	0.57	0.50	6.7	2.5	570
N813984		3.30	17.00	0.20	1.0	0.045	2.44	20.0	46.7	0.74	866	0.76	0.38	8.4	3.2	720
N813985		3.06	15.65	0.19	0.9	0.038	2.33	21.3	48.6	0.65	859	0.74	0.37	7.5	2.8	690
N813986		3.61	17.55	0.19	1.1	0.061	2.65	20.1	36.7	0.74	970	0.89	0.32	8.2	3.3	690
N813987		3.12	16.75	0.20	1.1	0.036	2.49	17.3	19.1	0.73	795	1.42	1.63	8.1	3.2	660
N813988		3.11	15.70	0.19	0.9	0.042	2.40	17.1	18.2	0.75	1190	0.79	1.67	7.6	2.9	640
N813989		5.43	15.05	0.19	1.3	0.898	2.85	23.9	24.4	0.71	2020	12.70	0.28	7.7	16.0	510
N813990		3.11	16.55	0.21	1.0	0.044	2.57	20.9	12.1	0.84	777	1.05	2.06	7.7	3.3	650
N813991		3.35	15.00	0.19	1.0	0.047	2.54	22.0	38.2	0.77	3250	0.49	0.43	7.3	2.8	620
N813992		3.33	16.80	0.21	1.1	0.040	2.74	22.9	20.3	0.88	1300	0.80	1.64	8.4	3.1	700
N813993		3.52	16.70	0.21	1.2	0.064	2.76	23.4	22.3	0.96	1130	1.02	1.82	8.6	3.1	670



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2012
Account: ROCKHA

Project: Klaza - 96

CERTIFICATE OF ANALYSIS WH12182336

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N813958		31.6	96.8	0.003	0.04	3.52	10.8	1	1.6	409	0.62	<0.05	11.0	0.277	1.11	3.9
N813959		19.1	86.5	0.002	0.01	3.20	10.5	1	1.5	445	0.60	<0.05	10.4	0.271	1.08	3.7
N813960		18.6	93.3	<0.002	0.06	9.18	10.9	2	1.6	344	0.59	0.05	10.3	0.270	1.41	4.2
N813961		18.2	95.2	0.003	0.05	8.69	10.7	1	1.7	345	0.59	<0.05	10.9	0.270	1.40	4.2
N813962		18.1	89.3	0.002	0.04	5.22	10.8	2	1.6	334	0.59	<0.05	10.3	0.273	1.26	3.6
N813963		13.8	105.0	<0.002	0.13	23.3	10.2	2	1.5	194.0	0.52	<0.05	9.7	0.246	1.64	3.5
N813964		1.6	2.1	0.002	0.02	0.12	0.3	2	<0.2	40.6	<0.05	<0.05	<0.2	<0.005	<0.02	1.1
N813965		15.9	95.1	0.002	0.01	4.65	11.6	2	1.8	385	0.59	<0.05	10.9	0.278	1.00	3.8
N813966		18.9	98.5	0.004	0.10	20.2	11.7	1	2.2	204	0.61	<0.05	11.5	0.287	1.15	3.3
N813967		16.7	98.8	0.004	0.01	1.20	11.9	2	1.6	456	0.61	<0.05	12.2	0.278	0.98	4.1
N813968		18.7	86.0	<0.002	0.01	2.79	11.9	2	1.5	460	0.62	<0.05	12.0	0.287	1.03	3.6
N813969		16.6	85.7	<0.002	0.02	7.10	11.4	2	1.5	395	0.63	<0.05	11.6	0.276	1.14	3.3
N813970		64.7	102.5	<0.002	0.20	24.1	10.4	1	1.4	172.5	0.60	<0.05	13.1	0.260	1.53	2.8
N813971		7.5	98.2	<0.002	0.12	10.50	11.1	1	1.4	149.0	0.69	<0.05	14.2	0.262	1.43	3.1
N813972		20.0	132.0	<0.002	0.20	9.15	11.2	1	1.5	135.5	0.59	<0.05	13.8	0.269	1.93	3.6
N813973		9.0	89.0	<0.002	0.05	12.90	10.4	1	1.2	140.5	0.54	<0.05	13.2	0.257	1.27	2.4
N813974		2620	138.0	<0.002	4.54	73.4	7.4	2	6.5	81.7	0.41	0.31	11.3	0.169	2.28	5.2
N813975		15.5	121.0	<0.002	0.07	9.59	11.6	1	1.4	133.5	0.63	<0.05	15.5	0.262	1.62	4.0
N813976		52.3	124.0	<0.002	0.24	40.9	11.8	1	1.8	135.0	0.61	<0.05	13.6	0.272	2.01	3.2
N813977		309	195.5	<0.002	3.20	233	10.4	1	2.3	113.0	0.41	<0.05	11.8	0.242	2.61	3.7
N813978		1.7	2.3	<0.002	0.04	0.31	0.5	1	<0.2	44.9	<0.05	<0.05	0.2	0.006	0.03	0.5
N813979		19.0	93.5	<0.002	0.04	7.04	12.5	1	1.5	298	0.56	<0.05	23.6	0.291	1.19	3.0
N813980		16.8	71.8	<0.002	0.01	9.96	11.8	1	1.5	259	0.60	<0.05	12.4	0.291	0.99	2.5
N813981		16.2	67.9	<0.002	0.02	9.67	12.1	1	1.7	230	0.58	<0.05	11.8	0.297	0.98	2.7
N813982		14.6	98.5	<0.002	0.05	9.59	13.8	1	1.8	197.0	0.70	<0.05	16.4	0.303	1.22	3.9
N813983		8.4	93.9	<0.002	0.20	14.60	10.5	1	1.3	159.0	0.57	<0.05	12.2	0.240	1.35	4.4
N813984		15.9	78.1	<0.002	0.02	12.15	13.2	1	1.8	216	0.62	<0.05	11.8	0.302	1.12	2.8
N813985		14.5	70.2	<0.002	0.02	13.00	12.0	1	1.7	226	0.55	<0.05	10.9	0.286	1.01	2.5
N813986		20.0	87.7	<0.002	0.13	12.05	12.6	1	1.8	211	0.64	<0.05	12.3	0.291	1.44	2.9
N813987		16.9	81.3	<0.002	0.02	6.54	11.9	1	1.5	375	0.69	<0.05	12.0	0.284	1.04	3.5
N813988		18.8	80.7	<0.002	0.10	7.01	11.2	1	1.5	316	0.60	<0.05	10.7	0.277	1.22	3.2
N813989		1360	156.5	0.002	3.20	32.5	9.5	2	5.7	156.5	0.62	0.28	14.5	0.213	2.64	5.7
N813990		24.9	85.3	<0.002	0.02	4.89	11.8	1	1.5	418	0.59	<0.05	13.3	0.284	1.02	3.5
N813991		425	101.0	<0.002	0.59	44.3	11.5	1	1.9	170.5	0.57	<0.05	13.4	0.262	1.40	4.2
N813992		25.7	104.5	<0.002	0.06	9.60	12.8	1	1.6	354	0.69	<0.05	13.9	0.293	1.29	3.7
N813993		34.4	105.0	<0.002	0.03	4.51	12.7	1	1.7	364	0.72	<0.05	14.6	0.286	1.30	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2012
 Account: ROCKHA

Project: Klaza - 96

CERTIFICATE OF ANALYSIS WH12182336

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N813958		82	1.7	14.3	71	24.2
N813959		80	2.0	12.9	54	25.7
N813960		78	2.5	13.3	57	26.3
N813961		79	2.5	13.3	57	25.1
N813962		80	1.9	12.9	54	24.6
N813963		73	3.2	12.3	54	22.4
N813964		3	0.1	0.7	13	<0.5
N813965		80	2.6	14.4	54	25.2
N813966		83	4.1	13.9	64	25.4
N813967		81	1.4	17.0	53	28.8
N813968		86	2.5	15.8	61	26.7
N813969		83	2.2	15.1	59	28.3
N813970		74	1.9	12.4	180	27.6
N813971		74	1.8	12.6	66	27.4
N813972		75	2.2	12.1	64	23.7
N813973		73	1.8	11.5	58	22.2
N813974		54	4.7	8.9	5160	22.7
N813975		77	2.3	14.3	64	24.4
N813976		82	2.9	14.5	220	25.4
N813977		71	4.5	14.1	1940	20.8
N813978		5	0.2	1.0	22	<0.5
N813979		86	2.9	15.3	69	24.7
N813980		88	3.9	13.9	59	26.7
N813981		88	3.9	15.8	62	24.7
N813982		90	3.0	16.6	64	28.1
N813983		66	1.5	15.1	65	22.7
N813984		88	3.3	15.6	63	26.2
N813985		84	2.9	15.4	56	24.2
N813986		86	4.8	14.7	74	27.2
N813987		83	2.3	14.7	62	27.0
N813988		82	2.0	13.0	79	23.4
N813989		60	5.4	12.0	3090	39.7
N813990		83	1.9	13.9	73	25.9
N813991		77	3.1	14.5	854	24.9
N813992		89	2.9	15.4	124	26.9
N813993		86	2.3	16.9	93	29.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 96

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12182336

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.