



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 23-AUG-2012

Account: ROCKHA

CERTIFICATE WH12182360

Project: Klaza-94/97

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
MATT TURNER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2012
Account: ROCKHA

Project: Klaza-94/97

CERTIFICATE OF ANALYSIS WH12182360

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N812250		3.08	<0.005	0.16	7.32	62.2	1560	1.41	0.09	2.60	0.17	44.8	8.7	10	23.6	7.5
N812251		1.81	0.011	0.22	7.21	34.4	1800	1.45	0.08	2.99	0.22	43.8	9.1	9	21.7	6.0
N812252		4.27	<0.005	0.05	7.38	5.2	2060	1.37	0.08	2.41	0.07	45.0	8.3	10	14.75	6.9
N812253		4.23	<0.005	0.05	7.13	8.3	1680	1.52	0.10	3.31	0.09	43.1	8.1	9	20.7	6.6
N812254		5.63	<0.005	0.23	7.48	2.7	1980	1.51	0.08	3.04	0.07	40.6	8.6	10	11.65	5.5
N812255		0.23	0.732	10.30	6.77	1855	330	1.42	6.72	1.94	45.2	44.8	17.2	20	17.05	109.5
N812256		5.39	<0.005	0.07	7.33	6.7	1970	1.42	0.08	2.98	0.10	42.4	8.8	10	17.10	4.5
N812257		3.35	<0.005	0.03	7.01	4.6	1510	1.36	0.10	2.85	0.14	36.1	8.6	8	13.45	2.7
N812258		3.80	<0.005	0.02	6.89	3.6	1740	1.53	0.12	3.45	0.13	48.0	8.2	10	17.90	3.9
N812259		2.21	<0.005	0.05	7.14	3.3	1950	1.46	0.06	3.54	0.07	36.8	8.9	8	18.55	3.4
N812260		<0.02	<0.005	0.04	7.14	4.4	1860	1.41	0.06	3.59	0.10	38.8	8.8	9	18.10	3.5
N812261		1.72	0.010	0.14	6.80	50.9	2090	1.61	0.25	3.11	0.28	40.2	8.0	8	19.20	4.0
N812262		5.62	<0.005	0.03	7.58	1.6	2120	1.55	0.07	2.83	0.07	45.3	8.1	11	11.75	3.8
N812263		4.11	0.010	0.30	7.97	21.7	2190	1.66	0.15	2.84	0.93	46.2	7.8	11	11.00	14.2
N812264		3.35	0.006	0.48	7.16	39.1	2240	1.36	0.24	4.30	0.95	52.8	8.3	9	9.91	36.2
N812265		2.28	0.072	2.79	7.83	300	2020	1.71	1.05	0.97	5.77	56.8	7.9	9	17.10	83.9
N812266		5.06	0.024	3.41	7.27	156.5	1840	1.55	0.69	2.29	3.68	43.5	7.4	9	13.75	106.5
N812267		2.41	0.005	0.57	7.04	39.3	1800	1.54	0.64	2.67	0.52	41.0	6.2	7	14.40	73.5
N812268		4.80	<0.005	0.15	7.52	18.3	2140	1.55	0.14	2.54	0.25	48.6	7.3	9	10.15	15.0
N812269		7.52	<0.005	0.28	7.51	13.6	2150	1.54	0.11	2.51	0.17	48.6	6.9	11	7.80	9.8
N812270		0.28	2.24	27.8	5.92	3400	200	1.23	20.6	2.23	84.3	43.3	10.8	18	14.95	431
N812271		5.61	0.008	0.59	7.79	17.0	2180	1.54	0.24	2.87	0.98	51.4	8.1	11	8.89	14.0
N812272		3.24	0.028	12.95	7.31	83.7	1820	1.45	13.75	2.62	11.65	46.6	7.6	9	13.80	37.8
N812273		2.67	<0.005	0.01	0.09	7	20	0.07	0.03	21.8	0.07	1.39	1.0	1	0.29	3.2
N812274		2.93	0.009	0.40	7.61	35.3	2170	1.36	0.36	2.90	0.38	57.9	8.0	10	7.98	41.5
N812275		1.39	0.008	0.34	7.39	26.1	2110	1.44	0.27	2.90	0.40	51.5	8.2	11	7.69	31.5
N812276		5.73	0.008	0.31	7.94	24.2	2220	1.36	0.21	2.89	0.61	53.4	8.0	10	8.91	34.9
N812277		4.30	0.026	2.12	7.34	949	1860	1.48	0.24	2.62	8.10	46.6	6.1	9	11.95	15.4
N812278		3.51	<0.005	0.02	0.16	<5	30	0.09	0.02	21.3	0.07	1.55	1.3	4	0.39	0.9
N812279		4.32	0.009	0.18	7.64	95.1	2040	1.57	0.11	2.75	0.43	47.9	6.9	10	11.00	13.1
N812280		2.53	0.354	3.91	7.42	562	930	2.35	2.16	1.95	22.4	51.5	6.6	8	20.4	54.5
N812281		4.60	0.016	0.09	6.60	27.4	1020	1.94	0.08	1.58	0.56	39.5	1.6	2	20.1	1.2
N812282		3.55	<0.005	0.03	7.32	27.3	1220	1.73	0.03	1.23	0.21	45.1	1.7	3	21.1	0.6
N812283		7.55	<0.005	0.01	7.29	38.4	1070	1.94	0.02	1.68	0.09	44.0	2.0	3	22.6	0.4
N812284		7.13	0.211	1.14	7.10	191.0	1320	2.86	1.09	2.64	3.71	61.3	5.0	21	29.7	17.8
N812285		7.11	0.013	0.34	7.39	169.5	2640	2.15	0.14	3.20	0.98	57.4	7.2	14	28.2	8.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2012
Account: ROCKHA

Project: Klaza-94/97

CERTIFICATE OF ANALYSIS WH12182360

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N812250		2.84	17.70	0.16	1.2	0.039	2.77	21.8	94.8	0.70	1000	1.35	0.16	8.4	3.0	630
N812251		3.15	17.05	0.18	1.2	0.036	3.21	21.4	36.0	0.81	1310	1.71	0.69	8.2	3.1	600
N812252		2.99	17.60	0.18	1.4	0.041	2.61	21.8	21.9	0.66	652	0.92	1.19	9.1	2.9	640
N812253		2.97	17.20	0.18	1.4	0.039	2.71	20.3	21.0	0.84	758	1.05	1.58	8.8	2.8	600
N812254		3.09	17.50	0.17	1.1	0.037	2.49	19.2	12.0	0.86	657	0.48	2.26	8.5	3.1	620
N812255		5.36	16.15	0.19	1.4	1.015	2.94	23.3	24.3	0.71	2020	13.05	0.27	7.8	15.6	500
N812256		3.22	17.50	0.19	1.2	0.042	2.52	20.5	34.9	0.86	691	0.44	1.82	8.5	3.0	630
N812257		3.03	16.15	0.17	1.1	0.036	2.10	16.7	30.5	0.80	715	0.31	1.12	8.0	2.8	620
N812258		2.98	16.25	0.18	1.0	0.033	2.24	24.4	25.0	0.91	749	0.25	1.55	7.9	2.8	600
N812259		3.03	16.40	0.19	1.2	0.039	2.32	17.4	30.4	0.78	689	0.25	1.79	8.1	2.9	600
N812260		3.01	16.40	0.18	1.1	0.036	2.27	18.4	34.4	0.78	684	0.25	1.79	7.9	2.9	590
N812261		2.76	15.95	0.17	1.1	0.036	2.20	20.1	207	0.94	1070	2.22	0.30	7.7	2.8	590
N812262		3.01	17.20	0.18	1.4	0.035	2.55	22.0	24.5	0.83	614	0.49	2.16	8.3	2.8	590
N812263		3.25	18.60	0.18	1.0	0.064	2.75	22.5	14.2	0.69	718	1.68	2.21	9.1	4.0	660
N812264		3.18	16.95	0.20	0.9	0.080	2.51	27.9	18.3	0.61	1040	1.32	1.00	7.9	3.2	600
N812265		4.29	18.10	0.19	1.0	0.179	3.13	30.8	23.5	0.41	1900	3.21	0.45	8.4	3.7	640
N812266		3.49	17.55	0.18	1.0	0.108	2.99	21.2	20.4	0.39	1240	2.36	0.99	8.6	3.0	610
N812267		2.71	16.90	0.18	0.9	0.101	2.79	20.0	26.8	0.45	680	2.02	1.67	8.3	2.9	580
N812268		3.08	17.50	0.18	1.0	0.048	2.62	24.4	18.7	0.67	638	1.60	1.88	8.4	3.0	610
N812269		2.95	17.25	0.19	1.0	0.053	2.65	24.6	14.4	0.78	584	2.05	2.31	8.4	3.0	600
N812270		6.68	14.95	0.23	0.9	1.865	2.63	22.7	23.6	0.90	1890	13.75	0.04	6.1	15.4	440
N812271		3.32	18.10	0.18	1.0	0.052	2.73	25.5	13.7	0.87	887	2.92	2.21	8.7	3.4	640
N812272		3.60	17.40	0.19	0.9	0.060	2.94	22.6	20.1	0.79	1650	1.97	1.37	8.1	3.1	590
N812273		0.48	0.57	0.13	<0.1	<0.005	0.09	0.6	1.1	13.00	208	<0.05	0.01	0.5	1.9	190
N812274		3.25	15.45	0.18	1.0	0.069	2.68	27.3	12.2	0.83	834	1.47	2.12	8.2	2.8	640
N812275		3.14	15.00	0.19	0.9	0.067	2.61	23.8	12.0	0.82	839	1.67	2.09	8.1	2.6	610
N812276		3.45	15.85	0.19	0.9	0.088	2.97	24.7	15.2	0.91	1120	1.89	2.16	8.4	2.6	680
N812277		3.03	14.65	0.17	0.9	0.206	3.05	21.7	13.5	0.76	1350	1.59	1.46	7.8	2.2	570
N812278		0.48	0.39	0.15	<0.1	<0.005	0.07	0.7	1.8	12.70	225	<0.05	0.01	0.2	3.4	180
N812279		3.04	15.45	0.18	1.0	0.055	2.73	21.6	19.1	0.79	730	3.05	2.04	8.4	2.5	620
N812280		3.84	15.60	0.17	1.5	0.365	2.84	24.8	57.2	0.57	1390	3.99	0.16	9.4	3.0	600
N812281		1.32	16.55	0.14	2.5	0.022	2.66	18.5	22.7	0.49	530	1.51	0.05	16.6	0.6	300
N812282		1.41	16.35	0.14	2.2	0.018	2.87	21.7	12.3	0.43	486	0.37	0.05	14.1	0.7	320
N812283		1.48	17.45	0.13	2.6	0.018	3.00	20.8	16.0	0.51	508	0.54	0.05	16.2	0.7	340
N812284		2.52	17.60	0.17	3.8	0.137	2.83	29.8	28.4	0.87	871	2.24	0.07	12.6	10.0	760
N812285		2.94	17.40	0.18	3.0	0.047	2.58	26.6	29.7	1.11	980	1.96	0.06	8.3	6.7	800



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2012
Account: ROCKHA

Project: Klaza-94/97

CERTIFICATE OF ANALYSIS WH12182360

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N812250		26.4	95.9	<0.002	0.21	14.00	11.3	1	1.8	227	0.69	<0.05	11.9	0.276	4.0
N812251		18.4	120.0	<0.002	0.71	10.75	11.3	1	1.6	265	0.67	<0.05	12.2	0.266	4.2
N812252		18.0	86.8	<0.002	0.03	7.47	11.6	1	1.9	282	0.78	<0.05	12.0	0.280	3.4
N812253		14.8	92.7	<0.002	0.05	5.73	10.7	1	1.7	312	0.80	<0.05	10.5	0.262	3.9
N812254		15.2	75.7	<0.002	0.01	2.10	10.9	1	1.7	408	0.67	<0.05	9.4	0.275	3.5
N812255		1350	155.5	<0.002	3.20	36.1	8.8	2	6.7	154.5	0.62	0.39	11.1	0.208	5.3
N812256		16.9	82.9	<0.002	0.06	4.79	11.6	1	1.8	367	0.66	<0.05	10.3	0.283	3.4
N812257		15.4	63.5	<0.002	0.02	10.95	10.4	1	1.7	266	0.63	<0.05	8.5	0.265	2.4
N812258		12.6	86.5	<0.002	0.03	9.25	10.9	1	1.8	279	0.62	<0.05	10.6	0.263	3.0
N812259		14.5	73.4	<0.002	0.01	5.49	10.9	1	1.9	383	0.66	<0.05	9.7	0.271	3.0
N812260		15.1	72.2	<0.002	0.01	5.32	10.8	1	1.8	381	0.62	<0.05	9.7	0.262	3.2
N812261		17.9	78.7	<0.002	0.24	22.4	10.8	1	1.9	241	0.60	<0.05	9.6	0.255	5.5
N812262		15.0	85.8	<0.002	0.01	2.17	11.0	1	1.7	419	0.70	<0.05	11.9	0.266	4.4
N812263		64.0	92.3	<0.002	0.11	2.85	11.9	1	2.0	383	0.69	<0.05	11.0	0.287	2.1
N812264		45.2	75.7	<0.002	0.02	5.54	10.3	1	1.7	268	0.61	<0.05	10.8	0.248	1.9
N812265		523	148.5	<0.002	0.35	14.05	11.5	1	4.0	99.8	0.64	<0.05	13.6	0.268	3.6
N812266		254	106.5	<0.002	0.27	14.10	10.2	1	3.2	194.5	0.68	<0.05	10.9	0.260	2.2
N812267		27.4	96.4	<0.002	0.13	7.08	9.9	1	1.8	270	0.68	<0.05	10.2	0.246	3.6
N812268		22.6	93.8	<0.002	0.03	2.81	11.1	1	1.7	336	0.65	<0.05	11.8	0.261	1.9
N812269		17.8	92.0	<0.002	0.02	2.20	10.8	1	1.8	382	0.66	<0.05	11.9	0.258	2.9
N812270		2790	155.0	<0.002	4.86	94.3	7.9	2	8.8	93.0	0.48	0.42	9.7	0.178	5.2
N812271		74.8	97.2	<0.002	0.18	2.51	11.5	1	2.5	384	0.70	<0.05	12.0	0.272	4.2
N812272		528	107.0	<0.002	0.79	7.74	10.7	1	4.3	280	0.63	<0.05	11.0	0.255	3.5
N812273		2.6	2.4	<0.002	0.01	0.07	0.2	1	<0.2	50.7	<0.05	<0.05	<0.2	0.005	0.7
N812274		25.5	94.0	<0.002	0.10	1.63	11.0	1	2.0	372	0.70	<0.05	12.3	0.268	3.1
N812275		23.2	85.1	<0.002	0.11	1.95	10.7	1	2.0	367	0.72	<0.05	11.9	0.265	3.9
N812276		35.9	107.0	<0.002	0.16	1.85	12.3	1	1.9	359	0.65	<0.05	11.9	0.297	3.3
N812277		476	127.5	<0.002	0.47	7.53	10.2	1	1.8	292	0.70	<0.05	12.2	0.242	3.2
N812278		1.8	3.1	<0.002	0.01	<0.05	0.6	1	<0.2	40.3	<0.05	<0.05	<0.2	0.005	0.4
N812279		30.6	99.4	0.003	0.07	3.19	10.5	1	1.9	376	0.78	<0.05	12.4	0.263	2.8
N812280		615	129.0	0.002	2.11	14.10	9.8	1	4.0	161.5	0.80	0.12	11.2	0.251	12.4
N812281		33.6	102.0	<0.002	0.07	2.80	2.4	1	2.1	144.5	1.65	<0.05	8.4	0.124	8.2
N812282		26.7	124.0	<0.002	0.04	2.21	2.7	1	2.2	94.0	1.56	<0.05	9.4	0.132	3.6
N812283		28.0	121.0	<0.002	0.04	2.38	2.8	1	2.3	122.5	1.74	<0.05	9.2	0.136	4.8
N812284		195.5	111.5	<0.002	0.33	14.05	6.1	1	3.1	222	0.96	<0.05	10.4	0.249	8.0
N812285		144.5	83.2	<0.002	0.11	14.00	8.6	1	3.4	256	0.63	<0.05	8.0	0.303	5.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-AUG-2012
 Account: ROCKHA

Project: Klaza-94/97

CERTIFICATE OF ANALYSIS WH12182360

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N812250		77	3.5	14.2	56	34.3
N812251		75	4.0	15.0	53	33.7
N812252		78	2.1	16.3	52	40.1
N812253		73	1.7	14.7	47	38.0
N812254		77	1.8	14.4	49	30.8
N812255		58	5.7	12.2	3030	44.9
N812256		81	1.3	14.7	57	31.8
N812257		74	1.5	12.7	61	29.3
N812258		74	1.3	13.3	53	27.7
N812259		75	1.4	13.1	53	30.4
N812260		74	1.3	13.3	53	29.2
N812261		67	2.0	12.5	67	28.7
N812262		75	0.8	16.8	47	36.6
N812263		80	1.8	17.2	120	25.4
N812264		68	2.2	20.4	156	22.4
N812265		74	3.5	16.9	867	25.6
N812266		72	3.4	15.3	480	26.5
N812267		66	1.7	14.2	88	24.2
N812268		73	2.1	16.4	67	25.3
N812269		72	2.6	16.5	56	26.6
N812270		55	5.5	10.2	5330	28.0
N812271		75	1.8	18.1	192	25.4
N812272		73	2.3	15.3	1370	21.4
N812273		2	0.1	0.9	17	1.1
N812274		75	2.1	17.6	88	21.4
N812275		75	2.3	16.4	76	20.2
N812276		88	2.5	17.7	124	20.7
N812277		66	3.0	15.5	766	19.7
N812278		4	0.1	0.9	14	<0.5
N812279		71	3.2	16.7	102	22.2
N812280		66	5.5	15.8	1660	38.8
N812281		14	2.7	15.3	101	56.2
N812282		14	1.3	16.1	96	51.6
N812283		15	1.7	17.6	84	59.4
N812284		49	2.8	14.8	409	130.0
N812285		74	1.6	15.6	241	96.9



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016 - 510 W HASTINGS STREET

VANCOUVER BC V6B 1L8

Project: Klaza-94/97

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 23-AUG-2012

Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12182360

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.