



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 24-AUG-2012

Account: ROCKHA

CERTIFICATE WH12182361

Project: Klaza-98/91

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
MATT TURNER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-AUG-2012
Account: ROCKHA

Project: Klaza-98/91

CERTIFICATE OF ANALYSIS WH12182361

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N812366		8.03	<0.005	0.06	7.75	12.8	1770	1.40	0.21	2.09	0.21	52.5	9.9	9	17.10	8.4
N812367		7.61	<0.005	0.07	7.69	8.1	1900	1.60	0.21	3.06	0.44	45.3	10.2	11	11.85	10.9
N812368		7.46	<0.005	0.07	7.45	13.2	1890	1.44	0.23	2.84	0.14	44.8	7.4	14	12.80	6.2
N812369		4.47	0.006	0.36	6.87	40.1	1470	1.53	0.59	3.16	0.35	48.0	16.3	9	18.20	9.3
N812370		2.62	0.087	3.60	6.88	272	1380	1.34	0.20	3.35	2.36	50.3	7.3	8	12.90	18.7
N812371		1.54	0.009	0.45	7.42	138.5	990	1.41	0.17	3.32	0.75	59.4	7.1	8	14.60	3.2
N812372		1.57	0.082	0.83	6.25	375	1450	1.19	0.20	4.32	1.70	48.6	7.0	8	12.20	5.9
N812373		2.15	<0.005	0.16	7.30	42.7	1150	1.45	0.16	2.97	0.18	53.8	8.1	8	17.05	6.1
N812374		1.56	<0.005	0.10	7.10	6.5	1060	1.50	0.27	3.13	0.09	48.1	7.8	11	10.80	3.4
N812375		<0.02	<0.005	0.09	7.21	5.4	1040	1.39	0.27	3.19	0.10	49.8	7.8	12	10.80	3.2
N812376		2.13	<0.005	0.07	6.95	8.0	1760	1.46	0.26	3.40	0.11	43.7	7.6	9	10.95	3.1
N812377		3.96	<0.005	<0.01	0.08	<5	20	0.05	0.01	21.5	0.05	1.37	0.9	1	0.14	0.9
N812378		1.87	<0.005	0.07	6.98	3.4	1230	1.42	0.25	2.75	0.07	39.7	7.3	9	9.71	7.1
N812379		2.77	<0.005	0.06	7.04	3.2	1450	1.42	0.32	2.65	0.06	42.0	7.0	9	9.89	6.0
N812380		2.94	<0.005	0.07	6.95	4.1	1440	1.41	0.37	3.46	0.09	40.6	7.7	9	14.10	2.2
N812381		5.57	<0.005	0.06	7.50	1.8	1870	1.46	0.31	2.72	0.07	48.7	7.3	11	12.30	6.1
N812382		0.30	4.38	>100	5.57	8230	290	1.00	58.6	2.01	226	39.3	8.6	17	11.60	1280
N812383		2.84	<0.005	0.14	7.26	5.8	1640	1.48	0.32	2.81	0.29	46.1	7.6	9	10.95	4.4
N812384		3.79	<0.005	0.15	6.68	24.5	2530	1.33	0.23	3.32	0.18	43.0	7.9	8	12.60	6.6
N812385		1.89	<0.005	0.05	7.37	2.8	1990	1.46	0.19	2.86	0.08	44.0	7.6	12	14.55	3.5
N812386		2.42	<0.005	0.17	7.02	7.7	1710	1.36	0.38	2.99	0.14	40.6	7.5	9	14.10	5.9
N812387		2.59	0.007	0.08	6.58	17.6	3270	1.28	0.27	3.29	0.86	46.9	6.7	9	12.60	3.4
N812388		1.76	<0.005	0.02	7.54	6.8	1350	1.67	1.66	2.38	0.22	46.8	6.5	8	15.70	1.1
N812389		3.42	<0.005	<0.01	0.08	<5	70	<0.05	0.03	20.7	0.06	1.33	1.6	1	0.18	1.5
N812390		3.15	0.057	0.37	6.97	130.5	2190	1.46	1.02	2.76	0.35	38.0	8.4	9	18.50	3.9
N812391		4.49	<0.005	0.06	7.43	1.2	2000	1.42	0.06	2.80	0.05	43.0	9.1	12	12.45	5.5
N812392		5.03	<0.005	0.03	7.69	2.1	2120	1.41	0.07	2.68	0.06	43.3	9.0	13	13.70	5.3
N812393		2.40	<0.005	0.06	7.43	2.6	2160	1.29	0.08	2.78	0.06	39.1	8.7	11	13.40	4.5
N812394		1.63	<0.005	0.06	7.21	3.4	1830	1.44	0.07	3.27	0.09	37.0	8.4	10	15.25	6.8
N812395		5.10	<0.005	0.08	7.55	1.5	1860	1.43	0.10	2.92	0.07	41.0	9.4	12	11.55	7.8
N812396		5.15	<0.005	0.08	7.88	1.4	2060	1.49	0.10	2.77	0.07	42.6	9.5	14	12.65	7.7
N812397		0.30	2.18	24.6	6.04	3490	320	1.12	20.3	2.18	74.8	40.9	11.6	19	15.30	440
N812398		5.25	<0.005	0.09	7.79	3.2	2100	1.48	0.14	2.68	0.12	43.8	9.2	13	14.30	7.9
N812399		2.14	<0.005	0.08	7.75	1.7	2010	1.49	0.16	2.63	0.08	45.8	9.5	12	13.85	7.0
N812400		2.10	0.008	0.15	7.16	26.1	1800	1.55	0.54	3.37	0.14	35.1	6.8	10	13.05	2.2
N812401		3.62	<0.005	0.10	8.04	12.3	1650	1.71	1.17	4.03	0.19	35.4	7.1	10	24.4	4.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-AUG-2012
Account: ROCKHA

Project: Klaza-98/91

CERTIFICATE OF ANALYSIS WH12182361

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N812366		3.22	15.95	0.16	1.4	0.053	2.72	24.7	50.8	0.77	898	0.98	0.30	8.9	2.8	690
N812367		3.37	16.20	0.17	1.4	0.067	2.82	20.0	18.7	0.89	840	0.56	2.02	8.9	2.7	640
N812368		3.22	15.45	0.17	1.2	0.053	2.90	20.3	17.5	0.83	736	0.60	2.03	8.3	2.7	620
N812369		3.26	14.20	0.18	1.4	0.099	2.98	22.5	32.4	0.87	1510	0.13	0.83	7.9	2.5	570
N812370		3.08	13.25	0.18	1.2	0.046	2.93	25.2	19.3	0.77	2460	0.34	0.14	7.5	2.8	550
N812371		2.95	14.85	0.17	1.3	0.043	3.39	30.3	15.0	0.90	3220	0.18	0.04	8.0	2.5	600
N812372		3.37	12.55	0.16	1.0	0.062	2.54	25.1	29.8	0.71	3620	0.43	0.03	6.7	2.1	510
N812373		2.99	14.75	0.16	1.3	0.068	3.25	26.8	16.1	0.96	1700	0.40	0.03	8.2	2.5	570
N812374		3.09	14.75	0.17	1.2	0.047	2.75	21.9	17.0	0.88	1230	0.09	0.99	8.1	2.8	620
N812375		3.13	14.80	0.17	1.2	0.045	2.76	22.4	16.9	0.89	1240	0.07	1.00	8.3	2.6	630
N812376		3.09	14.60	0.16	1.3	0.044	2.50	19.0	21.3	0.93	1180	0.10	0.96	8.2	2.4	610
N812377		0.47	0.29	0.16	<0.1	<0.005	0.04	0.6	1.0	12.80	201	<0.05	0.01	0.2	1.8	190
N812378		3.03	14.60	0.16	1.3	0.040	2.48	17.4	18.0	0.54	767	0.12	1.49	7.9	2.3	600
N812379		2.84	14.15	0.16	1.3	0.040	2.57	18.9	16.4	0.55	746	0.10	1.81	8.0	2.1	590
N812380		3.05	14.75	0.15	1.3	0.041	2.33	17.8	29.5	0.83	900	0.33	1.74	8.2	2.6	580
N812381		3.11	15.20	0.16	1.4	0.044	2.71	22.6	13.0	0.78	736	0.72	2.14	8.2	2.4	600
N812382		8.33	12.45	0.21	1.1	5.33	2.35	18.7	28.5	0.64	3060	15.05	0.08	5.9	13.6	460
N812383		3.08	14.85	0.16	1.4	0.052	2.82	20.9	10.3	0.71	870	0.51	1.83	8.1	2.3	580
N812384		2.95	13.60	0.16	1.2	0.040	2.73	19.2	32.3	0.97	1500	0.18	0.75	7.5	2.3	560
N812385		3.15	14.75	0.17	1.3	0.040	2.67	20.4	10.9	0.74	785	0.31	2.17	8.0	2.5	590
N812386		3.13	14.05	0.16	1.3	0.048	2.80	18.6	16.0	0.81	1050	0.22	1.52	8.0	2.2	570
N812387		2.90	11.90	0.16	1.2	0.117	2.13	22.0	30.2	0.94	1660	0.13	1.55	7.3	2.0	550
N812388		3.10	16.50	0.18	1.2	0.056	2.16	21.5	31.6	0.60	954	0.06	1.81	8.2	2.1	610
N812389		0.45	0.36	0.14	<0.1	<0.005	0.03	0.7	1.0	12.35	197	0.16	0.01	0.3	3.6	230
N812390		2.93	16.75	0.19	1.2	0.059	2.39	19.7	18.4	0.71	1930	0.44	1.22	7.2	2.6	600
N812391		3.05	17.30	0.25	1.4	0.039	2.51	23.0	13.1	0.86	681	1.12	2.14	8.0	2.9	650
N812392		3.09	17.05	0.26	1.3	0.039	2.51	23.3	15.9	0.86	677	0.95	2.26	8.3	3.0	650
N812393		3.05	16.25	0.27	1.3	0.043	2.58	20.9	10.9	0.76	788	1.01	2.11	7.7	3.0	620
N812394		2.91	16.10	0.25	1.3	0.039	2.76	20.2	18.4	0.83	883	0.68	1.61	8.0	2.9	600
N812395		3.15	16.70	0.26	1.3	0.036	2.56	22.1	14.0	0.91	715	0.88	2.26	8.3	3.4	650
N812396		3.22	17.40	0.28	1.5	0.040	2.69	22.9	14.6	0.88	692	1.33	2.36	8.5	3.2	680
N812397		6.54	13.80	0.24	1.0	1.730	2.63	23.7	21.0	0.89	1930	14.00	0.04	5.9	14.6	470
N812398		3.07	16.85	0.26	1.4	0.038	2.55	23.6	16.6	0.85	680	8.31	2.38	8.4	3.3	640
N812399		3.14	17.35	0.26	1.5	0.038	2.50	24.6	16.6	0.88	704	1.05	2.40	8.7	3.2	660
N812400		2.60	16.35	0.24	1.4	0.050	1.89	18.0	17.9	0.72	1120	0.40	2.37	8.3	2.8	630
N812401		2.68	20.4	0.24	1.4	0.069	2.25	17.9	24.3	0.74	1200	0.42	2.10	8.8	2.9	720



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-AUG-2012
Account: ROCKHA

Project: Klaza-98/91

CERTIFICATE OF ANALYSIS WH12182361

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N812366		26.9	101.0	<0.002	0.08	15.60	12.3	1	1.9	152.0	0.83	<0.05	13.2	0.289	1.30	3.8
N812367		25.1	91.4	<0.002	0.07	2.76	11.4	1	1.9	387	0.83	<0.05	10.5	0.282	1.18	3.5
N812368		21.4	98.7	<0.002	0.07	2.79	11.1	1	1.8	392	0.69	<0.05	10.7	0.272	1.32	3.3
N812369		65.8	131.0	<0.002	0.33	6.60	10.8	1	1.7	231	0.78	<0.05	12.2	0.248	2.09	5.2
N812370		51.9	154.5	<0.002	0.47	15.60	11.2	1	1.5	75.7	0.66	<0.05	11.9	0.247	1.90	5.7
N812371		18.5	184.5	<0.002	0.59	9.57	11.6	1	1.6	62.1	0.71	<0.05	13.0	0.266	2.38	5.6
N812372		58.7	142.0	<0.002	1.17	15.90	9.7	1	1.4	102.0	0.60	<0.05	10.6	0.221	1.76	6.7
N812373		22.7	159.0	<0.002	0.20	8.23	11.1	1	1.7	59.6	0.85	<0.05	12.6	0.257	2.47	6.7
N812374		11.1	100.5	<0.002	0.10	2.90	11.3	1	1.7	118.5	0.67	<0.05	10.1	0.276	1.49	2.9
N812375		10.6	100.0	<0.002	0.10	2.90	11.3	1	1.7	120.0	0.68	<0.05	10.3	0.278	1.53	2.2
N812376		11.8	83.1	<0.002	0.13	3.07	10.7	1	1.7	128.5	0.72	<0.05	9.9	0.267	1.34	2.9
N812377		1.2	1.3	<0.002	0.01	<0.05	0.2	1	<0.2	47.1	<0.05	<0.05	<0.2	<0.005	<0.02	0.6
N812378		13.3	82.1	<0.002	0.03	2.40	10.1	1	1.7	166.0	0.68	<0.05	10.6	0.268	1.20	2.4
N812379		15.5	89.8	<0.002	0.04	2.38	10.4	1	1.6	219	0.71	<0.05	10.8	0.264	1.19	2.0
N812380		17.9	71.9	<0.002	0.02	3.03	10.1	1	1.7	281	0.75	<0.05	9.7	0.263	1.06	2.9
N812381		18.8	89.0	<0.002	<0.01	1.20	10.5	1	1.7	356	0.75	<0.05	11.7	0.265	0.96	2.1
N812382		9560	137.0	<0.002	7.34	217	7.0	3	9.2	126.5	0.49	0.54	8.7	0.188	1.98	5.2
N812383		21.5	96.5	<0.002	0.06	2.07	10.8	1	1.8	255	0.79	<0.05	11.5	0.257	1.18	3.4
N812384		14.0	94.1	<0.002	0.24	4.86	9.9	1	1.6	160.0	0.68	<0.05	9.8	0.248	1.51	4.0
N812385		18.3	83.0	<0.002	0.03	1.89	10.5	1	1.6	359	0.69	<0.05	10.8	0.264	0.95	2.4
N812386		18.4	90.0	<0.002	0.08	3.64	10.3	1	1.7	230	0.70	<0.05	10.1	0.264	1.33	3.1
N812387		19.5	93.4	<0.002	0.26	4.21	9.9	1	1.5	247	0.64	<0.05	11.3	0.242	1.20	4.0
N812388		27.9	83.1	<0.002	0.01	20.5	11.1	1	1.8	179.0	0.71	<0.05	11.4	0.278	1.26	2.0
N812389		1.4	1.3	<0.002	0.02	0.13	0.2	2	<0.2	44.8	<0.05	<0.05	<0.2	<0.005	<0.02	1.1
N812390		29.7	99.7	<0.002	0.22	11.15	10.5	2	1.7	205	0.64	<0.05	10.4	0.250	1.63	3.8
N812391		17.6	89.2	<0.002	0.01	0.96	11.4	2	1.6	383	0.73	<0.05	11.3	0.269	0.90	3.5
N812392		15.7	90.2	<0.002	0.02	1.37	11.7	2	1.6	358	0.70	<0.05	11.8	0.271	0.92	2.7
N812393		20.5	91.0	<0.002	0.05	2.15	10.7	2	1.5	347	0.66	<0.05	10.7	0.260	1.12	3.6
N812394		14.0	98.5	<0.002	0.05	2.76	10.1	2	1.7	250	0.75	<0.05	10.3	0.259	1.30	3.8
N812395		16.5	82.5	<0.002	0.01	1.54	10.9	2	1.6	322	0.73	<0.05	10.8	0.273	0.95	2.5
N812396		18.2	95.3	<0.002	0.01	1.12	12.2	2	1.6	394	0.76	<0.05	12.6	0.285	0.94	4.2
N812397		2710	153.5	0.002	4.98	85.0	7.9	2	7.6	88.9	0.51	0.34	11.0	0.180	2.34	5.4
N812398		19.2	94.8	<0.002	0.01	1.59	11.8	2	1.8	401	0.76	<0.05	13.3	0.266	0.93	3.9
N812399		18.3	90.8	<0.002	0.01	1.45	12.1	2	1.8	397	0.79	<0.05	13.2	0.277	0.89	3.9
N812400		18.5	79.9	<0.002	0.19	4.91	10.7	2	1.8	267	0.88	<0.05	10.8	0.262	1.14	5.8
N812401		21.9	91.8	<0.002	0.09	9.67	11.6	2	2.4	283	0.77	<0.05	11.1	0.297	1.61	3.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-AUG-2012
 Account: ROCKHA

Project: Klaza-98/91

CERTIFICATE OF ANALYSIS WH12182361

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N812366		82	5.6	18.1	61	34.5		
N812367		79	1.7	17.6	112	33.9		
N812368		77	2.2	16.3	55	30.0		
N812369		69	2.7	16.1	86	31.7		
N812370		65	28.0	15.1	282	28.4		
N812371		71	3.6	15.8	109	30.6		
N812372		60	2.3	14.6	155	24.9		
N812373		69	2.8	15.4	59	29.7		
N812374		70	2.7	12.4	73	28.9		
N812375		71	2.8	12.4	74	29.7		
N812376		74	2.2	13.2	69	30.6		
N812377		2	0.1	0.9	13	<0.5		
N812378		72	1.9	12.5	63	30.7		
N812379		70	1.7	12.1	73	32.0		
N812380		72	1.5	14.0	77	30.9		
N812381		73	1.8	15.8	59	33.1		
N812382		53	5.1	10.5	>10000	34.0	124	1.625
N812383		71	1.7	15.3	82	32.8		
N812384		68	1.5	13.6	68	28.3		
N812385		73	0.8	15.6	63	31.8		
N812386		72	1.2	14.4	84	29.7		
N812387		62	1.3	13.7	143	28.1		
N812388		85	1.9	15.4	133	31.3		
N812389		2	0.1	0.8	15	<0.5		
N812390		75	2.3	15.1	149	31.8		
N812391		76	1.6	17.2	52	34.0		
N812392		77	1.3	17.2	51	35.5		
N812393		73	1.7	13.9	57	35.5		
N812394		71	1.5	12.9	58	34.1		
N812395		76	1.3	14.6	54	34.6		
N812396		80	1.4	17.9	55	37.7		
N812397		56	5.3	10.3	5110	27.6		
N812398		75	1.4	18.1	58	36.6		
N812399		79	1.2	18.3	63	37.2		
N812400		72	2.0	14.3	79	35.6		
N812401		91	2.3	15.9	82	37.4		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-98/91

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12182361

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.