



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 26-AUG-2012

Account: ROCKHA

CERTIFICATE WH12185465

Project: Klaza - 98

P.O. No.: Batch 6

This report is for 20 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2012
 Account: ROCKHA

Project: Klaza - 98

CERTIFICATE OF ANALYSIS WH12185465

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N812546		4.10	0.043	2.08	6.76	325	3390	1.63	0.88	3.06	1.09	36.8	9.3	8	20.8	19.0
N812547		2.58	<0.005	0.11	7.52	59.6	3270	1.76	0.19	1.73	0.24	58.9	5.7	13	17.75	6.5
N812548		5.25	<0.005	0.13	7.21	55.2	2080	1.74	0.16	2.20	0.26	53.9	6.1	15	17.30	8.9
N812549		4.31	<0.005	0.11	6.89	25.1	2340	1.72	0.26	2.71	0.35	35.8	8.3	11	21.3	4.2
N812550		0.26	0.759	10.90	6.69	1845	270	1.55	6.83	1.92	42.7	42.5	18.0	19	17.00	112.5
N812551		4.06	<0.005	0.24	7.08	23.4	2140	1.84	0.55	2.63	0.34	39.2	8.5	12	15.45	6.6
N812552		1.99	0.064	1.38	6.97	188.0	1960	1.79	1.79	3.32	2.13	47.2	9.9	8	21.1	2.7
N812553		1.73	0.022	0.53	7.31	162.5	2170	2.03	2.34	3.16	0.61	41.4	9.6	9	17.90	3.0
N812554		2.49	<0.005	0.13	6.66	8.5	2320	1.60	0.84	2.96	0.10	36.9	8.3	11	12.30	2.7
N812555		5.17	<0.005	0.06	7.23	8.0	1720	1.57	2.46	3.58	0.16	37.1	8.0	10	12.10	2.2
N812556		4.88	<0.005	0.32	7.45	5.5	2250	1.71	2.04	2.55	0.15	46.1	8.3	11	8.71	20.2
N812557		3.74	<0.005	0.13	7.83	30.3	2650	2.19	0.76	3.53	0.37	42.6	10.4	11	14.15	2.5
N812558		1.65	0.024	0.74	8.10	324	1990	1.72	0.91	4.73	0.49	44.1	11.6	8	20.1	2.5
N812559		2.32	<0.005	0.03	0.09	<5	30	0.05	0.03	21.4	0.08	1.37	0.9	1	0.26	1.7
N812560		2.29	<0.005	0.12	7.92	59.1	2110	1.40	0.25	2.25	0.14	46.8	7.2	9	15.95	4.6
N812561		2.00	<0.005	0.11	6.82	45.8	2860	1.38	0.09	2.98	0.12	37.8	8.0	9	15.80	5.8
N812562		1.74	<0.005	0.09	6.98	36.6	2460	1.44	0.13	3.11	0.16	43.8	7.3	8	17.50	5.7
N812563		1.69	<0.005	0.08	6.48	63.1	1270	1.54	0.06	3.49	0.25	36.3	7.7	9	18.20	5.2
N812564		<0.02	<0.005	0.08	6.59	59.4	1090	1.52	0.06	3.40	0.29	41.4	7.5	9	18.30	5.0
N812565		0.68	<0.005	0.08	7.06	12.1	2120	1.46	0.08	3.05	0.08	38.6	8.4	9	13.50	10.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2012
 Account: ROCKHA

Project: Klaza - 98

CERTIFICATE OF ANALYSIS WH12185465

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N812546		2.79	14.10	0.10	1.2	0.068	2.86	17.4	37.1	0.85	2740	0.82	0.01	7.0	3.1	590
N812547		2.63	18.55	0.11	3.7	0.033	1.51	29.3	135.5	0.72	798	1.32	0.03	10.4	4.7	1040
N812548		2.42	19.90	0.12	3.7	0.041	1.56	25.7	120.0	0.71	631	1.57	0.26	10.8	5.2	1020
N812549		3.10	15.55	0.10	1.3	0.058	2.42	17.4	25.7	0.77	957	1.21	1.65	7.5	2.8	600
N812550		5.36	15.60	0.09	1.3	0.932	2.87	22.3	27.0	0.72	2040	12.35	0.27	7.5	16.1	510
N812551		3.03	16.85	0.09	1.3	0.059	2.45	17.9	20.5	0.70	798	0.88	2.08	8.6	2.9	620
N812552		3.29	16.25	0.10	1.1	0.070	2.70	22.9	42.0	1.07	2920	0.44	0.47	7.6	2.9	610
N812553		3.49	16.10	0.09	1.4	0.088	2.31	18.8	43.2	0.98	2200	0.27	1.59	8.4	2.9	670
N812554		2.91	15.95	0.09	1.3	0.054	2.23	16.7	20.4	0.76	992	0.30	1.88	7.8	2.8	580
N812555		3.45	17.70	0.09	1.3	0.148	2.08	16.9	16.8	0.76	1170	0.42	2.09	7.8	2.7	600
N812556		3.05	15.95	0.12	1.4	0.054	2.55	22.5	15.1	0.84	815	0.68	2.44	8.1	2.7	600
N812557		3.53	18.55	0.12	1.6	0.050	2.81	19.7	29.1	0.95	1290	0.47	2.68	9.4	3.3	690
N812558		3.62	17.10	0.11	1.6	0.056	2.36	21.5	59.3	1.39	2040	0.30	0.54	9.1	3.4	720
N812559		0.47	0.29	0.08	<0.1	0.009	0.04	0.7	1.6	13.25	230	0.13	0.01	0.1	1.9	200
N812560		3.16	16.80	0.13	1.5	0.044	2.79	22.8	45.5	0.75	928	0.31	1.48	8.6	2.3	690
N812561		2.76	16.50	0.12	1.3	0.039	2.60	18.3	46.9	0.76	856	1.28	0.76	7.7	2.7	560
N812562		2.90	15.50	0.12	1.3	0.040	2.76	21.4	37.5	0.78	857	0.63	1.28	7.2	2.6	580
N812563		2.78	15.25	0.10	1.3	0.038	2.52	17.6	13.1	0.69	898	1.06	1.37	7.5	3.0	570
N812564		2.78	15.05	0.11	1.3	0.036	2.50	20.2	12.8	0.68	886	0.63	1.34	7.3	2.9	570
N812565		3.02	16.65	0.10	1.2	0.040	2.64	17.7	14.5	0.75	753	1.43	1.99	8.1	2.7	640



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2012
 Account: ROCKHA

Project: Klaza - 98

CERTIFICATE OF ANALYSIS WH12185465

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N812546		86.3	111.0	<0.002	0.74	21.7	10.1	<1	1.6	209	0.63	<0.05	9.7	0.260	3.06	4.9
N812547		21.6	44.8	<0.002	0.11	15.95	5.4	1	1.6	422	0.84	<0.05	9.3	0.314	0.82	3.3
N812548		26.0	42.2	<0.002	0.06	16.00	5.4	1	1.7	456	0.80	<0.05	8.5	0.310	0.81	3.2
N812549		33.8	85.4	0.002	0.11	3.50	10.7	1	1.7	391	0.70	<0.05	10.2	0.264	1.27	3.5
N812550		1345	154.5	0.003	3.13	33.9	9.6	1	6.1	158.5	0.64	0.35	11.0	0.210	2.64	5.3
N812551		34.3	84.7	<0.002	0.07	2.79	11.4	<1	1.9	430	0.83	<0.05	10.2	0.274	1.17	4.5
N812552		131.0	125.5	0.003	0.83	13.35	12.1	1	1.8	223	0.60	<0.05	10.4	0.272	2.43	4.8
N812553		78.6	99.2	<0.002	0.23	8.80	11.6	<1	1.8	269	0.72	<0.05	9.9	0.292	1.92	3.8
N812554		17.8	66.0	0.002	0.03	3.26	10.1	<1	1.6	379	0.73	<0.05	9.2	0.261	1.09	3.2
N812555		25.4	60.8	<0.002	<0.01	5.05	10.4	<1	1.6	501	0.70	<0.05	9.7	0.267	0.86	3.7
N812556		22.4	87.0	<0.002	0.01	1.38	11.3	<1	1.7	406	0.78	<0.05	12.4	0.267	0.95	4.3
N812557		43.4	76.7	<0.002	0.09	4.84	12.3	<1	1.9	469	0.82	<0.05	10.4	0.312	1.53	4.4
N812558		42.6	65.3	<0.002	0.61	14.50	12.2	1	1.7	350	0.83	<0.05	10.8	0.317	2.90	5.4
N812559		1.6	1.7	<0.002	0.01	0.15	0.4	1	0.2	48.0	<0.05	<0.05	<0.2	<0.005	0.03	0.8
N812560		20.0	94.7	<0.002	0.11	5.82	12.4	<1	1.8	314	0.76	<0.05	11.8	0.307	1.69	2.9
N812561		15.5	89.0	0.002	0.10	6.01	11.0	<1	1.5	275	0.63	<0.05	9.3	0.255	1.73	3.3
N812562		18.0	102.0	0.002	0.07	4.15	11.0	1	1.5	346	0.65	<0.05	10.1	0.255	1.67	3.6
N812563		21.9	95.7	<0.002	0.10	5.03	10.2	<1	1.6	237	0.66	<0.05	8.8	0.256	1.74	3.8
N812564		22.5	103.0	<0.002	0.10	4.98	10.2	<1	1.6	229	0.67	<0.05	10.7	0.253	1.76	4.2
N812565		20.6	82.9	0.002	0.03	2.15	11.1	<1	2.2	422	0.68	<0.05	9.2	0.282	1.16	3.1



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 98

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 26-AUG-2012

Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12185465

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
N812546		71	4.2	11.3	151	30.1
N812547		52	2.2	8.7	130	136.5
N812548		51	1.7	8.4	137	133.5
N812549		75	2.0	12.9	78	31.1
N812550		59	5.7	11.2	3050	38.8
N812551		77	1.8	14.4	84	33.4
N812552		81	3.4	13.8	248	29.1
N812553		80	3.9	12.8	180	34.0
N812554		74	2.3	12.5	78	33.9
N812555		87	1.4	13.3	80	31.7
N812556		75	1.2	15.1	82	34.0
N812557		91	2.6	15.8	123	40.5
N812558		92	4.2	15.9	130	39.2
N812559		3	0.1	0.9	16	<0.5
N812560		84	3.0	14.4	84	35.9
N812561		74	2.6	12.4	66	32.7
N812562		72	2.7	13.6	63	31.4
N812563		67	2.3	12.1	70	31.9
N812564		65	2.3	12.9	72	32.8
N812565		80	2.2	13.8	55	32.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 98

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12185465

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.