



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 28-AUG-2012

Account: ROCKHA

CERTIFICATE WH12188050

Project: Klaza - 102

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2012
Account: ROCKHA

Project: Klaza - 102

CERTIFICATE OF ANALYSIS WH12188050

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N814313		2.58	0.009	0.31	7.22	139.5	1420	1.46	1.56	1.97	0.72	47.4	55.8	9	20.3	8.0
N814314		4.96	<0.005	0.02	7.86	16.9	1750	1.50	5.47	4.23	0.12	39.7	4.0	9	27.0	1.3
N814315		5.42	<0.005	0.07	7.51	7.9	870	1.39	1.84	1.45	0.10	53.9	8.4	9	16.40	3.5
N814316		6.91	<0.005	0.04	7.29	3.5	2090	1.62	0.12	2.80	0.07	44.1	8.1	12	7.96	3.0
N814317		0.26	0.757	11.25	7.02	1895	1280	1.49	6.46	1.98	42.1	40.1	17.8	20	15.65	112.5
N814318		3.81	<0.005	0.09	7.38	8.4	2000	1.61	0.10	2.97	0.18	42.0	7.6	13	7.63	4.2
N814319		7.40	<0.005	0.05	7.72	6.2	2230	1.62	0.09	2.79	0.09	50.0	8.7	13	8.31	3.4
N814320		8.07	<0.005	0.07	7.93	5.6	1990	1.57	0.23	2.57	0.11	48.0	7.1	11	9.35	4.5
N814321		5.25	0.016	0.69	8.27	65.7	3240	1.89	2.16	2.76	0.92	47.1	5.2	8	28.6	131.5
N814322		3.84	<0.005	0.27	7.96	27.6	2300	1.47	2.33	2.54	0.09	43.7	16.7	8	18.85	3.6
N814323		2.44	<0.005	0.01	0.10	<5	30	0.09	0.07	20.7	0.07	1.34	0.8	1	0.42	1.9
N814324		4.95	<0.005	0.05	6.57	8.5	740	1.26	2.80	3.03	0.10	38.0	6.1	9	13.40	3.7
N814325		3.51	<0.005	0.03	7.30	3.0	2210	1.57	0.10	2.95	0.09	44.1	8.0	11	6.59	8.5
N814326		7.47	<0.005	0.02	7.44	4.4	2270	1.56	0.10	2.90	0.10	44.3	8.0	13	6.41	3.3
N814327		6.05	<0.005	0.03	7.78	4.6	2240	1.54	0.09	2.95	0.07	44.5	7.8	13	6.11	3.7
N814328		2.42	<0.005	0.03	7.37	5.4	2070	1.49	0.22	3.04	0.06	47.1	8.7	11	6.34	3.3
N814329		1.76	<0.005	0.04	7.39	4.6	2160	1.61	0.18	2.92	0.07	45.8	8.3	11	6.33	3.3
N814330		2.54	0.010	0.04	7.39	5.1	1810	1.47	0.34	2.91	0.06	46.4	7.9	10	8.24	2.6
N814331		5.82	<0.005	0.03	6.92	6.5	1950	1.44	0.17	2.70	0.08	38.5	7.7	12	9.49	8.7
N814332		0.26	2.32	24.7	6.13	3610	1770	1.26	21.0	2.23	78.7	43.7	10.4	19	14.05	460
N814333		7.19	<0.005	0.13	7.43	13.4	2080	1.47	0.14	2.75	0.26	42.6	7.4	13	8.92	3.8
N814334		4.62	0.061	1.00	7.37	345	1260	1.56	0.39	2.94	3.20	45.4	10.2	10	24.1	7.5
N814335		2.66	<0.005	0.03	0.07	<5	20	0.08	0.04	20.8	0.08	1.08	0.6	<1	0.24	5.4
N814336		4.37	<0.005	0.04	7.45	4.0	2100	1.54	0.11	2.86	0.11	46.4	7.6	12	10.00	3.6
N814337		7.58	<0.005	0.07	7.22	6.0	2080	1.50	0.16	3.00	0.10	40.2	8.2	11	7.36	5.8
N814338		5.83	<0.005	0.05	7.09	4.5	1940	1.45	0.16	3.05	0.07	40.6	7.5	12	9.63	3.3
N814339		7.48	<0.005	0.11	7.28	8.2	1350	1.33	0.59	2.97	0.06	39.5	9.2	11	10.20	2.1
N814340		6.24	<0.005	0.05	7.51	5.1	1910	1.48	0.28	3.04	0.10	40.2	7.5	11	11.15	2.7
N814341		3.27	0.013	0.99	7.31	44.8	2360	1.49	1.35	3.52	1.58	48.9	16.2	8	21.3	4.8
N814342		8.12	<0.005	0.04	7.23	4.3	2010	1.57	0.17	2.95	0.07	39.6	7.9	12	10.55	2.2
N814343		<0.02	<0.005	0.04	7.51	4.0	2030	1.49	0.16	3.00	0.10	41.1	7.5	13	10.25	3.0
N814344		7.45	<0.005	0.06	7.50	3.9	2280	1.50	0.19	3.02	0.08	37.7	8.2	13	7.45	4.2
N814345		8.52	<0.005	0.05	6.98	5.9	1510	1.33	0.61	2.86	0.08	38.9	7.4	13	7.83	2.0
N814346		6.56	<0.005	0.04	7.34	5.6	2380	1.79	0.09	2.75	0.07	42.7	7.9	12	7.16	3.5
N814347		8.22	<0.005	0.04	7.48	4.1	2040	1.66	0.12	2.99	0.08	41.0	7.4	12	8.83	3.9
N814348		4.27	<0.005	0.07	7.02	7.1	1870	1.67	0.20	2.78	0.09	40.2	8.7	11	10.85	6.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2012
Account: ROCKHA

Project: Klaza - 102

CERTIFICATE OF ANALYSIS WH12188050

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N814313		4.55	18.70	0.08	1.1	0.261	2.85	22.6	28.1	0.63	2450	1.12	0.10	8.3	4.4	610
N814314		5.20	27.8	0.07	1.1	0.536	2.02	17.0	43.1	0.66	1110	0.56	0.52	8.6	2.0	650
N814315		3.34	17.50	0.08	1.2	0.110	1.14	28.3	36.1	0.94	724	0.38	1.26	8.4	2.7	630
N814316		3.02	17.85	0.08	1.1	0.037	2.40	19.8	19.1	0.79	667	0.52	2.27	8.4	3.0	610
N814317		5.41	15.85	0.12	1.5	0.881	2.87	19.0	26.2	0.72	2090	12.10	0.27	7.0	15.7	520
N814318		3.08	17.15	0.10	1.1	0.041	2.51	20.0	17.2	0.82	679	0.64	2.24	7.8	2.9	610
N814319		3.29	17.90	0.07	1.2	0.041	2.45	24.1	18.1	0.93	699	0.55	2.31	8.5	3.2	640
N814320		3.14	17.50	0.09	1.1	0.035	2.48	23.8	19.5	0.77	691	0.48	1.94	8.2	2.8	630
N814321		5.85	26.6	0.11	1.0	0.407	3.67	21.1	51.2	0.94	2040	0.37	0.09	9.5	2.6	710
N814322		4.88	20.9	0.09	1.0	0.197	2.58	20.9	29.8	0.86	1090	0.42	1.22	7.9	2.8	640
N814323		0.50	0.34	0.08	<0.1	0.006	0.04	0.6	1.4	12.20	221	0.11	0.01	0.2	1.9	190
N814324		3.08	15.50	0.08	0.9	0.132	1.02	18.2	37.3	0.64	652	0.40	0.96	6.7	2.4	540
N814325		3.20	17.90	0.08	1.2	0.037	2.18	20.7	16.5	0.81	660	0.44	2.06	8.5	3.3	630
N814326		3.27	17.25	0.07	1.2	0.037	2.42	21.1	14.8	0.96	709	0.43	2.24	7.9	3.0	640
N814327		3.34	17.20	0.09	1.1	0.039	2.44	21.1	14.4	0.97	715	0.49	2.31	8.1	3.0	660
N814328		3.26	17.95	0.10	1.2	0.042	2.36	21.1	14.1	0.90	733	0.49	2.11	8.1	3.0	630
N814329		3.22	17.95	0.08	1.1	0.038	2.29	22.1	14.0	0.91	708	0.50	2.10	8.1	3.1	630
N814330		3.03	16.95	0.07	1.1	0.042	2.18	20.8	13.8	0.79	678	0.44	2.12	8.2	2.9	620
N814331		2.93	15.95	0.12	1.1	0.044	2.34	17.9	12.8	0.75	608	0.67	2.13	7.7	4.8	590
N814332		6.64	14.10	0.12	0.9	1.620	2.65	23.1	23.0	0.91	1920	13.35	0.04	5.8	15.8	450
N814333		3.21	15.50	0.13	1.2	0.040	2.39	19.4	12.2	0.81	685	4.76	2.18	7.5	3.1	610
N814334		3.67	15.60	0.12	1.1	0.062	2.79	23.9	56.5	0.86	1640	0.67	0.38	7.2	4.0	590
N814335		0.47	0.19	0.11	<0.1	<0.005	0.03	0.6	1.0	12.40	211	0.35	0.01	0.2	1.4	180
N814336		3.21	15.65	0.16	1.1	0.033	2.33	21.0	14.5	0.88	719	0.56	2.21	7.8	2.9	620
N814337		3.18	16.90	0.12	1.2	0.043	2.58	17.6	12.1	0.86	793	20.9	2.12	8.1	3.0	620
N814338		3.04	15.55	0.13	1.2	0.030	2.01	18.3	12.8	0.72	719	0.61	2.14	7.7	3.0	600
N814339		3.43	14.80	0.13	1.1	0.072	1.58	18.3	16.1	0.93	975	0.37	2.10	7.2	2.8	610
N814340		3.29	16.75	0.13	1.1	0.042	1.91	18.9	48.6	0.85	793	0.53	2.11	7.9	3.0	640
N814341		3.27	14.65	0.13	1.1	0.055	2.42	25.5	122.0	1.19	1440	0.57	0.08	6.7	2.8	570
N814342		3.11	16.30	0.12	1.1	0.041	1.81	18.1	14.4	0.80	675	0.46	2.38	7.6	3.0	600
N814343		3.15	15.75	0.14	1.1	0.039	1.73	18.7	14.2	0.82	682	0.55	2.39	7.3	4.2	600
N814344		3.20	15.20	0.13	1.1	0.036	1.83	17.7	16.0	0.92	787	0.47	2.32	7.2	3.7	650
N814345		3.24	15.25	0.12	1.0	0.097	1.07	18.0	17.7	0.89	835	0.47	2.57	7.6	3.0	600
N814346		3.05	16.50	0.13	1.2	0.034	2.22	19.4	13.3	0.89	718	0.53	2.33	8.1	3.1	620
N814347		3.21	16.15	0.12	1.5	0.031	2.31	17.8	16.1	0.87	738	0.77	2.41	8.4	2.9	630
N814348		3.23	16.25	0.13	1.4	0.051	2.25	17.6	19.7	0.80	868	0.62	1.94	8.1	2.9	610



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2012
Account: ROCKHA

Project: Klaza - 102

CERTIFICATE OF ANALYSIS WH12188050

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N814313		92.9	165.5	0.004	1.40	14.30	11.2	1	3.9	116.5	0.69	<0.05	12.3	0.254	2.84	4.0
N814314		23.7	66.9	0.002	0.08	29.5	8.3	<1	6.8	403	0.70	<0.05	9.8	0.285	1.58	4.5
N814315		20.1	54.2	0.004	0.03	17.20	12.0	2	2.6	260	0.68	<0.05	13.6	0.283	0.87	3.8
N814316		17.1	73.4	0.004	0.01	1.54	10.4	1	1.6	440	0.69	<0.05	10.8	0.262	0.95	4.0
N814317		1390	155.5	<0.002	3.25	31.9	8.6	1	6.1	159.0	0.64	0.29	9.8	0.206	2.67	4.5
N814318		20.0	80.2	0.002	0.01	1.33	10.1	1	1.6	447	0.67	<0.05	11.1	0.265	0.98	3.7
N814319		17.6	87.8	0.003	0.01	1.46	11.9	1	1.7	459	0.66	0.05	12.3	0.271	1.02	4.0
N814320		20.0	90.5	0.002	0.02	4.36	11.0	1	1.6	383	0.69	<0.05	13.0	0.264	1.07	4.3
N814321		43.4	118.0	0.003	0.55	32.5	11.9	1	4.6	185.0	0.73	<0.05	11.6	0.304	2.91	4.8
N814322		15.6	106.0	0.003	0.77	9.88	10.6	1	3.5	166.5	0.66	<0.05	10.8	0.251	1.99	3.4
N814323		1.9	2.5	<0.002	0.02	0.26	0.5	1	0.2	43.4	<0.05	<0.05	0.2	<0.005	0.03	0.5
N814324		15.9	34.9	<0.002	0.05	13.25	8.7	1	2.7	232	0.56	<0.05	9.6	0.233	0.68	3.6
N814325		17.1	70.2	0.002	<0.01	2.54	11.1	1	3.3	428	0.64	<0.05	10.6	0.263	0.88	3.6
N814326		17.3	72.8	0.003	0.01	1.07	11.0	1	1.7	456	0.65	<0.05	11.9	0.280	0.95	4.4
N814327		15.9	77.3	<0.002	0.01	1.25	11.1	1	1.9	453	0.68	<0.05	11.1	0.272	0.98	3.9
N814328		15.0	82.6	0.004	0.06	1.46	10.9	1	1.9	407	0.63	<0.05	10.8	0.269	1.06	3.7
N814329		15.7	85.4	0.003	0.04	1.23	11.3	1	1.8	419	0.64	<0.05	11.5	0.257	1.03	4.1
N814330		14.7	79.1	0.002	0.09	1.71	10.9	1	1.9	385	0.67	<0.05	10.8	0.264	1.10	3.5
N814331		18.7	69.7	0.002	0.04	1.31	9.8	1	1.8	406	0.69	<0.05	10.7	0.256	0.99	3.7
N814332		2810	151.0	0.002	4.90	91.5	7.9	1	8.2	94.8	0.48	0.37	11.1	0.184	2.57	5.4
N814333		25.0	72.8	<0.002	0.03	1.73	10.2	1	1.6	427	0.67	<0.05	10.9	0.270	1.08	3.8
N814334		195.0	120.5	<0.002	1.06	13.70	10.8	<1	2.0	198.5	0.65	<0.05	13.0	0.256	2.84	5.4
N814335		3.1	1.5	<0.002	0.02	0.21	0.2	1	0.2	43.8	<0.05	<0.05	<0.2	<0.005	0.03	0.9
N814336		17.4	71.5	<0.002	0.01	1.64	10.7	1	1.5	433	0.69	<0.05	11.8	0.271	0.92	4.1
N814337		18.6	81.7	0.011	0.05	1.50	10.1	1	1.5	411	0.73	<0.05	10.4	0.268	1.20	4.0
N814338		16.7	60.8	<0.002	0.02	2.33	9.8	1	1.5	430	0.68	<0.05	11.0	0.266	0.87	3.7
N814339		23.7	55.7	<0.002	0.09	2.75	10.0	1	1.6	402	0.62	<0.05	10.5	0.255	1.09	3.4
N814340		20.3	64.0	<0.002	0.01	4.32	10.7	1	1.6	456	0.63	<0.05	10.4	0.264	0.93	3.4
N814341		109.0	101.0	<0.002	0.67	12.35	9.9	<1	1.7	235	0.55	0.08	12.2	0.236	2.46	4.8
N814342		16.3	57.7	<0.002	0.01	1.89	10.0	1	1.6	453	0.66	<0.05	10.4	0.264	0.79	3.5
N814343		18.2	57.5	0.002	0.01	1.71	10.0	1	1.5	458	0.64	<0.05	10.8	0.251	0.77	3.5
N814344		21.3	59.0	<0.002	0.03	1.24	10.5	1	1.5	456	0.63	<0.05	9.5	0.268	0.77	3.4
N814345		15.6	30.6	<0.002	<0.01	2.65	10.0	<1	2.2	548	0.64	<0.05	9.3	0.271	0.53	3.2
N814346		18.1	73.5	<0.002	<0.01	1.01	10.4	1	1.5	482	0.68	<0.05	10.7	0.249	0.90	3.9
N814347		18.8	89.5	<0.002	<0.01	1.86	9.7	<1	1.8	436	0.75	<0.05	10.9	0.261	1.00	4.0
N814348		19.8	77.0	<0.002	0.07	4.03	9.6	1	1.9	359	0.81	<0.05	11.0	0.261	1.03	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2012
 Account: ROCKHA

Project: Klaza - 102

CERTIFICATE OF ANALYSIS WH12188050

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N814313		78	4.9	14.0	79	28.1
N814314		152	6.0	13.5	41	28.6
N814315		79	5.7	15.6	60	31.7
N814316		75	1.0	13.7	52	28.9
N814317		59	5.4	10.2	3090	41.2
N814318		76	1.3	14.3	51	27.5
N814319		81	1.3	15.9	51	32.2
N814320		77	1.9	14.8	53	29.9
N814321		132	6.7	17.7	106	27.9
N814322		95	5.7	13.9	53	23.6
N814323		3	0.1	0.8	12	<0.5
N814324		77	8.2	12.8	47	24.3
N814325		77	1.6	14.6	52	31.2
N814326		83	0.7	14.9	54	27.4
N814327		79	0.6	14.8	50	27.5
N814328		79	1.4	15.0	49	30.1
N814329		75	0.9	15.5	47	28.6
N814330		76	1.2	14.4	53	28.4
N814331		75	4.0	14.4	49	27.9
N814332		58	5.5	10.0	5630	25.5
N814333		80	2.4	15.1	56	28.4
N814334		77	3.3	15.3	250	27.4
N814335		3	0.1	0.7	15	<0.5
N814336		82	0.9	16.1	57	27.9
N814337		79	1.1	15.2	53	30.9
N814338		78	1.5	14.6	52	30.1
N814339		73	3.3	14.1	58	24.4
N814340		78	2.9	15.4	57	28.3
N814341		70	5.4	14.8	211	26.7
N814342		76	1.5	14.6	53	26.7
N814343		72	1.3	14.5	51	26.4
N814344		78	1.4	15.3	61	26.4
N814345		76	2.3	15.4	60	24.1
N814346		73	0.9	15.6	54	29.9
N814347		77	1.6	15.3	55	36.2
N814348		76	1.7	14.7	62	32.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 102

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12188050

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.