



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 28-AUG-2012

Account: ROCKHA

CERTIFICATE WH12188051

Project: Klaza - 103

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2012
Account: ROCKHA

Project: Klaza - 103

CERTIFICATE OF ANALYSIS WH12188051

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M355239		3.49	0.019	0.69	6.96	207	690	1.50	0.14	0.24	4.26	40.5	1.9	5	14.65	37.8
M355240		7.90	0.077	0.58	6.81	170.0	1220	1.51	0.35	0.33	2.14	38.6	3.0	7	12.80	34.2
M355241		7.55	0.246	2.76	7.63	472	1930	1.95	1.67	0.61	3.82	56.5	11.8	20	25.5	82.5
M355242		3.83	0.024	0.47	7.97	340	1690	1.92	0.28	0.73	2.66	65.5	6.2	34	31.7	46.5
M355243		2.88	0.251	2.85	8.02	566	1660	1.73	1.39	0.26	4.16	50.4	7.3	13	24.8	43.8
M355244		4.19	0.036	0.63	8.08	262	2060	1.38	0.47	1.10	5.03	47.3	7.0	9	13.80	27.6
M355245		2.07	0.045	0.70	7.90	346	2300	1.35	0.46	1.18	5.51	41.5	10.6	9	13.95	35.0
M355246		3.77	0.028	3.71	8.39	979	1980	1.58	5.09	0.22	16.80	49.7	13.8	9	17.60	140.0
M355247		3.87	0.022	2.16	8.49	578	1470	1.49	0.96	0.62	12.35	50.4	8.5	9	19.70	134.0
M355248		5.41	0.244	7.90	6.64	876	1420	1.37	9.86	0.45	9.42	52.0	10.7	16	16.55	166.5
M355249		2.79	1.155	35.7	7.11	2230	2140	1.36	61.9	1.67	25.8	59.5	9.8	24	16.85	156.0
M355250		6.85	<0.005	0.24	7.55	353	1310	1.55	0.30	2.58	1.25	49.8	7.6	14	22.4	10.1
M355251		0.26	4.45	>100	5.45	8360	1320	0.80	58.7	1.89	219	33.8	7.4	18	11.55	1300
M355252		6.49	<0.005	0.17	7.38	232	1020	1.61	0.32	2.50	0.57	45.8	6.9	15	28.9	9.9
M355253		2.74	0.805	7.08	7.08	7290	740	1.43	1.43	1.85	22.7	46.6	6.8	8	22.8	163.5
M355254		3.23	<0.005	0.02	0.09	10	30	0.07	0.05	21.2	0.13	1.33	1.1	<1	0.27	2.2
M355255		3.18	0.720	9.03	6.85	4520	630	1.25	1.89	1.45	54.9	49.8	6.6	8	11.90	76.0
M355256		3.88	1.895	>100	5.42	3480	1160	0.70	76.6	0.59	33.8	27.1	8.1	9	6.40	1270
M355257		2.50	<0.005	0.13	0.12	8	60	0.05	0.10	20.1	0.18	1.24	1.1	<1	0.21	4.2
M355258		2.65	0.161	3.16	7.21	496	1320	1.41	2.53	1.97	16.80	39.0	7.8	9	14.55	56.5
M355259		2.09	0.017	1.43	7.22	280	1640	1.39	1.42	1.65	6.47	46.9	8.4	8	11.80	13.6
M355260		6.31	<0.005	0.13	7.33	39.3	2250	1.40	0.16	2.58	0.25	47.5	6.4	12	10.80	5.4
M355261		3.47	<0.005	0.37	7.63	6.7	2250	1.38	0.10	2.80	0.21	40.9	7.1	11	10.50	51.4
M355262		2.89	<0.005	1.24	7.11	27.1	2010	1.34	0.76	3.02	4.99	40.2	12.6	10	16.50	9.0
M355263		<0.02	<0.005	1.28	6.90	26.8	1940	1.35	0.78	2.94	4.97	37.3	12.7	9	16.15	9.4
M355264		6.20	<0.005	0.23	7.54	8.7	2270	1.35	0.29	2.69	0.22	41.6	7.6	13	7.08	8.3
M355265		6.31	<0.005	0.18	7.34	17.2	2150	1.20	0.17	3.25	1.04	40.1	7.0	9	12.95	4.1
M355266		7.46	<0.005	1.14	7.28	51.7	2080	1.34	0.18	2.92	2.96	44.9	7.8	9	11.45	10.1
M355267		6.93	<0.005	0.21	7.30	13.3	2170	1.24	0.06	2.69	0.69	42.7	7.7	13	7.32	4.9
M355268		7.64	<0.005	1.25	6.93	82.7	2010	1.34	0.06	2.77	2.15	39.1	7.4	14	8.45	6.7
M355269		0.26	0.799	8.81	6.31	1800	1690	1.07	5.77	1.76	41.2	39.7	15.1	20	15.05	108.5
M355270		7.21	<0.005	0.15	7.12	8.3	2160	1.22	0.72	2.85	0.09	42.0	9.4	12	6.99	3.4
M355271		6.70	<0.005	0.13	7.20	9.9	2230	1.25	0.05	2.84	0.32	39.2	8.2	13	6.63	3.5
M355272		2.34	<0.005	2.14	7.34	28.1	2000	1.17	0.10	3.14	5.56	39.4	7.9	11	8.71	8.2
M355273		5.77	<0.005	0.05	7.58	3.2	2390	1.32	0.08	2.66	0.09	46.6	7.9	11	8.96	3.5
M355274		8.14	<0.005	0.06	7.30	4.7	2190	1.25	0.10	2.93	0.08	37.3	7.7	10	11.70	11.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2012
Account: ROCKHA

Project: Klaza - 103

CERTIFICATE OF ANALYSIS WH12188051

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M355239		1.58	19.30	0.12	2.4	0.044	2.37	22.3	21.1	0.11	444	1.17	0.11	15.3	3.4	220
M355240		1.47	18.85	0.14	2.2	0.032	2.18	20.3	70.0	0.15	518	1.22	0.29	13.3	3.3	260
M355241		3.24	20.1	0.18	2.3	0.130	3.02	29.6	19.3	0.23	1660	3.07	0.05	9.9	13.0	790
M355242		2.34	22.8	0.18	3.9	0.034	3.04	33.9	30.1	0.21	695	1.60	0.05	11.9	16.4	1050
M355243		2.98	19.65	0.18	1.5	0.145	3.15	26.7	27.5	0.24	1400	3.07	0.05	8.7	7.2	760
M355244		2.97	19.00	0.19	1.1	0.096	2.84	24.2	38.4	0.24	1460	2.59	0.06	8.7	4.1	670
M355245		3.24	18.80	0.17	1.0	0.096	2.93	20.9	33.1	0.31	1970	2.71	0.06	8.7	4.4	690
M355246		3.63	20.3	0.19	0.9	0.135	2.76	24.6	34.7	0.15	4200	4.81	0.05	8.6	5.9	750
M355247		4.22	19.85	0.20	0.9	0.206	2.86	25.7	26.3	0.28	1940	3.06	0.05	8.8	4.6	790
M355248		3.41	17.55	0.18	2.2	0.221	2.26	28.2	98.9	0.32	1680	6.15	0.07	8.2	8.0	650
M355249		3.48	19.30	0.19	3.3	0.289	2.06	31.1	182.5	0.86	1100	3.41	0.14	8.7	14.5	820
M355250		2.62	20.5	0.19	2.7	0.029	2.41	24.1	77.8	0.97	750	1.64	0.13	8.4	8.0	790
M355251		7.78	12.65	0.21	1.0	4.90	2.28	16.7	22.7	0.60	2970	15.30	0.08	5.4	12.7	440
M355252		2.84	20.9	0.17	2.9	0.029	2.37	21.5	66.6	0.89	943	1.14	0.10	8.5	7.6	810
M355253		4.09	16.75	0.19	1.0	0.638	2.90	25.0	18.1	0.74	3940	1.39	0.04	7.5	4.7	600
M355254		0.47	0.38	0.12	<0.1	<0.005	0.03	0.6	1.0	12.75	220	0.15	0.01	0.3	1.8	180
M355255		5.29	15.80	0.21	0.7	0.519	3.08	26.8	6.2	0.60	5050	1.80	0.02	6.9	2.8	550
M355256		10.45	11.95	0.27	0.7	1.010	2.41	13.7	4.8	0.32	2580	2.48	0.05	5.5	2.2	430
M355257		0.49	0.40	0.10	<0.1	<0.005	0.04	0.6	0.9	11.95	220	0.14	0.01	0.4	1.6	180
M355258		3.64	16.80	0.17	1.0	0.545	3.12	18.6	30.7	0.66	2760	1.64	0.05	8.2	2.7	590
M355259		2.95	16.15	0.17	1.2	0.175	3.47	24.0	12.4	0.62	1790	1.65	0.50	8.1	2.9	530
M355260		2.83	17.30	0.17	1.0	0.050	2.64	23.7	9.5	0.69	620	3.00	1.86	8.3	3.2	610
M355261		3.01	18.10	0.17	1.0	0.056	2.68	19.9	9.6	0.76	671	1.52	2.00	8.6	3.2	650
M355262		2.69	17.80	0.16	1.0	0.046	3.13	19.6	14.8	0.58	1200	1.46	0.78	8.2	3.0	630
M355263		2.63	17.60	0.15	0.9	0.046	3.08	18.2	14.4	0.56	1180	1.40	0.76	8.1	3.0	600
M355264		2.96	17.55	0.17	0.9	0.043	2.66	20.3	10.4	0.77	684	1.28	2.02	7.9	3.3	590
M355265		3.02	17.85	0.17	1.0	0.050	2.47	19.5	18.1	0.67	668	0.97	1.27	8.4	3.0	630
M355266		3.12	17.35	0.18	1.0	0.072	2.54	21.8	14.8	0.77	1020	0.75	1.59	8.2	3.3	650
M355267		2.88	17.50	0.16	0.9	0.034	2.56	20.6	12.6	0.81	691	1.02	2.18	8.2	3.3	600
M355268		2.88	17.55	0.15	0.9	0.036	2.40	17.8	11.6	0.71	743	0.90	1.95	8.1	3.5	600
M355269		4.93	15.60	0.19	1.2	0.904	2.75	20.0	20.9	0.64	1880	12.30	0.24	7.4	16.3	460
M355270		3.05	17.50	0.16	0.9	0.040	2.35	19.9	13.7	0.83	677	1.32	2.12	8.2	3.5	630
M355271		3.05	17.55	0.16	0.8	0.037	2.44	18.1	12.7	0.87	732	0.89	2.17	8.0	3.4	650
M355272		3.24	18.05	0.18	0.8	0.045	2.52	18.4	13.8	0.79	869	0.73	1.72	8.0	3.4	670
M355273		2.98	17.75	0.17	0.8	0.036	2.45	22.9	13.0	0.81	565	0.60	2.16	8.2	3.4	620
M355274		3.07	17.50	0.16	0.8	0.042	2.39	17.4	14.0	0.77	713	0.79	1.98	8.2	3.4	650



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2012
Account: ROCKHA

Project: Klaza - 103

CERTIFICATE OF ANALYSIS WH12188051

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M355239		38.7	104.0	<0.002	0.01	5.61	3.5	1	3.2	66.3	1.38	<0.05	9.0	0.146	1.16	3.1
M355240		32.7	98.0	<0.002	0.02	8.59	4.5	1	2.8	97.9	1.29	<0.05	8.8	0.144	1.17	2.9
M355241		76.6	164.0	<0.002	0.05	17.00	9.8	1	3.4	93.0	0.69	0.06	11.0	0.265	2.57	4.8
M355242		44.0	137.0	<0.002	0.02	7.12	7.3	1	8.0	144.5	0.80	<0.05	12.1	0.303	1.88	5.6
M355243		154.0	176.5	<0.002	0.05	18.75	13.5	2	2.2	48.6	0.60	0.06	13.5	0.281	2.52	4.1
M355244		36.5	148.5	<0.002	0.08	16.35	13.4	2	1.7	66.5	0.67	<0.05	13.3	0.262	2.04	3.1
M355245		35.6	148.0	<0.002	0.13	17.25	13.0	1	1.9	73.6	0.67	<0.05	11.7	0.265	2.16	3.1
M355246		129.5	140.5	<0.002	0.03	19.65	14.9	1	2.1	66.2	0.58	<0.05	12.0	0.300	2.15	4.7
M355247		449	149.0	<0.002	0.33	18.05	14.7	2	2.6	51.8	0.62	0.06	11.9	0.295	2.31	3.8
M355248		561	124.0	<0.002	0.15	45.5	9.0	2	2.3	159.0	0.57	0.29	11.6	0.228	2.15	5.6
M355249		403	89.5	<0.002	1.14	31.2	8.4	2	2.1	189.5	0.58	0.23	9.7	0.274	1.58	5.8
M355250		16.8	82.1	<0.002	0.09	7.30	9.6	1	1.4	196.5	0.54	<0.05	8.0	0.296	1.64	4.3
M355251		9240	127.0	<0.002	6.97	213	5.6	3	8.9	125.0	0.41	0.48	8.2	0.180	2.09	5.1
M355252		15.7	73.0	<0.002	0.03	8.57	9.2	1	1.3	265	0.59	<0.05	7.2	0.307	1.47	3.0
M355253		878	185.5	<0.002	1.89	58.3	11.4	1	2.9	143.5	0.52	0.06	10.7	0.241	2.72	5.4
M355254		3.1	1.6	<0.002	0.01	0.16	0.3	1	<0.2	55.5	<0.05	<0.05	<0.2	<0.005	0.02	0.8
M355255		1150	181.5	<0.002	3.87	25.1	9.6	2	4.9	53.8	0.46	0.10	11.0	0.222	3.13	2.9
M355256		2000	132.5	<0.002	>10.0	134.0	6.0	3	6.6	24.4	0.42	1.14	8.3	0.177	2.45	2.5
M355257		6.3	2.1	<0.002	0.05	0.32	0.2	1	<0.2	49.5	<0.05	<0.05	<0.2	0.005	0.02	0.6
M355258		469	133.0	<0.002	1.06	12.80	9.9	1	2.4	103.5	0.67	<0.05	11.2	0.249	2.58	4.9
M355259		329	166.0	<0.002	0.48	7.09	9.4	1	1.8	128.0	0.82	<0.05	16.0	0.218	2.31	4.1
M355260		17.0	102.5	<0.002	0.05	2.06	11.7	1	1.7	350	0.67	<0.05	10.9	0.259	1.17	3.4
M355261		21.9	97.0	<0.002	0.05	2.04	11.4	1	1.5	377	0.66	<0.05	10.5	0.271	1.10	4.5
M355262		153.5	127.5	<0.002	0.47	5.37	10.5	1	1.8	207	0.62	<0.05	9.3	0.261	2.21	4.9
M355263		146.5	123.0	<0.002	0.47	5.18	10.1	1	1.8	203	0.60	<0.05	8.8	0.254	2.24	4.9
M355264		41.0	100.5	<0.002	0.11	1.53	11.4	1	1.6	383	0.59	<0.05	10.8	0.252	1.14	3.3
M355265		16.0	76.6	<0.002	0.06	3.27	10.4	1	1.6	274	0.71	<0.05	10.2	0.258	1.11	7.4
M355266		112.5	102.5	<0.002	0.18	5.11	11.8	1	1.7	330	0.62	<0.05	10.9	0.264	1.24	2.6
M355267		33.1	88.1	<0.002	0.03	1.63	11.0	1	1.5	395	0.60	<0.05	10.8	0.261	0.95	3.0
M355268		107.5	88.6	<0.002	0.22	7.62	10.8	1	1.7	364	0.60	<0.05	8.9	0.248	1.05	3.5
M355269		1250	143.5	<0.002	2.92	32.8	8.3	2	5.8	145.0	0.57	0.28	10.8	0.200	2.31	4.8
M355270		14.3	81.0	<0.002	0.19	1.31	11.8	1	1.6	404	0.58	0.05	8.7	0.271	1.00	2.4
M355271		25.0	76.7	<0.002	0.03	0.90	12.0	1	1.6	413	0.52	<0.05	8.5	0.277	0.92	2.6
M355272		348	97.5	<0.002	0.33	3.81	11.8	1	2.1	354	0.51	<0.05	7.7	0.272	1.23	3.7
M355273		14.4	88.6	<0.002	0.03	1.07	11.9	1	1.9	435	0.60	<0.05	11.3	0.267	0.93	2.9
M355274		14.3	75.5	<0.002	0.04	1.39	11.4	1	3.7	387	0.58	<0.05	9.1	0.283	0.97	3.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2012
 Account: ROCKHA

Project: Klaza - 103

CERTIFICATE OF ANALYSIS WH12188051

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
M355239		19	5.8	13.0	598	62.4		
M355240		23	3.4	12.8	372	54.1		
M355241		64	4.6	12.8	670	89.9		
M355242		58	1.8	12.7	667	162.0		
M355243		75	4.7	14.4	863	49.7		
M355244		72	8.7	15.5	713	27.9		
M355245		76	8.3	14.3	765	26.7		
M355246		82	7.1	17.5	1320	22.1		
M355247		85	4.5	17.0	1650	23.1		
M355248		56	4.0	10.1	1140	82.8		
M355249		66	2.1	12.6	1690	128.5		
M355250		74	3.2	13.1	359	95.4		
M355251		53	4.4	8.9	>10000	32.1	119	1.595
M355252		77	3.9	12.3	260	100.5		
M355253		69	5.8	12.7	2450	27.5		
M355254		2	0.1	0.9	25	0.6		
M355255		65	5.1	10.4	4150	16.9		
M355256		53	5.5	6.1	2410	15.2	111	
M355257		3	0.1	0.8	26	<0.5		
M355258		72	3.8	11.8	2000	24.2		
M355259		61	2.1	13.1	1340	25.7		
M355260		75	0.8	15.3	106	23.6		
M355261		79	0.8	15.1	87	24.1		
M355262		73	2.4	13.2	484	22.5		
M355263		71	2.4	12.5	476	22.1		
M355264		71	1.1	15.0	65	21.9		
M355265		73	2.3	16.8	171	23.1		
M355266		76	1.3	15.8	323	23.6		
M355267		74	0.8	15.5	98	21.3		
M355268		71	1.1	14.6	241	20.9		
M355269		56	5.1	10.5	2970	37.7		
M355270		79	0.9	15.1	49	20.0		
M355271		80	0.4	15.1	76	18.5		
M355272		77	1.8	14.6	554	19.3		
M355273		75	0.7	14.6	46	19.9		
M355274		80	0.8	13.9	50	19.5		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 103

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12188051

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.