



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 31-AUG-2012

Account: ROCKHA

CERTIFICATE WH12188888

Project: Klaza - 105

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-AUG-2012
Account: ROCKHA

Project: Klaza - 105

CERTIFICATE OF ANALYSIS WH12188888

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N814403		3.46	<0.005	0.12	7.32	6.5	2360	1.55	0.13	2.48	1.70	53.1	7.9	10	6.97	3.0
N814404		3.35	0.213	12.40	7.14	704	2250	1.71	0.72	0.30	44.2	54.2	22.5	9	23.5	40.7
N814405		4.87	0.248	10.30	7.52	505	2210	1.31	1.02	0.65	11.95	51.4	6.9	8	17.30	31.7
N814406		2.51	<0.005	0.04	0.07	<5	30	0.07	0.04	20.4	0.17	1.12	0.6	<1	0.19	1.9
N814407		6.35	0.011	0.60	7.34	18.3	2190	1.50	0.19	2.18	1.76	50.0	7.9	11	8.73	7.6
N814408		2.53	0.005	1.29	6.02	67.5	1740	1.31	0.12	3.42	2.24	33.1	8.3	7	24.6	13.0
N814409		3.74	0.012	2.89	6.46	78.8	1940	1.37	0.24	2.05	4.73	35.4	9.1	8	24.5	56.3
N814410		3.63	0.102	10.05	7.41	1255	1610	1.60	2.96	0.84	20.4	55.8	8.1	8	22.5	50.4
N814411		5.85	0.005	0.67	7.44	260	1630	1.51	0.73	1.70	10.20	53.2	11.9	9	8.20	21.1
N814412		4.74	0.005	0.37	7.61	722	2280	1.35	0.38	1.05	20.8	49.8	8.0	9	10.95	19.7
N814413		3.52	0.551	11.75	7.17	1765	1780	1.45	4.10	0.77	26.4	46.6	5.6	9	8.61	79.5
N814414		4.45	0.305	9.41	6.99	2720	1170	1.54	4.16	0.27	84.2	54.3	13.3	10	21.7	100.5
N814415		0.23	0.786	10.30	6.40	1755	1500	1.40	6.43	1.85	41.4	45.3	16.6	19	15.70	106.0
N814416		5.18	<0.005	0.32	7.00	54.0	2050	1.43	0.27	2.98	0.67	44.2	8.6	14	6.42	5.5
N814417		2.07	0.008	0.31	7.15	23.7	2040	1.54	0.73	2.99	0.24	45.9	8.3	10	8.00	7.5
N814418		10.72	<0.005	0.11	7.32	8.4	2120	1.52	0.10	2.75	0.36	47.4	8.2	12	6.10	4.0
N814419		8.14	0.005	0.08	7.37	5.6	2180	1.45	0.09	2.63	0.10	53.5	8.2	11	7.65	3.7
N814420		2.85	<0.005	0.06	7.60	6.5	1900	1.37	0.12	1.82	0.09	44.8	7.6	10	11.30	3.1
N814421		1.42	<0.005	0.07	7.45	7.3	1850	1.40	0.13	1.84	0.11	45.7	7.6	10	11.30	3.0
N814422		3.90	<0.005	0.08	6.45	16.1	2370	1.31	0.10	4.01	0.14	40.8	7.6	7	21.0	4.5
N814423		6.55	<0.005	0.07	6.94	5.9	2270	1.40	0.11	2.76	0.09	42.0	7.2	11	7.19	4.3
N814424		3.81	0.008	0.31	7.03	30.2	2450	1.38	1.23	3.34	0.12	44.4	14.1	10	9.02	49.0
N814425		0.24	0.796	10.05	6.39	1740	1430	1.32	6.30	1.86	40.7	43.3	16.6	18	15.60	105.0
N814426		4.05	<0.005	0.27	6.71	6.3	2110	1.55	0.13	2.61	0.12	40.4	8.3	12	8.79	12.5
N814427		2.94	<0.005	0.12	6.78	9.0	2100	1.35	0.13	2.85	0.10	43.4	7.9	12	11.90	7.5
N814428		2.85	0.005	0.45	6.50	53.8	2070	1.38	0.51	3.62	0.23	43.2	15.0	9	16.95	46.3
N814429		2.93	<0.005	0.02	0.07	<5	20	0.06	0.04	20.3	0.06	1.33	0.7	<1	0.21	1.3
N814430		5.34	<0.005	0.06	6.94	4.6	2080	1.56	0.15	2.72	0.06	49.0	8.2	12	4.28	8.3
N814431		2.84	<0.005	0.22	7.22	14.0	2380	1.40	0.27	2.35	0.24	47.1	8.6	10	6.72	44.4
N814432		5.39	<0.005	0.06	7.05	4.3	2160	1.26	0.07	2.72	0.06	45.1	7.9	11	4.06	7.5
N814433		2.68	0.007	1.02	7.11	14.0	2150	1.38	1.25	2.78	0.11	42.3	11.7	12	9.65	434
N814434		2.75	<0.005	0.10	7.21	7.6	2050	1.25	0.14	2.82	0.08	45.4	8.6	14	8.49	12.5
N814435		<0.02	<0.005	0.08	7.20	6.3	2020	1.27	0.14	2.80	0.06	48.0	8.1	12	8.61	9.9
N814436		5.14	<0.005	0.05	7.21	4.8	2130	1.33	0.09	2.76	0.09	46.2	7.8	12	4.91	7.7
N814437		4.90	<0.005	0.09	7.06	7.4	2080	1.29	0.18	2.81	0.10	44.0	7.8	13	5.20	13.6
N814438		5.18	<0.005	0.08	7.68	8.3	2080	1.22	0.14	2.30	0.09	41.5	9.0	11	9.88	11.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-AUG-2012
Account: ROCKHA

Project: Klaza - 105

CERTIFICATE OF ANALYSIS WH12188888

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N814403		3.10	16.40	0.13	1.2	0.038	2.12	24.4	10.9	0.96	747	0.38	2.34	8.1	3.2	620
N814404		4.61	16.35	0.15	1.0	0.284	2.86	33.0	26.9	0.20	11000	4.10	0.37	7.3	4.8	460
N814405		3.81	16.55	0.14	1.1	0.141	2.89	27.1	30.9	0.30	2340	0.84	0.87	7.9	2.9	600
N814406		0.50	0.16	0.08	<0.1	0.008	0.02	0.5	0.9	12.80	236	0.09	0.01	0.1	1.3	160
N814407		3.09	16.55	0.12	1.1	0.044	2.45	23.2	11.8	0.83	838	0.51	2.18	8.1	3.5	640
N814408		2.94	16.35	0.13	1.0	0.043	2.64	14.3	39.6	0.37	1240	0.60	0.11	8.0	2.9	590
N814409		2.92	16.50	0.12	1.0	0.064	2.65	14.7	52.1	0.24	1520	0.79	0.07	7.9	2.9	580
N814410		4.80	16.55	0.14	1.1	0.310	2.98	29.0	22.4	0.23	1320	24.0	0.15	8.1	2.9	640
N814411		3.47	17.20	0.15	1.2	0.085	1.69	25.8	10.8	0.83	1580	1.45	2.20	8.3	3.2	630
N814412		3.54	16.25	0.11	1.1	0.062	2.06	24.5	14.6	0.46	1110	1.72	1.41	8.0	3.3	670
N814413		4.09	16.00	0.12	1.0	0.864	2.78	24.3	10.0	0.42	604	1.23	0.84	7.4	2.0	460
N814414		5.75	15.75	0.16	0.9	0.250	2.75	28.6	31.0	0.24	1560	5.99	0.15	7.1	3.1	510
N814415		5.03	14.75	0.14	1.2	0.841	2.75	20.6	22.9	0.70	1920	11.45	0.26	7.2	15.6	490
N814416		3.41	16.45	0.11	1.2	0.057	1.67	19.2	11.0	0.96	896	0.69	2.38	8.3	3.1	630
N814417		3.25	16.35	0.13	1.2	0.068	2.07	20.4	9.2	0.83	1180	0.43	1.88	8.1	3.0	600
N814418		3.13	15.90	0.13	1.3	0.036	2.39	22.1	12.7	0.93	663	0.73	2.21	8.2	3.0	620
N814419		3.01	16.50	0.16	1.2	0.034	2.45	26.5	15.7	0.97	630	0.57	2.23	8.2	3.0	620
N814420		2.90	17.15	0.13	1.2	0.042	2.57	20.2	28.3	0.53	537	0.58	0.95	8.7	2.6	640
N814421		2.88	16.95	0.13	1.3	0.041	2.53	21.7	28.4	0.53	565	0.75	0.96	8.5	2.8	650
N814422		2.81	15.00	0.13	1.2	0.035	2.05	19.1	27.1	0.77	791	0.90	0.30	7.5	2.7	560
N814423		2.95	15.25	0.12	1.2	0.036	2.49	18.9	12.7	0.85	568	1.36	2.14	7.6	2.8	610
N814424		3.06	15.55	0.13	1.0	0.090	2.57	20.7	13.2	0.88	729	1.15	1.77	8.2	2.9	610
N814425		5.04	14.45	0.14	1.2	0.832	2.74	22.4	23.1	0.70	1930	12.15	0.26	8.7	15.7	490
N814426		3.01	16.20	0.13	1.1	0.044	2.46	17.9	12.3	0.80	595	1.51	2.20	7.9	3.5	600
N814427		3.03	15.90	0.14	1.1	0.044	2.56	19.8	12.7	0.82	768	0.56	1.88	8.4	3.0	590
N814428		3.23	14.45	0.13	1.1	0.063	2.43	20.2	42.5	1.01	1120	0.67	0.63	7.3	2.9	530
N814429		0.47	0.18	0.07	<0.1	0.005	0.03	0.6	1.0	12.80	209	0.14	0.01	0.1	1.7	170
N814430		3.01	16.40	0.12	1.3	0.039	2.39	22.2	10.4	0.87	650	0.80	2.15	8.5	2.8	580
N814431		3.23	15.75	0.15	1.3	0.081	2.83	22.4	11.3	0.74	793	0.82	1.66	7.9	2.7	580
N814432		2.92	15.65	0.13	1.1	0.037	2.44	20.8	10.9	0.93	643	0.50	2.21	7.6	2.7	600
N814433		3.42	16.65	0.15	1.2	0.160	2.60	19.3	13.5	0.83	786	0.62	1.95	7.9	5.0	610
N814434		3.10	16.45	0.15	1.3	0.047	2.59	22.2	13.6	0.87	708	0.97	2.08	7.5	3.4	580
N814435		3.07	16.65	0.17	1.2	0.042	2.57	22.5	13.5	0.88	714	0.83	2.06	7.7	3.1	580
N814436		2.96	15.90	0.16	1.1	0.033	2.48	21.2	11.8	0.90	670	2.65	2.23	7.1	2.7	570
N814437		3.00	16.70	0.17	1.2	0.035	2.53	19.8	11.5	0.86	638	1.05	2.20	7.6	2.8	600
N814438		3.12	18.10	0.17	1.4	0.041	2.71	19.1	25.5	0.56	706	3.01	0.95	8.2	3.1	660



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 31-AUG-2012
Account: ROCKHA

Project: Klaza - 105

CERTIFICATE OF ANALYSIS WH12188888

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N814403		15.6	75.8	0.002	<0.01	1.22	12.0	1	1.4	429	0.71	<0.05	13.7	0.270	2.0
N814404		1550	146.5	<0.002	0.04	24.3	11.9	2	2.3	92.9	0.63	<0.05	14.0	0.244	8.2
N814405		882	136.0	<0.002	0.09	11.00	11.8	1	2.0	157.5	0.66	0.06	14.8	0.265	3.5
N814406		4.6	1.1	<0.002	0.01	0.09	0.2	<1	<0.2	39.2	<0.05	<0.05	0.2	<0.005	0.5
N814407		20.4	88.0	<0.002	0.01	1.63	11.5	1	1.3	372	0.63	<0.05	13.6	0.268	1.6
N814408		19.1	92.3	<0.002	0.08	12.10	9.2	1	1.4	81.7	0.65	0.05	8.8	0.255	2.7
N814409		28.6	104.0	<0.002	0.07	22.3	9.7	<1	1.5	78.6	0.63	<0.05	10.0	0.258	2.6
N814410		1040	164.5	0.002	0.15	22.9	13.2	1	3.1	100.5	0.69	1.02	14.5	0.270	5.8
N814411		25.9	80.6	<0.002	0.07	3.54	12.3	1	1.7	349	0.67	0.08	14.0	0.268	2.6
N814412		73.8	80.9	<0.002	<0.01	10.25	11.4	1	2.0	233	0.69	<0.05	14.1	0.277	3.7
N814413		1160	143.0	<0.002	0.10	51.5	10.9	1	2.6	190.5	0.60	0.20	11.9	0.251	5.7
N814414		1210	147.0	<0.002	0.37	25.4	10.8	1	2.3	46.1	0.61	0.16	14.5	0.249	11.7
N814415		1340	150.5	<0.002	3.03	33.1	8.7	1	5.7	141.5	0.63	0.26	12.0	0.206	5.3
N814416		17.6	53.9	<0.002	0.04	1.64	12.5	1	1.7	419	0.72	<0.05	11.3	0.278	2.5
N814417		23.0	78.7	<0.002	0.24	2.01	10.9	<1	1.7	350	0.69	0.05	13.4	0.265	4.5
N814418		18.8	91.9	<0.002	0.02	0.79	11.7	1	1.4	393	0.71	<0.05	13.2	0.274	3.9
N814419		15.5	93.6	<0.002	0.01	0.61	11.7	<1	1.4	407	0.66	<0.05	13.8	0.272	3.5
N814420		15.6	94.0	<0.002	0.01	8.17	11.0	1	1.4	186.5	0.74	<0.05	13.7	0.276	2.8
N814421		15.7	96.0	<0.002	0.01	9.09	11.0	1	1.5	184.0	0.73	<0.05	13.5	0.277	3.1
N814422		16.1	70.9	<0.002	0.11	11.90	9.9	<1	1.4	155.0	0.69	<0.05	12.2	0.243	4.4
N814423		15.4	86.0	<0.002	0.03	1.10	10.5	<1	1.3	393	0.63	<0.05	12.2	0.261	3.5
N814424		15.2	102.0	<0.002	0.49	2.81	10.8	1	1.4	322	0.62	<0.05	12.7	0.262	5.8
N814425		1340	149.5	<0.002	3.03	32.7	8.6	1	5.7	142.5	0.61	0.32	12.2	0.206	5.3
N814426		16.3	88.0	<0.002	0.03	1.33	10.2	<1	1.6	381	0.64	<0.05	10.6	0.256	3.2
N814427		16.0	97.4	<0.002	0.08	1.62	10.6	1	1.6	338	0.63	<0.05	11.0	0.256	3.5
N814428		21.0	96.3	<0.002	0.41	14.75	10.2	1	3.0	193.5	0.66	0.06	11.1	0.247	5.0
N814429		1.3	1.5	<0.002	<0.01	0.07	0.3	<1	<0.2	37.6	<0.05	<0.05	<0.2	<0.005	0.4
N814430		17.0	84.5	<0.002	0.04	0.83	11.0	1	1.5	369	0.83	<0.05	13.4	0.251	4.3
N814431		18.1	113.0	<0.002	0.11	3.36	10.3	1	1.6	289	0.78	<0.05	14.3	0.257	4.6
N814432		14.9	81.7	<0.002	0.02	0.68	11.0	1	1.6	391	0.67	<0.05	12.6	0.258	4.1
N814433		18.1	92.2	<0.002	0.25	4.51	10.5	1	1.6	328	0.66	<0.05	10.6	0.280	4.1
N814434		14.4	96.9	<0.002	0.07	1.91	10.2	2	1.4	342	0.67	<0.05	12.8	0.270	4.5
N814435		13.8	99.5	<0.002	0.07	1.94	10.3	1	1.5	336	0.70	0.06	12.4	0.271	4.2
N814436		15.4	83.7	0.002	0.02	0.65	9.8	2	1.2	388	0.63	<0.05	12.3	0.264	3.1
N814437		15.3	89.7	<0.002	0.07	0.99	10.0	1	1.5	366	0.64	<0.05	11.3	0.272	3.4
N814438		16.2	91.0	0.002	0.06	10.40	10.9	1	1.6	193.0	0.65	<0.05	11.3	0.311	4.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31-AUG-2012
 Account: ROCKHA

Project: Klaza - 105

CERTIFICATE OF ANALYSIS WH12188888

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N814403		80	1.0	17.3	222	29.6
N814404		74	3.1	23.8	3370	28.4
N814405		79	3.3	13.1	1200	28.3
N814406		2	0.1	0.8	25	<0.5
N814407		78	0.7	16.3	263	29.0
N814408		77	5.3	12.0	258	28.8
N814409		74	6.2	11.2	468	28.6
N814410		83	6.3	15.7	1720	28.2
N814411		77	1.7	16.3	818	27.9
N814412		83	1.5	16.9	1940	29.0
N814413		72	4.2	12.0	1130	25.3
N814414		73	5.1	16.8	3150	24.5
N814415		57	5.4	11.1	2960	38.8
N814416		87	0.9	16.7	162	30.9
N814417		74	1.7	15.5	64	32.4
N814418		77	1.4	17.0	58	31.2
N814419		76	0.9	17.2	47	30.2
N814420		78	4.6	14.2	46	31.6
N814421		79	4.4	14.7	47	34.1
N814422		71	4.0	15.4	52	29.9
N814423		76	0.8	14.7	43	29.6
N814424		77	2.2	14.8	49	27.7
N814425		58	5.3	10.8	2980	37.1
N814426		74	0.9	14.3	45	29.3
N814427		74	0.9	14.9	45	28.7
N814428		73	2.3	14.8	62	26.6
N814429		2	0.1	0.8	14	<0.5
N814430		73	0.9	17.1	47	34.2
N814431		72	1.9	15.6	59	31.7
N814432		75	0.7	15.8	45	27.1
N814433		78	1.4	14.9	53	27.7
N814434		74	1.0	15.5	47	28.8
N814435		76	1.2	15.5	47	27.3
N814436		73	0.6	14.5	48	25.8
N814437		75	0.9	14.7	48	26.6
N814438		85	3.5	14.5	58	31.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 105

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12188888

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.