



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 3-SEP-2012
Account: ROCKHA

CERTIFICATE WH12192026

Project: Klaza -105

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2012
Account: ROCKHA

Project: Klaza -105

CERTIFICATE OF ANALYSIS WH12192026

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N814439		5.71	<0.005	0.09	6.95	6.7	2150	1.62	0.68	2.64	0.07	43.7	8.4	12	5.41	7.3
N814440		4.18	<0.005	0.04	7.20	11.2	2170	1.73	0.12	2.53	0.08	47.5	9.1	11	5.05	6.4
N814441		1.64	<0.005	0.04	7.47	5.7	2190	1.58	0.30	2.58	0.09	51.0	9.0	9	5.52	6.3
N814442		6.32	<0.005	0.04	7.00	5.9	2080	1.45	0.10	2.43	0.06	46.6	8.0	10	4.67	5.0
N814443		6.85	<0.005	0.08	7.23	5.2	2120	1.67	0.35	2.65	0.09	49.6	9.0	11	4.82	7.1
N814444		0.31	0.781	10.45	6.72	1395	1330	1.65	6.77	1.79	41.8	46.4	17.9	19	16.05	107.5
N814445		3.13	<0.005	0.39	7.34	8.4	2210	1.76	0.10	2.65	0.12	51.2	10.4	10	4.48	5.6
N814446		4.22	<0.005	0.13	7.35	5.4	2210	1.56	0.25	2.71	0.09	50.0	8.4	11	5.72	5.3
N814447		6.95	<0.005	0.25	7.13	5.2	2180	1.61	0.11	2.63	0.07	49.1	8.3	11	6.52	5.3
N814448		2.60	<0.005	0.67	6.53	31.5	1440	1.43	0.66	2.68	0.79	45.5	10.2	8	9.01	8.7
N814449		4.40	<0.005	0.13	6.95	6.7	2020	1.44	0.13	2.53	0.10	46.3	6.5	9	5.71	4.5
N814450		<0.02	<0.005	0.09	7.08	5.7	2070	1.66	0.21	2.59	0.09	48.5	6.8	9	6.09	4.3
N814451		3.10	<0.005	0.14	7.09	14.0	1980	1.55	0.20	2.51	0.19	44.4	9.6	8	8.57	12.3
N814452		4.83	<0.005	0.10	7.19	4.6	2080	1.67	0.22	2.21	0.14	48.4	6.4	8	10.90	6.9
N814453		7.44	<0.005	0.08	6.85	5.8	2160	1.61	0.18	2.38	0.12	49.9	6.5	9	8.35	5.8
N814454		3.00	<0.005	0.08	7.26	13.5	1970	1.77	0.27	2.19	0.11	52.9	9.2	8	12.10	7.2
N814455		2.28	<0.005	0.11	7.11	14.3	1530	1.47	0.25	1.93	0.13	48.1	5.7	7	14.70	5.1
N814456		2.32	<0.005	0.03	0.05	<5	40	<0.05	0.07	20.5	0.05	1.16	0.6	<1	0.12	1.2
N814457		7.92	<0.005	0.06	7.05	4.4	2010	1.67	0.14	2.39	0.07	49.5	7.9	8	7.46	7.8
N814458		2.81	<0.005	0.04	6.76	6.1	1970	1.71	0.20	2.70	0.08	43.4	8.9	8	8.94	8.7
N814459		5.19	<0.005	0.05	7.12	4.6	2060	1.71	0.14	2.73	0.10	42.7	8.3	8	9.21	10.5
N814460		4.46	<0.005	0.03	6.94	4.7	2130	1.59	0.17	2.32	0.06	44.6	8.3	8	10.05	15.6
N814461		2.67	<0.005	0.05	6.90	8.8	1700	1.42	0.19	2.26	0.07	39.7	10.6	7	16.30	33.3
N814462		2.83	<0.005	0.06	7.41	9.8	2200	1.22	0.14	1.80	0.06	50.1	9.0	8	17.60	34.6
N814463		3.29	<0.005	0.04	7.29	4.2	2150	1.27	0.10	2.41	0.05	40.2	7.8	7	13.95	33.7
N814464		2.28	<0.005	0.05	7.18	7.5	2090	1.44	0.14	2.36	0.08	42.1	7.1	7	13.55	10.2
N814465		4.02	<0.005	0.07	5.86	13.2	1580	1.24	0.09	3.86	0.22	36.8	6.2	5	16.70	4.1
N814466		2.52	<0.005	0.01	0.11	<5	30	0.06	0.04	19.75	0.06	1.33	0.7	<1	0.38	2.2
N814467		5.29	<0.005	0.05	6.34	8.2	1890	1.57	0.13	2.61	0.07	37.0	7.3	9	18.85	5.0
N814468		2.86	<0.005	0.18	6.35	12.8	1880	1.46	0.65	2.69	0.13	37.0	8.4	8	16.15	7.6
N814469		0.29	2.40	27.7	5.84	2590	1560	1.49	20.9	2.08	78.5	43.5	11.6	17	14.10	432
N814470		4.84	<0.005	0.47	7.03	7.2	2080	1.48	0.28	2.47	0.12	45.0	8.7	10	8.32	5.6
N814471		3.87	<0.005	0.14	7.33	8.5	2220	1.40	0.31	2.60	0.09	43.2	6.7	9	10.00	14.6
N814472		2.88	0.022	4.10	6.51	106.5	1380	1.25	2.77	3.38	0.51	41.3	22.7	8	19.65	653
N814473		2.81	<0.005	0.18	6.98	7.8	2140	1.68	0.29	2.91	0.11	39.0	7.4	11	9.57	30.3
N814474		5.75	<0.005	0.10	7.65	1.9	2240	1.46	0.15	2.90	0.07	49.8	7.2	13	7.52	6.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2012
Account: ROCKHA

Project: Klaza -105

CERTIFICATE OF ANALYSIS WH12192026

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N814439		2.90	16.15	0.13	1.1	0.044	2.49	19.2	14.2	0.84	648	3.44	2.30	7.8	2.9	600
N814440		2.84	16.85	0.13	1.0	0.042	2.44	21.9	16.5	0.85	574	1.93	2.32	8.0	2.8	600
N814441		2.91	17.50	0.16	1.2	0.046	2.53	23.9	17.0	0.88	584	1.09	2.34	8.3	2.8	630
N814442		2.75	15.15	0.15	1.0	0.037	2.37	21.6	14.0	0.84	575	1.25	2.22	7.2	2.6	590
N814443		2.95	17.45	0.15	1.2	0.042	2.43	23.1	16.1	0.87	618	0.91	2.33	8.4	3.0	650
N814444		5.14	15.55	0.15	1.3	0.921	2.85	22.6	25.4	0.68	1910	13.00	0.27	7.6	16.0	510
N814445		2.98	17.85	0.16	1.3	0.045	2.48	25.7	15.5	0.93	654	0.73	2.30	8.7	3.0	640
N814446		2.94	16.15	0.15	1.3	0.043	2.54	23.0	15.3	0.92	663	0.55	2.28	7.6	2.6	630
N814447		2.91	16.70	0.15	1.2	0.042	2.49	22.4	13.7	0.88	648	0.57	2.23	8.2	3.3	640
N814448		2.77	15.10	0.16	1.0	0.100	2.57	20.4	10.0	0.66	1330	0.44	1.17	7.5	2.8	590
N814449		2.75	15.50	0.14	1.2	0.036	2.51	22.2	10.7	0.79	645	0.52	2.12	7.5	2.5	600
N814450		2.82	16.80	0.17	1.2	0.039	2.59	22.3	11.5	0.81	672	0.50	2.17	7.9	2.7	610
N814451		2.92	16.50	0.16	1.3	0.044	2.62	20.1	21.3	0.71	511	0.36	1.41	8.4	3.1	620
N814452		2.76	16.15	0.15	1.3	0.043	2.64	22.8	15.9	0.70	506	0.46	1.81	7.9	2.5	590
N814453		2.72	16.55	0.15	1.2	0.047	2.47	22.9	14.6	0.77	583	0.62	2.04	8.1	2.6	600
N814454		3.22	16.50	0.16	1.3	0.043	2.43	26.1	24.1	0.84	509	0.62	1.41	9.0	3.1	640
N814455		2.48	15.90	0.14	1.2	0.056	2.44	24.3	34.0	0.65	489	0.49	0.53	7.7	2.3	600
N814456		0.42	0.18	0.16	<0.1	<0.005	0.02	0.5	1.1	12.20	187	0.08	0.01	0.1	1.4	180
N814457		2.96	15.95	0.18	1.2	0.042	2.50	22.5	17.4	0.94	619	0.63	2.08	8.3	2.7	620
N814458		2.71	15.50	0.16	1.0	0.044	2.48	19.9	16.7	0.82	693	0.64	1.89	7.6	2.5	580
N814459		2.91	15.80	0.14	1.3	0.038	2.47	19.8	16.7	0.85	716	0.62	2.00	8.0	2.7	610
N814460		2.78	15.00	0.14	1.1	0.038	2.49	20.6	17.2	0.72	528	0.45	1.88	7.5	2.5	620
N814461		2.95	16.25	0.16	1.2	0.037	2.45	17.8	25.8	0.62	577	0.54	0.61	8.0	2.6	610
N814462		2.46	17.45	0.13	1.3	0.039	2.41	23.2	35.4	0.54	639	0.46	0.16	8.9	2.6	660
N814463		2.57	17.00	0.16	1.2	0.034	2.50	18.2	26.5	0.52	509	0.54	0.81	7.8	2.4	610
N814464		2.69	16.30	0.15	1.3	0.027	2.42	19.5	42.8	0.68	635	0.55	0.74	7.9	2.4	590
N814465		2.54	12.15	0.15	1.0	0.028	1.90	19.0	165.0	1.36	827	0.44	0.06	6.2	2.1	480
N814466		0.45	0.34	0.16	<0.1	<0.005	0.04	0.6	1.8	11.65	194	0.09	0.01	0.2	1.8	160
N814467		2.55	15.50	0.20	1.3	0.030	2.37	17.1	15.8	0.64	565	0.53	1.78	7.7	2.5	550
N814468		2.78	14.80	0.15	0.8	0.140	2.61	17.8	32.7	0.82	803	0.25	0.83	7.3	2.1	560
N814469		6.28	14.40	0.16	1.0	1.760	2.58	23.2	24.7	0.87	1810	13.15	0.04	6.1	16.0	440
N814470		2.85	15.25	0.16	1.0	0.069	2.40	20.5	10.5	0.73	642	0.25	2.18	7.5	2.5	600
N814471		2.98	15.10	0.09	1.0	0.066	2.79	20.9	16.3	0.77	594	0.22	2.13	7.6	2.9	610
N814472		3.26	14.05	0.07	1.1	0.105	2.53	20.0	47.5	1.09	1000	0.44	0.32	7.1	4.3	560
N814473		2.96	15.50	0.08	1.2	0.056	2.68	18.0	10.2	0.85	678	0.59	2.17	8.1	2.9	610
N814474		2.95	15.25	0.10	1.3	0.049	2.72	24.1	10.9	0.86	643	0.57	2.34	7.8	2.9	620



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2012
Account: ROCKHA

Project: Klaza -105

CERTIFICATE OF ANALYSIS WH12192026

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N814439		14.8	89.3	0.002	0.03	1.03	10.9	1	1.5	381	0.63	<0.05	11.3	0.265	0.88	3.9
N814440		14.6	97.6	<0.002	0.01	0.83	11.1	<1	1.5	396	0.67	<0.05	11.7	0.262	0.83	2.9
N814441		14.8	103.0	<0.002	0.01	0.82	12.6	<1	1.7	405	0.68	<0.05	13.5	0.267	0.87	3.3
N814442		14.2	85.4	<0.002	0.01	0.64	10.8	<1	1.3	383	0.62	<0.05	11.9	0.252	0.80	3.1
N814443		16.0	96.9	<0.002	0.02	0.87	12.4	<1	1.4	398	0.69	<0.05	12.2	0.271	0.90	3.4
N814444		1360	163.5	<0.002	3.14	35.0	9.3	<1	6.0	150.0	0.62	0.26	12.6	0.203	2.52	5.4
N814445		16.5	106.5	<0.002	0.01	0.83	13.4	<1	1.5	402	0.73	<0.05	14.4	0.271	0.87	4.0
N814446		15.4	92.1	<0.002	0.01	0.87	11.1	<1	1.4	403	0.67	<0.05	13.7	0.271	0.90	3.5
N814447		16.5	97.8	<0.002	0.01	1.28	12.2	<1	1.4	389	0.70	<0.05	13.3	0.270	0.96	3.5
N814448		32.2	116.5	<0.002	0.45	10.75	10.7	<1	1.6	208	0.66	<0.05	12.0	0.249	1.66	4.9
N814449		17.6	95.9	<0.002	0.01	1.73	10.6	1	1.4	375	0.69	<0.05	14.4	0.254	1.06	3.0
N814450		17.2	102.5	<0.002	0.01	1.91	11.3	<1	1.5	382	0.68	<0.05	14.1	0.257	1.08	3.1
N814451		21.0	97.0	<0.002	0.06	7.75	11.6	<1	1.8	292	0.74	<0.05	11.9	0.271	1.15	2.7
N814452		19.3	108.0	0.002	0.02	6.85	11.1	<1	1.5	339	0.69	<0.05	14.4	0.254	1.19	3.2
N814453		17.7	99.3	<0.002	0.01	2.89	11.4	<1	1.5	337	0.68	<0.05	13.7	0.260	1.04	3.7
N814454		19.1	115.0	<0.002	0.09	4.31	12.6	<1	1.7	290	0.75	<0.05	14.4	0.274	1.16	3.8
N814455		17.4	104.5	<0.002	0.14	13.40	11.1	<1	1.6	153.0	0.70	<0.05	14.1	0.257	1.36	3.5
N814456		1.4	0.9	<0.002	<0.01	0.10	0.1	<1	<0.2	44.2	<0.05	<0.05	<0.2	<0.005	0.04	0.8
N814457		15.2	99.7	<0.002	0.01	1.30	11.6	1	2.0	341	0.70	<0.05	13.9	0.269	0.93	3.7
N814458		15.6	93.6	<0.002	0.03	1.15	10.7	<1	2.1	335	0.61	<0.05	12.4	0.258	0.93	4.1
N814459		16.3	98.1	<0.002	0.01	1.21	11.6	<1	2.5	360	0.67	<0.05	12.7	0.265	0.85	4.0
N814460		15.4	95.0	<0.002	0.01	2.03	10.6	<1	4.0	335	0.68	<0.05	13.2	0.264	0.89	3.0
N814461		15.8	81.5	<0.002	0.03	5.34	10.6	<1	8.4	182.0	0.64	<0.05	11.5	0.256	1.07	2.1
N814462		14.5	85.2	<0.002	0.07	11.90	11.8	<1	8.8	117.5	0.73	<0.05	13.2	0.283	1.21	2.5
N814463		15.6	86.9	<0.002	0.01	5.91	10.7	<1	8.5	211	0.63	<0.05	11.0	0.257	0.96	2.0
N814464		15.7	80.5	<0.002	0.04	6.77	10.3	<1	2.8	193.0	0.70	<0.05	11.4	0.257	1.06	3.6
N814465		9.9	67.7	<0.002	0.10	13.40	8.5	<1	1.3	164.0	0.60	<0.05	11.1	0.201	1.20	4.3
N814466		1.8	2.5	<0.002	<0.01	0.13	0.3	<1	<0.2	42.8	<0.05	<0.05	0.2	<0.005	0.05	0.4
N814467		15.6	88.0	<0.002	0.02	3.05	9.1	<1	1.5	327	0.73	<0.05	10.5	0.232	1.03	3.6
N814468		10.6	124.0	<0.002	0.07	10.05	9.7	<1	1.5	169.0	0.64	<0.05	10.2	0.223	1.78	3.2
N814469		2810	173.0	<0.002	4.75	91.3	8.3	<1	8.2	97.3	0.51	0.33	11.3	0.176	2.52	5.6
N814470		15.7	96.9	<0.002	0.03	2.16	10.8	<1	1.4	349	0.65	<0.05	12.1	0.259	1.09	3.0
N814471		16.3	95.0	<0.002	0.05	2.51	10.4	<1	1.3	374	0.62	<0.05	11.5	0.270	1.29	3.2
N814472		38.5	89.4	<0.002	0.80	37.3	9.4	1	1.3	149.0	0.63	<0.05	10.9	0.238	1.97	4.8
N814473		16.9	85.9	<0.002	0.02	1.51	10.4	1	1.4	381	0.70	<0.05	10.5	0.273	1.08	3.6
N814474		17.6	96.5	0.003	0.01	0.72	11.0	1	1.4	401	0.69	<0.05	13.9	0.268	1.07	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2012
 Account: ROCKHA

Project: Klaza -105

CERTIFICATE OF ANALYSIS WH12192026

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
N814439		77	0.9	15.5	46	28.8	<1
N814440		73	0.6	16.3	42	27.9	<1
N814441		76	0.6	18.2	42	33.7	<1
N814442		72	0.6	15.6	41	25.4	<1
N814443		77	0.7	17.7	45	31.1	<1
N814444		58	5.4	11.6	2820	38.8	9
N814445		78	0.6	19.7	48	32.6	<1
N814446		77	0.8	16.4	45	30.2	<1
N814447		76	0.7	17.6	48	30.5	<1
N814448		70	1.9	13.9	127	23.7	<1
N814449		70	0.7	15.6	51	28.3	<1
N814450		72	0.7	17.0	51	31.3	<1
N814451		75	2.3	15.8	60	31.7	<1
N814452		70	1.6	16.2	55	30.2	<1
N814453		74	0.9	16.8	46	30.5	<1
N814454		81	1.6	18.4	50	33.4	<1
N814455		73	3.9	15.6	44	29.0	<1
N814456		1	0.1	0.7	14	<0.5	<1
N814457		77	0.9	16.8	46	29.6	<1
N814458		73	0.8	15.5	43	25.9	<1
N814459		76	0.8	16.5	45	32.7	<1
N814460		75	1.4	14.8	42	27.4	<1
N814461		75	2.2	15.5	44	30.3	<1
N814462		81	2.8	16.3	47	32.0	<1
N814463		73	1.3	14.6	43	31.0	<1
N814464		71	1.7	15.6	43	31.2	<1
N814465		57	3.0	13.9	54	23.9	<1
N814466		2	0.1	0.8	16	0.5	<1
N814467		65	1.4	14.1	42	30.7	<1
N814468		67	1.5	12.8	53	20.5	<1
N814469		56	5.3	9.9	5080	25.5	25
N814470		70	1.1	14.4	54	24.2	<1
N814471		74	1.1	14.0	52	24.8	<1
N814472		67	2.7	13.3	86	25.3	3
N814473		76	0.7	15.3	51	27.8	<1
N814474		73	0.6	16.7	47	28.5	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza -105

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12192026

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.