



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5-SEP-2012
Account: ROCKHA

CERTIFICATE WH12193442

Project: Klaza - 106

P.O. No.: Batch 5

This report is for 27 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-SEP-2012
Account: ROCKHA

Project: Klaza - 106

CERTIFICATE OF ANALYSIS WH12193442

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
M355605		2.88	0.263	6.39	6.78	917	110	1.20	2.84	0.76	27.1	45.5	35.3	15	7.56	25.0
M355606		2.45	<0.005	0.01	0.06	<5	30	0.05	0.02	20.9	0.08	1.04	1.2	<1	0.15	2.0
M355607		3.90	0.076	1.97	6.96	232	1650	1.33	0.83	2.64	13.50	50.2	22.0	18	15.85	12.4
M355608		4.27	<0.005	0.18	6.75	9.1	2400	1.21	0.18	2.76	0.17	44.9	7.6	17	7.71	18.6
M355609		6.85	0.005	0.38	6.60	18.2	2820	1.25	0.29	2.91	0.71	36.9	7.5	22	10.80	42.8
M355610		0.26	2.28	25.0	5.74	3280	1260	1.37	19.45	2.27	77.9	41.8	11.2	19	14.55	449
M355611		3.05	<0.005	0.13	6.62	6.0	2420	1.25	0.18	2.86	0.11	38.6	5.8	20	7.94	4.4
M355612		2.76	<0.005	0.72	6.61	34.9	2540	1.47	0.16	3.12	1.91	34.9	6.2	14	10.85	16.3
M355613		5.53	0.005	0.55	6.07	24.4	3510	1.48	0.46	3.95	0.33	36.7	7.4	12	13.30	77.2
M355614		3.40	<0.005	0.31	6.50	20.8	3160	1.57	0.62	2.91	0.26	35.6	11.2	17	10.95	7.5
M355615		2.90	<0.005	0.02	0.14	<5	40	0.08	0.07	21.3	0.07	1.28	1.4	1	0.38	2.3
M355616		4.42	0.005	0.35	6.58	12.2	2190	1.31	0.35	2.96	0.17	36.1	12.4	18	7.86	52.1
M355617		3.97	<0.005	0.09	6.76	23.4	2340	1.43	0.14	2.85	0.11	42.2	7.1	21	6.43	5.9
M355618		2.84	<0.005	0.09	6.83	4.5	2220	1.42	0.15	2.88	0.07	42.0	6.2	16	6.84	6.9
M355619		6.17	<0.005	0.18	6.90	8.6	2380	1.42	0.26	2.95	0.27	39.6	6.9	20	6.08	11.3
M355620		<0.02	0.006	0.17	6.59	8.0	2300	1.39	0.25	2.88	0.29	40.7	7.5	19	6.10	12.0
M355621		6.39	<0.005	0.08	6.57	5.5	2520	1.49	0.19	3.40	0.06	37.6	6.1	14	6.60	5.0
M355622		6.50	0.010	0.54	6.76	37.5	2960	1.46	0.40	3.59	0.60	40.8	13.5	20	8.71	65.1
M355623		4.45	<0.005	0.11	6.90	7.9	2400	1.59	0.14	2.77	0.16	45.9	11.2	18	4.59	6.5
M355624		1.60	<0.005	0.12	7.01	8.3	2410	1.49	0.15	2.83	0.17	45.5	12.1	18	4.99	6.8
M355625		5.09	<0.005	0.12	6.84	8.4	2240	1.42	0.06	2.90	0.63	45.6	7.5	23	3.24	13.6
M355626		3.85	<0.005	0.07	6.80	4.2	2280	1.49	0.08	2.88	0.10	47.0	8.8	29	3.20	6.7
M355627		0.26	0.756	9.30	6.54	1720	690	1.54	6.28	1.92	40.7	42.3	17.5	19	16.50	114.5
M355628		2.89	<0.005	0.15	6.82	6.7	2490	1.49	0.20	2.85	0.10	41.2	10.0	19	4.35	19.6
M355629		4.10	0.006	0.32	6.69	21.1	2100	1.53	0.24	2.76	0.28	43.8	11.3	26	5.37	15.9
M355630		4.27	<0.005	0.08	6.60	5.4	2190	1.46	0.09	2.78	0.07	42.7	7.7	20	6.56	6.4
M355631		4.54	<0.005	0.26	6.49	20.2	2100	1.50	0.08	3.14	0.44	40.2	8.2	24	7.06	8.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-SEP-2012
Account: ROCKHA

Project: Klaza - 106

CERTIFICATE OF ANALYSIS WH12193442

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
M355605		7.72	16.15	0.22	1.0	1.930	3.32	24.4	5.8	0.52	2080	1.97	0.03	7.7	4.3	560
M355606		0.47	0.27	0.09	<0.1	0.006	0.02	0.5	1.0	12.50	200	1.07	0.01	0.2	<0.2	160
M355607		4.38	16.75	0.15	1.0	0.619	3.40	27.0	11.9	0.91	2700	1.88	0.73	7.6	3.2	570
M355608		3.06	16.70	0.16	1.0	0.056	2.87	22.8	8.7	0.79	892	1.81	1.97	7.5	2.8	570
M355609		3.19	15.85	0.17	0.8	0.064	2.95	18.6	9.2	0.78	1060	1.73	1.75	7.0	2.9	580
M355610		6.55	15.10	0.21	1.0	1.760	2.66	24.2	26.6	0.93	1920	13.10	0.04	6.2	16.6	450
M355611		2.98	16.20	0.18	0.9	0.053	2.78	19.7	11.8	0.74	731	1.88	1.84	7.1	2.5	570
M355612		3.13	17.20	0.19	0.9	0.088	3.15	16.9	18.1	0.63	1250	1.19	0.63	7.2	2.4	550
M355613		2.91	16.25	0.18	0.9	0.139	2.73	18.8	11.8	0.92	1090	1.15	1.02	7.1	2.2	530
M355614		3.02	16.75	0.18	0.8	0.161	2.76	18.0	10.9	0.77	932	1.43	1.52	7.4	2.8	560
M355615		0.50	0.51	0.08	<0.1	0.005	0.07	0.6	1.5	12.75	223	0.10	0.01	0.3	0.2	180
M355616		3.18	17.10	0.13	0.9	0.109	2.75	17.7	9.9	0.89	1040	1.40	1.72	7.2	2.5	570
M355617		3.13	17.55	0.18	1.1	0.051	2.82	21.1	12.1	0.85	737	1.57	2.01	8.1	3.0	590
M355618		3.18	16.75	0.16	1.1	0.056	2.80	21.3	10.9	0.80	927	1.35	1.85	7.4	2.6	570
M355619		3.11	16.90	0.18	1.1	0.063	3.00	20.1	10.7	0.80	1040	1.53	1.80	7.7	2.6	590
M355620		3.10	17.35	0.19	1.1	0.070	2.94	20.3	11.1	0.77	1040	1.56	1.74	7.8	2.8	580
M355621		3.14	17.25	0.18	1.1	0.065	2.74	18.8	11.6	0.80	1120	1.10	1.77	7.8	2.5	570
M355622		3.81	16.90	0.17	1.0	0.119	2.93	20.9	11.7	0.92	1380	1.63	0.96	7.5	3.4	650
M355623		3.16	17.85	0.19	1.1	0.058	2.84	22.9	9.7	0.81	762	1.77	2.01	8.3	2.8	610
M355624		3.23	17.85	0.19	1.2	0.059	2.86	22.7	9.7	0.81	791	1.68	2.02	8.3	2.9	630
M355625		3.04	17.10	0.19	1.1	0.050	2.56	22.7	10.3	0.86	769	1.81	2.12	7.6	3.4	590
M355626		3.21	17.00	0.20	1.2	0.049	2.58	23.9	11.7	0.91	676	1.98	2.18	8.0	3.2	640
M355627		5.26	16.10	0.20	1.3	0.948	2.86	22.7	26.8	0.71	2010	12.10	0.27	7.4	16.7	500
M355628		3.15	17.10	0.19	1.1	0.049	2.78	20.2	11.2	0.88	720	1.70	2.24	8.0	3.0	620
M355629		3.48	17.65	0.22	1.2	0.066	2.62	21.6	11.4	0.94	873	2.01	1.97	8.0	3.6	640
M355630		2.85	16.60	0.19	1.1	0.044	2.73	21.4	10.0	0.80	634	1.83	2.14	7.9	2.7	600
M355631		3.14	16.50	0.19	1.1	0.049	2.65	19.5	11.8	0.79	840	1.92	1.96	7.8	3.0	570



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-SEP-2012
Account: ROCKHA

Project: Klaza - 106

CERTIFICATE OF ANALYSIS WH12193442

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M355605		677	207	<0.002	7.14	8.58	11.7	1	8.2	32.9	0.70	0.97	13.7	0.257	2.75	4.6
M355606		2.5	1.3	<0.002	0.01	<0.05	0.2	1	<0.2	48.3	<0.05	<0.05	<0.2	<0.005	<0.02	0.8
M355607		126.5	154.5	<0.002	1.41	5.18	11.1	1	2.3	215	0.67	0.16	14.8	0.258	2.42	4.9
M355608		19.9	110.5	<0.002	0.10	1.67	11.5	1	1.2	369	0.62	<0.05	12.3	0.256	1.35	3.8
M355609		31.2	105.5	<0.002	0.17	2.65	10.2	1	1.1	343	0.54	<0.05	9.0	0.249	1.58	2.9
M355610		2790	178.5	0.002	4.86	88.2	9.1	2	7.2	93.8	0.55	0.38	11.6	0.184	2.47	5.5
M355611		15.7	99.0	<0.002	0.05	1.88	10.8	1	1.2	364	0.57	<0.05	10.3	0.251	1.26	3.1
M355612		302	108.5	<0.002	0.36	4.72	10.8	1	2.1	224	0.57	<0.05	9.3	0.255	1.72	2.7
M355613		22.6	104.0	<0.002	0.37	8.73	10.4	2	1.5	217	0.57	<0.05	9.2	0.247	1.69	2.7
M355614		17.1	116.5	<0.002	0.54	3.46	11.3	1	1.5	225	0.57	0.11	8.8	0.258	1.63	2.8
M355615		1.8	3.8	<0.002	0.01	0.07	0.5	1	0.7	42.7	<0.05	<0.05	0.2	0.006	0.02	0.8
M355616		17.6	101.0	<0.002	0.25	4.06	10.0	1	2.1	264	0.56	0.07	9.2	0.262	1.58	2.9
M355617		14.8	105.5	<0.002	0.05	2.22	11.1	2	1.5	358	0.68	<0.05	11.6	0.267	1.34	3.6
M355618		11.7	107.0	<0.002	0.07	2.35	10.7	1	1.3	308	0.67	<0.05	13.1	0.252	1.44	4.3
M355619		36.4	113.0	<0.002	0.16	2.30	11.1	2	1.7	305	0.66	<0.05	12.0	0.268	1.57	3.9
M355620		27.5	106.5	<0.002	0.14	2.39	11.2	2	1.7	293	0.69	<0.05	11.8	0.266	1.58	3.9
M355621		7.8	104.5	<0.002	0.11	2.63	11.1	1	1.6	259	0.71	<0.05	10.8	0.265	1.69	3.4
M355622		49.2	123.5	<0.002	0.67	4.10	11.6	1	1.7	199.5	0.66	0.07	10.7	0.268	1.87	3.8
M355623		21.7	98.2	<0.002	0.16	1.31	12.4	2	1.4	370	0.72	0.05	12.8	0.268	1.13	4.2
M355624		23.0	95.4	<0.002	0.18	1.31	12.1	2	1.5	374	0.72	0.05	12.4	0.273	1.19	3.9
M355625		44.5	87.6	<0.002	0.06	1.01	12.0	1	2.9	378	0.68	<0.05	12.7	0.259	0.96	3.7
M355626		15.6	90.6	<0.002	0.03	0.84	12.8	2	1.7	386	0.66	<0.05	13.9	0.276	0.91	3.9
M355627		1375	167.0	0.002	3.17	32.9	9.6	2	5.3	148.0	0.64	0.30	12.1	0.211	2.49	5.2
M355628		15.5	98.4	<0.002	0.12	1.44	12.1	1	1.5	386	0.63	<0.05	11.4	0.276	1.16	3.3
M355629		39.4	99.8	<0.002	0.38	1.74	13.4	2	1.6	353	0.66	0.07	12.0	0.280	1.27	3.6
M355630		14.6	94.2	<0.002	0.05	1.76	10.9	1	1.1	360	0.67	<0.05	11.5	0.259	1.05	3.5
M355631		39.2	86.1	<0.002	0.12	2.57	10.9	1	1.2	350	0.73	<0.05	11.4	0.262	1.19	4.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-SEP-2012
 Account: ROCKHA

Project: Klaza - 106

CERTIFICATE OF ANALYSIS WH12193442

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M355605		71	4.7	10.1	1860	22.4	7
M355606		3	0.1	0.9	17	<0.5	<1
M355607		72	2.8	14.8	907	24.1	2
M355608		72	1.3	16.8	54	24.3	<1
M355609		70	2.0	13.6	100	20.7	1
M355610		57	5.6	11.6	5530	27.0	26
M355611		69	1.7	14.8	52	22.3	1
M355612		73	3.2	13.7	262	23.1	1
M355613		69	3.3	13.5	77	22.2	1
M355614		72	3.2	11.3	66	20.2	1
M355615		4	0.2	0.9	16	0.5	<1
M355616		76	2.8	11.8	68	21.4	1
M355617		76	2.6	15.8	59	26.0	<1
M355618		72	4.7	14.4	59	24.9	<1
M355619		74	4.4	13.2	90	24.6	1
M355620		75	4.6	13.1	88	26.3	<1
M355621		76	5.0	11.5	66	24.9	<1
M355622		80	4.0	11.8	124	24.4	1
M355623		75	6.7	17.4	54	26.3	1
M355624		76	5.1	17.0	55	27.3	1
M355625		78	2.2	17.3	112	25.8	<1
M355626		79	2.3	18.6	48	27.6	1
M355627		58	5.4	12.4	3010	39.0	9
M355628		77	3.8	17.1	51	26.6	<1
M355629		86	6.4	17.5	70	28.3	<1
M355630		72	4.8	15.9	41	26.4	<1
M355631		78	2.8	16.0	80	25.1	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 106

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12193442

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.