



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 3-SEP-2012
Account: ROCKHA

CERTIFICATE WH12193445

Project: Klaza - 107

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2012
Account: ROCKHA

Project: Klaza - 107

CERTIFICATE OF ANALYSIS WH12193445

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N814632		3.23	0.372	14.15	7.17	2140	480	1.73	0.23	2.37	60.4	42.9	5.1	11	15.25	68.2
N814633		4.75	<0.005	0.39	6.99	8.3	2560	1.69	0.78	2.73	0.29	41.4	6.3	13	20.1	17.0
N814634		0.26	2.17	28.7	6.16	2870	1500	1.52	20.5	2.28	83.0	45.5	10.8	19	15.80	462
N814635		7.65	<0.005	0.48	7.24	9.8	2410	1.57	0.54	2.79	0.26	41.6	6.7	16	17.20	9.3
N814636		5.19	0.053	0.54	6.95	102.5	1660	1.67	0.23	3.19	0.49	39.8	7.0	14	16.95	32.5
N814637		2.59	1.175	3.61	7.24	581	2550	1.73	0.20	3.13	3.07	42.2	6.6	10	19.25	58.8
N814638		3.12	<0.005	0.13	0.07	<5	20	<0.05	0.02	21.6	0.06	1.06	0.7	<1	0.18	1.5
N814639		3.19	<0.005	0.26	8.27	15.4	2310	1.47	0.25	1.92	0.12	49.2	6.4	14	19.00	137.5
N814640		3.56	0.340	0.34	7.46	231	1800	1.67	0.23	2.43	0.17	49.2	6.4	12	15.35	17.7
N814641		2.73	0.355	2.74	8.19	28.6	2030	1.34	3.18	1.44	0.19	55.0	7.2	15	15.45	1550
N814642		3.33	<0.005	0.22	7.55	18.7	2510	1.77	0.37	2.00	0.06	48.7	20.0	15	15.10	10.9
N814643		3.37	<0.005	0.65	7.72	8.9	2280	1.88	0.59	2.23	0.12	47.7	6.9	18	13.70	108.5
N814644		<0.02	<0.005	0.49	7.48	9.0	2240	1.82	0.54	2.13	0.10	51.8	6.9	11	14.15	64.3
N814645		2.69	0.419	18.05	6.45	1315	660	1.35	2.59	2.76	31.0	46.2	18.4	14	11.70	275
N814646		4.99	<0.005	0.44	7.28	6.6	2200	1.76	0.37	2.60	0.14	42.5	6.6	12	17.00	72.6
N814647		4.04	<0.005	0.29	7.13	8.6	2510	1.62	0.38	2.76	0.60	40.9	6.7	14	17.00	31.7
N814648		5.40	<0.005	0.18	7.07	7.8	2430	1.74	0.43	2.61	0.10	41.6	7.7	11	16.70	14.0
N814649		4.57	<0.005	0.12	6.57	7.1	2570	1.77	0.35	3.06	0.15	37.1	6.9	14	27.7	12.6
N814650		2.45	0.103	3.64	6.95	509	2200	1.65	0.47	2.13	5.78	45.1	10.4	8	24.1	20.0
N814651		3.23	0.127	0.35	6.76	5.1	2190	1.66	0.67	2.49	0.10	39.8	6.1	13	18.10	17.6
N814652		1.72	<0.005	0.18	6.75	6.0	2240	1.71	0.34	2.65	0.10	38.0	6.7	9	19.30	13.0
N814653		2.23	<0.005	0.20	7.18	12.8	2360	1.54	0.64	2.39	0.10	41.3	10.6	10	21.2	21.4
N814654		5.11	0.005	0.13	7.21	30.8	2380	1.46	0.45	2.72	0.13	41.7	9.1	13	12.25	15.0
N814655		0.26	0.758	11.35	6.89	1530	1230	1.67	6.48	1.99	43.1	44.2	16.1	20	17.45	113.5
N814656		6.96	<0.005	0.61	6.98	16.1	2450	1.60	0.42	2.57	1.77	39.1	12.7	11	14.75	18.0
N814657		4.84	<0.005	0.17	6.18	6.4	2000	1.66	0.18	3.45	0.12	31.9	7.0	12	18.30	77.0
N814658		3.88	0.006	0.23	7.14	7.6	2280	1.78	0.32	2.68	0.18	42.0	6.3	10	14.45	16.2
N814659		2.63	0.006	0.40	6.37	10.6	2150	1.41	0.47	2.91	0.40	34.5	6.0	12	13.35	30.3
N814660		2.77	<0.005	0.02	0.06	<5	20	0.05	0.03	20.8	0.06	1.54	0.6	<1	0.15	1.7
N814661		2.58	<0.005	0.16	6.36	9.9	1290	1.19	0.31	2.80	0.13	37.2	6.6	13	12.10	11.9
N814662		6.60	<0.005	0.16	6.77	4.2	2460	1.45	0.20	2.57	0.20	41.1	7.0	10	16.25	16.3
N814663		2.55	0.036	2.03	5.88	12.7	1900	1.44	0.33	2.78	1.43	32.0	6.7	12	14.25	197.0
N814664		7.85	<0.005	0.36	6.79	7.2	2330	1.64	0.23	2.61	0.60	43.7	6.9	13	14.35	27.4
N814665		5.54	<0.005	0.17	6.77	8.0	2320	1.41	0.26	2.96	0.13	38.3	7.5	19	16.60	14.1
N814666		6.59	<0.005	0.21	7.49	5.9	2440	1.34	0.29	2.54	0.15	48.7	6.6	12	10.90	13.2
N814667		2.71	0.092	2.28	7.15	22.9	2160	1.50	0.30	3.01	19.30	41.3	6.0	22	14.75	215



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2012
Account: ROCKHA

Project: Klaza - 107

CERTIFICATE OF ANALYSIS WH12193445

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N814632		3.98	17.35	0.09	1.1	0.185	3.44	23.6	26.1	0.70	5500	8.18	0.11	6.4	2.5	480
N814633		2.93	16.60	0.09	1.2	0.051	3.13	20.3	11.8	0.71	787	3.21	2.04	7.2	2.6	600
N814634		6.64	15.45	0.09	1.0	1.830	2.77	24.6	25.2	0.93	1970	14.00	0.04	5.8	16.7	470
N814635		2.97	16.70	0.08	1.2	0.052	3.02	21.1	23.9	0.76	729	2.29	2.01	7.7	2.5	620
N814636		2.94	17.20	0.09	1.3	0.063	2.92	17.9	46.0	0.84	1460	1.93	0.92	7.9	2.8	620
N814637		2.69	17.00	0.08	1.2	0.048	2.10	20.7	76.9	0.91	3230	2.20	0.04	7.5	2.6	580
N814638		0.49	0.22	0.13	<0.1	<0.005	0.03	0.5	1.2	13.05	229	0.20	0.01	0.1	1.9	200
N814639		3.70	18.70	0.11	1.3	0.097	3.38	26.0	30.4	0.77	1400	1.56	0.27	7.9	2.7	690
N814640		3.15	17.90	0.10	1.3	0.053	3.00	23.4	17.6	0.65	2710	1.61	1.44	7.8	2.6	650
N814641		3.90	19.60	0.11	1.2	0.316	3.40	30.1	28.6	0.73	1200	1.51	0.46	7.8	2.8	610
N814642		3.38	17.30	0.10	1.3	0.138	3.03	25.4	18.1	0.76	707	1.50	1.68	7.8	2.8	630
N814643		3.41	17.20	0.09	1.4	0.090	3.50	25.0	16.7	0.79	610	1.86	2.00	8.3	2.8	650
N814644		3.33	18.10	0.09	1.4	0.093	3.36	26.5	17.9	0.79	591	1.41	1.93	8.8	2.7	640
N814645		4.43	15.10	0.10	1.1	0.189	3.27	25.4	27.8	0.84	5180	2.10	0.04	6.0	2.7	500
N814646		2.79	16.75	0.09	1.4	0.054	2.98	22.1	15.0	0.69	674	2.14	2.21	7.9	2.6	600
N814647		2.97	17.10	0.09	1.4	0.061	3.05	20.7	17.9	0.75	821	1.79	1.64	7.7	2.6	600
N814648		2.90	16.80	0.10	1.5	0.053	2.94	19.9	20.6	0.73	662	1.75	1.91	7.9	2.5	590
N814649		3.07	16.40	0.10	1.3	0.064	2.95	17.4	68.1	0.84	835	1.51	1.09	7.3	2.6	600
N814650		3.02	17.05	0.08	1.2	0.071	3.15	22.1	121.5	0.70	2160	2.41	0.12	7.5	2.8	600
N814651		2.66	16.35	0.11	1.2	0.047	2.71	20.1	17.8	0.69	578	1.48	2.06	7.2	2.5	570
N814652		2.78	16.90	0.10	1.2	0.049	2.76	19.1	18.4	0.72	619	1.36	2.08	7.5	2.6	590
N814653		3.29	16.80	0.09	1.2	0.084	3.35	21.0	40.1	0.73	800	1.46	1.13	7.6	2.4	590
N814654		3.27	17.05	0.09	1.2	0.068	2.85	20.5	15.0	0.76	809	1.48	2.07	7.6	2.6	610
N814655		5.27	16.25	0.08	1.5	0.952	2.98	23.3	26.1	0.72	2110	12.65	0.28	7.2	16.0	530
N814656		3.08	16.70	0.07	1.3	0.104	2.97	19.9	13.8	0.69	994	1.28	1.83	7.5	2.5	620
N814657		2.92	16.25	0.08	1.3	0.039	2.48	15.3	21.4	0.80	865	1.24	1.73	7.6	2.6	600
N814658		2.90	16.80	0.08	1.5	0.056	2.90	20.8	17.3	0.71	710	1.27	2.25	7.9	2.5	610
N814659		2.85	15.90	0.08	1.4	0.064	2.96	17.4	17.6	0.72	913	1.38	1.58	7.6	2.9	550
N814660		0.45	0.21	0.09	<0.1	0.005	0.02	0.8	1.1	12.55	198	0.26	0.01	0.2	1.7	310
N814661		2.51	15.90	0.10	1.4	0.044	2.56	17.8	38.4	0.86	835	1.54	0.44	7.8	2.5	550
N814662		2.82	16.95	0.13	1.5	0.048	2.68	20.3	17.9	0.69	662	1.86	2.25	8.3	2.7	610
N814663		2.83	15.55	0.09	1.3	0.086	2.71	16.5	14.8	0.68	1140	1.95	1.58	7.4	2.7	520
N814664		2.73	17.10	0.09	1.4	0.042	2.79	24.5	20.1	0.66	713	2.34	2.14	8.6	2.7	600
N814665		2.91	16.60	0.10	2.0	0.042	2.53	19.0	31.5	0.89	661	2.03	2.10	8.6	5.6	820
N814666		2.92	16.00	0.10	1.2	0.037	2.82	26.0	18.9	0.85	688	2.24	2.46	7.7	2.5	610
N814667		3.24	16.95	0.08	1.3	0.211	2.91	21.2	24.7	0.83	1080	3.26	1.93	8.4	2.8	680



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2012
Account: ROCKHA

Project: Klaza - 107

CERTIFICATE OF ANALYSIS WH12193445

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N814632		1115	151.0	<0.002	2.51	92.8	9.4	1	4.6	104.0	0.56	<0.05	12.9	0.229	3.00	5.7
N814633		31.3	102.5	0.002	0.04	3.50	9.8	2	2.2	364	0.64	<0.05	11.7	0.259	1.68	3.5
N814634		3040	164.5	0.002	5.03	97.7	9.0	1	9.1	99.9	0.52	0.45	11.9	0.192	2.67	5.7
N814635		25.4	95.4	<0.002	0.02	5.64	10.2	1	2.2	362	0.68	<0.05	11.7	0.273	1.43	3.3
N814636		24.0	89.8	<0.002	0.21	36.3	10.4	1	4.5	246	0.67	<0.05	10.2	0.270	1.82	4.1
N814637		66.0	65.2	<0.002	0.93	80.6	9.6	1	8.7	252	0.64	<0.05	12.2	0.268	2.19	4.4
N814638		1.5	1.2	<0.002	<0.01	0.19	0.2	<1	<0.2	43.9	<0.05	<0.05	<0.2	<0.005	0.05	1.0
N814639		16.9	121.0	<0.002	0.13	14.40	12.4	<1	5.1	121.5	0.69	<0.05	14.8	0.292	2.04	5.9
N814640		21.2	100.5	<0.002	0.56	20.9	11.5	<1	2.7	288	0.67	<0.05	13.4	0.285	1.71	3.1
N814641		18.7	150.5	<0.002	0.23	36.3	11.9	1	3.9	117.0	0.66	<0.05	18.2	0.269	2.04	4.7
N814642		16.7	116.5	<0.002	0.15	5.57	10.8	1	10.0	283	0.70	<0.05	16.9	0.272	1.66	3.8
N814643		20.4	134.5	<0.002	0.04	7.77	10.8	1	2.8	324	0.77	<0.05	14.9	0.300	1.70	3.9
N814644		19.8	137.0	<0.002	0.03	7.57	11.4	1	3.0	315	0.77	<0.05	15.4	0.289	1.59	3.9
N814645		1255	183.0	<0.002	3.01	190.0	9.1	1	5.3	78.0	0.58	<0.05	14.1	0.214	2.56	6.8
N814646		20.6	110.0	<0.002	0.03	5.81	9.8	<1	2.1	368	0.75	<0.05	13.6	0.258	1.51	3.8
N814647		57.0	108.5	<0.002	0.07	7.82	9.6	1	2.1	302	0.74	<0.05	12.5	0.268	1.61	3.4
N814648		20.8	105.0	<0.002	0.07	5.21	10.2	1	2.0	335	0.76	<0.05	12.5	0.260	1.56	3.6
N814649		20.2	107.0	<0.002	0.04	13.40	9.6	1	2.0	282	0.68	<0.05	10.7	0.251	1.73	3.4
N814650		278	130.0	<0.002	0.59	44.0	10.6	1	2.9	157.0	0.67	<0.05	12.2	0.252	2.06	5.2
N814651		20.6	106.0	<0.002	0.01	3.55	9.8	1	2.0	359	0.61	<0.05	11.5	0.251	1.36	3.1
N814652		19.9	103.0	<0.002	0.01	3.72	9.9	1	2.2	372	0.64	<0.05	10.5	0.257	1.30	2.8
N814653		16.6	133.5	0.002	0.09	8.44	10.1	1	2.5	249	0.65	<0.05	11.9	0.260	1.82	3.1
N814654		23.5	104.0	<0.002	0.39	3.96	10.2	1	2.3	358	0.65	<0.05	11.7	0.270	1.39	3.1
N814655		1475	160.0	0.002	3.26	36.4	9.4	1	6.3	155.5	0.65	0.34	12.3	0.220	2.67	5.3
N814656		212	109.5	<0.002	0.17	5.80	10.1	1	2.2	315	0.69	<0.05	11.9	0.264	1.70	3.4
N814657		32.3	74.8	<0.002	0.02	5.71	9.6	<1	10.9	328	0.68	<0.05	9.6	0.265	1.30	3.5
N814658		134.5	103.5	<0.002	0.06	2.72	9.8	1	2.0	376	0.74	<0.05	11.8	0.265	1.40	3.6
N814659		312	113.0	<0.002	0.12	5.99	8.8	1	1.7	287	0.72	<0.05	10.9	0.240	1.54	3.6
N814660		1.7	1.2	<0.002	<0.01	0.05	0.2	1	<0.2	45.1	<0.05	<0.05	0.2	<0.005	0.03	0.7
N814661		23.3	84.0	<0.002	0.14	11.70	8.8	1	1.8	145.0	0.75	<0.05	10.8	0.246	1.49	4.3
N814662		28.8	100.5	<0.002	0.02	2.88	10.5	1	1.9	382	0.81	<0.05	12.0	0.264	1.22	3.7
N814663		343	102.5	<0.002	0.20	11.25	8.7	1	1.7	261	0.71	<0.05	9.7	0.227	1.59	3.5
N814664		70.0	113.5	<0.002	0.04	3.63	10.2	1	1.9	353	0.77	<0.05	12.8	0.260	1.30	3.7
N814665		27.5	87.4	<0.002	0.01	1.88	9.1	1	1.8	452	0.76	<0.05	10.0	0.293	1.24	3.0
N814666		28.9	114.5	<0.002	0.01	1.74	10.4	1	1.9	436	0.68	<0.05	14.4	0.267	1.28	3.9
N814667		754	113.5	<0.002	0.39	20.5	10.8	1	2.1	339	0.70	<0.05	11.5	0.290	1.58	3.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2012
 Account: ROCKHA

Project: Klaza - 107

CERTIFICATE OF ANALYSIS WH12193445

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
N814632		62	5.6	12.3	3650	27.9	13
N814633		69	2.1	14.5	66	31.1	<1
N814634		59	5.6	10.7	5780	26.5	26
N814635		74	2.0	15.8	60	31.0	<1
N814636		76	3.7	15.6	73	33.4	1
N814637		70	5.8	14.5	247	31.4	3
N814638		1	0.1	0.8	15	<0.5	<1
N814639		82	4.5	18.2	65	31.0	<1
N814640		77	2.7	15.7	55	31.1	<1
N814641		73	6.1	16.3	67	29.5	2
N814642		73	3.2	16.0	51	31.8	<1
N814643		80	3.0	15.6	54	32.0	<1
N814644		77	3.0	16.6	50	33.7	<1
N814645		59	7.0	13.1	2590	25.9	17
N814646		69	4.4	15.6	50	34.4	<1
N814647		71	2.9	15.7	101	33.6	<1
N814648		70	3.5	15.1	47	34.9	<1
N814649		68	3.3	14.6	51	33.0	<1
N814650		70	3.1	15.6	408	31.8	2
N814651		65	0.8	14.6	43	29.5	<1
N814652		69	0.8	15.1	45	31.6	<1
N814653		69	7.2	14.7	46	29.8	<1
N814654		73	3.4	15.6	50	31.8	<1
N814655		60	5.4	11.9	3200	40.3	10
N814656		72	2.7	14.8	223	34.7	<1
N814657		72	2.0	14.2	55	33.4	<1
N814658		71	4.4	15.3	58	36.0	<1
N814659		64	3.2	14.1	83	36.1	<1
N814660		1	0.1	0.9	16	<0.5	<1
N814661		65	2.6	14.7	50	36.2	<1
N814662		72	3.1	16.4	59	37.1	<1
N814663		61	4.1	15.3	194	33.2	1
N814664		70	3.9	16.7	103	39.3	<1
N814665		72	1.9	14.7	62	67.4	<1
N814666		72	2.5	17.2	57	33.7	<1
N814667		79	2.4	16.6	2240	34.0	2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 107

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12193445

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.