



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5-SEP-2012
Account: ROCKHA

CERTIFICATE WH12193446

Project: Klaza - 107

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH
MATT TURNER

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-SEP-2012
Account: ROCKHA

Project: Klaza - 107

CERTIFICATE OF ANALYSIS WH12193446

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N814668		0.26	2.25	27.5	5.93	2820	1470	1.19	20.6	2.22	79.2	44.4	10.2	19	15.10	451
N814669		5.30	<0.005	0.51	6.91	6.1	2370	1.39	0.32	2.87	1.51	37.3	7.1	12	12.40	12.4
N814670		5.98	<0.005	0.66	7.44	8.2	2390	1.33	0.49	2.84	0.89	38.9	6.9	11	20.1	28.5
N814671		2.94	<0.005	0.77	6.37	23.2	5290	1.38	0.58	3.27	0.40	39.1	6.9	6	21.3	53.5
N814672		3.33	0.021	9.27	6.46	72.7	2190	1.24	0.57	2.90	1.45	37.7	6.0	7	17.25	145.5
N814673		2.85	<0.005	0.21	0.08	<5	40	0.05	0.04	21.9	0.06	1.32	0.6	<1	0.22	2.8
N814674		3.07	0.031	0.78	7.06	18.2	2400	1.52	0.84	2.51	0.28	43.3	6.4	9	17.80	172.5
N814675		3.97	0.005	0.59	6.58	21.7	2080	1.47	0.51	2.67	0.18	42.2	6.7	8	17.15	180.0
N814676		6.12	<0.005	0.46	6.92	7.3	2340	1.44	0.35	2.85	0.25	41.5	7.8	8	17.25	64.0
N814677		4.94	0.012	0.93	6.17	22.2	2050	1.47	0.31	2.67	6.59	40.8	7.1	8	16.70	43.7
N814678		4.29	0.007	0.41	6.87	27.2	2310	1.39	0.33	2.56	1.43	40.7	6.6	9	12.65	25.0
N814679		1.74	<0.005	0.21	6.94	25.7	2350	1.61	0.29	2.53	0.14	42.9	6.8	8	12.65	32.3
N814680		5.23	<0.005	0.16	7.02	4.5	2310	1.53	0.26	2.64	0.12	40.7	6.6	10	13.85	16.0
N814681		2.66	0.005	1.51	7.59	24.9	2210	1.61	0.30	2.34	3.92	43.2	7.1	9	14.60	39.0
N814682		3.42	<0.005	0.25	6.61	9.5	2220	1.40	0.34	3.13	0.14	34.6	6.8	7	14.45	17.3
N814683		2.36	0.368	14.45	6.82	599	2080	1.46	0.27	2.89	6.10	41.8	7.4	7	15.35	61.9
N814684		3.21	0.043	1.76	7.02	121.0	2650	1.42	0.25	2.22	0.58	45.9	6.1	7	22.9	35.0
N814685		5.00	0.008	0.30	6.84	17.1	2030	1.39	0.33	2.44	0.12	41.0	7.0	8	20.8	17.8
N814686		3.90	0.026	0.33	6.99	10.1	2110	1.56	0.20	2.68	0.13	38.8	7.2	8	16.10	85.2
N814687		<0.02	0.032	0.32	6.92	8.3	2130	1.54	0.20	2.75	0.13	36.2	7.0	9	15.65	88.5
N814688		3.43	<0.005	0.20	6.33	5.4	2240	1.40	0.23	2.85	0.21	35.2	5.9	8	14.75	28.0
N814689		2.33	0.409	8.62	5.85	271	1860	1.31	0.35	3.78	4.56	34.7	7.3	7	13.95	280
N814690		2.46	0.018	0.46	6.62	28.3	2170	1.52	0.26	2.66	0.16	38.7	7.1	9	15.75	28.2
N814691		3.43	0.238	0.41	6.65	179.0	2040	1.48	0.27	2.62	0.25	38.9	6.3	8	18.90	18.4
N814692		0.26	0.778	10.75	6.62	1505	1000	1.39	7.06	1.93	42.1	45.1	15.8	20	16.75	111.0
N814693		3.38	<0.005	0.17	7.03	12.0	1880	1.35	0.37	2.30	0.17	46.8	6.4	8	15.10	18.7
N814694		2.28	0.162	0.59	6.28	105.5	2090	1.40	0.39	3.36	0.24	39.5	7.1	7	16.65	20.4
N814695		3.12	<0.005	0.01	0.08	<5	30	0.06	0.02	21.2	0.07	1.38	1.6	<1	0.32	2.5
N814696		3.79	<0.005	0.18	6.50	11.9	2280	1.43	0.51	2.48	0.15	38.4	8.2	9	15.70	36.5
N814697		2.09	<0.005	0.26	6.65	29.6	2090	1.43	1.24	2.91	0.20	35.9	11.5	9	12.70	40.2
N814698		6.72	<0.005	0.16	6.42	8.9	2260	1.42	0.25	2.91	0.17	37.0	7.8	10	10.10	33.3
N814699		8.27	<0.005	0.15	6.93	5.3	2340	1.42	0.33	2.67	0.15	47.3	7.3	12	9.01	21.5
N814700		4.40	0.024	0.31	6.79	55.6	2290	1.36	1.41	2.49	0.18	41.9	11.7	9	12.35	65.9
N814701		3.22	2.13	4.94	6.07	2010	1390	1.35	0.25	2.95	0.97	41.1	7.8	6	18.85	86.8
N814702		2.65	0.057	1.74	6.28	107.5	1840	1.22	0.31	2.78	0.17	35.9	7.2	8	14.85	292
N814703		4.69	<0.005	0.27	6.40	16.9	2410	1.42	0.21	3.16	0.11	34.8	8.4	9	15.05	46.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-SEP-2012
Account: ROCKHA

Project: Klaza - 107

CERTIFICATE OF ANALYSIS WH12193446

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N814668		6.41	14.30	0.09	1.0	1.760	2.67	26.3	23.8	0.91	1940	13.00	0.04	5.9	15.8	460
N814669		3.01	16.25	0.08	1.3	0.066	2.65	18.4	20.9	0.79	722	3.20	2.39	7.9	2.8	650
N814670		2.99	16.50	0.08	1.1	0.058	2.83	19.5	22.4	0.74	796	2.25	2.08	7.7	2.7	650
N814671		2.62	15.40	0.09	1.2	0.053	2.61	20.6	165.5	1.02	1520	2.09	0.10	7.2	2.4	560
N814672		2.78	14.75	0.09	1.1	0.070	3.12	18.6	30.6	0.79	1950	1.87	0.98	6.9	2.4	560
N814673		0.49	0.25	0.11	<0.1	<0.005	0.03	0.7	1.7	13.05	215	0.17	0.01	0.2	1.8	190
N814674		2.84	17.25	0.12	1.2	0.078	3.17	22.1	25.8	0.67	923	2.39	1.61	8.1	2.7	590
N814675		2.60	16.50	0.11	1.5	0.059	3.15	21.6	34.4	0.70	680	1.89	1.41	8.3	2.4	530
N814676		2.87	16.85	0.11	1.2	0.069	2.64	20.2	18.8	0.77	740	3.13	2.03	8.0	2.6	630
N814677		2.57	16.70	0.10	1.1	0.115	2.68	19.2	95.1	0.80	1280	1.86	0.60	7.6	2.8	560
N814678		2.86	15.75	0.07	1.4	0.061	2.98	20.6	11.8	0.70	930	1.13	2.05	7.7	2.4	600
N814679		2.78	16.90	0.09	1.3	0.048	3.00	22.0	12.2	0.69	790	1.18	2.10	7.8	2.7	590
N814680		2.87	16.70	0.09	1.3	0.036	2.86	19.5	15.6	0.73	690	1.02	2.27	8.0	2.5	620
N814681		2.87	17.15	0.11	1.4	0.094	3.19	22.0	22.4	0.68	1080	1.16	1.39	8.2	2.8	610
N814682		3.00	15.90	0.08	1.3	0.039	2.81	16.6	21.9	0.89	1060	1.47	1.65	7.7	2.4	610
N814683		3.11	16.65	0.09	1.4	0.156	3.48	20.4	27.9	0.88	5210	1.44	0.68	8.1	2.7	640
N814684		2.63	16.35	0.09	1.3	0.044	3.09	22.3	86.5	0.74	2050	1.07	0.35	7.9	2.4	570
N814685		2.76	16.25	0.11	1.5	0.040	2.91	21.0	23.1	0.64	842	0.90	1.50	7.9	2.6	560
N814686		2.74	16.50	0.08	1.4	0.043	3.01	19.8	33.1	0.72	615	1.32	1.51	8.1	2.5	600
N814687		2.79	16.20	0.10	1.4	0.044	3.06	18.3	31.9	0.72	627	1.11	1.52	8.1	2.5	600
N814688		2.65	15.50	0.08	1.4	0.046	2.73	16.9	20.8	0.74	688	1.37	1.76	7.4	2.1	550
N814689		3.00	14.25	0.08	1.3	0.115	2.95	17.3	22.8	1.00	6020	2.09	0.95	6.9	2.8	500
N814690		2.74	16.55	0.09	1.3	0.047	3.13	19.3	18.1	0.68	1120	1.54	1.53	8.3	2.8	570
N814691		2.68	15.55	0.08	1.3	0.038	3.04	18.6	19.1	0.64	3000	1.97	1.49	7.5	2.4	560
N814692		5.19	15.55	0.11	1.4	0.965	2.90	24.1	26.2	0.71	2050	13.10	0.27	7.5	15.7	510
N814693		2.63	16.40	0.08	1.2	0.050	2.66	22.7	120.5	0.70	989	2.53	1.08	8.0	2.3	580
N814694		2.88	16.10	0.09	1.2	0.040	2.87	19.2	42.7	0.94	3260	2.67	0.93	7.6	2.7	570
N814695		0.53	0.31	0.09	<0.1	0.005	0.04	0.7	1.4	12.90	229	0.22	0.01	0.3	1.7	190
N814696		2.81	16.10	0.14	1.1	0.037	2.78	17.2	25.9	0.68	683	2.97	2.04	8.0	2.5	580
N814697		3.21	17.10	0.16	1.2	0.046	2.72	15.5	23.2	0.85	930	2.87	1.74	8.3	2.8	600
N814698		2.84	16.25	0.16	1.3	0.035	2.64	16.0	17.9	0.83	708	2.09	2.11	8.0	2.6	570
N814699		3.02	16.35	0.18	1.2	0.042	2.79	21.3	15.2	0.84	683	3.68	2.31	8.3	2.6	620
N814700		3.08	15.95	0.16	1.0	0.040	3.07	19.2	9.7	0.74	902	5.71	1.87	7.9	3.1	590
N814701		2.59	13.45	0.16	0.9	0.057	2.42	21.0	25.2	0.82	7740	5.92	0.04	6.3	2.4	490
N814702		2.60	15.00	0.17	1.1	0.066	3.07	16.4	34.3	0.66	1160	0.63	0.79	7.5	2.2	540
N814703		2.86	15.55	0.17	1.1	0.050	2.96	15.3	19.8	0.75	877	0.88	1.57	8.0	2.5	580



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-SEP-2012
Account: ROCKHA

Project: Klaza - 107

CERTIFICATE OF ANALYSIS WH12193446

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N814668		2950	175.0	<0.002	4.90	88.0	8.6	1	7.9	92.0	0.52	0.40	12.6	0.188	2.50	6.0
N814669		66.6	93.6	<0.002	0.02	1.95	9.6	1	2.0	417	0.70	<0.05	10.0	0.288	1.22	2.5
N814670		496	105.5	<0.002	0.05	6.11	10.4	1	2.1	380	0.71	<0.05	11.4	0.284	1.41	3.0
N814671		108.0	96.5	<0.002	0.28	42.1	9.8	1	2.0	240	0.62	<0.05	10.9	0.240	1.83	5.0
N814672		6000	129.0	<0.002	0.40	48.8	9.1	1	1.9	238	0.63	<0.05	11.2	0.243	2.09	3.7
N814673		9.9	1.6	<0.002	<0.01	0.20	0.2	<1	<0.2	47.1	<0.05	<0.05	0.2	<0.005	0.04	0.9
N814674		136.5	131.5	<0.002	0.13	13.70	10.4	1	2.3	310	0.67	<0.05	12.1	0.261	1.79	3.5
N814675		28.9	128.5	<0.002	0.09	10.90	9.2	1	2.5	264	0.84	<0.05	14.8	0.228	1.69	4.0
N814676		30.9	102.0	<0.002	0.04	5.66	10.9	1	2.2	378	0.68	<0.05	10.6	0.279	1.42	3.1
N814677		266	95.4	<0.002	0.29	22.7	10.1	1	2.1	214	0.64	<0.05	10.3	0.243	1.69	3.7
N814678		41.4	106.5	<0.002	0.14	6.46	9.6	1	1.9	350	0.73	<0.05	12.5	0.262	1.52	3.2
N814679		25.7	113.5	<0.002	0.07	3.94	9.8	<1	2.0	356	0.72	<0.05	12.7	0.263	1.52	3.1
N814680		22.3	109.5	<0.002	0.02	3.01	10.0	1	1.9	395	0.72	<0.05	11.8	0.274	1.24	3.1
N814681		567	123.5	<0.002	0.26	9.57	10.6	1	2.0	303	0.71	<0.05	13.4	0.268	1.72	2.8
N814682		25.1	91.7	<0.002	0.11	8.02	9.2	1	1.9	315	0.74	<0.05	10.4	0.273	1.36	3.2
N814683		1255	133.5	<0.002	0.90	76.7	11.0	1	2.6	219	0.73	<0.05	12.1	0.267	2.36	4.2
N814684		22.1	132.0	<0.002	0.35	37.2	10.5	1	2.1	172.0	0.72	<0.05	13.2	0.252	1.84	4.1
N814685		22.9	121.0	<0.002	0.15	9.15	10.2	1	1.9	285	0.74	<0.05	12.9	0.255	1.60	3.5
N814686		20.7	115.0	<0.002	0.06	15.80	9.7	1	1.9	296	0.74	<0.05	12.1	0.260	1.57	3.4
N814687		21.5	113.5	<0.002	0.06	16.55	9.3	1	1.8	296	0.75	<0.05	11.5	0.265	1.65	3.4
N814688		77.6	98.7	<0.002	0.05	7.70	8.4	1	1.7	324	0.77	<0.05	10.5	0.241	1.33	3.1
N814689		558	114.5	<0.002	0.62	161.0	8.2	1	2.0	224	0.71	<0.05	11.3	0.218	1.87	4.7
N814690		28.6	133.5	<0.002	0.22	9.21	9.8	1	2.2	294	0.77	<0.05	11.5	0.251	1.82	3.5
N814691		25.6	112.0	<0.002	0.38	23.0	8.9	1	2.2	287	0.75	<0.05	11.9	0.245	1.77	3.7
N814692		1460	169.0	<0.002	3.14	32.7	9.3	1	6.0	154.5	0.68	0.26	13.9	0.217	2.70	5.6
N814693		20.3	106.5	<0.002	0.15	13.15	10.2	<1	2.7	270	0.76	<0.05	13.1	0.257	1.40	3.2
N814694		23.9	100.5	<0.002	0.69	17.40	9.3	1	2.9	267	0.70	<0.05	11.2	0.245	1.78	3.7
N814695		1.5	2.3	<0.002	0.02	0.11	0.5	1	<0.2	47.8	<0.05	<0.05	<0.2	<0.005	<0.02	0.5
N814696		24.0	102.0	<0.002	0.16	4.20	9.3	1	3.5	347	0.67	<0.05	10.4	0.253	1.30	3.4
N814697		24.1	100.5	<0.002	0.35	11.50	9.5	1	4.1	334	0.64	<0.05	9.5	0.270	1.52	4.0
N814698		24.0	89.1	<0.002	0.07	5.48	8.8	1	2.2	368	0.66	<0.05	9.1	0.248	1.17	3.3
N814699		24.4	104.5	<0.002	0.05	1.84	9.7	1	2.7	398	0.67	<0.05	11.5	0.270	1.20	4.0
N814700		19.4	127.0	<0.002	0.43	21.1	9.3	1	2.8	338	0.62	<0.05	10.2	0.255	1.59	6.6
N814701		50.4	114.0	<0.002	1.37	161.0	8.2	1	2.1	157.0	0.50	<0.05	10.6	0.211	1.99	8.4
N814702		35.5	106.5	<0.002	0.30	150.5	8.7	1	1.7	270	0.60	<0.05	10.1	0.238	1.68	3.2
N814703		17.2	98.8	<0.002	0.15	8.77	9.0	1	1.8	317	0.63	<0.05	9.5	0.255	1.54	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-SEP-2012
 Account: ROCKHA

Project: Klaza - 107

CERTIFICATE OF ANALYSIS WH12193446

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
N814668		57	5.4	10.8	5630	27.0	25
N814669		76	2.1	15.1	201	32.6	<1
N814670		76	2.2	15.4	132	28.5	<1
N814671		65	3.2	15.5	85	30.6	<1
N814672		64	2.4	13.5	171	28.9	7
N814673		2	0.1	0.9	16	<0.5	<1
N814674		69	2.5	15.8	65	36.9	<1
N814675		60	3.9	15.2	58	41.8	<1
N814676		74	3.8	15.9	69	32.1	<1
N814677		66	3.0	15.3	680	30.3	<1
N814678		70	3.0	15.0	201	32.7	<1
N814679		70	3.6	15.1	56	32.3	<1
N814680		72	2.3	15.0	54	33.5	<1
N814681		71	3.6	15.8	454	33.7	<1
N814682		72	2.9	14.4	56	32.7	<1
N814683		76	5.4	16.0	695	36.2	12
N814684		68	3.7	15.3	83	34.0	<1
N814685		68	2.8	15.9	48	35.3	<1
N814686		69	16.1	15.3	48	34.2	<1
N814687		70	11.9	14.6	49	36.6	<1
N814688		63	1.9	14.0	58	32.6	<1
N814689		58	2.4	13.4	544	30.7	7
N814690		68	1.6	15.9	54	34.1	<1
N814691		64	2.5	14.8	63	31.9	<1
N814692		59	5.4	12.5	3140	40.3	9
N814693		69	4.8	15.9	53	31.8	<1
N814694		65	5.2	15.1	67	32.4	<1
N814695		2	0.1	0.9	14	<0.5	<1
N814696		68	7.5	13.2	50	29.4	<1
N814697		72	4.4	13.5	59	32.6	<1
N814698		67	3.5	13.2	53	34.6	<1
N814699		74	2.7	14.9	54	30.6	<1
N814700		70	4.5	13.1	52	26.6	<1
N814701		57	3.7	11.9	200	23.5	4
N814702		65	3.0	12.3	67	28.1	1
N814703		71	2.5	12.4	44	30.5	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 107

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12193446

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.