



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981)**  
**LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 5-SEP-2012  
Account: ROCKHA

**CERTIFICATE WH12193449**

Project: Klaza - 109

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER  
J TARSWELL

HEATHER SMITH  
MATT TURNER

JARED TARSWELL

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-SEP-2012  
Account: ROCKHA

Project: Klaza - 109

**CERTIFICATE OF ANALYSIS WH12193449**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N811957		4.87	<0.005	0.11	7.01	7.6	2350	1.46	0.23	2.80	0.10	44.7	8.5	14	6.21	7.3
N811958		3.37	0.006	0.21	6.91	20.8	2220	1.42	0.84	2.96	0.11	47.1	14.8	14	6.72	11.1
N811959		4.21	<0.005	0.09	7.13	6.4	2140	1.48	0.20	3.08	0.09	43.8	9.4	16	7.62	4.6
N811960		1.80	<0.005	0.08	6.91	7.3	2100	1.53	0.19	2.94	0.09	40.9	9.6	14	7.72	8.2
N811961		4.68	<0.005	0.10	6.86	4.6	2210	1.65	0.09	2.91	0.09	42.1	9.3	19	9.15	6.1
N811962		2.49	<0.005	0.10	7.16	6.8	2140	1.64	0.05	2.49	0.09	42.2	8.9	13	16.20	8.7
N811963		6.53	<0.005	0.06	7.16	4.6	2240	1.64	0.06	3.01	0.08	46.2	8.8	15	9.45	6.5
N811964		5.44	<0.005	0.07	7.06	3.7	2220	1.64	0.04	2.96	0.09	46.1	8.4	12	8.09	5.7
N811965		1.93	<0.005	0.13	6.76	8.0	1880	1.64	0.14	2.99	0.12	39.8	8.3	13	11.50	8.0
N811966		7.03	<0.005	0.06	6.93	3.3	2160	1.69	0.04	2.80	0.10	45.2	8.5	14	8.89	5.2
N811967		0.26	0.777	10.15	6.51	1835	430	1.59	5.54	1.96	43.5	43.3	17.8	19	18.15	110.0
N811968		2.82	<0.005	0.07	6.80	5.8	2110	1.67	0.05	2.90	0.12	43.1	8.6	16	8.90	5.5
N811969		4.28	<0.005	0.06	6.97	5.2	2080	1.55	0.05	2.66	0.08	43.9	9.1	12	7.91	4.5
N811970		5.73	<0.005	0.06	7.21	4.6	2110	1.46	0.08	2.82	0.07	42.2	7.4	19	6.63	9.6
N811971		2.43	<0.005	0.30	6.97	19.6	1870	1.47	0.22	3.40	0.74	40.0	6.2	10	9.41	15.7
N811972		2.60	<0.005	0.02	0.06	<5	20	<0.05	0.05	21.1	0.08	1.14	0.6	<1	0.16	2.2
N811973		8.66	<0.005	0.07	7.25	4.0	2120	1.42	0.10	2.98	0.14	41.4	7.3	12	8.41	6.4
N811974		7.81	<0.005	0.07	7.60	4.3	2250	1.42	0.08	2.86	0.10	44.8	7.6	17	8.90	8.9
N811975		8.64	<0.005	0.07	7.41	3.9	2300	1.40	0.07	2.95	0.10	41.9	8.0	13	7.73	8.6
N811976		<0.02	<0.005	0.06	7.17	4.3	2280	1.47	0.07	2.93	0.11	39.4	7.9	15	7.46	8.5
N811977		6.33	<0.005	0.06	7.17	3.2	2290	1.39	0.07	3.21	0.07	37.7	7.3	12	7.91	7.7
N811978		2.59	<0.005	0.06	7.37	3.4	2330	1.55	0.07	2.99	0.11	41.9	8.2	16	10.30	9.8
N811979		3.03	<0.005	0.05	7.19	2.5	2270	1.23	0.07	2.74	0.06	35.1	7.6	12	10.20	10.8
N811980		4.43	<0.005	0.05	7.90	4.2	2540	1.54	0.08	3.08	0.09	45.7	8.5	16	8.91	8.4
N811981		2.34	<0.005	0.07	7.41	7.4	2180	1.27	0.14	3.33	0.12	37.0	8.8	12	9.64	7.1
N811982		8.02	<0.005	0.07	7.73	6.1	2400	1.58	0.11	3.12	0.11	45.5	9.4	14	9.93	8.8
N811983		0.26	2.39	26.5	6.19	3480	290	1.37	20.7	2.33	82.9	45.1	10.8	18	14.75	459
N811984		7.86	<0.005	0.14	7.79	4.3	2380	1.40	0.10	3.04	0.13	46.4	8.3	12	8.70	9.0
N811985		4.30	<0.005	0.11	6.90	9.5	2310	1.36	0.13	3.85	0.14	37.1	8.7	9	10.85	11.3
N811986		3.12	<0.005	0.09	7.22	3.3	2180	1.40	0.10	3.03	0.11	38.2	8.7	11	7.24	13.7
N811987		5.02	<0.005	0.09	7.23	4.9	2240	1.38	0.12	2.73	0.13	43.2	8.0	15	7.05	46.1
N811988		2.39	<0.005	0.07	6.91	7.0	2140	1.36	0.15	2.84	0.12	39.8	7.4	13	8.32	14.7
N811989		8.14	<0.005	0.07	7.14	5.6	2220	1.44	0.09	3.05	0.10	39.4	8.8	14	7.45	9.1
N811990		4.67	<0.005	0.07	7.02	4.6	1950	1.30	0.11	2.89	0.09	37.7	7.4	10	12.30	13.6
N811991		3.70	<0.005	0.09	6.75	9.3	1810	1.37	0.09	3.61	0.11	36.6	8.0	17	17.15	10.4
N811992		2.52	<0.005	0.02	0.08	<5	30	0.05	0.04	19.90	0.07	1.31	0.6	<1	0.37	2.1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-SEP-2012  
Account: ROCKHA

Project: Klaza - 109

**CERTIFICATE OF ANALYSIS WH12193449**

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N811957		3.09	17.20	0.18	0.9	0.050	2.60	20.5	10.7	0.90	647	3.90	2.25	8.4	3.2	620
N811958		3.58	17.95	0.19	1.0	0.070	2.64	21.8	12.2	0.93	771	3.80	1.98	8.7	3.5	620
N811959		3.27	17.70	0.18	1.1	0.059	2.39	19.1	16.2	0.97	690	2.54	2.43	9.3	3.4	670
N811960		3.26	17.25	0.20	1.0	0.056	2.35	17.8	15.9	0.96	675	2.65	2.31	8.9	3.4	630
N811961		3.10	17.35	0.18	1.1	0.042	2.47	18.5	15.9	0.90	678	2.47	2.30	9.0	3.6	650
N811962		3.07	17.20	0.19	1.1	0.044	2.54	19.1	15.1	0.74	556	2.04	2.08	9.0	3.2	660
N811963		3.17	17.75	0.20	1.1	0.040	2.68	20.9	15.7	0.89	643	2.14	2.34	9.1	3.3	670
N811964		3.08	17.20	0.20	1.1	0.041	2.65	20.2	14.9	0.90	691	3.23	2.39	9.1	3.3	630
N811965		3.00	16.95	0.20	1.2	0.049	2.56	17.6	16.4	0.82	754	3.40	1.84	9.3	2.9	590
N811966		2.97	17.10	0.20	1.2	0.033	2.53	19.9	17.3	0.86	658	2.54	2.35	9.0	3.4	610
N811967		5.21	15.75	0.20	1.2	0.946	2.96	21.4	23.3	0.70	2040	13.30	0.28	8.0	16.8	510
N811968		2.96	16.60	0.18	1.2	0.035	2.62	19.1	15.0	0.83	695	2.47	2.26	8.6	3.1	600
N811969		2.92	16.30	0.20	1.1	0.039	2.57	20.2	16.8	0.88	607	2.18	2.33	8.3	3.2	610
N811970		2.95	15.30	0.12	1.3	0.041	2.52	20.3	17.8	0.89	634	2.08	2.23	7.6	4.3	620
N811971		2.81	15.00	0.12	1.3	0.048	2.76	19.3	13.4	0.72	1130	1.61	1.72	7.7	2.8	540
N811972		0.49	0.18	0.10	<0.1	0.008	0.02	0.5	1.0	12.70	223	0.13	0.01	0.1	1.5	160
N811973		3.08	15.70	0.12	1.2	0.042	2.47	20.2	20.2	0.82	697	1.39	2.10	7.6	2.9	600
N811974		3.25	15.75	0.14	1.2	0.047	2.51	22.0	18.2	0.96	675	1.50	2.37	7.9	2.9	650
N811975		3.16	16.90	0.14	1.1	0.045	2.46	18.7	17.0	0.96	680	1.49	2.35	8.1	3.0	640
N811976		3.17	16.55	0.12	1.2	0.038	2.44	18.1	16.5	0.94	681	1.61	2.37	7.9	3.0	640
N811977		3.15	15.45	0.10	1.1	0.035	2.41	17.0	13.7	0.93	730	6.88	2.31	7.4	2.8	640
N811978		3.12	16.85	0.13	1.2	0.041	2.43	18.3	20.0	0.88	681	2.58	2.26	8.2	3.1	640
N811979		3.18	15.20	0.09	1.0	0.041	2.41	16.9	27.2	0.97	617	1.53	1.90	7.4	2.6	640
N811980		3.41	16.80	0.11	1.2	0.043	2.63	22.7	18.7	1.06	735	1.84	2.50	8.2	3.3	690
N811981		3.35	16.40	0.13	1.1	0.052	2.48	16.7	17.7	0.92	716	1.45	2.21	7.6	3.0	650
N811982		3.28	17.75	0.12	1.2	0.043	2.48	22.9	22.8	1.06	735	1.72	2.31	8.5	3.1	650
N811983		6.74	14.80	0.10	1.0	1.870	2.68	25.0	24.3	0.95	2010	13.10	0.05	6.1	16.3	450
N811984		3.31	16.55	0.12	1.1	0.045	2.53	21.6	18.2	1.04	739	1.56	2.34	8.0	3.1	670
N811985		2.85	15.45	0.13	1.2	0.037	2.25	17.7	21.8	0.82	775	1.30	1.83	8.0	3.0	580
N811986		3.27	17.00	0.11	1.1	0.039	2.24	16.9	20.1	0.94	680	1.97	2.28	8.4	3.8	670
N811987		3.19	15.75	0.12	1.1	0.043	2.44	19.8	18.1	1.00	670	4.02	2.27	7.9	15.5	670
N811988		3.03	16.70	0.11	1.0	0.047	2.29	18.2	17.9	0.89	602	1.84	2.14	7.8	2.9	620
N811989		3.26	16.75	0.09	1.0	0.045	2.36	17.8	18.2	0.94	689	1.71	2.34	8.0	3.5	650
N811990		2.90	15.15	0.12	1.0	0.050	2.28	18.3	16.7	0.74	534	1.98	1.96	7.4	2.9	620
N811991		2.85	15.80	0.12	1.0	0.052	2.25	17.8	21.3	0.82	652	2.24	1.43	8.0	3.1	630
N811992		0.46	0.24	0.11	<0.1	0.007	0.03	0.6	1.3	11.80	204	0.10	0.01	0.2	1.4	170



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-SEP-2012  
Account: ROCKHA

Project: Klaza - 109

**CERTIFICATE OF ANALYSIS WH12193449**

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N811957		16.6	87.0	<0.002	0.07	1.53	11.4	1	1.5	411	0.59	<0.05	11.1	0.274	0.91	3.3
N811958		18.2	93.9	<0.002	0.35	2.32	11.8	2	1.7	357	0.64	<0.05	11.8	0.280	1.07	4.0
N811959		15.2	83.7	<0.002	0.03	1.83	12.5	1	1.9	429	0.72	<0.05	10.5	0.291	0.86	3.3
N811960		15.5	81.9	<0.002	0.04	1.98	12.1	1	1.9	410	0.67	<0.05	10.1	0.288	0.86	2.9
N811961		16.0	86.5	<0.002	0.03	1.43	11.3	1	1.6	431	0.71	<0.05	10.5	0.280	0.85	2.9
N811962		15.0	99.0	<0.002	0.05	2.99	11.8	1	3.2	426	0.67	<0.05	10.9	0.296	0.94	4.2
N811963		16.3	96.0	<0.002	0.01	1.63	11.9	2	1.6	430	0.67	<0.05	12.1	0.293	0.92	3.6
N811964		16.0	92.1	<0.002	<0.01	1.13	11.0	1	1.6	427	0.72	<0.05	11.8	0.278	0.83	3.5
N811965		16.5	94.0	<0.002	0.09	2.15	10.3	1	1.6	357	0.88	<0.05	11.1	0.264	0.98	6.5
N811966		16.3	91.7	<0.002	0.01	0.93	10.7	1	1.5	430	0.76	<0.05	11.5	0.268	0.84	3.6
N811967		1450	156.5	<0.002	3.19	35.9	9.1	2	6.1	152.5	0.60	0.34	11.1	0.212	2.33	5.0
N811968		16.8	90.8	<0.002	0.03	1.60	10.4	1	1.4	389	0.69	<0.05	10.8	0.269	0.90	4.6
N811969		14.7	95.5	<0.002	0.01	1.10	10.5	1	1.4	411	0.64	<0.05	11.4	0.266	0.85	3.5
N811970		18.9	95.7	<0.002	0.02	0.80	10.5	1	1.4	408	0.67	<0.05	11.9	0.268	0.84	4.2
N811971		35.6	116.5	<0.002	0.19	4.10	9.8	1	1.4	336	0.75	<0.05	12.9	0.251	1.19	6.0
N811972		2.1	1.3	<0.002	<0.01	0.12	0.2	<1	0.3	45.7	<0.05	<0.05	<0.2	<0.005	<0.02	0.8
N811973		18.7	90.1	<0.002	0.02	1.02	10.7	1	1.5	395	0.64	<0.05	12.6	0.270	0.82	3.9
N811974		16.7	89.0	<0.002	0.01	0.85	11.6	<1	1.8	449	0.66	<0.05	12.7	0.293	0.85	3.6
N811975		16.5	86.8	<0.002	<0.01	0.68	11.6	<1	1.8	445	0.65	<0.05	10.8	0.290	0.79	4.2
N811976		17.5	75.7	<0.002	0.01	0.68	10.8	<1	1.7	444	0.64	<0.05	10.4	0.288	0.83	4.0
N811977		16.7	72.5	<0.002	0.01	0.52	10.2	1	1.5	435	0.61	<0.05	9.7	0.284	0.81	3.7
N811978		16.4	88.8	<0.002	0.01	0.76	11.2	1	1.9	459	0.62	<0.05	10.2	0.290	0.83	3.2
N811979		15.9	80.8	<0.002	0.01	0.79	10.2	1	1.9	442	0.58	<0.05	9.9	0.289	0.83	3.6
N811980		17.0	90.7	<0.002	0.01	0.63	11.9	1	1.6	484	0.67	<0.05	11.7	0.310	0.89	3.7
N811981		16.7	82.9	<0.002	0.03	1.54	11.2	<1	1.5	409	0.61	<0.05	9.5	0.294	0.96	3.7
N811982		17.2	102.0	<0.002	0.02	0.75	12.5	1	1.6	460	0.65	<0.05	12.6	0.295	0.90	4.0
N811983		3000	175.5	0.002	4.92	93.3	8.7	<1	8.2	93.4	0.47	0.40	11.3	0.186	2.33	5.6
N811984		17.4	96.6	<0.002	0.01	0.73	12.5	1	1.6	439	0.61	<0.05	11.0	0.303	0.81	3.5
N811985		16.3	88.1	<0.002	0.08	3.43	10.4	1	1.7	371	0.68	<0.05	10.6	0.257	0.98	4.5
N811986		16.9	73.6	<0.002	0.02	1.10	12.4	1	1.9	431	0.59	<0.05	8.5	0.300	0.87	3.0
N811987		32.4	85.5	<0.002	0.01	0.76	11.3	1	1.5	414	0.64	<0.05	11.5	0.287	0.87	3.8
N811988		17.1	83.6	<0.002	0.05	1.32	11.8	1	1.5	402	0.58	<0.05	8.9	0.278	0.91	2.9
N811989		16.2	74.9	<0.002	0.01	0.85	11.7	1	1.5	434	0.58	<0.05	8.3	0.291	0.82	2.9
N811990		15.6	82.8	<0.002	0.04	1.43	11.2	1	1.4	392	0.55	<0.05	9.8	0.275	0.92	2.8
N811991		15.4	81.0	0.002	0.05	1.81	11.6	<1	1.6	389	0.57	<0.05	9.2	0.281	0.98	3.4
N811992		1.8	2.0	<0.002	<0.01	0.12	0.2	<1	0.3	48.0	<0.05	<0.05	0.2	<0.005	<0.02	0.7



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-SEP-2012  
 Account: ROCKHA

Project: Klaza - 109

**CERTIFICATE OF ANALYSIS WH12193449**

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
N811957		78	1.7	15.0	49	23.9	<1
N811958		79	2.1	14.8	53	24.7	<1
N811959		88	2.3	16.2	52	27.3	<1
N811960		86	3.0	15.3	50	25.3	<1
N811961		80	1.9	15.7	50	27.5	<1
N811962		88	2.5	13.0	49	26.7	<1
N811963		83	2.3	15.8	49	27.9	<1
N811964		80	3.6	15.9	47	29.5	<1
N811965		74	2.8	14.9	50	28.6	<1
N811966		75	3.5	15.6	48	31.2	<1
N811967		60	5.3	10.8	3130	37.6	9
N811968		77	2.6	14.8	48	31.1	<1
N811969		74	2.5	15.0	44	30.7	<1
N811970		75	1.5	15.8	49	29.8	<1
N811971		69	1.8	16.1	157	25.7	<1
N811972		<1	0.1	0.9	14	<0.5	<1
N811973		75	1.8	15.5	57	28.1	<1
N811974		83	1.8	16.1	52	26.3	<1
N811975		81	2.5	16.4	52	24.6	<1
N811976		81	2.4	15.3	52	24.3	<1
N811977		81	2.6	14.7	53	21.5	<1
N811978		81	2.6	15.4	53	26.7	<1
N811979		81	4.1	13.7	53	21.6	<1
N811980		87	1.8	17.2	54	26.0	<1
N811981		83	2.0	14.9	56	23.3	<1
N811982		81	2.1	18.2	54	24.9	<1
N811983		59	5.1	11.0	5700	25.6	24
N811984		85	2.0	17.7	59	23.5	<1
N811985		72	2.4	16.2	49	25.1	<1
N811986		87	4.4	15.6	53	23.8	<1
N811987		83	1.8	16.7	59	23.8	<1
N811988		80	1.7	15.9	46	22.6	<1
N811989		84	1.9	15.7	50	22.7	<1
N811990		79	2.4	13.9	45	20.8	<1
N811991		83	3.3	13.8	46	22.1	<1
N811992		<1	0.1	0.9	13	<0.5	<1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza - 109

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 5-SEP-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12193449**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.