



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 14-SEP-2012
Account: ROCKHA

CERTIFICATE WH12194255

Project: KLAZA
P.O. No.: Batch 4
This report is for 239 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER
J TARSWELL

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA24 | Au 50g FA AA finish | AAS |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA24 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| ZZ35751 | | 0.32 | 0.013 | 0.6 | 1.77 | 24 | <10 | 360 | 0.5 | 2 | 0.49 | <0.5 | 5 | 21 | 33 | 1.90 |
| ZZ35752 | | 0.29 | 0.007 | 0.6 | 1.26 | 10 | <10 | 240 | <0.5 | <2 | 0.26 | <0.5 | 6 | 16 | 19 | 1.77 |
| ZZ35753 | | 0.35 | 0.009 | 0.3 | 1.43 | 19 | <10 | 230 | <0.5 | 2 | 0.24 | 0.5 | 7 | 20 | 38 | 2.47 |
| ZZ35754 | | 0.29 | <0.005 | 0.6 | 0.65 | 7 | <10 | 150 | <0.5 | 2 | 0.23 | <0.5 | 4 | 9 | 14 | 1.83 |
| ZZ35755 | | 0.32 | <0.005 | 0.3 | 1.26 | 16 | <10 | 300 | <0.5 | 2 | 0.27 | 0.5 | 5 | 21 | 25 | 1.91 |
| ZZ35756 | | 0.43 | 0.005 | <0.2 | 1.35 | 36 | <10 | 170 | <0.5 | <2 | 0.23 | <0.5 | 9 | 21 | 26 | 2.53 |
| ZZ35757 | | 0.37 | <0.005 | 0.4 | 1.32 | 43 | <10 | 180 | <0.5 | 2 | 0.24 | <0.5 | 9 | 19 | 52 | 2.73 |
| ZZ35758 | | 0.40 | 0.048 | 2.8 | 1.82 | 46 | <10 | 330 | 0.5 | 2 | 0.25 | <0.5 | 4 | 19 | 67 | 2.24 |
| ZZ35759 | | 0.27 | 0.069 | 1.4 | 1.09 | 190 | <10 | 190 | <0.5 | 3 | 0.23 | 0.8 | 5 | 15 | 34 | 2.01 |
| ZZ35760 | | 0.28 | 0.005 | 0.8 | 0.73 | 14 | <10 | 250 | <0.5 | <2 | 0.31 | <0.5 | 3 | 8 | 14 | 1.51 |
| ZZ35761 | | 0.28 | <0.005 | 0.6 | 1.82 | 33 | <10 | 130 | <0.5 | <2 | 0.13 | <0.5 | 10 | 23 | 18 | 2.94 |
| ZZ35762 | | 0.39 | 0.008 | 0.2 | 1.34 | 40 | <10 | 180 | <0.5 | <2 | 0.28 | <0.5 | 8 | 23 | 14 | 2.36 |
| ZZ35799 | | 0.28 | 0.006 | 0.4 | 1.25 | 21 | <10 | 260 | <0.5 | <2 | 0.47 | <0.5 | 5 | 14 | 16 | 1.79 |
| ZZ35800 | | 0.46 | 0.017 | 1.1 | 2.00 | 25 | <10 | 370 | 0.6 | 2 | 0.45 | 0.5 | 7 | 22 | 29 | 1.91 |
| ZZ35804 | | 0.34 | <0.005 | 0.2 | 1.75 | 22 | <10 | 310 | <0.5 | 2 | 0.40 | <0.5 | 9 | 24 | 25 | 2.93 |
| ZZ35805 | | 0.58 | 0.020 | 0.4 | 1.83 | 21 | <10 | 360 | <0.5 | 2 | 0.35 | 0.9 | 13 | 21 | 44 | 3.32 |
| ZZ35806 | | 0.49 | <0.005 | 0.2 | 1.92 | 10 | <10 | 300 | <0.5 | 2 | 0.33 | <0.5 | 9 | 20 | 18 | 2.46 |
| ZZ35810 | | 0.66 | 0.019 | 0.6 | 1.26 | 35 | <10 | 490 | 0.6 | <2 | 0.30 | <0.5 | 8 | 12 | 43 | 3.12 |
| ZZ35811 | | 0.33 | 0.012 | 0.2 | 1.11 | 36 | <10 | 350 | <0.5 | 3 | 0.37 | <0.5 | 6 | 15 | 40 | 2.71 |
| ZZ35812 | | 0.44 | 0.007 | 0.7 | 1.02 | 49 | <10 | 300 | <0.5 | 2 | 0.42 | 0.9 | 7 | 15 | 22 | 1.86 |
| ZZ35813 | | 0.34 | 0.095 | 0.8 | 1.25 | 21 | <10 | 350 | <0.5 | 2 | 0.33 | 1.0 | 4 | 15 | 18 | 1.46 |
| ZZ35814 | | 0.35 | 0.018 | 0.6 | 1.00 | 15 | <10 | 220 | <0.5 | <2 | 0.40 | 1.1 | 4 | 13 | 14 | 1.14 |
| ZZ35815 | | 0.12 | 0.006 | 0.4 | 0.78 | 15 | <10 | 280 | <0.5 | <2 | 0.44 | 0.5 | 5 | 8 | 23 | 1.27 |
| ZZ35816 | | 0.50 | 0.018 | 0.2 | 1.09 | 31 | <10 | 240 | <0.5 | 2 | 0.34 | <0.5 | 9 | 18 | 16 | 2.24 |
| ZZ35817 | | 0.31 | <0.005 | 0.3 | 1.47 | 23 | <10 | 300 | 0.5 | <2 | 0.28 | <0.5 | 7 | 22 | 27 | 2.10 |
| ZZ35818 | | 0.18 | <0.005 | 0.2 | 1.12 | 9 | <10 | 240 | <0.5 | <2 | 0.24 | <0.5 | 4 | 18 | 21 | 1.62 |
| ZZ35819 | | 0.28 | <0.005 | 0.2 | 1.30 | 13 | <10 | 250 | <0.5 | 2 | 0.33 | <0.5 | 6 | 18 | 27 | 1.77 |
| ZZ35820 | | 0.18 | 0.011 | 0.4 | 1.30 | 48 | <10 | 350 | <0.5 | 2 | 0.34 | <0.5 | 5 | 19 | 26 | 1.95 |
| ZZ35821 | | 0.51 | <0.005 | <0.2 | 1.42 | 9 | <10 | 260 | <0.5 | <2 | 0.27 | <0.5 | 8 | 20 | 25 | 2.32 |
| ZZ35822 | | 0.41 | 0.005 | <0.2 | 1.57 | 7 | <10 | 270 | 0.5 | <2 | 0.26 | <0.5 | 9 | 24 | 31 | 2.26 |
| ZZ35823 | | 0.32 | <0.005 | <0.2 | 1.52 | 14 | <10 | 250 | <0.5 | <2 | 0.34 | <0.5 | 8 | 20 | 28 | 2.79 |
| ZZ35824 | | 0.39 | <0.005 | <0.2 | 1.78 | 11 | <10 | 300 | 0.5 | <2 | 0.38 | <0.5 | 11 | 26 | 28 | 2.87 |
| ZZ35825 | | 0.29 | <0.005 | 0.2 | 1.97 | 27 | <10 | 320 | 0.5 | <2 | 0.40 | <0.5 | 9 | 28 | 33 | 2.88 |
| ZZ35826 | | 0.42 | <0.005 | <0.2 | 1.70 | 13 | <10 | 240 | <0.5 | <2 | 0.36 | <0.5 | 11 | 22 | 24 | 2.71 |
| ZZ35827 | | 0.42 | 0.005 | 0.2 | 1.92 | 39 | <10 | 270 | <0.5 | <2 | 0.34 | 0.6 | 15 | 21 | 20 | 3.74 |
| ZZ35828 | | 0.25 | <0.005 | <0.2 | 1.64 | 12 | <10 | 210 | <0.5 | <2 | 0.31 | <0.5 | 11 | 20 | 13 | 2.64 |
| ZZ35829 | | 0.53 | 0.020 | 0.7 | 1.64 | 61 | <10 | 480 | 0.7 | 2 | 1.64 | 3.9 | 28 | 8 | 79 | 4.82 |
| ZZ35830 | | 0.36 | 0.016 | 0.7 | 1.62 | 27 | <10 | 320 | 0.6 | <2 | 0.59 | 1.0 | 15 | 18 | 113 | 4.05 |
| ZZ35831 | | 0.20 | 0.007 | 1.2 | 2.32 | 11 | <10 | 590 | 0.5 | <2 | 0.61 | <0.5 | 5 | 25 | 29 | 2.57 |
| ZZ35832 | | 0.38 | <0.005 | 0.2 | 1.79 | 17 | <10 | 400 | <0.5 | <2 | 0.60 | <0.5 | 6 | 25 | 23 | 2.68 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| ZZ35751 | | <10 | <1 | 0.09 | 20 | 0.53 | 242 | 1 | 0.02 | 10 | 760 | 22 | 0.06 | <2 | 5 | 40 |
| ZZ35752 | | <10 | <1 | 0.06 | 10 | 0.36 | 571 | 3 | 0.02 | 7 | 850 | 18 | 0.05 | 2 | 3 | 22 |
| ZZ35753 | | 10 | <1 | 0.09 | 10 | 0.46 | 552 | 5 | 0.02 | 10 | 480 | 54 | 0.01 | 3 | 4 | 19 |
| ZZ35754 | | <10 | <1 | 0.05 | 10 | 0.13 | 210 | 1 | 0.03 | 5 | 630 | 17 | 0.03 | <2 | 2 | 18 |
| ZZ35755 | | 10 | <1 | 0.09 | 10 | 0.28 | 313 | 2 | 0.02 | 9 | 750 | 18 | 0.05 | 2 | 2 | 29 |
| ZZ35756 | | <10 | <1 | 0.10 | 10 | 0.47 | 679 | 5 | 0.02 | 10 | 390 | 17 | 0.02 | <2 | 4 | 23 |
| ZZ35757 | | <10 | <1 | 0.10 | 10 | 0.51 | 594 | 6 | 0.02 | 10 | 460 | 72 | 0.02 | 4 | 5 | 22 |
| ZZ35758 | | <10 | 1 | 0.10 | 20 | 0.38 | 198 | 6 | 0.01 | 9 | 1040 | 63 | 0.08 | 3 | 6 | 27 |
| ZZ35759 | | <10 | <1 | 0.08 | 10 | 0.27 | 521 | 2 | 0.02 | 8 | 500 | 50 | 0.02 | 3 | 3 | 21 |
| ZZ35760 | | <10 | <1 | 0.06 | 10 | 0.15 | 290 | 2 | 0.03 | 4 | 670 | 16 | 0.04 | 2 | 2 | 27 |
| ZZ35761 | | 10 | <1 | 0.10 | 10 | 0.33 | 820 | 2 | 0.01 | 10 | 500 | 43 | 0.02 | 2 | 4 | 12 |
| ZZ35762 | | 10 | <1 | 0.09 | 10 | 0.45 | 493 | 2 | 0.02 | 11 | 470 | 45 | 0.01 | 2 | 3 | 22 |
| ZZ35799 | | <10 | <1 | 0.05 | 10 | 0.36 | 457 | 2 | 0.03 | 6 | 840 | 15 | 0.07 | <2 | 2 | 37 |
| ZZ35800 | | 10 | <1 | 0.09 | 20 | 0.47 | 308 | 2 | 0.02 | 11 | 710 | 28 | 0.05 | 3 | 6 | 43 |
| ZZ35804 | | 10 | <1 | 0.15 | 10 | 0.70 | 462 | 2 | 0.04 | 14 | 600 | 29 | 0.01 | 4 | 7 | 31 |
| ZZ35805 | | 10 | <1 | 0.17 | 10 | 0.75 | 766 | 2 | 0.04 | 13 | 630 | 97 | 0.02 | 5 | 8 | 26 |
| ZZ35806 | | 10 | <1 | 0.09 | 10 | 0.73 | 312 | 1 | 0.04 | 9 | 660 | 44 | 0.04 | <2 | 6 | 26 |
| ZZ35810 | | <10 | <1 | 0.12 | 30 | 0.27 | 458 | 4 | 0.02 | 5 | 770 | 39 | 0.02 | 7 | 4 | 23 |
| ZZ35811 | | <10 | <1 | 0.11 | 20 | 0.40 | 353 | 3 | 0.02 | 5 | 700 | 31 | 0.01 | 3 | 4 | 22 |
| ZZ35812 | | <10 | <1 | 0.07 | 10 | 0.33 | 717 | 2 | 0.02 | 8 | 590 | 44 | 0.03 | 2 | 4 | 35 |
| ZZ35813 | | <10 | <1 | 0.08 | 20 | 0.34 | 135 | 2 | 0.02 | 6 | 590 | 61 | 0.03 | 2 | 5 | 24 |
| ZZ35814 | | <10 | <1 | 0.06 | 10 | 0.30 | 171 | 1 | 0.02 | 5 | 570 | 37 | 0.03 | 2 | 3 | 28 |
| ZZ35815 | | <10 | <1 | 0.05 | 10 | 0.11 | 757 | 1 | 0.04 | 6 | 700 | 6 | 0.07 | <2 | 2 | 41 |
| ZZ35816 | | <10 | <1 | 0.09 | 10 | 0.39 | 641 | 1 | 0.02 | 11 | 540 | 17 | 0.01 | 2 | 4 | 22 |
| ZZ35817 | | <10 | <1 | 0.08 | 10 | 0.42 | 278 | 2 | 0.02 | 12 | 420 | 20 | 0.02 | <2 | 5 | 24 |
| ZZ35818 | | <10 | <1 | 0.06 | 10 | 0.31 | 107 | 1 | 0.02 | 7 | 370 | 12 | 0.03 | 2 | 3 | 25 |
| ZZ35819 | | <10 | <1 | 0.08 | 10 | 0.33 | 247 | 1 | 0.02 | 9 | 630 | 15 | 0.03 | <2 | 3 | 33 |
| ZZ35820 | | <10 | <1 | 0.09 | 10 | 0.33 | 582 | 1 | 0.02 | 13 | 520 | 53 | 0.03 | <2 | 4 | 30 |
| ZZ35821 | | <10 | <1 | 0.08 | 10 | 0.48 | 464 | 3 | 0.01 | 13 | 400 | 21 | 0.02 | <2 | 4 | 23 |
| ZZ35822 | | <10 | <1 | 0.08 | 10 | 0.53 | 290 | 1 | 0.02 | 14 | 450 | 23 | 0.02 | <2 | 5 | 23 |
| ZZ35823 | | <10 | <1 | 0.08 | 10 | 0.53 | 414 | 2 | 0.02 | 11 | 780 | 32 | 0.03 | <2 | 4 | 32 |
| ZZ35824 | | 10 | <1 | 0.12 | 10 | 0.67 | 510 | 1 | 0.02 | 16 | 590 | 18 | 0.02 | <2 | 7 | 39 |
| ZZ35825 | | 10 | <1 | 0.10 | 10 | 0.71 | 338 | 1 | 0.02 | 15 | 690 | 20 | 0.05 | <2 | 6 | 41 |
| ZZ35826 | | 10 | <1 | 0.09 | 10 | 0.66 | 326 | 1 | 0.03 | 13 | 640 | 26 | 0.01 | <2 | 6 | 26 |
| ZZ35827 | | 10 | <1 | 0.11 | 10 | 0.81 | 545 | 1 | 0.03 | 11 | 570 | 49 | 0.01 | 2 | 7 | 25 |
| ZZ35828 | | 10 | <1 | 0.11 | 10 | 0.68 | 759 | 1 | 0.02 | 10 | 650 | 35 | 0.02 | <2 | 5 | 21 |
| ZZ35829 | | 10 | <1 | 0.19 | 20 | 0.92 | 4240 | 2 | 0.03 | 6 | 680 | 261 | 0.18 | 6 | 9 | 84 |
| ZZ35830 | | 10 | <1 | 0.16 | 20 | 0.70 | 2280 | 2 | 0.04 | 11 | 740 | 54 | 0.03 | 3 | 9 | 56 |
| ZZ35831 | | 10 | <1 | 0.10 | 10 | 0.44 | 273 | 1 | 0.02 | 11 | 1170 | 12 | 0.07 | <2 | 4 | 42 |
| ZZ35832 | | 10 | <1 | 0.11 | 10 | 0.48 | 399 | 1 | 0.02 | 11 | 560 | 12 | 0.03 | <2 | 4 | 34 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| ZZ35751 | | <20 | 0.06 | <10 | <10 | 44 | <10 | 83 |
| ZZ35752 | | <20 | 0.03 | <10 | <10 | 38 | <10 | 76 |
| ZZ35753 | | <20 | 0.05 | <10 | <10 | 50 | <10 | 130 |
| ZZ35754 | | <20 | 0.07 | <10 | <10 | 56 | <10 | 59 |
| ZZ35755 | | <20 | 0.05 | <10 | <10 | 46 | <10 | 60 |
| ZZ35756 | | <20 | 0.07 | <10 | <10 | 52 | <10 | 77 |
| ZZ35757 | | <20 | 0.08 | <10 | <10 | 56 | <10 | 94 |
| ZZ35758 | | <20 | 0.02 | <10 | 10 | 42 | <10 | 165 |
| ZZ35759 | | <20 | 0.04 | <10 | <10 | 39 | <10 | 155 |
| ZZ35760 | | <20 | 0.03 | <10 | <10 | 34 | <10 | 63 |
| ZZ35761 | | <20 | 0.05 | <10 | <10 | 56 | <10 | 90 |
| ZZ35762 | | <20 | 0.08 | <10 | <10 | 51 | <10 | 108 |
| ZZ35799 | | <20 | 0.04 | <10 | <10 | 39 | <10 | 72 |
| ZZ35800 | | <20 | 0.03 | <10 | <10 | 56 | <10 | 106 |
| ZZ35804 | | <20 | 0.11 | <10 | <10 | 62 | <10 | 89 |
| ZZ35805 | | <20 | 0.09 | <10 | <10 | 67 | <10 | 170 |
| ZZ35806 | | <20 | 0.07 | <10 | <10 | 65 | <10 | 125 |
| ZZ35810 | | <20 | 0.04 | <10 | <10 | 48 | <10 | 115 |
| ZZ35811 | | <20 | 0.08 | <10 | <10 | 53 | <10 | 99 |
| ZZ35812 | | <20 | 0.04 | <10 | <10 | 35 | <10 | 111 |
| ZZ35813 | | <20 | 0.04 | <10 | <10 | 37 | <10 | 127 |
| ZZ35814 | | <20 | 0.04 | <10 | <10 | 28 | <10 | 111 |
| ZZ35815 | | <20 | 0.03 | <10 | <10 | 27 | <10 | 38 |
| ZZ35816 | | <20 | 0.05 | <10 | <10 | 41 | <10 | 57 |
| ZZ35817 | | <20 | 0.04 | <10 | <10 | 47 | <10 | 65 |
| ZZ35818 | | <20 | 0.04 | <10 | <10 | 38 | <10 | 45 |
| ZZ35819 | | <20 | 0.04 | <10 | <10 | 39 | <10 | 43 |
| ZZ35820 | | <20 | 0.03 | <10 | <10 | 39 | <10 | 84 |
| ZZ35821 | | <20 | 0.05 | <10 | <10 | 48 | <10 | 75 |
| ZZ35822 | | <20 | 0.06 | <10 | <10 | 54 | <10 | 77 |
| ZZ35823 | | <20 | 0.05 | <10 | <10 | 60 | <10 | 73 |
| ZZ35824 | | <20 | 0.09 | <10 | <10 | 63 | <10 | 72 |
| ZZ35825 | | <20 | 0.08 | <10 | <10 | 70 | <10 | 89 |
| ZZ35826 | | <20 | 0.10 | <10 | <10 | 66 | <10 | 89 |
| ZZ35827 | | <20 | 0.10 | <10 | <10 | 75 | <10 | 158 |
| ZZ35828 | | <20 | 0.08 | <10 | <10 | 59 | <10 | 115 |
| ZZ35829 | | <20 | 0.04 | <10 | <10 | 75 | <10 | 506 |
| ZZ35830 | | <20 | 0.05 | <10 | <10 | 71 | <10 | 161 |
| ZZ35831 | | <20 | 0.04 | <10 | <10 | 53 | <10 | 84 |
| ZZ35832 | | <20 | 0.06 | <10 | <10 | 61 | <10 | 86 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA24 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| ZZ35833 | | 0.37 | <0.005 | 0.2 | 2.10 | 19 | <10 | 480 | 0.5 | <2 | 0.39 | <0.5 | 10 | 22 | 32 | 3.03 |
| ZZ35834 | | 0.45 | 0.014 | 0.4 | 1.77 | 24 | <10 | 510 | 0.6 | <2 | 0.49 | <0.5 | 7 | 23 | 30 | 2.82 |
| ZZ35835 | | 0.38 | 0.021 | 0.4 | 1.53 | 15 | <10 | 480 | <0.5 | <2 | 0.51 | <0.5 | 7 | 17 | 29 | 2.18 |
| ZZ35836 | | 0.19 | 0.030 | 1.9 | 2.19 | 43 | <10 | 590 | 0.7 | 2 | 0.48 | 0.5 | 5 | 15 | 39 | 3.22 |
| ZZ35837 | | 0.31 | 0.010 | 0.5 | 1.26 | 46 | <10 | 260 | <0.5 | <2 | 0.38 | 1.0 | 8 | 18 | 23 | 2.61 |
| ZZ35838 | | 0.29 | 0.019 | 0.7 | 1.34 | 34 | <10 | 310 | 0.5 | <2 | 0.32 | 0.6 | 6 | 18 | 26 | 2.22 |
| ZZ35839 | | 0.34 | 0.018 | 0.8 | 1.70 | 70 | <10 | 350 | 0.6 | <2 | 0.38 | 1.4 | 7 | 23 | 33 | 2.68 |
| ZZ35840 | | 0.43 | <0.005 | 0.7 | 1.40 | 19 | <10 | 200 | <0.5 | 2 | 0.31 | 0.6 | 7 | 19 | 24 | 2.01 |
| ZZ35841 | | 0.40 | <0.005 | 0.3 | 1.90 | 22 | <10 | 360 | <0.5 | <2 | 0.46 | <0.5 | 8 | 23 | 47 | 2.96 |
| ZZ35842 | | 0.50 | <0.005 | 0.2 | 1.79 | 24 | <10 | 210 | <0.5 | 2 | 0.34 | <0.5 | 8 | 20 | 25 | 2.61 |
| ZZ35843 | | 0.58 | 0.007 | <0.2 | 1.64 | 17 | <10 | 210 | <0.5 | <2 | 0.31 | <0.5 | 8 | 21 | 24 | 2.23 |
| ZZ35844 | | 0.33 | 0.009 | 0.3 | 1.95 | 17 | <10 | 270 | <0.5 | <2 | 0.33 | <0.5 | 8 | 24 | 21 | 2.24 |
| ZZ35845 | | 0.37 | <0.005 | <0.2 | 1.93 | 7 | <10 | 210 | <0.5 | <2 | 0.34 | <0.5 | 9 | 21 | 15 | 2.18 |
| ZZ35846 | | 0.35 | <0.005 | <0.2 | 2.14 | 8 | <10 | 240 | <0.5 | <2 | 0.36 | <0.5 | 8 | 24 | 15 | 2.48 |
| ZZ35847 | | 0.31 | <0.005 | 0.2 | 1.85 | 10 | <10 | 260 | <0.5 | <2 | 0.34 | <0.5 | 9 | 22 | 14 | 2.21 |
| ZZ35848 | | 0.42 | <0.005 | 0.2 | 2.00 | 25 | <10 | 380 | <0.5 | <2 | 0.36 | <0.5 | 13 | 25 | 20 | 2.88 |
| ZZ35849 | | 0.33 | <0.005 | 0.2 | 1.90 | 11 | <10 | 200 | <0.5 | <2 | 0.27 | <0.5 | 7 | 22 | 12 | 2.03 |
| ZZ35850 | | 0.35 | <0.005 | 0.2 | 1.58 | 26 | <10 | 260 | <0.5 | <2 | 0.41 | <0.5 | 11 | 17 | 13 | 4.11 |
| ZZ35851 | | 0.37 | <0.005 | 0.4 | 1.59 | 43 | <10 | 180 | 0.6 | <2 | 0.41 | <0.5 | 7 | 21 | 20 | 3.76 |
| ZZ35852 | | 0.43 | 0.005 | 1.1 | 1.24 | 62 | <10 | 270 | <0.5 | 10 | 0.32 | <0.5 | 3 | 14 | 9 | 1.79 |
| ZZ35853 | | 0.40 | 0.016 | 1.2 | 1.67 | 114 | <10 | 290 | 0.8 | 4 | 0.25 | 0.5 | 6 | 22 | 43 | 2.80 |
| ZZ35854 | | 0.31 | 0.014 | 1.3 | 1.47 | 64 | <10 | 330 | 0.9 | 2 | 0.47 | <0.5 | 8 | 21 | 54 | 2.67 |
| ZZ35855 | | 0.44 | <0.005 | 0.5 | 1.13 | 69 | <10 | 120 | 0.7 | <2 | 0.30 | <0.5 | 6 | 17 | 22 | 4.34 |
| ZZ35856 | | 0.31 | <0.005 | <0.2 | 1.28 | 6 | <10 | 90 | <0.5 | <2 | 0.24 | <0.5 | 4 | 21 | 16 | 1.20 |
| ZZ35857 | | 0.39 | 0.006 | <0.2 | 1.49 | 7 | <10 | 160 | <0.5 | <2 | 0.24 | <0.5 | 5 | 25 | 22 | 1.45 |
| ZZ35858 | | 0.25 | <0.005 | <0.2 | 1.70 | 15 | <10 | 290 | 0.5 | <2 | 0.34 | <0.5 | 8 | 22 | 22 | 2.14 |
| ZZ35859 | | 0.33 | 0.005 | 0.2 | 1.45 | 23 | <10 | 210 | 0.6 | 3 | 0.29 | <0.5 | 10 | 20 | 30 | 3.63 |
| ZZ35860 | | 0.24 | 0.007 | 1.7 | 2.56 | 11 | <10 | 70 | 0.6 | 9 | 0.21 | 1.0 | 18 | 20 | 143 | 3.72 |
| ZZ35861 | | 0.35 | 0.031 | 0.4 | 1.03 | 689 | <10 | 190 | 0.6 | <2 | 0.41 | <0.5 | 7 | 17 | 33 | 3.03 |
| ZZ35862 | | 0.29 | <0.005 | 0.2 | 1.37 | 13 | <10 | 210 | <0.5 | 2 | 0.30 | <0.5 | 4 | 15 | 18 | 1.30 |
| ZZ35863 | | 0.41 | <0.005 | <0.2 | 2.14 | 17 | <10 | 230 | <0.5 | 2 | 0.36 | <0.5 | 8 | 17 | 12 | 2.46 |
| ZZ35864 | | 0.51 | <0.005 | 0.3 | 1.55 | 22 | <10 | 230 | <0.5 | 3 | 0.26 | <0.5 | 9 | 22 | 18 | 2.74 |
| ZZ35865 | | 0.49 | 0.017 | 0.2 | 1.58 | 18 | <10 | 170 | 0.5 | 2 | 0.33 | <0.5 | 8 | 23 | 15 | 2.32 |
| ZZ35866 | | 0.36 | <0.005 | 0.3 | 2.38 | 5 | <10 | 260 | 0.5 | 3 | 0.36 | <0.5 | 8 | 26 | 21 | 1.85 |
| ZZ35867 | | 0.48 | <0.005 | <0.2 | 2.22 | 9 | <10 | 260 | <0.5 | <2 | 0.41 | <0.5 | 12 | 21 | 21 | 2.96 |
| ZZ35868 | | 0.59 | <0.005 | <0.2 | 2.25 | 11 | <10 | 330 | 0.5 | 2 | 0.55 | 0.5 | 15 | 17 | 27 | 3.65 |
| ZZ35869 | | 0.32 | <0.005 | <0.2 | 2.41 | 10 | <10 | 280 | <0.5 | 2 | 0.46 | <0.5 | 11 | 21 | 24 | 3.14 |
| ZZ35870 | | 0.27 | <0.005 | 0.2 | 2.05 | 12 | <10 | 190 | <0.5 | <2 | 0.38 | <0.5 | 10 | 19 | 18 | 2.93 |
| ZZ35871 | | 0.36 | <0.005 | 0.2 | 1.78 | 9 | <10 | 250 | 0.5 | 2 | 0.34 | <0.5 | 9 | 23 | 56 | 2.40 |
| ZZ35872 | | 0.48 | 0.007 | 0.4 | 1.87 | 101 | <10 | 210 | 0.5 | <2 | 0.32 | 0.7 | 10 | 24 | 38 | 2.62 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|----------|-----------|-----------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|
| | | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc |
| | | ppm 10 | ppm 1 | % 0.01 | ppm 10 | % 0.01 | ppm 5 | ppm 1 | % 0.01 | ppm 1 | ppm 10 | ppm 2 | % 0.01 | ppm 2 | ppm 1 |
| ZZ35833 | | 10 | <1 | 0.21 | 20 | 0.63 | 557 | 1 | 0.01 | 10 | 610 | 17 | 0.02 | <2 | 7 |
| ZZ35834 | | 10 | <1 | 0.09 | 20 | 0.44 | 480 | 2 | 0.01 | 10 | 920 | 21 | 0.04 | <2 | 5 |
| ZZ35835 | | <10 | <1 | 0.11 | 20 | 0.43 | 346 | 1 | 0.01 | 6 | 920 | 36 | 0.04 | <2 | 5 |
| ZZ35836 | | 10 | <1 | 0.11 | 20 | 0.25 | 301 | 1 | 0.02 | 6 | 780 | 32 | 0.07 | 2 | 5 |
| ZZ35837 | | <10 | <1 | 0.09 | 20 | 0.45 | 683 | 7 | 0.02 | 9 | 720 | 93 | 0.02 | <2 | 5 |
| ZZ35838 | | <10 | <1 | 0.09 | 20 | 0.42 | 289 | 4 | 0.01 | 8 | 460 | 46 | 0.02 | 2 | 5 |
| ZZ35839 | | <10 | <1 | 0.11 | 20 | 0.53 | 487 | 4 | 0.02 | 13 | 560 | 73 | 0.03 | 3 | 6 |
| ZZ35840 | | <10 | <1 | 0.08 | 10 | 0.52 | 266 | 3 | 0.02 | 10 | 550 | 277 | 0.02 | 3 | 4 |
| ZZ35841 | | 10 | <1 | 0.14 | 10 | 0.70 | 670 | 10 | 0.02 | 13 | 630 | 45 | 0.02 | 2 | 7 |
| ZZ35842 | | 10 | <1 | 0.11 | 10 | 0.65 | 432 | 6 | 0.02 | 10 | 470 | 37 | 0.02 | <2 | 5 |
| ZZ35843 | | <10 | <1 | 0.10 | 10 | 0.60 | 247 | 4 | 0.03 | 11 | 500 | 55 | 0.01 | <2 | 5 |
| ZZ35844 | | 10 | <1 | 0.09 | 10 | 0.60 | 299 | 6 | 0.02 | 11 | 680 | 32 | 0.03 | <2 | 5 |
| ZZ35845 | | 10 | <1 | 0.08 | 10 | 0.72 | 447 | 4 | 0.03 | 11 | 570 | 13 | 0.03 | <2 | 5 |
| ZZ35846 | | 10 | <1 | 0.10 | 10 | 0.72 | 262 | 6 | 0.03 | 13 | 800 | 17 | 0.03 | <2 | 5 |
| ZZ35847 | | 10 | <1 | 0.09 | 10 | 0.61 | 308 | 9 | 0.03 | 11 | 580 | 19 | 0.02 | <2 | 5 |
| ZZ35848 | | 10 | <1 | 0.12 | 10 | 0.67 | 511 | 5 | 0.03 | 14 | 630 | 25 | 0.01 | 2 | 6 |
| ZZ35849 | | 10 | <1 | 0.07 | 10 | 0.53 | 197 | 1 | 0.02 | 10 | 580 | 15 | 0.03 | <2 | 4 |
| ZZ35850 | | <10 | <1 | 0.08 | 10 | 0.54 | 398 | 1 | 0.03 | 7 | 700 | 15 | 0.05 | 2 | 5 |
| ZZ35851 | | <10 | <1 | 0.09 | 10 | 0.44 | 447 | 1 | 0.02 | 9 | 630 | 21 | 0.03 | 3 | 5 |
| ZZ35852 | | <10 | <1 | 0.08 | 20 | 0.25 | 254 | 2 | 0.01 | 6 | 410 | 57 | 0.02 | 4 | 2 |
| ZZ35853 | | <10 | <1 | 0.10 | 20 | 0.35 | 741 | 4 | 0.01 | 12 | 690 | 57 | 0.03 | 8 | 2 |
| ZZ35854 | | <10 | <1 | 0.12 | 30 | 0.37 | 829 | 5 | 0.02 | 11 | 860 | 60 | 0.05 | 10 | 4 |
| ZZ35855 | | <10 | <1 | 0.11 | 20 | 0.35 | 280 | 2 | 0.01 | 6 | 630 | 97 | 0.02 | 5 | 6 |
| ZZ35856 | | <10 | <1 | 0.07 | 10 | 0.42 | 157 | <1 | 0.01 | 12 | 580 | 24 | 0.03 | <2 | 3 |
| ZZ35857 | | <10 | <1 | 0.08 | 10 | 0.47 | 219 | <1 | 0.01 | 14 | 560 | 26 | 0.03 | <2 | 3 |
| ZZ35858 | | <10 | <1 | 0.05 | 10 | 0.46 | 811 | 1 | 0.01 | 12 | 890 | 11 | 0.06 | <2 | 2 |
| ZZ35859 | | <10 | <1 | 0.11 | 20 | 0.48 | 1250 | 2 | 0.01 | 12 | 560 | 32 | 0.04 | 4 | 5 |
| ZZ35860 | | 10 | <1 | 0.10 | 10 | 0.72 | 1420 | 4 | 0.01 | 12 | 640 | 722 | 0.05 | 2 | 4 |
| ZZ35861 | | <10 | <1 | 0.09 | 20 | 0.39 | 1140 | 2 | 0.02 | 9 | 620 | 50 | 0.03 | 8 | 4 |
| ZZ35862 | | <10 | <1 | 0.08 | 10 | 0.44 | 222 | 1 | 0.01 | 7 | 500 | 22 | 0.04 | <2 | 3 |
| ZZ35863 | | 10 | <1 | 0.10 | 10 | 0.93 | 324 | 1 | 0.04 | 9 | 590 | 21 | 0.03 | <2 | 5 |
| ZZ35864 | | <10 | <1 | 0.10 | 10 | 0.59 | 404 | 1 | 0.02 | 11 | 440 | 25 | 0.01 | <2 | 5 |
| ZZ35865 | | <10 | <1 | 0.13 | 10 | 0.63 | 404 | <1 | 0.02 | 13 | 610 | 84 | 0.02 | <2 | 5 |
| ZZ35866 | | 10 | <1 | 0.09 | 10 | 0.70 | 241 | <1 | 0.03 | 12 | 680 | 26 | 0.07 | <2 | 6 |
| ZZ35867 | | 10 | <1 | 0.15 | 10 | 1.06 | 497 | 1 | 0.05 | 13 | 510 | 17 | 0.01 | <2 | 7 |
| ZZ35868 | | 10 | <1 | 0.19 | 10 | 1.06 | 855 | 2 | 0.08 | 11 | 700 | 28 | 0.01 | <2 | 8 |
| ZZ35869 | | 10 | <1 | 0.12 | 10 | 1.03 | 471 | 4 | 0.05 | 12 | 590 | 42 | 0.03 | <2 | 7 |
| ZZ35870 | | 10 | <1 | 0.08 | 10 | 0.86 | 320 | 9 | 0.04 | 10 | 660 | 73 | 0.03 | 2 | 6 |
| ZZ35871 | | <10 | <1 | 0.09 | 10 | 0.64 | 266 | 6 | 0.02 | 12 | 740 | 25 | 0.03 | 3 | 6 |
| ZZ35872 | | 10 | <1 | 0.10 | 10 | 0.68 | 723 | 5 | 0.02 | 12 | 390 | 197 | 0.02 | 2 | 6 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| ZZ35833 | | <20 | 0.11 | <10 | <10 | 73 | <10 | 80 |
| ZZ35834 | | <20 | 0.05 | <10 | <10 | 57 | <10 | 99 |
| ZZ35835 | | <20 | 0.06 | <10 | <10 | 53 | <10 | 109 |
| ZZ35836 | | <20 | 0.02 | <10 | <10 | 52 | <10 | 105 |
| ZZ35837 | | <20 | 0.07 | <10 | <10 | 58 | <10 | 115 |
| ZZ35838 | | <20 | 0.05 | <10 | <10 | 47 | <10 | 148 |
| ZZ35839 | | <20 | 0.05 | <10 | <10 | 55 | <10 | 186 |
| ZZ35840 | | <20 | 0.07 | <10 | <10 | 49 | <10 | 165 |
| ZZ35841 | | <20 | 0.09 | <10 | <10 | 69 | <10 | 156 |
| ZZ35842 | | <20 | 0.07 | <10 | <10 | 59 | <10 | 106 |
| ZZ35843 | | <20 | 0.08 | <10 | <10 | 53 | <10 | 120 |
| ZZ35844 | | <20 | 0.07 | <10 | <10 | 66 | <10 | 88 |
| ZZ35845 | | <20 | 0.10 | <10 | <10 | 52 | <10 | 80 |
| ZZ35846 | | <20 | 0.08 | <10 | <10 | 58 | <10 | 87 |
| ZZ35847 | | <20 | 0.08 | <10 | <10 | 58 | <10 | 70 |
| ZZ35848 | | <20 | 0.08 | <10 | <10 | 64 | <10 | 89 |
| ZZ35849 | | <20 | 0.04 | <10 | <10 | 54 | <10 | 65 |
| ZZ35850 | | <20 | 0.04 | <10 | <10 | 59 | <10 | 76 |
| ZZ35851 | | <20 | 0.04 | <10 | <10 | 50 | <10 | 69 |
| ZZ35852 | | <20 | 0.01 | <10 | <10 | 26 | <10 | 102 |
| ZZ35853 | | <20 | 0.02 | <10 | <10 | 44 | <10 | 178 |
| ZZ35854 | | <20 | 0.04 | <10 | <10 | 41 | <10 | 136 |
| ZZ35855 | | <20 | 0.02 | <10 | <10 | 49 | <10 | 118 |
| ZZ35856 | | <20 | 0.06 | <10 | <10 | 30 | <10 | 70 |
| ZZ35857 | | <20 | 0.06 | <10 | <10 | 43 | <10 | 85 |
| ZZ35858 | | <20 | 0.03 | <10 | <10 | 44 | <10 | 77 |
| ZZ35859 | | <20 | 0.06 | <10 | <10 | 56 | <10 | 92 |
| ZZ35860 | | <20 | 0.06 | <10 | <10 | 60 | <10 | 464 |
| ZZ35861 | | <20 | 0.04 | <10 | <10 | 41 | <10 | 91 |
| ZZ35862 | | <20 | 0.03 | <10 | <10 | 31 | <10 | 80 |
| ZZ35863 | | <20 | 0.06 | <10 | <10 | 60 | <10 | 116 |
| ZZ35864 | | <20 | 0.08 | <10 | <10 | 52 | <10 | 70 |
| ZZ35865 | | <20 | 0.07 | <10 | <10 | 54 | <10 | 127 |
| ZZ35866 | | <20 | 0.04 | <10 | <10 | 56 | <10 | 93 |
| ZZ35867 | | <20 | 0.14 | <10 | <10 | 73 | <10 | 128 |
| ZZ35868 | | <20 | 0.13 | <10 | <10 | 83 | <10 | 135 |
| ZZ35869 | | <20 | 0.12 | <10 | <10 | 80 | <10 | 143 |
| ZZ35870 | | <20 | 0.10 | <10 | <10 | 73 | <10 | 120 |
| ZZ35871 | | <20 | 0.08 | <10 | <10 | 65 | <10 | 77 |
| ZZ35872 | | <20 | 0.07 | <10 | <10 | 63 | <10 | 299 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA24 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| ZZ35873 | | 0.21 | 0.007 | 1.4 | 1.93 | 12 | <10 | 300 | <0.5 | <2 | 0.35 | 0.7 | 6 | 23 | 39 | 1.71 |
| ZZ35874 | | 0.38 | <0.005 | <0.2 | 1.90 | 11 | <10 | 290 | <0.5 | <2 | 0.35 | 0.6 | 9 | 29 | 33 | 2.53 |
| ZZ35875 | | 0.32 | 0.027 | 2.5 | 2.12 | 126 | <10 | 430 | 0.7 | <2 | 0.44 | 4.6 | 13 | 26 | 51 | 2.92 |
| ZZ35876 | | 0.60 | 0.018 | 1.0 | 0.80 | 246 | <10 | 800 | 1.1 | 2 | 1.41 | 9.9 | 13 | 4 | 11 | 3.68 |
| ZZ35877 | | 0.57 | 0.008 | 0.3 | 1.31 | 23 | <10 | 290 | <0.5 | 2 | 0.36 | 0.5 | 6 | 20 | 15 | 1.81 |
| ZZ35878 | | 0.31 | 0.007 | 0.4 | 1.45 | 43 | <10 | 270 | <0.5 | 2 | 0.29 | <0.5 | 5 | 19 | 12 | 2.44 |
| ZZ35879 | | 0.34 | 0.036 | 1.1 | 1.47 | 13 | <10 | 420 | <0.5 | <2 | 0.41 | 3.0 | 4 | 16 | 33 | 1.12 |
| ZZ35880 | | 0.50 | 0.006 | <0.2 | 1.20 | 23 | <10 | 200 | <0.5 | <2 | 0.33 | <0.5 | 7 | 17 | 17 | 2.43 |
| ZZ35881 | | 0.41 | 0.052 | 0.3 | 1.46 | 27 | <10 | 280 | <0.5 | 2 | 0.38 | <0.5 | 6 | 16 | 21 | 2.66 |
| ZZ35882 | | 0.55 | 0.152 | 0.7 | 1.28 | 106 | <10 | 390 | 0.5 | 2 | 0.40 | <0.5 | 6 | 14 | 56 | 2.46 |
| ZZ35900 | | 0.28 | 0.020 | 1.1 | 1.99 | 85 | <10 | 420 | <0.5 | 2 | 0.41 | 0.6 | 11 | 21 | 24 | 3.32 |
| ZZ35901 | | 0.27 | 0.008 | 0.2 | 1.44 | 15 | <10 | 160 | <0.5 | <2 | 0.22 | <0.5 | 6 | 19 | 14 | 2.04 |
| ZZ35902 | | 0.27 | 0.017 | 1.1 | 2.47 | 297 | <10 | 190 | 0.7 | <2 | 0.20 | 1.1 | 11 | 26 | 26 | 3.76 |
| ZZ35903 | | 0.26 | 0.198 | 2.0 | 1.12 | 106 | <10 | 480 | <0.5 | 3 | 0.52 | 1.2 | 7 | 15 | 32 | 2.63 |
| ZZ35904 | | 0.35 | 0.043 | 0.9 | 1.11 | 14 | <10 | 220 | <0.5 | <2 | 0.39 | <0.5 | 7 | 17 | 14 | 2.30 |
| ZZ35905 | | 0.18 | 0.006 | 0.3 | 1.79 | 28 | <10 | 200 | 0.5 | <2 | 0.30 | <0.5 | 8 | 25 | 21 | 2.56 |
| ZZ35906 | | 0.22 | <0.005 | 0.4 | 2.09 | 17 | <10 | 280 | 0.5 | 2 | 0.39 | <0.5 | 8 | 23 | 30 | 2.67 |
| ZZ35907 | | 0.31 | <0.005 | 0.3 | 1.65 | 41 | <10 | 340 | 0.8 | 2 | 0.54 | 1.8 | 13 | 15 | 62 | 4.34 |
| ZZ35908 | | 0.36 | 0.007 | <0.2 | 1.51 | 24 | <10 | 210 | 0.5 | 3 | 0.36 | <0.5 | 9 | 16 | 26 | 2.97 |
| ZZ35909 | | 0.28 | <0.005 | 0.2 | 2.07 | 7 | <10 | 230 | <0.5 | <2 | 0.37 | <0.5 | 10 | 21 | 20 | 2.57 |
| ZZ35910 | | 0.37 | <0.005 | <0.2 | 1.74 | 9 | <10 | 210 | <0.5 | <2 | 0.27 | <0.5 | 10 | 23 | 17 | 2.12 |
| ZZ35911 | | 0.25 | <0.005 | <0.2 | 1.59 | 7 | <10 | 160 | <0.5 | 2 | 0.35 | <0.5 | 8 | 22 | 15 | 1.97 |
| ZZ35912 | | 0.30 | <0.005 | <0.2 | 1.98 | 14 | <10 | 170 | <0.5 | 2 | 0.29 | <0.5 | 9 | 24 | 16 | 2.86 |
| ZZ35913 | | 0.30 | <0.005 | <0.2 | 1.67 | 10 | <10 | 130 | <0.5 | <2 | 0.31 | <0.5 | 8 | 20 | 14 | 1.94 |
| ZZ35914 | | 0.23 | <0.005 | 0.2 | 2.26 | 8 | <10 | 240 | <0.5 | <2 | 0.58 | <0.5 | 12 | 18 | 18 | 3.17 |
| ZZ35915 | | 0.32 | 0.013 | 0.9 | 1.47 | 65 | <10 | 310 | 0.7 | 4 | 0.61 | 0.9 | 12 | 20 | 42 | 3.70 |
| ZZ35916 | | 0.26 | 0.006 | 1.0 | 1.48 | 21 | <10 | 360 | 0.6 | 3 | 0.71 | <0.5 | 11 | 28 | 46 | 3.47 |
| ZZ35917 | | 0.23 | 0.005 | 0.8 | 1.39 | 15 | <10 | 220 | 0.7 | 2 | 0.35 | 0.5 | 12 | 24 | 24 | 2.99 |
| ZZ35918 | | 0.21 | <0.005 | 0.5 | 2.31 | 25 | <10 | 560 | 1.3 | 2 | 0.27 | <0.5 | 4 | 18 | 22 | 2.49 |
| ZZ35919 | | 0.38 | 0.012 | 0.4 | 0.69 | 37 | <10 | 190 | <0.5 | 2 | 0.27 | <0.5 | 2 | 11 | 8 | 1.18 |
| ZZ35920 | | 0.41 | 0.015 | 0.7 | 1.65 | 34 | <10 | 180 | 0.7 | 3 | 0.25 | <0.5 | 6 | 21 | 23 | 1.90 |
| ZZ35921 | | 0.24 | <0.005 | 0.2 | 1.92 | 15 | <10 | 160 | 0.5 | 2 | 0.67 | <0.5 | 10 | 18 | 23 | 3.05 |
| ZZ35922 | | 0.23 | <0.005 | 0.2 | 1.55 | 14 | <10 | 120 | 0.5 | 2 | 0.25 | <0.5 | 9 | 23 | 24 | 2.71 |
| ZZ35923 | | 0.58 | 0.006 | 0.5 | 1.47 | 115 | <10 | 210 | 0.7 | 3 | 0.68 | <0.5 | 12 | 24 | 30 | 3.10 |
| ZZ35924 | | 0.49 | <0.005 | 0.3 | 1.84 | 28 | <10 | 280 | 0.7 | 3 | 0.34 | <0.5 | 13 | 19 | 50 | 3.11 |
| ZZ35925 | | 0.33 | <0.005 | <0.2 | 1.39 | 32 | <10 | 180 | <0.5 | 3 | 0.25 | <0.5 | 5 | 19 | 22 | 1.75 |
| ZZ35951 | | 0.30 | 0.009 | 0.4 | 2.14 | 5 | <10 | 260 | <0.5 | 2 | 0.56 | <0.5 | 12 | 14 | 27 | 3.34 |
| ZZ35952 | | 0.18 | 0.006 | 0.3 | 1.80 | 18 | <10 | 310 | <0.5 | <2 | 0.37 | <0.5 | 8 | 21 | 23 | 4.13 |
| ZZ35953 | | 0.28 | <0.005 | 0.3 | 1.20 | 12 | <10 | 190 | <0.5 | <2 | 0.38 | <0.5 | 10 | 18 | 14 | 2.19 |
| ZZ35954 | | 0.25 | 0.005 | 0.2 | 1.39 | 20 | <10 | 200 | <0.5 | <2 | 0.33 | <0.5 | 7 | 17 | 13 | 2.68 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| ZZ35873 | | 10 | <1 | 0.10 | 20 | 0.57 | 287 | 1 | 0.02 | 14 | 520 | 239 | 0.03 | 2 | 7 | 31 |
| ZZ35874 | | 10 | <1 | 0.11 | 10 | 0.65 | 362 | 4 | 0.02 | 19 | 680 | 47 | 0.03 | <2 | 5 | 38 |
| ZZ35875 | | 10 | <1 | 0.13 | 20 | 0.50 | 722 | 5 | 0.01 | 15 | 780 | 471 | 0.04 | <2 | 8 | 49 |
| ZZ35876 | | <10 | <1 | 0.12 | 20 | 0.31 | 2290 | 4 | 0.01 | 4 | 610 | 34 | 0.06 | 5 | 8 | 36 |
| ZZ35877 | | <10 | <1 | 0.08 | 10 | 0.44 | 248 | 1 | 0.01 | 11 | 420 | 40 | 0.02 | <2 | 4 | 33 |
| ZZ35878 | | <10 | <1 | 0.07 | 10 | 0.42 | 201 | 3 | 0.01 | 7 | 630 | 103 | 0.03 | <2 | 4 | 27 |
| ZZ35879 | | <10 | <1 | 0.06 | 20 | 0.35 | 189 | 1 | 0.02 | 8 | 640 | 64 | 0.08 | <2 | 5 | 30 |
| ZZ35880 | | <10 | <1 | 0.11 | 10 | 0.47 | 390 | 1 | 0.01 | 9 | 550 | 37 | 0.01 | 2 | 3 | 19 |
| ZZ35881 | | <10 | <1 | 0.13 | 20 | 0.52 | 274 | 1 | 0.01 | 7 | 780 | 44 | 0.01 | <2 | 4 | 20 |
| ZZ35882 | | <10 | <1 | 0.11 | 20 | 0.38 | 423 | 1 | 0.01 | 7 | 620 | 32 | 0.03 | 3 | 5 | 25 |
| ZZ35900 | | 10 | <1 | 0.09 | 10 | 0.42 | 1120 | 1 | 0.01 | 9 | 790 | 114 | 0.04 | <2 | 4 | 29 |
| ZZ35901 | | 10 | <1 | 0.06 | 20 | 0.32 | 366 | 1 | 0.01 | 8 | 560 | 19 | 0.02 | <2 | 2 | 18 |
| ZZ35902 | | 10 | <1 | 0.12 | 20 | 0.48 | 942 | 2 | 0.01 | 12 | 640 | 216 | 0.02 | <2 | 6 | 15 |
| ZZ35903 | | <10 | <1 | 0.07 | 20 | 0.27 | 1015 | 5 | 0.01 | 8 | 860 | 164 | 0.06 | 3 | 4 | 43 |
| ZZ35904 | | <10 | <1 | 0.06 | 10 | 0.35 | 348 | 1 | 0.02 | 7 | 720 | 19 | 0.03 | <2 | 3 | 30 |
| ZZ35905 | | 10 | <1 | 0.08 | 10 | 0.58 | 244 | 3 | 0.02 | 11 | 680 | 40 | 0.04 | <2 | 6 | 43 |
| ZZ35906 | | 10 | <1 | 0.09 | 20 | 0.57 | 365 | 5 | 0.01 | 10 | 870 | 35 | 0.04 | <2 | 7 | 60 |
| ZZ35907 | | 10 | <1 | 0.24 | 20 | 0.74 | 1020 | 15 | 0.01 | 7 | 990 | 79 | 0.01 | 4 | 11 | 46 |
| ZZ35908 | | <10 | <1 | 0.11 | 20 | 0.58 | 844 | 2 | 0.02 | 9 | 590 | 48 | 0.01 | 2 | 5 | 33 |
| ZZ35909 | | 10 | <1 | 0.09 | 10 | 0.70 | 402 | 1 | 0.02 | 13 | 800 | 16 | 0.04 | <2 | 4 | 33 |
| ZZ35910 | | <10 | <1 | 0.11 | 10 | 0.64 | 320 | 1 | 0.02 | 14 | 390 | 17 | 0.02 | <2 | 4 | 22 |
| ZZ35911 | | <10 | <1 | 0.11 | 10 | 0.61 | 395 | <1 | 0.02 | 11 | 560 | 23 | 0.02 | <2 | 4 | 23 |
| ZZ35912 | | 10 | <1 | 0.09 | 10 | 0.68 | 288 | 1 | 0.02 | 13 | 680 | 35 | 0.03 | <2 | 4 | 21 |
| ZZ35913 | | <10 | <1 | 0.09 | 10 | 0.61 | 228 | 1 | 0.02 | 11 | 680 | 17 | 0.02 | <2 | 4 | 20 |
| ZZ35914 | | 10 | <1 | 0.08 | 10 | 1.06 | 327 | 1 | 0.08 | 10 | 610 | 15 | 0.04 | <2 | 7 | 40 |
| ZZ35915 | | <10 | <1 | 0.18 | 20 | 0.67 | 1345 | 2 | 0.02 | 10 | 640 | 155 | 0.05 | 4 | 8 | 30 |
| ZZ35916 | | <10 | 1 | 0.12 | 20 | 0.62 | 990 | 1 | 0.02 | 13 | 690 | 70 | 0.07 | 2 | 8 | 34 |
| ZZ35917 | | <10 | <1 | 0.11 | 10 | 0.43 | 1555 | 1 | 0.01 | 12 | 470 | 68 | 0.03 | 4 | 6 | 20 |
| ZZ35918 | | <10 | <1 | 0.12 | 40 | 0.22 | 883 | 1 | 0.01 | 9 | 860 | 38 | 0.06 | <2 | 3 | 22 |
| ZZ35919 | | <10 | <1 | 0.09 | 20 | 0.20 | 326 | 4 | 0.01 | 4 | 370 | 24 | 0.03 | 4 | 1 | 15 |
| ZZ35920 | | <10 | <1 | 0.11 | 20 | 0.44 | 347 | 1 | 0.01 | 10 | 520 | 48 | 0.03 | 5 | 3 | 17 |
| ZZ35921 | | 10 | <1 | 0.13 | 10 | 0.72 | 839 | 1 | 0.04 | 10 | 770 | 16 | 0.06 | 2 | 4 | 40 |
| ZZ35922 | | <10 | <1 | 0.10 | 20 | 0.51 | 453 | 2 | 0.01 | 13 | 380 | 19 | 0.03 | <2 | 4 | 20 |
| ZZ35923 | | <10 | <1 | 0.15 | 20 | 0.56 | 761 | 2 | 0.02 | 12 | 540 | 30 | 0.05 | 3 | 8 | 31 |
| ZZ35924 | | <10 | <1 | 0.15 | 20 | 0.66 | 692 | 3 | 0.01 | 9 | 620 | 27 | 0.05 | 6 | 6 | 19 |
| ZZ35925 | | <10 | <1 | 0.10 | 10 | 0.42 | 237 | 3 | 0.01 | 7 | 510 | 15 | 0.06 | 3 | 3 | 14 |
| ZZ35951 | | 10 | <1 | 0.18 | 10 | 0.95 | 1380 | 1 | 0.05 | 6 | 660 | 45 | 0.01 | <2 | 7 | 56 |
| ZZ35952 | | 10 | <1 | 0.08 | 10 | 0.45 | 789 | 2 | 0.02 | 9 | 870 | 24 | 0.06 | <2 | 5 | 35 |
| ZZ35953 | | <10 | <1 | 0.09 | 10 | 0.48 | 1065 | 2 | 0.03 | 8 | 600 | 83 | 0.03 | <2 | 3 | 27 |
| ZZ35954 | | <10 | <1 | 0.07 | 10 | 0.42 | 674 | 2 | 0.02 | 7 | 630 | 22 | 0.04 | <2 | 3 | 19 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| ZZ35873 | | <20 | 0.06 | <10 | <10 | 51 | <10 | 159 |
| ZZ35874 | | <20 | 0.08 | <10 | <10 | 57 | <10 | 110 |
| ZZ35875 | | <20 | 0.04 | <10 | <10 | 55 | <10 | 855 |
| ZZ35876 | | 20 | <0.01 | <10 | <10 | 29 | <10 | 993 |
| ZZ35877 | | <20 | 0.05 | <10 | <10 | 42 | <10 | 122 |
| ZZ35878 | | <20 | 0.03 | <10 | <10 | 62 | <10 | 129 |
| ZZ35879 | | <20 | 0.04 | <10 | <10 | 32 | <10 | 169 |
| ZZ35880 | | <20 | 0.10 | <10 | <10 | 54 | <10 | 83 |
| ZZ35881 | | <20 | 0.10 | <10 | <10 | 59 | <10 | 111 |
| ZZ35882 | | <20 | 0.06 | <10 | <10 | 50 | <10 | 86 |
| ZZ35900 | | <20 | 0.07 | <10 | <10 | 66 | <10 | 156 |
| ZZ35901 | | <20 | 0.05 | <10 | <10 | 48 | <10 | 78 |
| ZZ35902 | | <20 | 0.07 | <10 | <10 | 68 | <10 | 286 |
| ZZ35903 | | <20 | 0.04 | <10 | <10 | 61 | <10 | 156 |
| ZZ35904 | | <20 | 0.06 | <10 | <10 | 63 | 10 | 89 |
| ZZ35905 | | <20 | 0.05 | <10 | <10 | 59 | <10 | 109 |
| ZZ35906 | | <20 | 0.04 | <10 | <10 | 63 | <10 | 96 |
| ZZ35907 | | 20 | 0.09 | <10 | <10 | 84 | <10 | 336 |
| ZZ35908 | | <20 | 0.07 | <10 | <10 | 55 | <10 | 121 |
| ZZ35909 | | <20 | 0.07 | <10 | <10 | 59 | <10 | 84 |
| ZZ35910 | | <20 | 0.09 | <10 | <10 | 51 | <10 | 66 |
| ZZ35911 | | <20 | 0.09 | <10 | <10 | 47 | <10 | 69 |
| ZZ35912 | | <20 | 0.07 | <10 | <10 | 60 | <10 | 87 |
| ZZ35913 | | <20 | 0.07 | <10 | <10 | 48 | <10 | 64 |
| ZZ35914 | | <20 | 0.10 | <10 | <10 | 79 | <10 | 86 |
| ZZ35915 | | <20 | 0.06 | <10 | <10 | 64 | <10 | 164 |
| ZZ35916 | | <20 | 0.06 | <10 | <10 | 63 | <10 | 149 |
| ZZ35917 | | <20 | 0.03 | <10 | <10 | 55 | <10 | 201 |
| ZZ35918 | | <20 | 0.01 | <10 | <10 | 26 | <10 | 74 |
| ZZ35919 | | <20 | 0.02 | <10 | <10 | 16 | <10 | 70 |
| ZZ35920 | | <20 | 0.03 | <10 | <10 | 36 | <10 | 109 |
| ZZ35921 | | <20 | 0.06 | <10 | <10 | 66 | <10 | 63 |
| ZZ35922 | | <20 | 0.06 | <10 | <10 | 52 | <10 | 57 |
| ZZ35923 | | <20 | 0.04 | <10 | <10 | 58 | <10 | 78 |
| ZZ35924 | | <20 | 0.03 | <10 | <10 | 57 | <10 | 64 |
| ZZ35925 | | <20 | 0.03 | <10 | <10 | 39 | <10 | 40 |
| ZZ35951 | | <20 | 0.09 | <10 | <10 | 84 | <10 | 121 |
| ZZ35952 | | <20 | 0.04 | <10 | <10 | 57 | <10 | 79 |
| ZZ35953 | | <20 | 0.07 | <10 | <10 | 48 | <10 | 87 |
| ZZ35954 | | <20 | 0.05 | <10 | <10 | 44 | <10 | 68 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA24 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| ZZ35955 | | 0.34 | 0.006 | 0.2 | 1.95 | 25 | <10 | 210 | <0.5 | <2 | 0.36 | <0.5 | 6 | 21 | 16 | 2.41 |
| ZZ35956 | | 0.27 | <0.005 | 0.2 | 1.06 | 32 | <10 | 190 | <0.5 | 2 | 0.27 | <0.5 | 5 | 12 | 18 | 1.86 |
| ZZ35957 | | 0.38 | <0.005 | 0.4 | 1.50 | 23 | <10 | 230 | <0.5 | <2 | 0.35 | <0.5 | 7 | 21 | 21 | 1.94 |
| ZZ35958 | | 0.45 | 0.006 | 1.0 | 1.82 | 52 | <10 | 230 | 0.6 | 2 | 0.40 | 0.5 | 9 | 30 | 30 | 3.02 |
| ZZ35959 | | 0.35 | 0.007 | 0.3 | 1.66 | 43 | <10 | 450 | 0.5 | 3 | 0.50 | <0.5 | 10 | 29 | 29 | 3.18 |
| ZZ35960 | | 0.22 | 0.020 | 0.5 | 1.72 | 82 | <10 | 350 | 0.6 | 2 | 0.65 | <0.5 | 10 | 23 | 53 | 2.84 |
| ZZ35961 | | 0.23 | 0.006 | 0.8 | 1.36 | 52 | <10 | 270 | 0.6 | 3 | 0.70 | <0.5 | 5 | 19 | 53 | 1.93 |
| ZZ35962 | | 0.44 | 0.007 | <0.2 | 1.56 | 16 | <10 | 200 | <0.5 | 2 | 0.43 | <0.5 | 6 | 22 | 13 | 2.26 |
| ZZ35963 | | 0.46 | 0.007 | 0.2 | 1.66 | 55 | <10 | 240 | 0.6 | 3 | 0.38 | <0.5 | 8 | 23 | 43 | 4.50 |
| ZZ35964 | | 0.30 | <0.005 | <0.2 | 1.53 | 27 | <10 | 220 | <0.5 | 2 | 0.50 | <0.5 | 13 | 18 | 20 | 2.65 |
| ZZ35965 | | 0.26 | 0.005 | 0.2 | 1.46 | 61 | <10 | 220 | 0.6 | 2 | 0.26 | <0.5 | 9 | 21 | 38 | 2.62 |
| ZZ35966 | | 0.27 | 0.015 | 0.6 | 1.04 | 87 | <10 | 320 | 1.0 | 4 | 0.36 | 0.5 | 9 | 23 | 82 | 3.48 |
| ZZ35967 | | 0.27 | <0.005 | <0.2 | 1.19 | 29 | <10 | 120 | <0.5 | <2 | 0.11 | <0.5 | 6 | 23 | 28 | 2.64 |
| ZZ35968 | | 0.39 | 0.005 | 0.5 | 0.68 | 63 | <10 | 200 | <0.5 | 6 | 0.15 | <0.5 | 5 | 14 | 85 | 2.40 |
| ZZ35969 | | 0.30 | 0.009 | 0.5 | 1.44 | 47 | <10 | 190 | <0.5 | 2 | 0.12 | <0.5 | 8 | 26 | 39 | 2.55 |
| ZZ35970 | | 0.50 | 0.024 | 0.7 | 0.86 | 453 | <10 | 190 | <0.5 | <2 | 0.17 | <0.5 | 5 | 16 | 32 | 2.36 |
| ZZ35971 | | 0.24 | 0.005 | 0.3 | 1.70 | 30 | <10 | 100 | 0.5 | <2 | 0.11 | <0.5 | 6 | 24 | 28 | 2.34 |
| ZZ35972 | | 0.23 | <0.005 | <0.2 | 1.55 | 13 | <10 | 70 | <0.5 | <2 | 0.12 | <0.5 | 7 | 21 | 18 | 2.29 |
| ZZ35973 | | 0.38 | <0.005 | 0.2 | 2.23 | 35 | <10 | 290 | 0.7 | <2 | 0.76 | <0.5 | 12 | 34 | 24 | 2.89 |
| ZZ50801 | | 0.36 | 0.073 | 3.4 | 1.36 | 47 | <10 | 380 | 0.6 | 4 | 0.37 | 2.6 | 8 | 22 | 235 | 3.29 |
| ZZ50802 | | 0.34 | 0.022 | 0.4 | 0.78 | 17 | <10 | 260 | 0.6 | <2 | 0.32 | 0.6 | 5 | 13 | 35 | 2.42 |
| ZZ50803 | | 0.29 | 0.053 | 0.3 | 1.13 | 16 | <10 | 280 | 0.5 | 2 | 0.32 | 0.6 | 7 | 16 | 26 | 2.39 |
| ZZ50804 | | 0.16 | 0.084 | 1.3 | 1.62 | 60 | <10 | 610 | 0.9 | 4 | 0.41 | 1.3 | 8 | 23 | 99 | 3.57 |
| ZZ50805 | | 0.26 | 0.065 | 1.0 | 1.71 | 95 | <10 | 260 | 0.7 | 3 | 0.13 | 0.7 | 11 | 18 | 37 | 2.89 |
| ZZ50806 | | 0.27 | 0.058 | 1.5 | 1.94 | 44 | <10 | 380 | 0.8 | 2 | 0.25 | 2.4 | 4 | 19 | 59 | 2.23 |
| ZZ50807 | | 0.22 | 0.024 | 0.4 | 1.59 | 23 | <10 | 600 | 0.5 | 2 | 0.29 | 0.7 | 8 | 23 | 37 | 2.51 |
| ZZ50808 | | 0.31 | 0.045 | 0.5 | 0.92 | 42 | <10 | 250 | <0.5 | <2 | 0.28 | 2.6 | 9 | 16 | 29 | 2.17 |
| ZZ50809 | | 0.25 | 0.015 | 0.3 | 1.22 | 13 | <10 | 210 | <0.5 | <2 | 0.27 | <0.5 | 4 | 18 | 14 | 1.83 |
| ZZ50810 | | 0.49 | 0.028 | 0.7 | 0.87 | 58 | <10 | 370 | 0.8 | 3 | 0.35 | 2.5 | 9 | 11 | 52 | 4.38 |
| ZZ50811 | | 0.38 | 0.064 | 0.6 | 1.38 | 19 | <10 | 340 | <0.5 | <2 | 0.37 | 0.8 | 8 | 20 | 38 | 2.59 |
| ZZ50812 | | 0.33 | 0.129 | 1.2 | 1.29 | 133 | <10 | 270 | <0.5 | 3 | 0.37 | 1.6 | 7 | 21 | 40 | 2.35 |
| ZZ50813 | | 0.27 | 0.042 | 0.4 | 1.43 | 37 | <10 | 380 | 0.5 | 2 | 0.38 | 0.9 | 8 | 19 | 57 | 3.24 |
| ZZ50814 | | 0.28 | 0.058 | 0.5 | 1.42 | 23 | <10 | 260 | <0.5 | 2 | 0.29 | <0.5 | 7 | 20 | 24 | 2.49 |
| ZZ50815 | | 0.27 | 0.021 | 1.3 | 1.97 | 25 | <10 | 320 | 0.5 | 2 | 0.23 | <0.5 | 8 | 25 | 24 | 3.36 |
| ZZ50816 | | 0.16 | 0.012 | <0.2 | 1.70 | 7 | <10 | 180 | <0.5 | <2 | 0.27 | <0.5 | 6 | 21 | 13 | 1.69 |
| ZZ50817 | | 0.47 | 0.027 | <0.2 | 1.58 | 8 | <10 | 190 | <0.5 | <2 | 0.31 | <0.5 | 7 | 22 | 17 | 2.09 |
| ZZ50818 | | 0.37 | 0.010 | 0.2 | 1.86 | 14 | <10 | 240 | <0.5 | <2 | 0.33 | <0.5 | 11 | 24 | 18 | 2.75 |
| ZZ50819 | | 0.27 | 0.048 | <0.2 | 1.37 | 10 | <10 | 120 | <0.5 | 3 | 0.30 | <0.5 | 7 | 19 | 13 | 2.22 |
| ZZ50820 | | 0.23 | 0.015 | <0.2 | 1.66 | 13 | <10 | 150 | <0.5 | <2 | 0.32 | <0.5 | 9 | 19 | 18 | 2.60 |
| ZZ50821 | | 0.28 | 0.012 | <0.2 | 2.09 | 19 | <10 | 160 | 0.5 | 2 | 0.27 | <0.5 | 9 | 23 | 24 | 3.71 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| ZZ35955 | | 10 | <1 | 0.07 | 10 | 0.65 | 287 | 2 | 0.02 | 10 | 630 | 19 | 0.03 | <2 | 4 | 21 |
| ZZ35956 | | <10 | <1 | 0.04 | 10 | 0.20 | 397 | 2 | 0.03 | 6 | 680 | 11 | 0.08 | <2 | 2 | 17 |
| ZZ35957 | | <10 | <1 | 0.08 | 10 | 0.51 | 745 | 2 | 0.02 | 11 | 730 | 32 | 0.05 | 3 | 3 | 20 |
| ZZ35958 | | 10 | <1 | 0.11 | 10 | 0.61 | 830 | 4 | 0.02 | 16 | 720 | 61 | 0.04 | 3 | 4 | 26 |
| ZZ35959 | | <10 | <1 | 0.15 | 10 | 0.68 | 1000 | 6 | 0.03 | 14 | 400 | 24 | 0.04 | 4 | 5 | 33 |
| ZZ35960 | | <10 | <1 | 0.11 | 10 | 0.42 | 807 | 3 | 0.02 | 13 | 640 | 28 | 0.05 | 4 | 3 | 29 |
| ZZ35961 | | <10 | <1 | 0.08 | 20 | 0.28 | 521 | 2 | 0.01 | 10 | 1090 | 53 | 0.10 | 3 | 2 | 36 |
| ZZ35962 | | <10 | <1 | 0.09 | 10 | 0.62 | 457 | 2 | 0.02 | 9 | 640 | 12 | 0.04 | <2 | 3 | 24 |
| ZZ35963 | | <10 | <1 | 0.11 | 20 | 0.56 | 510 | 8 | 0.02 | 10 | 720 | 19 | 0.07 | 5 | 6 | 22 |
| ZZ35964 | | 10 | <1 | 0.14 | 10 | 0.65 | 1145 | 3 | 0.02 | 9 | 600 | 19 | 0.05 | 3 | 4 | 26 |
| ZZ35965 | | <10 | <1 | 0.11 | 10 | 0.56 | 534 | 4 | 0.02 | 12 | 380 | 20 | 0.03 | 7 | 5 | 18 |
| ZZ35966 | | <10 | <1 | 0.10 | 20 | 0.24 | 1475 | 25 | 0.01 | 13 | 740 | 32 | 0.08 | 17 | 5 | 22 |
| ZZ35967 | | 10 | <1 | 0.07 | 10 | 0.31 | 523 | 7 | 0.01 | 13 | 380 | 17 | 0.04 | 4 | 2 | 12 |
| ZZ35968 | | <10 | <1 | 0.14 | 20 | 0.20 | 443 | 8 | 0.01 | 8 | 530 | 55 | 0.21 | 30 | 2 | 16 |
| ZZ35969 | | <10 | <1 | 0.08 | 20 | 0.37 | 736 | 4 | 0.01 | 17 | 620 | 31 | 0.07 | 17 | 2 | 13 |
| ZZ35970 | | <10 | <1 | 0.08 | 20 | 0.22 | 398 | 1 | 0.01 | 8 | 580 | 27 | 0.06 | 20 | 2 | 15 |
| ZZ35971 | | <10 | <1 | 0.07 | 10 | 0.34 | 221 | 1 | 0.01 | 13 | 430 | 12 | 0.03 | <2 | 2 | 12 |
| ZZ35972 | | <10 | <1 | 0.09 | 10 | 0.44 | 319 | <1 | 0.01 | 12 | 320 | 13 | 0.02 | <2 | 3 | 10 |
| ZZ35973 | | 10 | <1 | 0.19 | 20 | 0.90 | 491 | <1 | 0.01 | 14 | 580 | 23 | 0.03 | 3 | 5 | 31 |
| ZZ50801 | | <10 | <1 | 0.12 | 20 | 0.40 | 736 | 6 | 0.02 | 10 | 600 | 130 | 0.02 | 5 | 7 | 26 |
| ZZ50802 | | <10 | <1 | 0.11 | 20 | 0.24 | 337 | <1 | 0.01 | 6 | 710 | 42 | <0.01 | <2 | 6 | 19 |
| ZZ50803 | | <10 | <1 | 0.11 | 20 | 0.36 | 452 | 1 | 0.01 | 7 | 690 | 33 | 0.01 | <2 | 6 | 23 |
| ZZ50804 | | <10 | <1 | 0.15 | 20 | 0.32 | 1035 | <1 | 0.01 | 10 | 690 | 139 | 0.04 | <2 | 6 | 24 |
| ZZ50805 | | <10 | <1 | 0.11 | 10 | 0.24 | 600 | 1 | 0.01 | 11 | 400 | 109 | 0.03 | <2 | 3 | 14 |
| ZZ50806 | | 10 | <1 | 0.11 | 10 | 0.22 | 224 | <1 | 0.01 | 9 | 530 | 137 | 0.04 | <2 | 3 | 21 |
| ZZ50807 | | <10 | <1 | 0.10 | 20 | 0.40 | 523 | 1 | 0.01 | 11 | 590 | 43 | 0.02 | <2 | 4 | 22 |
| ZZ50808 | | <10 | <1 | 0.09 | 20 | 0.32 | 675 | 1 | 0.01 | 8 | 630 | 114 | 0.01 | <2 | 4 | 16 |
| ZZ50809 | | <10 | <1 | 0.07 | 10 | 0.34 | 198 | <1 | 0.01 | 9 | 540 | 31 | 0.02 | <2 | 3 | 16 |
| ZZ50810 | | <10 | <1 | 0.12 | 30 | 0.26 | 1320 | 1 | 0.01 | 4 | 870 | 120 | <0.01 | 3 | 7 | 22 |
| ZZ50811 | | <10 | <1 | 0.10 | 20 | 0.40 | 520 | 1 | 0.02 | 9 | 720 | 41 | 0.01 | <2 | 5 | 25 |
| ZZ50812 | | <10 | <1 | 0.08 | 20 | 0.45 | 187 | <1 | 0.01 | 9 | 800 | 135 | 0.01 | 2 | 4 | 25 |
| ZZ50813 | | <10 | <1 | 0.11 | 20 | 0.44 | 382 | <1 | 0.01 | 9 | 900 | 57 | 0.02 | 2 | 6 | 24 |
| ZZ50814 | | <10 | <1 | 0.06 | 20 | 0.41 | 287 | 1 | 0.01 | 8 | 750 | 35 | 0.01 | <2 | 4 | 17 |
| ZZ50815 | | <10 | <1 | 0.07 | 10 | 0.43 | 263 | 2 | 0.01 | 9 | 560 | 36 | 0.02 | <2 | 5 | 18 |
| ZZ50816 | | <10 | <1 | 0.06 | 10 | 0.49 | 208 | <1 | 0.02 | 8 | 670 | 16 | 0.02 | <2 | 4 | 18 |
| ZZ50817 | | <10 | <1 | 0.08 | 10 | 0.52 | 203 | <1 | 0.02 | 11 | 650 | 12 | 0.01 | <2 | 5 | 19 |
| ZZ50818 | | <10 | <1 | 0.08 | 10 | 0.56 | 296 | <1 | 0.02 | 10 | 750 | 14 | 0.01 | <2 | 6 | 22 |
| ZZ50819 | | <10 | <1 | 0.07 | 10 | 0.50 | 176 | <1 | 0.02 | 7 | 640 | 14 | 0.01 | <2 | 4 | 18 |
| ZZ50820 | | <10 | <1 | 0.07 | 10 | 0.56 | 231 | <1 | 0.02 | 9 | 730 | 19 | 0.02 | <2 | 5 | 18 |
| ZZ50821 | | 10 | <1 | 0.06 | 10 | 0.66 | 185 | <1 | 0.02 | 9 | 570 | 18 | 0.04 | <2 | 7 | 20 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| ZZ35955 | | <20 | 0.06 | <10 | <10 | 57 | <10 | 63 |
| ZZ35956 | | <20 | 0.03 | <10 | <10 | 41 | <10 | 32 |
| ZZ35957 | | <20 | 0.06 | <10 | <10 | 45 | <10 | 84 |
| ZZ35958 | | <20 | 0.08 | <10 | <10 | 64 | <10 | 185 |
| ZZ35959 | | <20 | 0.08 | <10 | <10 | 61 | <10 | 98 |
| ZZ35960 | | <20 | 0.04 | <10 | <10 | 49 | <10 | 107 |
| ZZ35961 | | <20 | 0.03 | <10 | <10 | 35 | <10 | 98 |
| ZZ35962 | | <20 | 0.05 | <10 | <10 | 48 | <10 | 65 |
| ZZ35963 | | <20 | 0.05 | <10 | <10 | 59 | <10 | 67 |
| ZZ35964 | | <20 | 0.06 | <10 | <10 | 60 | <10 | 61 |
| ZZ35965 | | <20 | 0.05 | <10 | <10 | 48 | <10 | 73 |
| ZZ35966 | | <20 | 0.02 | <10 | 10 | 58 | <10 | 107 |
| ZZ35967 | | <20 | 0.08 | <10 | <10 | 59 | <10 | 65 |
| ZZ35968 | | <20 | 0.03 | <10 | <10 | 30 | <10 | 60 |
| ZZ35969 | | <20 | 0.05 | <10 | <10 | 48 | <10 | 72 |
| ZZ35970 | | <20 | 0.03 | <10 | <10 | 38 | <10 | 74 |
| ZZ35971 | | <20 | 0.06 | <10 | <10 | 51 | <10 | 42 |
| ZZ35972 | | <20 | 0.07 | <10 | <10 | 53 | <10 | 51 |
| ZZ35973 | | <20 | 0.03 | <10 | <10 | 60 | <10 | 54 |
| ZZ50801 | | <20 | 0.05 | <10 | <10 | 46 | <10 | 245 |
| ZZ50802 | | <20 | 0.03 | <10 | <10 | 36 | <10 | 105 |
| ZZ50803 | | <20 | 0.05 | <10 | <10 | 39 | <10 | 85 |
| ZZ50804 | | <20 | 0.02 | <10 | <10 | 43 | <10 | 235 |
| ZZ50805 | | <20 | 0.01 | <10 | <10 | 36 | <10 | 200 |
| ZZ50806 | | <20 | 0.01 | <10 | <10 | 42 | <10 | 218 |
| ZZ50807 | | <20 | 0.03 | <10 | <10 | 50 | <10 | 126 |
| ZZ50808 | | <20 | 0.04 | <10 | <10 | 35 | <10 | 206 |
| ZZ50809 | | <20 | 0.04 | <10 | <10 | 39 | <10 | 59 |
| ZZ50810 | | 20 | 0.02 | <10 | <10 | 43 | <10 | 335 |
| ZZ50811 | | <20 | 0.07 | <10 | <10 | 47 | <10 | 106 |
| ZZ50812 | | <20 | 0.08 | <10 | <10 | 47 | <10 | 202 |
| ZZ50813 | | <20 | 0.07 | <10 | <10 | 57 | <10 | 121 |
| ZZ50814 | | <20 | 0.05 | <10 | <10 | 47 | <10 | 77 |
| ZZ50815 | | <20 | 0.03 | <10 | <10 | 61 | <10 | 70 |
| ZZ50816 | | <20 | 0.05 | <10 | <10 | 51 | <10 | 49 |
| ZZ50817 | | <20 | 0.08 | <10 | <10 | 52 | <10 | 52 |
| ZZ50818 | | <20 | 0.07 | <10 | <10 | 64 | <10 | 52 |
| ZZ50819 | | <20 | 0.07 | <10 | <10 | 55 | <10 | 47 |
| ZZ50820 | | <20 | 0.07 | <10 | <10 | 61 | <10 | 56 |
| ZZ50821 | | <20 | 0.07 | <10 | <10 | 77 | <10 | 51 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA24 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| ZZ50822 | | 0.36 | 0.031 | 0.4 | 1.95 | 24 | <10 | 190 | 0.5 | 2 | 0.43 | <0.5 | 12 | 18 | 22 | 3.98 |
| ZZ50823 | | 0.27 | 0.110 | 1.2 | 1.09 | 78 | <10 | 220 | 0.6 | 5 | 0.51 | 0.5 | 13 | 12 | 36 | 5.16 |
| ZZ50824 | | 0.24 | 0.022 | 0.6 | 1.74 | 26 | <10 | 200 | 0.7 | 2 | 0.83 | <0.5 | 18 | 14 | 22 | 4.87 |
| ZZ50825 | | 0.27 | 0.496 | 0.4 | 0.84 | 54 | <10 | 100 | 0.8 | 3 | 0.33 | <0.5 | 18 | 9 | 16 | 5.53 |
| ZZ50826 | | 0.22 | 0.082 | 0.7 | 1.78 | 688 | <10 | 60 | 0.9 | 5 | 0.04 | <0.5 | 19 | 19 | 35 | 7.30 |
| ZZ50827 | | 0.18 | 0.014 | 0.7 | 1.50 | 119 | <10 | 40 | 0.5 | 3 | 0.06 | <0.5 | 13 | 17 | 26 | 4.16 |
| ZZ50828 | | 0.25 | 0.009 | 0.2 | 1.66 | 49 | <10 | 100 | 0.6 | 3 | 0.21 | <0.5 | 15 | 19 | 30 | 3.99 |
| ZZ50829 | | 0.28 | 0.014 | 0.2 | 1.17 | 42 | <10 | 140 | 0.7 | 3 | 0.33 | <0.5 | 17 | 15 | 34 | 4.55 |
| ZZ50830 | | 0.27 | 0.026 | 0.2 | 1.12 | 34 | <10 | 120 | 0.5 | 2 | 0.35 | <0.5 | 14 | 13 | 27 | 4.30 |
| ZZ50831 | | 0.32 | 0.010 | 0.3 | 1.09 | 250 | <10 | 190 | 0.6 | 3 | 0.35 | <0.5 | 14 | 13 | 23 | 3.87 |
| ZZ50832 | | 0.36 | <0.005 | 0.3 | 1.59 | 50 | <10 | 150 | <0.5 | <2 | 0.38 | <0.5 | 7 | 23 | 17 | 2.58 |
| ZZ50833 | | 0.16 | <0.005 | <0.2 | 1.88 | 32 | <10 | 90 | <0.5 | <2 | 0.18 | <0.5 | 8 | 22 | 17 | 2.92 |
| ZZ50834 | | 0.13 | <0.005 | 0.3 | 1.36 | 21 | <10 | 120 | <0.5 | <2 | 0.28 | <0.5 | 5 | 11 | 16 | 1.61 |
| ZZ50835 | | 0.22 | <0.005 | 0.4 | 2.06 | 31 | <10 | 270 | 0.5 | <2 | 0.57 | <0.5 | 8 | 21 | 26 | 2.72 |
| ZZ50836 | | 0.24 | <0.005 | 0.4 | 2.00 | 28 | <10 | 260 | <0.5 | <2 | 0.44 | <0.5 | 7 | 21 | 25 | 3.34 |
| ZZ50837 | | 0.22 | <0.005 | <0.2 | 1.61 | 12 | <10 | 180 | <0.5 | <2 | 0.37 | <0.5 | 6 | 18 | 17 | 1.98 |
| ZZ50838 | | 0.17 | <0.005 | 0.6 | 2.45 | 17 | <10 | 370 | <0.5 | <2 | 0.66 | <0.5 | 7 | 25 | 29 | 2.75 |
| ZZ50839 | | 0.20 | <0.005 | 0.3 | 2.19 | 10 | <10 | 320 | <0.5 | <2 | 0.44 | <0.5 | 5 | 25 | 27 | 1.96 |
| ZZ50840 | | 0.17 | <0.005 | 0.3 | 1.68 | 18 | <10 | 190 | <0.5 | <2 | 0.41 | <0.5 | 5 | 18 | 20 | 2.45 |
| ZZ50841 | | 0.17 | <0.005 | <0.2 | 1.32 | 5 | <10 | 150 | <0.5 | 2 | 0.41 | <0.5 | 8 | 18 | 12 | 2.54 |
| ZZ50842 | | 0.21 | <0.005 | <0.2 | 1.08 | 7 | <10 | 130 | <0.5 | <2 | 0.38 | <0.5 | 6 | 15 | 11 | 1.80 |
| ZZ50843 | | 0.31 | 0.007 | <0.2 | 1.90 | 7 | <10 | 260 | <0.5 | 2 | 0.38 | <0.5 | 8 | 24 | 18 | 2.08 |
| ZZ50844 | | 0.18 | 0.011 | 0.3 | 1.43 | 9 | <10 | 180 | <0.5 | <2 | 0.45 | <0.5 | 5 | 18 | 17 | 1.58 |
| ZZ50845 | | 0.17 | <0.005 | <0.2 | 1.17 | 8 | <10 | 140 | <0.5 | <2 | 0.37 | <0.5 | 5 | 16 | 10 | 1.54 |
| ZZ50846 | | 0.27 | 0.082 | 1.4 | 1.48 | 289 | <10 | 340 | 0.5 | 2 | 0.30 | 2.1 | 5 | 19 | 27 | 3.52 |
| ZZ50847 | | 0.32 | 0.023 | 0.4 | 1.20 | 35 | <10 | 240 | <0.5 | <2 | 0.27 | <0.5 | 3 | 16 | 18 | 1.75 |
| ZZ50848 | | 0.24 | 0.010 | <0.2 | 1.01 | 2 | <10 | 200 | <0.5 | <2 | 0.29 | <0.5 | 4 | 17 | 10 | 1.12 |
| ZZ50849 | | 0.40 | 0.009 | 0.3 | 1.43 | 14 | <10 | 260 | <0.5 | <2 | 0.26 | <0.5 | 7 | 20 | 13 | 1.64 |
| ZZ50850 | | 0.36 | 0.025 | <0.2 | 1.21 | 7 | <10 | 140 | <0.5 | <2 | 0.29 | <0.5 | 6 | 18 | 14 | 1.66 |
| ZZ50851 | | 0.26 | 0.011 | 0.2 | 1.43 | 14 | <10 | 270 | <0.5 | <2 | 0.30 | <0.5 | 6 | 23 | 19 | 2.33 |
| ZZ50852 | | 0.37 | 0.015 | 0.5 | 1.80 | 21 | <10 | 220 | <0.5 | <2 | 0.21 | <0.5 | 9 | 23 | 15 | 2.64 |
| ZZ50853 | | 0.20 | 0.306 | 6.7 | 2.34 | 46 | <10 | 590 | 0.7 | 4 | 0.36 | 2.2 | 5 | 20 | 82 | 3.17 |
| ZZ50854 | | 0.30 | NSS | 0.2 | 1.12 | 10 | <10 | 190 | <0.5 | <2 | 0.23 | <0.5 | 7 | 15 | 15 | 2.17 |
| ZZ50855 | | 0.25 | 0.009 | 0.2 | 1.90 | 18 | <10 | 210 | <0.5 | <2 | 0.24 | <0.5 | 7 | 27 | 17 | 2.29 |
| ZZ50856 | | 0.17 | 0.019 | 0.6 | 1.58 | 10 | <10 | 250 | <0.5 | <2 | 0.19 | <0.5 | 3 | 18 | 14 | 1.28 |
| ZZ50857 | | 0.31 | 0.021 | 0.4 | 1.33 | 32 | <10 | 190 | 0.5 | <2 | 0.29 | <0.5 | 9 | 23 | 16 | 2.56 |
| ZZ50858 | | 0.28 | 0.032 | 0.3 | 1.43 | 17 | <10 | 130 | <0.5 | <2 | 0.22 | <0.5 | 5 | 22 | 13 | 1.81 |
| ZZ50859 | | 0.31 | 0.019 | 0.2 | 1.25 | 33 | <10 | 90 | <0.5 | <2 | 0.25 | <0.5 | 9 | 23 | 18 | 2.96 |
| ZZ50860 | | 0.25 | 0.053 | 0.2 | 1.36 | 43 | <10 | 120 | 0.5 | <2 | 0.30 | <0.5 | 9 | 26 | 20 | 3.25 |
| ZZ50861 | | 0.20 | 0.035 | 1.8 | 1.66 | 37 | <10 | 260 | 0.9 | 2 | 0.25 | 1.1 | 16 | 25 | 43 | 3.65 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| ZZ50822 | | <10 | <1 | 0.15 | 10 | 0.93 | 569 | 1 | 0.03 | 6 | 580 | 30 | 0.05 | 2 | 8 | 32 |
| ZZ50823 | | <10 | <1 | 0.13 | 20 | 0.47 | 815 | 2 | 0.02 | 5 | 700 | 82 | 0.16 | 2 | 9 | 53 |
| ZZ50824 | | <10 | <1 | 0.11 | 20 | 0.64 | 806 | 2 | 0.02 | 7 | 850 | 45 | 0.09 | <2 | 8 | 178 |
| ZZ50825 | | <10 | <1 | 0.08 | 20 | 0.13 | 1325 | 5 | 0.01 | 6 | 690 | 91 | 0.15 | 2 | 7 | 23 |
| ZZ50826 | | <10 | <1 | 0.09 | 20 | 0.29 | 1835 | 1 | 0.01 | 11 | 680 | 155 | 0.10 | 4 | 11 | 8 |
| ZZ50827 | | <10 | <1 | 0.06 | 10 | 0.27 | 724 | 2 | 0.01 | 8 | 790 | 31 | 0.12 | <2 | 2 | 9 |
| ZZ50828 | | <10 | <1 | 0.08 | 10 | 0.48 | 563 | 1 | 0.02 | 12 | 520 | 20 | 0.05 | <2 | 6 | 16 |
| ZZ50829 | | <10 | <1 | 0.09 | 20 | 0.42 | 862 | 2 | 0.03 | 10 | 410 | 31 | 0.10 | <2 | 8 | 28 |
| ZZ50830 | | <10 | <1 | 0.09 | 10 | 0.40 | 602 | 6 | 0.03 | 7 | 470 | 21 | 0.11 | 3 | 6 | 27 |
| ZZ50831 | | <10 | <1 | 0.10 | 10 | 0.39 | 1060 | 2 | 0.02 | 7 | 650 | 36 | 0.05 | 5 | 6 | 22 |
| ZZ50832 | | <10 | <1 | 0.07 | 10 | 0.48 | 344 | <1 | 0.02 | 11 | 370 | 12 | 0.01 | <2 | 4 | 22 |
| ZZ50833 | | 10 | <1 | 0.09 | 10 | 0.51 | 277 | 1 | 0.01 | 15 | 420 | 17 | 0.02 | <2 | 4 | 17 |
| ZZ50834 | | <10 | <1 | 0.05 | 10 | 0.26 | 279 | <1 | 0.03 | 6 | 670 | 8 | 0.04 | <2 | 2 | 23 |
| ZZ50835 | | <10 | <1 | 0.08 | 10 | 0.55 | 338 | <1 | 0.03 | 10 | 870 | 13 | 0.07 | <2 | 4 | 41 |
| ZZ50836 | | <10 | <1 | 0.07 | 10 | 0.53 | 221 | <1 | 0.02 | 10 | 750 | 13 | 0.06 | <2 | 4 | 38 |
| ZZ50837 | | <10 | <1 | 0.07 | 10 | 0.50 | 224 | <1 | 0.03 | 10 | 370 | 9 | 0.02 | <2 | 4 | 31 |
| ZZ50838 | | 10 | <1 | 0.09 | 10 | 0.58 | 306 | <1 | 0.03 | 13 | 930 | 12 | 0.07 | <2 | 4 | 59 |
| ZZ50839 | | 10 | <1 | 0.10 | 10 | 0.57 | 192 | <1 | 0.02 | 12 | 470 | 17 | 0.03 | <2 | 4 | 38 |
| ZZ50840 | | <10 | <1 | 0.07 | 10 | 0.38 | 332 | <1 | 0.03 | 8 | 670 | 9 | 0.05 | <2 | 3 | 39 |
| ZZ50841 | | <10 | <1 | 0.05 | 10 | 0.48 | 331 | <1 | 0.02 | 6 | 560 | 7 | 0.01 | <2 | 4 | 40 |
| ZZ50842 | | <10 | <1 | 0.08 | 10 | 0.38 | 235 | <1 | 0.02 | 5 | 360 | 5 | 0.02 | <2 | 3 | 40 |
| ZZ50843 | | <10 | <1 | 0.09 | 10 | 0.59 | 204 | <1 | 0.02 | 11 | 700 | 8 | 0.02 | <2 | 5 | 30 |
| ZZ50844 | | <10 | <1 | 0.06 | 10 | 0.37 | 137 | <1 | 0.02 | 8 | 750 | 19 | 0.06 | <2 | 3 | 41 |
| ZZ50845 | | <10 | <1 | 0.05 | 10 | 0.32 | 212 | <1 | 0.01 | 7 | 690 | 13 | 0.02 | <2 | 3 | 26 |
| ZZ50846 | | <10 | <1 | 0.08 | 10 | 0.33 | 184 | <1 | 0.01 | 6 | 630 | 145 | 0.02 | 2 | 4 | 20 |
| ZZ50847 | | <10 | <1 | 0.06 | 10 | 0.30 | 120 | <1 | 0.01 | 6 | 670 | 91 | 0.01 | <2 | 4 | 15 |
| ZZ50848 | | <10 | <1 | 0.04 | 10 | 0.33 | 186 | <1 | 0.01 | 7 | 550 | 24 | <0.01 | <2 | 3 | 16 |
| ZZ50849 | | <10 | <1 | 0.06 | 10 | 0.34 | 306 | <1 | 0.01 | 8 | 670 | 47 | 0.01 | <2 | 3 | 16 |
| ZZ50850 | | <10 | <1 | 0.07 | 10 | 0.37 | 175 | <1 | 0.01 | 8 | 660 | 22 | <0.01 | <2 | 3 | 16 |
| ZZ50851 | | <10 | <1 | 0.07 | 20 | 0.44 | 229 | <1 | 0.01 | 10 | 610 | 20 | <0.01 | <2 | 5 | 20 |
| ZZ50852 | | <10 | <1 | 0.04 | 10 | 0.42 | 255 | 6 | 0.01 | 7 | 830 | 35 | 0.02 | <2 | 3 | 15 |
| ZZ50853 | | 10 | <1 | 0.12 | 30 | 0.51 | 261 | 48 | 0.01 | 6 | 620 | 158 | 0.14 | 4 | 9 | 28 |
| ZZ50854 | | <10 | <1 | 0.08 | 10 | 0.36 | 427 | 14 | 0.01 | 6 | 400 | 12 | 0.01 | <2 | 3 | 19 |
| ZZ50855 | | 10 | <1 | 0.08 | 10 | 0.48 | 195 | <1 | 0.01 | 11 | 670 | 25 | 0.04 | <2 | 4 | 17 |
| ZZ50856 | | <10 | <1 | 0.07 | 10 | 0.25 | 117 | <1 | 0.01 | 7 | 370 | 33 | 0.05 | <2 | 3 | 14 |
| ZZ50857 | | <10 | <1 | 0.10 | 20 | 0.47 | 681 | 1 | 0.01 | 11 | 630 | 34 | 0.02 | <2 | 4 | 19 |
| ZZ50858 | | <10 | <1 | 0.08 | 20 | 0.45 | 148 | <1 | 0.01 | 10 | 340 | 19 | 0.02 | <2 | 5 | 14 |
| ZZ50859 | | <10 | <1 | 0.08 | 10 | 0.50 | 338 | 1 | 0.01 | 7 | 560 | 20 | 0.01 | 2 | 4 | 15 |
| ZZ50860 | | <10 | <1 | 0.09 | 10 | 0.48 | 643 | 1 | 0.01 | 11 | 620 | 32 | 0.01 | <2 | 5 | 19 |
| ZZ50861 | | <10 | <1 | 0.08 | 20 | 0.36 | 4830 | 3 | 0.01 | 13 | 960 | 132 | 0.08 | 2 | 7 | 20 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-SEP-2012
 Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| ZZ50822 | | <20 | 0.09 | <10 | <10 | 91 | <10 | 88 |
| ZZ50823 | | <20 | 0.04 | <10 | <10 | 67 | <10 | 156 |
| ZZ50824 | | <20 | 0.04 | <10 | <10 | 74 | <10 | 79 |
| ZZ50825 | | <20 | 0.01 | <10 | <10 | 56 | <10 | 170 |
| ZZ50826 | | <20 | 0.01 | <10 | <10 | 74 | <10 | 210 |
| ZZ50827 | | <20 | 0.03 | <10 | <10 | 70 | <10 | 67 |
| ZZ50828 | | <20 | 0.05 | <10 | <10 | 59 | <10 | 45 |
| ZZ50829 | | <20 | 0.03 | <10 | <10 | 56 | <10 | 64 |
| ZZ50830 | | <20 | 0.04 | <10 | <10 | 60 | <10 | 55 |
| ZZ50831 | | <20 | 0.04 | <10 | <10 | 55 | <10 | 107 |
| ZZ50832 | | <20 | 0.06 | <10 | <10 | 60 | <10 | 51 |
| ZZ50833 | | <20 | 0.09 | <10 | <10 | 70 | <10 | 60 |
| ZZ50834 | | <20 | 0.05 | <10 | <10 | 40 | <10 | 34 |
| ZZ50835 | | <20 | 0.05 | <10 | <10 | 63 | <10 | 56 |
| ZZ50836 | | <20 | 0.05 | <10 | <10 | 61 | <10 | 57 |
| ZZ50837 | | <20 | 0.06 | <10 | <10 | 48 | <10 | 44 |
| ZZ50838 | | <20 | 0.06 | <10 | <10 | 66 | <10 | 67 |
| ZZ50839 | | <20 | 0.06 | <10 | <10 | 57 | <10 | 63 |
| ZZ50840 | | <20 | 0.05 | <10 | <10 | 50 | <10 | 52 |
| ZZ50841 | | <20 | 0.08 | <10 | <10 | 87 | <10 | 45 |
| ZZ50842 | | <20 | 0.08 | <10 | <10 | 58 | <10 | 43 |
| ZZ50843 | | <20 | 0.08 | <10 | <10 | 56 | <10 | 49 |
| ZZ50844 | | <20 | 0.04 | <10 | <10 | 42 | <10 | 70 |
| ZZ50845 | | <20 | 0.04 | <10 | <10 | 33 | <10 | 57 |
| ZZ50846 | | <20 | 0.03 | <10 | <10 | 54 | <10 | 244 |
| ZZ50847 | | <20 | 0.03 | <10 | <10 | 39 | <10 | 109 |
| ZZ50848 | | <20 | 0.06 | <10 | <10 | 33 | <10 | 56 |
| ZZ50849 | | <20 | 0.03 | <10 | <10 | 42 | <10 | 81 |
| ZZ50850 | | <20 | 0.07 | <10 | <10 | 37 | <10 | 59 |
| ZZ50851 | | <20 | 0.08 | <10 | <10 | 49 | <10 | 58 |
| ZZ50852 | | <20 | 0.05 | <10 | <10 | 62 | <10 | 93 |
| ZZ50853 | | <20 | 0.01 | <10 | <10 | 66 | <10 | 124 |
| ZZ50854 | | <20 | 0.05 | <10 | <10 | 51 | 10 | 57 |
| ZZ50855 | | <20 | 0.04 | <10 | <10 | 53 | <10 | 70 |
| ZZ50856 | | <20 | 0.02 | <10 | <10 | 22 | <10 | 67 |
| ZZ50857 | | <20 | 0.05 | <10 | <10 | 47 | <10 | 164 |
| ZZ50858 | | <20 | 0.04 | <10 | <10 | 42 | <10 | 52 |
| ZZ50859 | | <20 | 0.04 | <10 | <10 | 51 | <10 | 60 |
| ZZ50860 | | <20 | 0.05 | <10 | <10 | 54 | <10 | 89 |
| ZZ50861 | | <20 | 0.03 | <10 | <10 | 54 | <10 | 120 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA24 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| ZZ50862 | | 0.21 | 0.012 | 1.0 | 1.82 | 34 | <10 | 190 | 0.6 | 2 | 0.23 | 0.8 | 11 | 23 | 32 | 3.70 |
| ZZ50863 | | 0.47 | 0.007 | 0.3 | 2.03 | 38 | <10 | 280 | 0.7 | 3 | 0.27 | <0.5 | 15 | 36 | 48 | 4.13 |
| ZZ50864 | | 0.28 | <0.005 | 0.2 | 2.61 | 35 | <10 | 310 | 1.0 | 5 | 0.26 | <0.5 | 18 | 35 | 29 | 5.56 |
| ZZ50865 | | 0.27 | 0.014 | 0.4 | 1.67 | 48 | <10 | 600 | 0.7 | 5 | 0.19 | <0.5 | 14 | 18 | 30 | 4.67 |
| ZZ50866 | | 0.25 | <0.005 | 0.2 | 1.62 | 22 | <10 | 150 | 0.5 | <2 | 0.15 | <0.5 | 8 | 22 | 17 | 2.60 |
| ZZ50867 | | 0.24 | 0.019 | 0.5 | 0.93 | 51 | <10 | 100 | 0.5 | 2 | 0.35 | <0.5 | 7 | 15 | 11 | 2.48 |
| ZZ50868 | | 0.21 | 0.022 | 0.7 | 1.88 | 42 | <10 | 260 | 0.8 | <2 | 0.40 | <0.5 | 9 | 24 | 24 | 2.95 |
| ZZ50869 | | 0.27 | 0.020 | 0.5 | 1.39 | 34 | <10 | 200 | 0.5 | 6 | 0.35 | <0.5 | 6 | 21 | 20 | 2.36 |
| ZZ50870 | | 0.30 | 0.016 | 0.6 | 2.24 | 25 | <10 | 260 | 0.5 | 4 | 0.45 | <0.5 | 9 | 19 | 20 | 2.78 |
| ZZ50871 | | 0.28 | <0.005 | <0.2 | 1.82 | 20 | <10 | 260 | <0.5 | 4 | 0.49 | <0.5 | 11 | 17 | 17 | 3.06 |
| ZZ50872 | | 0.24 | <0.005 | 0.2 | 1.73 | 13 | <10 | 280 | <0.5 | 4 | 0.46 | <0.5 | 7 | 21 | 18 | 2.33 |
| ZZ50873 | | 0.13 | <0.005 | 0.2 | 1.59 | 10 | <10 | 290 | <0.5 | 4 | 0.39 | <0.5 | 6 | 14 | 17 | 1.93 |
| ZZ50874 | | 0.24 | 0.011 | 0.2 | 1.58 | 14 | <10 | 170 | <0.5 | 3 | 0.22 | <0.5 | 6 | 20 | 18 | 2.15 |
| ZZ50875 | | 0.15 | <0.005 | 0.5 | 1.28 | 8 | <10 | 140 | <0.5 | 3 | 0.22 | <0.5 | 7 | 18 | 19 | 1.78 |
| ZZ50876 | | 0.30 | <0.005 | 0.2 | 1.40 | 18 | <10 | 180 | <0.5 | 4 | 0.25 | <0.5 | 7 | 19 | 23 | 2.03 |
| ZZ50877 | | 0.28 | <0.005 | <0.2 | 1.11 | 16 | <10 | 130 | <0.5 | 4 | 0.27 | <0.5 | 4 | 18 | 16 | 1.66 |
| ZZ50878 | | 0.26 | <0.005 | 0.2 | 1.30 | 10 | <10 | 170 | <0.5 | 4 | 0.17 | <0.5 | 3 | 16 | 13 | 1.38 |
| ZZ50879 | | 0.21 | <0.005 | <0.2 | 1.51 | 8 | <10 | 160 | <0.5 | 3 | 0.29 | <0.5 | 7 | 21 | 15 | 1.77 |
| ZZ50880 | | 0.30 | <0.005 | <0.2 | 1.25 | 16 | <10 | 240 | <0.5 | 4 | 0.28 | <0.5 | 4 | 18 | 11 | 1.54 |
| ZZ50881 | | 0.24 | <0.005 | 0.2 | 1.48 | 9 | <10 | 120 | <0.5 | 4 | 0.18 | <0.5 | 6 | 22 | 14 | 2.09 |
| ZZ50882 | | 0.18 | <0.005 | 0.4 | 1.84 | 18 | <10 | 220 | <0.5 | 4 | 0.23 | <0.5 | 5 | 21 | 16 | 2.36 |
| ZZ50883 | | 0.24 | <0.005 | 0.4 | 1.17 | 11 | <10 | 190 | <0.5 | 4 | 0.14 | <0.5 | 6 | 15 | 18 | 1.88 |
| ZZ50884 | | 0.22 | <0.005 | 0.2 | 1.22 | 12 | <10 | 240 | <0.5 | 3 | 0.23 | <0.5 | 6 | 18 | 20 | 1.89 |
| ZZ50885 | | 0.29 | 0.008 | 0.6 | 1.85 | 16 | <10 | 220 | <0.5 | 4 | 0.22 | <0.5 | 5 | 25 | 28 | 2.10 |
| ZZ50886 | | 0.32 | 0.010 | 0.5 | 1.78 | 35 | <10 | 370 | 0.5 | 4 | 0.28 | <0.5 | 7 | 21 | 31 | 2.17 |
| ZZ50887 | | 0.22 | 0.005 | 0.3 | 1.67 | 21 | <10 | 270 | <0.5 | 4 | 0.27 | <0.5 | 7 | 19 | 15 | 2.01 |
| ZZ50888 | | 0.22 | <0.005 | 0.4 | 2.28 | 50 | <10 | 430 | 0.6 | 5 | 0.30 | 0.6 | 10 | 19 | 34 | 2.84 |
| ZZ50889 | | 0.25 | 0.005 | 0.4 | 2.21 | 34 | <10 | 290 | 0.6 | 11 | 0.55 | <0.5 | 10 | 18 | 39 | 3.27 |
| ZZ50890 | | 0.22 | <0.005 | 0.5 | 2.48 | 26 | <10 | 210 | 0.5 | 5 | 0.39 | <0.5 | 9 | 21 | 26 | 3.14 |
| ZZ50891 | | 0.21 | 0.006 | 0.8 | 2.17 | 33 | <10 | 150 | 0.7 | 13 | 0.13 | <0.5 | 15 | 13 | 55 | 4.55 |
| ZZ50892 | | 0.18 | 0.016 | 0.9 | 2.43 | 36 | <10 | 160 | 0.8 | 13 | 0.14 | <0.5 | 17 | 15 | 61 | 5.11 |
| ZZ50893 | | 0.35 | 0.264 | 8.4 | 0.91 | 241 | <10 | 270 | 0.9 | 6 | 0.28 | 2.3 | 11 | 11 | 56 | 4.08 |
| ZZ50894 | | 0.23 | 0.013 | 0.2 | 1.92 | 33 | <10 | 110 | 0.6 | 6 | 0.13 | <0.5 | 9 | 23 | 15 | 2.99 |
| ZZ50895 | | 0.35 | 0.007 | <0.2 | 1.05 | 10 | <10 | 170 | 0.5 | 5 | 0.33 | <0.5 | 4 | 17 | 10 | 1.96 |
| ZZ50896 | | 0.34 | 0.006 | 0.2 | 1.07 | 10 | <10 | 180 | <0.5 | 4 | 0.31 | <0.5 | 5 | 17 | 10 | 1.95 |
| ZZ50897 | | 0.20 | <0.005 | 0.2 | 1.12 | 13 | <10 | 130 | <0.5 | 5 | 0.30 | <0.5 | 6 | 18 | 21 | 2.42 |
| ZZ50898 | | 0.28 | 0.006 | 0.2 | 1.36 | 18 | <10 | 130 | <0.5 | 5 | 0.30 | <0.5 | 5 | 21 | 17 | 2.23 |
| ZZ50899 | | 0.26 | <0.005 | <0.2 | 1.45 | 7 | <10 | 130 | <0.5 | 5 | 0.26 | <0.5 | 5 | 18 | 9 | 1.76 |
| ZZ50900 | | 0.27 | 0.015 | 0.5 | 1.40 | 10 | <10 | 140 | <0.5 | 5 | 0.25 | <0.5 | 5 | 20 | 12 | 1.57 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| ZZ50862 | | <10 | <1 | 0.10 | 20 | 0.47 | 685 | 1 | 0.01 | 10 | 580 | 62 | 0.03 | 2 | 7 | 18 |
| ZZ50863 | | <10 | <1 | 0.11 | 30 | 0.79 | 767 | <1 | 0.01 | 14 | 330 | 36 | 0.01 | 5 | 8 | 22 |
| ZZ50864 | | 10 | <1 | 0.23 | 20 | 0.99 | 957 | <1 | 0.01 | 12 | 390 | 54 | 0.03 | 3 | 10 | 17 |
| ZZ50865 | | <10 | <1 | 0.10 | 20 | 0.45 | 762 | 3 | 0.01 | 9 | 460 | 89 | 0.04 | <2 | 8 | 24 |
| ZZ50866 | | <10 | <1 | 0.08 | 10 | 0.38 | 349 | 1 | 0.01 | 12 | 530 | 25 | 0.03 | <2 | 3 | 13 |
| ZZ50867 | | <10 | <1 | 0.09 | 20 | 0.28 | 466 | 4 | 0.01 | 6 | 730 | 30 | 0.03 | <2 | 3 | 29 |
| ZZ50868 | | <10 | <1 | 0.11 | 20 | 0.40 | 579 | 4 | 0.01 | 12 | 1140 | 28 | 0.06 | <2 | 3 | 31 |
| ZZ50869 | | <10 | <1 | 0.08 | 10 | 0.37 | 418 | 3 | 0.01 | 9 | 580 | 26 | 0.03 | 2 | 3 | 25 |
| ZZ50870 | | 10 | <1 | 0.11 | 10 | 0.57 | 495 | 3 | 0.03 | 8 | 530 | 24 | 0.03 | <2 | 4 | 35 |
| ZZ50871 | | 10 | <1 | 0.11 | 10 | 0.74 | 572 | 2 | 0.05 | 8 | 500 | 25 | <0.01 | <2 | 5 | 45 |
| ZZ50872 | | 10 | <1 | 0.11 | 10 | 0.56 | 337 | 1 | 0.03 | 10 | 530 | 11 | 0.01 | <2 | 4 | 33 |
| ZZ50873 | | 10 | <1 | 0.05 | 10 | 0.40 | 404 | 1 | 0.03 | 6 | 820 | 13 | 0.06 | <2 | 2 | 36 |
| ZZ50874 | | <10 | <1 | 0.11 | 10 | 0.41 | 381 | 1 | 0.01 | 10 | 470 | 17 | 0.01 | <2 | 3 | 18 |
| ZZ50875 | | 10 | <1 | 0.09 | 10 | 0.38 | 364 | 1 | 0.02 | 6 | 480 | 12 | 0.01 | <2 | 2 | 18 |
| ZZ50876 | | <10 | <1 | 0.09 | 10 | 0.49 | 653 | 1 | 0.02 | 8 | 440 | 22 | 0.01 | 2 | 3 | 19 |
| ZZ50877 | | <10 | <1 | 0.08 | 10 | 0.40 | 262 | 1 | 0.02 | 7 | 550 | 23 | <0.01 | 3 | 3 | 18 |
| ZZ50878 | | 10 | <1 | 0.07 | 10 | 0.27 | 130 | 1 | 0.01 | 6 | 380 | 17 | <0.01 | 2 | 2 | 14 |
| ZZ50879 | | <10 | <1 | 0.08 | 10 | 0.41 | 244 | 1 | 0.02 | 10 | 470 | 17 | <0.01 | <2 | 3 | 20 |
| ZZ50880 | | <10 | <1 | 0.07 | 10 | 0.34 | 298 | <1 | 0.01 | 7 | 610 | 14 | 0.01 | <2 | 3 | 18 |
| ZZ50881 | | 10 | <1 | 0.06 | 10 | 0.37 | 293 | 1 | 0.02 | 7 | 360 | 13 | 0.01 | <2 | 3 | 17 |
| ZZ50882 | | 10 | <1 | 0.07 | 10 | 0.37 | 374 | 1 | 0.01 | 10 | 400 | 19 | 0.01 | <2 | 3 | 20 |
| ZZ50883 | | 10 | <1 | 0.06 | 10 | 0.22 | 349 | 1 | 0.02 | 5 | 480 | 13 | 0.02 | <2 | 1 | 14 |
| ZZ50884 | | 10 | <1 | 0.07 | 10 | 0.35 | 365 | 1 | 0.02 | 7 | 330 | 13 | 0.01 | 2 | 3 | 17 |
| ZZ50885 | | 10 | <1 | 0.10 | 10 | 0.48 | 217 | 1 | 0.02 | 10 | 310 | 26 | 0.01 | <2 | 4 | 18 |
| ZZ50886 | | 10 | <1 | 0.06 | 20 | 0.38 | 424 | 1 | 0.01 | 8 | 460 | 35 | 0.01 | 2 | 3 | 25 |
| ZZ50887 | | <10 | <1 | 0.09 | 10 | 0.52 | 393 | 1 | 0.02 | 9 | 420 | 25 | 0.01 | <2 | 4 | 24 |
| ZZ50888 | | 10 | <1 | 0.09 | 10 | 0.65 | 753 | 1 | 0.03 | 10 | 610 | 50 | 0.03 | 3 | 5 | 28 |
| ZZ50889 | | 10 | <1 | 0.10 | 10 | 0.68 | 561 | 2 | 0.05 | 8 | 480 | 29 | 0.03 | <2 | 6 | 41 |
| ZZ50890 | | 10 | <1 | 0.11 | 10 | 0.65 | 411 | 1 | 0.04 | 10 | 460 | 16 | 0.03 | <2 | 4 | 33 |
| ZZ50891 | | 10 | <1 | 0.09 | 10 | 0.49 | 702 | 10 | 0.02 | 7 | 1010 | 49 | 0.07 | 2 | 4 | 14 |
| ZZ50892 | | 10 | <1 | 0.10 | 20 | 0.55 | 787 | 11 | 0.02 | 7 | 1130 | 54 | 0.08 | 2 | 4 | 15 |
| ZZ50893 | | <10 | <1 | 0.12 | 30 | 0.14 | 763 | 13 | 0.01 | 5 | 730 | 148 | 0.07 | 30 | 6 | 23 |
| ZZ50894 | | <10 | <1 | 0.09 | 20 | 0.41 | 593 | 3 | 0.01 | 14 | 490 | 28 | 0.05 | 2 | 3 | 14 |
| ZZ50895 | | <10 | <1 | 0.08 | 20 | 0.34 | 188 | 4 | 0.02 | 7 | 630 | 18 | 0.01 | <2 | 3 | 18 |
| ZZ50896 | | <10 | <1 | 0.08 | 20 | 0.33 | 243 | 4 | 0.01 | 7 | 630 | 18 | 0.01 | <2 | 3 | 18 |
| ZZ50897 | | <10 | <1 | 0.06 | 10 | 0.28 | 276 | 7 | 0.02 | 8 | 1060 | 24 | 0.07 | <2 | 2 | 24 |
| ZZ50898 | | <10 | <1 | 0.08 | 10 | 0.38 | 157 | 1 | 0.01 | 9 | 750 | 16 | 0.02 | <2 | 4 | 17 |
| ZZ50899 | | <10 | <1 | 0.07 | 10 | 0.45 | 143 | 2 | 0.02 | 6 | 480 | 25 | 0.01 | <2 | 4 | 16 |
| ZZ50900 | | <10 | <1 | 0.07 | 10 | 0.37 | 177 | 1 | 0.01 | 6 | 470 | 40 | 0.03 | <2 | 4 | 16 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 14-SEP-2012
Account: ROCKHA

Project: KLAZA

CERTIFICATE OF ANALYSIS WH12194255

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| ZZ50862 | | <20 | 0.04 | <10 | <10 | 57 | <10 | 212 |
| ZZ50863 | | <20 | 0.06 | <10 | <10 | 74 | <10 | 103 |
| ZZ50864 | | <20 | 0.05 | <10 | <10 | 78 | <10 | 125 |
| ZZ50865 | | <20 | 0.03 | <10 | <10 | 59 | <10 | 76 |
| ZZ50866 | | <20 | 0.05 | <10 | <10 | 45 | <10 | 51 |
| ZZ50867 | | <20 | 0.04 | <10 | <10 | 31 | <10 | 69 |
| ZZ50868 | | <20 | 0.03 | <10 | <10 | 46 | <10 | 76 |
| ZZ50869 | | <20 | 0.04 | <10 | <10 | 40 | <10 | 52 |
| ZZ50870 | | <20 | 0.06 | <10 | <10 | 57 | <10 | 65 |
| ZZ50871 | | <20 | 0.10 | <10 | <10 | 64 | <10 | 67 |
| ZZ50872 | | <20 | 0.08 | <10 | <10 | 54 | <10 | 48 |
| ZZ50873 | | <20 | 0.05 | <10 | <10 | 44 | <10 | 66 |
| ZZ50874 | | <20 | 0.07 | <10 | <10 | 45 | <10 | 54 |
| ZZ50875 | | <20 | 0.07 | <10 | <10 | 48 | <10 | 49 |
| ZZ50876 | | <20 | 0.07 | <10 | <10 | 48 | <10 | 77 |
| ZZ50877 | | <20 | 0.06 | <10 | <10 | 37 | <10 | 82 |
| ZZ50878 | | <20 | 0.03 | <10 | <10 | 33 | <10 | 50 |
| ZZ50879 | | <20 | 0.06 | <10 | <10 | 40 | <10 | 51 |
| ZZ50880 | | <20 | 0.04 | <10 | <10 | 33 | <10 | 54 |
| ZZ50881 | | <20 | 0.08 | <10 | <10 | 56 | <10 | 46 |
| ZZ50882 | | <20 | 0.04 | <10 | <10 | 51 | <10 | 68 |
| ZZ50883 | | <20 | 0.05 | <10 | <10 | 47 | <10 | 54 |
| ZZ50884 | | <20 | 0.07 | <10 | <10 | 43 | <10 | 56 |
| ZZ50885 | | <20 | 0.08 | <10 | <10 | 51 | <10 | 61 |
| ZZ50886 | | <20 | 0.03 | <10 | <10 | 46 | <10 | 57 |
| ZZ50887 | | <20 | 0.06 | <10 | <10 | 43 | <10 | 79 |
| ZZ50888 | | <20 | 0.06 | <10 | <10 | 57 | <10 | 159 |
| ZZ50889 | | <20 | 0.06 | <10 | <10 | 65 | <10 | 79 |
| ZZ50890 | | <20 | 0.09 | <10 | <10 | 77 | <10 | 57 |
| ZZ50891 | | <20 | 0.02 | <10 | <10 | 61 | <10 | 61 |
| ZZ50892 | | <20 | 0.03 | <10 | <10 | 67 | <10 | 68 |
| ZZ50893 | | <20 | 0.01 | <10 | <10 | 28 | <10 | 517 |
| ZZ50894 | | <20 | 0.05 | <10 | <10 | 45 | <10 | 70 |
| ZZ50895 | | <20 | 0.06 | <10 | <10 | 34 | <10 | 42 |
| ZZ50896 | | <20 | 0.06 | <10 | <10 | 34 | <10 | 43 |
| ZZ50897 | | <20 | 0.04 | <10 | <10 | 49 | <10 | 58 |
| ZZ50898 | | <20 | 0.06 | <10 | <10 | 44 | <10 | 44 |
| ZZ50899 | | <20 | 0.06 | <10 | <10 | 44 | <10 | 51 |
| ZZ50900 | | <20 | 0.03 | <10 | <10 | 38 | <10 | 52 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: KLAZA

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12194255

| Method | CERTIFICATE COMMENTS |
|-------------|-------------------------------|
| ALL METHODS | NSS is non-sufficient sample. |