



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11-SEP-2012
Account: ROCKHA

CERTIFICATE WH12199382

Project: Klaza - 108

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 108

CERTIFICATE OF ANALYSIS WH12199382

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N814860		4.37	<0.005	0.18	7.21	5.5	2000	1.59	0.47	2.68	0.29	42.8	8.3	9	11.70	26.3
N814861		3.82	<0.005	0.13	6.67	10.9	1380	1.52	0.22	2.85	0.27	37.6	8.0	7	23.3	19.9
N814862		2.70	<0.005	0.12	6.74	4.8	1920	1.55	0.22	2.67	0.22	40.9	8.0	8	14.65	13.1
N814863		3.90	<0.005	0.16	6.47	6.1	1630	1.50	0.22	2.82	0.20	39.1	6.8	8	15.60	19.7
N814864		2.30	<0.005	0.29	5.86	13.4	2290	1.46	0.30	2.80	0.26	41.3	4.1	5	21.3	41.3
N814865		4.06	<0.005	0.16	6.56	5.2	1650	1.65	0.23	2.27	0.17	41.1	4.5	6	14.40	15.7
N814866		0.26	0.748	9.59	6.27	1720	170	1.47	6.74	1.88	40.7	42.1	16.9	19	16.75	109.5
N814867		5.20	<0.005	0.23	6.21	12.7	2040	1.63	0.45	1.94	0.26	42.0	4.8	7	17.80	13.2
N814868		1.87	<0.005	0.15	7.24	4.3	1890	1.70	0.32	3.11	0.15	49.6	8.7	9	12.05	10.8
N814869		0.80	<0.005	0.18	7.19	5.5	1810	1.75	0.50	2.89	0.17	43.3	9.3	11	14.05	11.0
N814870		3.36	<0.005	0.14	7.25	3.1	2010	1.57	0.25	2.84	0.18	46.6	8.5	10	10.00	9.0
N814871		5.59	<0.005	0.20	6.78	4.6	1710	1.57	0.35	3.03	0.12	40.6	8.0	10	16.15	15.6
N814872		4.94	<0.005	0.16	6.93	3.4	1970	1.53	0.26	2.96	0.14	43.8	8.3	9	10.85	20.1
N814873		2.09	<0.005	0.27	6.68	24.0	1530	1.50	0.37	3.35	0.19	39.0	8.3	9	19.25	31.1
N814874		2.07	<0.005	0.01	0.15	<5	30	0.10	0.02	21.5	0.07	1.52	1.7	<1	0.48	2.5
N814875		1.49	<0.005	0.15	6.52	4.8	1370	1.44	0.29	3.05	0.15	39.2	7.7	8	13.30	22.5
N814876		5.52	<0.005	0.19	6.27	7.8	1760	1.37	0.42	3.61	0.24	37.8	6.8	7	14.15	15.5
N814877		1.69	<0.005	0.16	7.25	2.2	1990	1.45	0.39	3.02	0.13	46.7	8.1	9	9.74	8.6
N814878		4.98	<0.005	0.14	7.32	2.2	2060	1.56	0.39	2.93	0.13	47.2	8.8	10	10.00	13.7
N814879		0.26	0.777	9.11	6.46	1750	180	1.58	6.89	1.91	40.5	42.7	17.2	19	16.65	110.5
N814880		4.83	<0.005	0.18	7.30	3.8	1960	1.65	0.37	3.05	0.20	47.4	8.6	8	11.55	11.9
N814881		5.16	<0.005	0.25	7.29	2.5	2040	1.58	0.45	2.77	0.20	44.8	7.9	10	13.05	33.4
N814882		4.06	<0.005	0.25	6.90	5.1	2000	1.48	0.64	2.93	0.21	36.9	7.1	9	15.55	25.1
N814883		1.96	0.005	0.22	6.81	17.3	1240	1.33	0.51	3.21	0.26	45.4	7.4	8	15.75	8.4
N814884		3.74	0.005	0.17	6.82	17.2	1320	1.38	0.59	2.74	0.14	39.0	7.1	8	18.10	6.5
N814885		2.04	0.028	0.20	6.87	6.8	1950	1.54	0.63	2.98	0.16	41.7	8.1	9	13.75	10.3
N814886		<0.02	<0.005	0.18	7.02	6.3	1970	1.47	0.52	3.01	0.15	42.4	7.9	9	13.80	10.7
N814887		3.00	<0.005	0.16	7.06	2.7	2030	1.48	0.50	2.90	0.15	37.7	8.3	11	10.50	8.3
N814888		2.26	<0.005	0.27	6.36	23.5	1540	1.43	0.68	3.11	0.27	38.4	7.6	7	16.25	12.0
N814889		3.02	<0.005	0.01	0.07	<5	20	0.06	0.02	21.2	0.06	1.37	1.6	<1	0.29	1.9
N814890		4.27	<0.005	0.14	6.66	2.4	1930	1.46	0.33	2.85	0.18	36.4	7.8	10	11.05	11.0
N814891		2.10	<0.005	0.40	6.17	6.8	1600	1.32	0.64	4.16	0.36	35.7	7.8	7	18.10	16.3
N814892		3.25	<0.005	0.81	7.05	13.9	1720	1.40	0.84	2.75	2.16	40.9	7.8	12	13.40	17.1
N814893		2.04	0.011	1.64	6.71	26.2	1700	1.44	2.44	2.83	1.16	37.2	8.5	9	15.85	38.8
N814894		4.18	<0.005	0.61	6.64	19.8	1730	1.59	0.68	2.95	0.64	36.2	7.5	10	14.25	71.9
N814895		5.79	<0.005	0.38	6.73	13.6	1730	1.62	1.47	2.91	0.14	38.4	7.6	10	14.90	49.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 108

CERTIFICATE OF ANALYSIS WH12199382

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N814860		2.99	17.05	0.15	1.2	0.112	2.72	22.7	13.7	0.70	556	2.89	2.17	9.0	4.0	610
N814861		2.82	16.70	0.18	1.3	0.082	2.54	19.3	32.1	0.59	600	6.98	0.96	8.7	2.9	580
N814862		2.82	16.05	0.17	1.2	0.056	2.59	21.5	10.7	0.70	598	2.82	2.10	8.4	2.9	550
N814863		2.56	14.85	0.17	1.3	0.045	2.76	20.9	13.8	0.58	591	5.41	1.71	8.1	2.4	500
N814864		1.83	12.40	0.15	1.5	0.033	2.31	24.6	18.4	0.67	511	6.23	0.73	7.1	1.7	260
N814865		1.83	14.60	0.17	1.5	0.029	2.96	23.5	17.5	0.43	399	2.44	1.64	8.1	1.8	360
N814866		5.07	15.10	0.20	1.3	0.975	2.87	22.3	26.2	0.68	1960	13.25	0.26	8.2	16.5	490
N814867		2.12	13.95	0.15	1.5	0.086	2.51	23.2	34.6	0.53	1100	2.98	0.47	8.2	2.0	390
N814868		3.14	16.75	0.22	1.5	0.045	2.52	26.6	7.9	0.80	626	1.63	2.17	8.7	3.0	620
N814869		3.12	17.15	0.18	1.4	0.050	2.64	22.5	8.8	0.74	612	1.70	2.14	9.4	3.2	640
N814870		3.04	16.50	0.20	1.4	0.041	2.61	24.6	11.2	0.86	614	2.12	2.27	8.6	2.9	610
N814871		2.85	15.80	0.19	1.3	0.047	2.54	21.5	9.3	0.80	649	2.12	2.11	8.4	2.8	590
N814872		2.90	16.10	0.18	1.2	0.046	2.49	22.6	9.8	0.84	572	1.75	2.37	8.3	2.8	610
N814873		2.88	16.15	0.20	1.2	0.049	2.71	20.0	13.9	0.79	599	1.93	1.21	8.5	2.9	620
N814874		0.49	0.64	0.15	<0.1	<0.005	0.07	0.7	2.8	12.90	221	0.23	0.01	0.5	1.9	170
N814875		2.70	16.35	0.17	1.2	0.049	2.35	20.5	9.9	0.81	575	0.68	2.00	8.3	2.7	590
N814876		2.62	15.40	0.19	1.2	0.044	2.22	19.8	18.9	1.04	689	1.81	1.21	7.8	2.4	560
N814877		3.24	16.60	0.17	1.2	0.046	2.58	24.6	13.3	1.00	600	1.79	2.48	8.6	2.9	650
N814878		3.22	16.15	0.19	1.2	0.050	2.52	24.8	17.9	1.06	573	1.04	2.44	8.8	2.8	650
N814879		5.23	15.25	0.21	1.3	0.952	2.93	22.7	27.0	0.70	2000	12.35	0.27	7.8	16.8	500
N814880		3.10	16.65	0.18	1.4	0.047	2.58	24.8	20.8	0.91	545	1.40	2.27	8.9	2.9	640
N814881		3.13	15.70	0.17	1.4	0.047	2.67	23.3	16.7	0.91	520	3.27	2.47	8.6	3.0	630
N814882		2.98	15.80	0.16	1.2	0.047	2.57	19.0	17.2	0.63	506	1.59	2.17	8.4	2.7	630
N814883		3.37	15.65	0.18	1.1	0.129	2.76	24.3	38.6	1.00	1460	0.85	0.51	7.9	2.6	600
N814884		3.12	15.70	0.17	1.1	0.059	2.68	20.1	52.3	0.82	1020	6.49	0.68	7.9	3.0	650
N814885		3.10	16.60	0.18	1.1	0.049	2.62	21.5	12.4	0.85	590	23.9	2.29	8.5	3.0	630
N814886		3.14	16.60	0.17	1.2	0.049	2.66	22.0	12.5	0.85	594	24.7	2.32	8.4	3.2	630
N814887		3.33	16.45	0.19	1.1	0.046	2.39	19.2	15.6	0.86	508	5.40	2.43	8.7	3.2	690
N814888		3.02	15.05	0.19	1.1	0.045	2.77	18.3	21.8	0.88	1560	1.38	1.39	8.0	2.7	590
N814889		0.47	0.44	0.13	<0.1	0.005	0.03	0.6	1.1	12.75	215	0.17	0.01	0.4	0.9	190
N814890		3.16	15.85	0.17	1.2	0.040	2.60	18.5	12.6	0.82	534	1.56	2.41	7.8	2.6	620
N814891		3.22	15.05	0.17	1.2	0.045	2.35	17.7	39.7	1.06	739	2.27	0.97	7.9	2.6	600
N814892		3.54	15.95	0.18	1.2	0.071	2.32	20.1	19.1	0.89	830	1.65	2.19	8.5	2.9	660
N814893		3.39	15.10	0.16	1.3	0.065	2.43	19.5	37.3	0.89	1260	2.45	0.84	8.3	2.9	600
N814894		3.35	15.00	0.17	1.3	0.065	2.68	18.2	19.1	0.83	1220	0.65	1.72	8.1	2.8	630
N814895		3.29	15.65	0.20	1.3	0.048	2.66	18.7	15.2	0.81	695	2.98	1.86	8.2	2.8	630



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 108

CERTIFICATE OF ANALYSIS WH12199382

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N814860		23.6	107.0	<0.002	0.02	1.74	10.9	1	3.0	366	0.71	<0.05	11.4	0.271	1.10	1.6
N814861		21.7	88.4	<0.002	0.04	6.75	10.3	1	3.0	223	0.72	<0.05	11.6	0.258	1.43	3.1
N814862		20.9	98.3	<0.002	0.01	1.90	10.2	1	1.9	365	0.69	<0.05	11.4	0.249	1.07	2.3
N814863		20.9	99.9	<0.002	0.02	3.93	8.7	1	2.0	280	0.74	<0.05	12.8	0.224	1.19	2.5
N814864		24.7	93.2	<0.002	0.07	11.50	4.7	1	1.4	138.5	0.79	<0.05	17.2	0.121	1.22	3.3
N814865		20.6	117.5	<0.002	0.02	4.99	6.8	1	1.6	252	0.81	<0.05	15.5	0.170	1.21	2.8
N814866		1355	158.5	0.002	3.02	34.4	8.9	2	5.9	143.5	0.64	0.30	11.6	0.206	2.67	5.1
N814867		23.6	98.7	<0.002	0.10	17.25	7.0	1	2.3	122.5	0.94	<0.05	15.1	0.183	1.61	5.7
N814868		20.9	103.5	<0.002	0.02	2.53	12.0	2	1.9	394	0.82	<0.05	13.6	0.270	1.01	3.4
N814869		24.4	100.0	<0.002	0.04	3.43	11.8	2	2.0	390	0.81	<0.05	11.8	0.289	1.12	4.1
N814870		20.1	92.1	<0.002	0.01	1.45	11.3	2	1.8	387	0.71	<0.05	13.6	0.273	1.01	4.0
N814871		16.8	90.7	<0.002	0.03	3.25	10.6	1	2.1	313	0.71	<0.05	11.8	0.268	1.16	4.4
N814872		17.8	81.9	<0.002	0.01	2.59	11.2	2	1.8	367	0.72	<0.05	12.0	0.278	0.98	2.7
N814873		20.3	90.2	<0.002	0.12	35.6	10.9	2	1.8	283	0.70	<0.05	10.3	0.276	1.25	3.8
N814874		1.5	3.7	<0.002	<0.01	0.07	0.4	1	<0.2	45.1	<0.05	<0.05	0.2	0.007	0.02	0.6
N814875		16.9	85.4	<0.002	0.03	5.28	11.1	1	2.3	312	0.67	<0.05	9.6	0.269	1.15	3.5
N814876		18.5	79.5	<0.002	0.07	9.16	10.1	1	2.8	222	0.65	<0.05	9.9	0.250	1.16	4.0
N814877		17.5	78.2	<0.002	<0.01	0.95	11.7	1	2.2	412	0.67	<0.05	11.5	0.301	0.91	2.6
N814878		16.5	89.7	<0.002	0.01	0.81	11.9	2	2.3	427	0.66	<0.05	10.5	0.291	0.90	2.4
N814879		1400	158.0	<0.002	3.11	33.3	9.3	2	5.7	144.5	0.66	0.30	12.3	0.211	2.71	5.4
N814880		19.3	97.5	<0.002	0.01	1.71	11.8	2	3.3	398	0.77	<0.05	11.9	0.284	0.95	2.3
N814881		17.6	96.6	0.002	0.04	1.19	11.3	2	4.3	402	0.69	<0.05	11.5	0.284	1.04	2.5
N814882		16.2	88.9	<0.002	0.17	2.33	10.7	2	5.5	367	0.64	<0.05	10.3	0.283	1.09	2.5
N814883		20.5	105.5	<0.002	0.35	6.42	10.8	1	5.4	154.0	0.61	<0.05	13.2	0.268	1.79	9.7
N814884		16.3	98.5	0.004	0.15	5.15	12.2	1	4.6	165.0	0.63	<0.05	11.1	0.294	1.83	4.6
N814885		17.1	87.7	0.005	0.05	2.20	11.6	2	3.8	357	0.65	<0.05	10.9	0.287	1.16	2.7
N814886		17.2	89.6	0.006	0.04	2.23	11.3	1	3.7	364	0.66	<0.05	11.1	0.287	1.15	2.8
N814887		17.1	76.6	0.002	0.02	1.34	11.6	2	3.0	415	0.61	<0.05	9.3	0.291	0.94	2.3
N814888		17.6	96.5	<0.002	0.15	4.83	10.3	1	5.1	240	0.63	<0.05	9.5	0.267	1.70	4.9
N814889		1.3	2.0	<0.002	<0.01	<0.05	0.6	1	<0.2	43.2	<0.05	<0.05	<0.2	<0.005	<0.02	0.5
N814890		19.3	80.2	0.002	0.01	1.23	10.8	1	2.8	370	0.63	<0.05	9.2	0.274	0.96	1.7
N814891		32.2	69.3	0.002	0.04	7.12	10.3	1	4.4	224	0.64	<0.05	9.0	0.268	1.14	3.8
N814892		116.0	89.1	<0.002	0.12	3.18	11.5	2	5.4	326	0.64	<0.05	10.4	0.290	1.14	2.5
N814893		124.0	87.6	0.002	0.23	9.21	10.6	2	6.1	198.0	0.66	<0.05	10.0	0.270	1.75	4.3
N814894		146.5	91.4	<0.002	0.20	4.04	10.8	2	5.2	302	0.71	<0.05	9.4	0.282	1.68	3.5
N814895		20.4	90.3	<0.002	0.28	5.53	11.0	2	5.7	317	0.72	<0.05	10.3	0.283	1.47	3.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-SEP-2012
 Account: ROCKHA

Project: Klaza - 108

CERTIFICATE OF ANALYSIS WH12199382

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
N814860		74	5.1	15.0	87	39.8	<1
N814861		73	2.7	13.1	77	38.6	1
N814862		69	1.6	14.7	62	33.3	<1
N814863		63	1.7	12.4	55	37.8	1
N814864		29	1.6	10.2	47	47.7	<1
N814865		42	1.3	11.2	41	45.1	<1
N814866		56	5.4	11.8	2980	42.8	10
N814867		47	2.1	11.1	54	41.1	<1
N814868		79	1.9	17.5	52	42.8	1
N814869		82	2.1	15.8	55	43.9	1
N814870		77	1.2	16.6	51	42.8	<1
N814871		76	1.1	13.6	48	40.2	1
N814872		79	0.9	14.2	47	35.6	1
N814873		79	2.2	12.9	51	35.9	<1
N814874		3	0.1	1.1	15	0.5	<1
N814875		76	1.3	13.9	47	36.9	1
N814876		70	2.1	13.8	55	38.7	1
N814877		87	0.6	17.0	43	35.2	1
N814878		84	0.6	18.2	41	35.4	<1
N814879		58	5.5	11.6	3040	40.8	10
N814880		80	2.0	17.6	41	39.7	<1
N814881		80	1.4	16.8	41	41.3	<1
N814882		80	2.2	13.8	38	36.7	1
N814883		80	3.5	15.6	67	35.7	1
N814884		86	2.9	13.9	47	33.6	<1
N814885		83	1.6	16.2	39	33.6	<1
N814886		83	1.7	16.1	41	35.5	<1
N814887		84	1.8	15.8	39	34.3	1
N814888		75	1.8	13.8	50	34.3	<1
N814889		3	0.1	1.0	15	<0.5	<1
N814890		79	1.2	14.4	43	38.3	<1
N814891		80	2.9	15.5	63	39.8	<1
N814892		84	3.5	15.9	237	39.2	1
N814893		78	3.1	15.0	164	40.4	2
N814894		82	2.3	14.4	101	38.0	1
N814895		83	1.9	13.9	45	36.9	<1



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 108

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 11-SEP-2012

Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12199382

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.