



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11-SEP-2012
Account: ROCKHA

CERTIFICATE WH12199389

Project: Klaza - 112

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 112

CERTIFICATE OF ANALYSIS WH12199389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M354044		7.94	<0.005	0.06	7.58	4.9	2230	1.40	0.07	2.89	0.08	48.0	8.0	13	4.96	7.2
M354045		7.95	<0.005	0.05	7.22	4.0	2150	1.37	0.07	2.92	0.07	40.8	7.7	12	4.16	10.3
M354046		8.88	<0.005	0.06	7.43	4.9	2110	1.45	0.08	2.72	0.08	43.4	7.3	12	4.41	3.4
M354047		8.23	<0.005	0.05	7.38	5.3	2060	1.45	0.06	2.95	0.07	44.0	8.4	13	3.71	4.2
M354048		8.78	<0.005	0.06	7.46	3.2	2170	1.36	0.06	2.88	0.10	42.9	8.1	11	4.47	3.2
M354049		4.53	<0.005	0.07	7.79	4.0	2410	1.45	0.06	3.10	0.10	44.2	9.0	11	5.78	4.2
M354050		3.72	<0.005	0.06	7.13	18.0	2130	1.41	0.06	2.95	0.10	37.2	8.3	10	6.57	3.1
M354051		4.13	<0.005	0.06	6.29	6.4	1920	1.23	0.10	3.39	0.09	32.9	6.2	9	6.27	3.1
M354052		4.27	<0.005	0.06	7.08	3.9	2190	1.38	0.08	2.84	0.08	37.2	6.7	10	5.80	4.5
M354053		1.69	<0.005	0.04	7.21	3.0	2130	1.33	0.06	2.75	0.08	40.3	6.7	10	6.52	2.8
M354054		7.74	<0.005	0.05	6.96	3.4	2080	1.46	0.05	2.81	0.08	38.5	8.7	10	5.76	3.6
M354157		<0.02	<0.005	0.07	7.67	3.1	2180	1.45	0.06	2.94	0.08	46.1	8.8	10	5.97	3.3
M354055		6.26	<0.005	0.06	7.34	7.1	2250	1.36	0.11	2.91	0.08	38.4	9.7	10	5.68	4.8
M354056		4.00	<0.005	0.19	7.26	11.9	2140	1.42	0.62	2.64	0.10	42.2	13.6	10	7.51	8.4
M354057		7.24	<0.005	0.07	7.08	4.7	2100	1.40	0.15	2.75	0.10	38.4	6.8	10	6.35	6.2
M354058		0.26	0.756	9.31	6.16	1710	140	1.27	6.52	1.75	41.4	33.4	16.7	19	15.55	103.0
M354059		6.71	<0.005	0.08	7.40	7.5	2130	1.50	0.06	2.84	0.12	39.4	7.9	9	8.71	4.2
M354060		2.31	<0.005	0.17	6.98	77.5	3440	1.26	0.10	3.28	0.27	48.1	8.4	7	21.3	11.3
M354061		3.64	<0.005	0.01	0.08	<5	20	0.06	0.01	21.3	0.07	1.30	1.5	<1	0.58	2.2
M354062		1.84	<0.005	0.08	7.06	10.9	2530	1.29	0.07	2.81	0.13	33.8	8.8	8	13.95	8.9
M354063		2.17	<0.005	0.08	6.50	21.2	1540	1.31	0.06	4.10	0.22	39.0	7.1	6	18.00	9.6
M354064		3.13	<0.005	0.07	6.61	12.7	1790	1.38	0.06	4.60	0.09	35.7	7.9	7	15.05	7.6
M354065		2.60	<0.005	0.12	7.36	16.2	1950	1.45	0.09	2.87	0.12	39.8	8.1	8	15.70	12.6
M354066		2.34	<0.005	0.11	7.21	24.9	1620	1.58	0.11	2.85	0.38	39.1	7.2	8	17.35	4.9
M354067		2.85	0.005	0.36	6.83	23.2	1020	1.64	0.59	2.96	1.00	34.4	10.9	7	16.75	2.2
M354068		3.25	<0.005	0.12	7.68	9.5	1470	1.46	0.52	1.87	0.12	36.1	5.3	9	14.30	3.7
M354069		2.97	<0.005	0.08	7.03	9.1	1710	1.65	0.24	2.85	0.15	35.0	5.9	9	16.30	10.9
M354070		4.87	<0.005	0.06	7.02	4.1	1760	1.56	0.25	2.84	0.09	36.2	8.0	12	10.75	5.2
M354071		2.71	<0.005	0.08	7.30	3.8	2420	1.61	0.19	2.18	0.08	33.6	7.8	8	10.35	5.3
M354072		0.26	0.776	9.38	6.46	1780	210	1.32	6.82	1.86	41.7	42.1	16.5	20	16.65	105.0
M354073		7.40	<0.005	0.08	7.06	5.6	2100	1.42	0.19	2.55	0.14	38.5	8.0	11	7.58	6.1
M354074		4.97	<0.005	0.07	6.82	3.5	1980	1.46	0.14	2.58	0.09	40.2	7.0	10	7.87	7.9
M354075		2.13	<0.005	0.19	6.68	12.8	2240	1.27	0.42	3.43	0.15	36.9	9.0	8	13.50	4.4
M354076		4.20	<0.005	0.01	0.13	<5	230	0.07	0.01	20.7	0.06	1.47	1.8	<1	0.44	1.8
M354077		3.02	<0.005	0.09	6.97	4.1	2030	1.45	0.11	2.61	0.07	36.2	7.3	8	10.90	8.0
M354078		4.94	<0.005	0.09	7.40	7.3	1940	1.64	0.10	2.74	0.13	42.8	6.5	8	11.50	4.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 112

CERTIFICATE OF ANALYSIS WH12199389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M354044		3.20	17.20	0.17	1.1	0.044	2.46	24.6	11.5	0.93	647	0.75	2.34	8.5	3.7	620
M354045		3.22	16.50	0.15	1.1	0.045	2.43	20.8	11.6	0.88	638	0.72	2.34	8.6	3.4	630
M354046		3.19	16.30	0.18	1.0	0.052	2.42	22.5	11.1	0.88	621	0.62	2.36	8.6	2.9	620
M354047		3.20	17.05	0.19	1.1	0.046	2.44	23.2	11.1	0.89	666	0.92	2.26	8.8	3.1	620
M354048		3.26	16.65	0.19	1.1	0.044	2.37	22.0	13.4	0.91	647	0.98	2.33	8.8	3.0	630
M354049		3.48	17.70	0.19	1.2	0.050	2.50	22.7	13.9	0.99	744	0.83	2.42	9.4	3.2	660
M354050		3.15	16.75	0.17	1.2	0.048	2.43	19.5	14.1	0.85	693	0.84	2.28	8.7	2.9	610
M354051		3.27	15.75	0.16	1.0	0.086	2.42	16.4	11.0	0.83	900	0.65	1.63	8.2	2.7	560
M354052		3.25	16.95	0.17	1.1	0.060	2.50	18.4	13.2	0.85	728	0.69	2.22	8.9	3.0	620
M354053		3.30	16.30	0.16	1.2	0.048	2.40	19.9	13.1	0.87	695	0.75	2.16	8.9	2.8	640
M354054		3.16	16.85	0.17	1.2	0.049	2.35	19.1	13.8	0.89	704	0.67	2.26	8.9	3.0	600
M354157		3.31	16.90	0.20	1.2	0.048	2.43	23.8	14.4	0.97	724	0.68	2.36	8.9	3.0	650
M354055		3.38	16.85	0.19	1.2	0.051	2.41	19.4	15.0	0.95	678	0.67	2.33	9.0	3.0	640
M354056		3.29	16.50	0.18	1.0	0.067	2.43	22.1	16.5	0.83	567	0.79	2.14	8.7	2.9	600
M354057		3.21	15.85	0.16	1.1	0.055	2.37	19.1	15.6	0.81	557	0.69	2.19	8.5	2.8	610
M354058		5.13	15.00	0.16	1.3	0.990	2.62	16.7	24.6	0.63	1920	13.05	0.26	8.2	15.2	470
M354059		3.14	16.45	0.17	1.2	0.044	2.47	19.9	27.6	0.81	615	0.80	2.08	8.6	2.8	620
M354060		2.98	14.75	0.18	1.0	0.041	2.19	27.0	82.2	1.04	810	0.66	0.07	7.6	2.8	570
M354061		0.50	0.52	0.24	<0.1	0.005	0.04	0.6	1.4	12.75	217	0.09	0.01	0.5	3.4	180
M354062		3.24	17.95	0.15	1.1	0.048	2.41	17.2	53.2	0.67	564	0.55	0.80	8.9	2.8	620
M354063		2.75	15.35	0.16	1.0	0.038	1.97	20.6	69.1	0.57	734	0.75	0.25	8.1	2.4	560
M354064		3.07	15.95	0.17	1.1	0.044	2.29	18.8	23.9	0.61	671	0.96	1.39	8.5	2.6	580
M354065		3.06	16.75	0.17	1.2	0.054	2.42	20.4	43.2	0.78	645	0.98	1.25	9.0	2.7	630
M354066		3.21	16.80	0.17	1.3	0.054	2.14	19.8	84.9	0.72	630	0.76	1.60	9.8	2.8	650
M354067		3.18	15.05	0.13	1.1	0.106	2.47	17.6	49.9	0.93	1180	0.61	0.59	8.8	2.3	580
M354068		3.40	16.20	0.16	1.3	0.080	1.62	18.6	38.6	0.83	631	0.46	1.04	9.3	2.7	640
M354069		3.01	15.50	0.17	1.2	0.066	2.30	18.5	18.5	0.71	640	0.56	1.90	8.9	2.7	590
M354070		3.22	16.15	0.17	1.5	0.053	2.31	17.8	16.6	0.80	636	1.12	2.20	9.2	2.8	630
M354071		3.06	16.00	0.17	1.5	0.050	2.57	16.7	23.1	0.76	454	1.13	1.56	8.9	2.8	600
M354072		5.18	14.90	0.16	1.3	0.990	2.75	22.7	26.0	0.66	2010	12.60	0.26	8.1	15.3	470
M354073		3.13	16.05	0.17	1.3	0.048	2.40	19.8	18.2	0.86	570	1.40	2.27	8.5	2.9	590
M354074		2.99	15.45	0.19	1.4	0.047	2.49	20.0	18.7	0.81	532	1.54	2.07	8.8	2.9	590
M354075		3.36	14.25	0.16	1.3	0.063	2.22	19.6	42.4	0.99	860	1.67	0.59	7.7	2.7	560
M354076		0.49	0.64	0.24	<0.1	0.006	0.06	0.7	1.6	12.55	213	0.13	0.01	0.4	3.8	170
M354077		3.19	16.55	0.16	1.3	0.045	2.51	18.6	19.7	0.75	479	1.91	1.49	9.0	2.8	600
M354078		3.22	16.60	0.20	1.4	0.052	2.53	22.0	30.9	0.78	516	1.69	1.81	8.9	2.6	610



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 112

CERTIFICATE OF ANALYSIS WH12199389

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
M354044		17.4	86.1	<0.002	<0.01	1.16	13.3	2	1.6	436	0.65	<0.05	11.9	0.288	4.0
M354045		16.9	79.4	<0.002	<0.01	1.22	12.4	2	1.6	416	0.66	<0.05	10.4	0.288	3.5
M354046		15.7	87.7	<0.002	0.01	1.44	12.3	2	1.6	405	0.65	<0.05	10.8	0.277	3.7
M354047		15.8	83.3	<0.002	0.01	0.92	12.7	2	1.5	409	0.67	<0.05	11.3	0.289	3.8
M354048		16.9	82.2	<0.002	0.01	1.17	12.7	2	1.5	426	0.65	<0.05	10.9	0.280	3.9
M354049		17.9	86.4	<0.002	<0.01	1.04	13.9	2	1.7	452	0.68	<0.05	11.4	0.309	4.1
M354050		16.6	77.4	<0.002	0.01	1.14	11.9	2	1.5	415	0.65	<0.05	10.0	0.288	3.6
M354051		13.1	75.6	<0.002	0.06	1.85	10.5	2	1.6	311	0.61	<0.05	8.4	0.266	3.7
M354052		16.6	79.5	<0.002	0.01	1.34	11.9	2	1.5	407	0.65	<0.05	9.7	0.286	4.1
M354053		16.3	80.0	<0.002	0.01	1.15	12.2	2	1.5	397	0.68	<0.05	10.2	0.285	3.5
M354054		16.4	72.4	<0.002	<0.01	0.86	12.0	2	1.6	409	0.70	<0.05	10.2	0.278	4.0
M354157		17.2	82.9	<0.002	0.01	0.86	12.8	2	1.6	432	0.70	<0.05	12.1	0.290	4.3
M354055		16.5	75.2	<0.002	0.04	1.16	12.0	2	1.6	422	0.70	<0.05	10.1	0.293	3.8
M354056		16.2	93.7	<0.002	0.24	2.49	12.2	2	1.5	367	0.63	<0.05	10.9	0.279	4.1
M354057		15.9	76.6	<0.002	0.03	1.79	11.4	2	1.6	426	0.63	<0.05	8.9	0.283	3.1
M354058		1315	131.0	<0.002	2.99	33.9	9.0	2	5.9	138.5	0.63	0.29	10.1	0.196	5.1
M354059		18.0	82.9	<0.002	0.02	2.19	11.8	2	1.6	422	0.65	<0.05	10.6	0.277	4.0
M354060		19.7	89.1	<0.002	0.33	11.95	12.1	2	2.5	227	0.58	<0.05	11.8	0.247	4.0
M354061		2.5	3.2	<0.002	<0.01	0.05	0.4	1	0.2	40.9	<0.05	<0.05	0.2	<0.005	0.6
M354062		17.1	72.4	<0.002	0.06	6.41	12.5	1	2.2	326	0.66	<0.05	9.5	0.291	3.3
M354063		30.4	63.2	<0.002	0.10	15.95	11.1	2	2.1	254	0.62	<0.05	9.8	0.256	3.7
M354064		17.9	73.3	<0.002	0.07	3.95	11.2	2	2.0	401	0.67	<0.05	10.0	0.266	3.5
M354065		16.9	80.5	<0.002	0.12	5.29	12.2	2	2.4	315	0.72	<0.05	11.4	0.285	4.4
M354066		17.4	76.9	<0.002	0.15	5.16	12.7	2	2.0	376	0.78	<0.05	11.5	0.292	4.3
M354067		90.4	93.8	<0.002	0.38	5.74	11.2	2	1.9	173.0	0.71	0.05	10.6	0.264	4.7
M354068		15.8	58.6	<0.002	0.06	6.12	12.2	2	2.3	225	0.83	<0.05	12.0	0.291	4.2
M354069		18.9	82.6	<0.002	0.07	4.47	11.2	2	2.0	342	0.81	<0.05	10.6	0.267	4.2
M354070		18.1	80.7	<0.002	0.01	1.83	12.6	2	1.9	388	0.74	<0.05	11.7	0.279	4.3
M354071		17.9	89.0	<0.002	0.02	3.17	12.9	2	1.8	399	0.75	<0.05	12.6	0.277	4.1
M354072		1305	154.5	<0.002	2.98	34.4	9.6	2	6.1	139.5	0.62	0.26	11.7	0.205	5.3
M354073		18.5	81.0	<0.002	0.01	1.13	11.5	2	1.7	409	0.71	<0.05	12.1	0.258	4.4
M354074		16.1	88.2	<0.002	0.01	1.48	11.6	2	1.6	358	0.73	<0.05	11.9	0.270	4.1
M354075		19.9	74.1	<0.002	0.21	12.25	10.9	2	1.6	227	0.66	<0.05	11.1	0.246	3.6
M354076		1.5	3.3	<0.002	0.01	0.06	0.5	1	<0.2	44.3	<0.05	<0.05	0.2	0.006	0.7
M354077		17.0	88.3	<0.002	0.01	3.86	12.0	2	1.9	350	0.76	<0.05	11.2	0.280	3.8
M354078		17.8	97.8	<0.002	0.03	4.01	13.0	2	1.8	372	0.79	<0.05	14.1	0.272	4.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-SEP-2012
 Account: ROCKHA

Project: Klaza - 112

CERTIFICATE OF ANALYSIS WH12199389

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M354044		82	0.5	17.4	46	28.8	1
M354045		83	0.5	16.2	51	28.3	<1
M354046		79	0.5	16.8	43	29.2	1
M354047		81	0.4	17.3	46	30.9	<1
M354048		80	0.5	17.2	46	31.8	<1
M354049		89	0.5	18.4	52	33.0	<1
M354050		83	0.4	16.0	48	31.7	<1
M354051		76	1.1	13.6	46	27.8	<1
M354052		82	0.8	15.5	46	30.0	<1
M354053		82	0.7	16.3	45	30.8	<1
M354054		80	0.5	16.0	47	33.9	<1
M354157		82	0.5	17.4	49	32.1	<1
M354055		83	0.6	15.7	47	31.8	<1
M354056		78	1.1	15.4	45	28.7	<1
M354057		79	0.9	14.4	41	29.7	<1
M354058		56	5.1	10.6	2760	41.5	8
M354059		79	0.9	15.1	46	33.0	<1
M354060		73	1.7	16.4	48	28.6	<1
M354061		2	0.1	0.9	13	0.8	<1
M354062		83	1.8	12.9	50	31.1	1
M354063		72	6.6	16.6	46	28.8	<1
M354064		77	2.1	16.5	41	29.7	1
M354065		80	2.5	16.2	43	30.8	1
M354066		85	1.3	17.1	57	33.9	<1
M354067		69	2.6	14.0	97	29.0	1
M354068		77	3.5	14.1	49	31.4	<1
M354069		75	1.6	14.9	43	31.2	1
M354070		83	1.4	16.9	46	36.9	1
M354071		81	2.5	14.0	40	38.1	<1
M354072		58	5.2	11.7	2920	41.3	10
M354073		74	0.9	15.6	41	32.9	1
M354074		77	0.9	15.8	35	36.3	<1
M354075		72	2.2	15.9	44	32.3	<1
M354076		4	0.1	1.0	12	0.7	<1
M354077		78	2.1	14.2	40	34.7	<1
M354078		78	1.5	17.0	41	37.9	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 112

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12199389

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.