



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 12-SEP-2012
Account: ROCKHA

CERTIFICATE WH12201433

Project: Klaza - 119

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2012
Account: ROCKHA

Project: Klaza - 119

CERTIFICATE OF ANALYSIS WH12201433

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M359234		2.81	<0.005	0.09	8.89	8.3	1150	2.10	0.18	0.48	0.49	67.2	6.8	19	7.82	13.3
M359235		4.55	<0.005	0.14	8.72	9.4	1200	2.34	0.30	0.33	0.40	69.8	8.2	18	12.15	13.8
M359236		2.58	<0.005	0.25	9.26	13.7	2150	1.82	0.40	0.26	0.41	54.0	7.4	8	18.95	21.2
M359237		2.12	<0.005	8.79	8.68	9.8	2110	1.53	0.18	0.40	0.34	53.9	8.1	10	20.3	43.1
M359238		<0.02	<0.005	15.45	8.71	9.7	2120	1.67	0.17	0.39	0.34	53.6	8.0	10	19.90	64.8
M359239		0.70	0.005	>100	8.60	11.5	2140	1.65	0.11	0.68	0.67	58.9	8.5	14	17.70	587
M359240		3.13	<0.005	0.56	8.22	6.7	2470	1.66	0.07	2.05	0.42	49.9	9.0	9	10.50	11.3
M359241		2.20	<0.005	0.23	8.38	11.0	2400	1.64	0.07	1.39	0.37	51.6	8.9	10	13.00	23.3
M359242		1.69	<0.005	0.32	8.07	8.1	1860	1.36	0.06	0.48	0.52	55.4	8.5	8	12.45	9.9
M359243		2.16	<0.005	0.21	8.05	21.0	2440	1.59	0.06	1.72	0.45	53.1	8.6	9	12.80	15.0
M359244		2.85	<0.005	0.22	8.91	22.5	2290	1.66	0.08	0.71	0.49	61.7	9.1	10	15.85	7.6
M359245		3.72	<0.005	0.25	8.67	9.1	2440	1.62	0.10	0.94	0.40	56.7	8.4	9	16.85	9.1
M359246		0.26	0.796	9.62	7.07	1590	1360	1.33	6.20	2.03	45.1	47.8	17.8	21	18.20	110.5
M359247		2.35	<0.005	0.24	9.40	14.6	2170	1.57	0.19	0.21	0.86	63.9	9.9	10	16.95	11.5
M359248		3.23	<0.005	0.18	8.29	11.5	1500	2.16	0.16	0.22	0.34	57.7	4.8	7	21.1	5.4
M359249		3.47	<0.005	0.01	0.16	5	30	0.07	0.03	21.3	0.07	1.50	1.9	<1	0.77	3.3
M359250		1.89	<0.005	0.10	7.70	6.7	840	2.85	0.06	0.22	0.22	61.4	3.0	6	18.50	4.2
M359251		2.97	<0.005	0.09	7.55	6.1	1400	2.29	0.05	0.47	0.24	60.9	2.5	6	16.15	4.3
M359252		5.75	<0.005	0.11	8.14	6.3	1950	2.22	0.02	0.41	0.32	63.1	3.7	9	17.00	4.4
M359253		6.28	<0.005	0.05	8.19	6.0	2150	2.25	0.02	0.42	0.28	60.4	3.8	9	19.70	1.8
M359254		7.19	<0.005	0.09	6.55	28.6	1300	2.19	0.03	3.19	0.39	38.2	4.3	8	22.0	3.7
M359255		7.44	<0.005	0.18	6.33	10.4	1490	2.22	0.03	2.94	0.49	36.5	3.4	7	21.7	5.3
M359256		7.37	<0.005	0.08	6.64	9.3	1870	1.80	0.03	3.01	0.31	41.7	3.3	8	17.35	1.2
M359257		2.99	<0.005	0.03	6.41	8.5	430	2.36	0.04	1.89	0.29	41.0	2.4	6	17.65	1.4
M359258		1.35	<0.005	0.03	6.57	7.4	290	2.32	0.04	1.97	0.21	39.9	1.8	5	18.00	1.0
M359259		6.28	<0.005	0.08	6.61	4.5	680	2.31	0.06	2.09	0.34	47.7	2.2	5	18.70	1.3
M359260		2.40	<0.005	0.05	6.62	7.0	4640	1.87	0.16	1.10	0.15	44.6	2.3	6	18.30	3.4
M359261		0.26	0.812	9.10	6.79	1525	1640	1.26	5.53	1.92	37.8	41.2	15.9	18	14.65	101.5
M359262		4.27	<0.005	0.16	7.47	5.3	>10000	1.38	0.15	1.96	0.19	43.3	6.6	9	23.7	3.7
M359263		4.92	<0.005	0.09	7.14	5.0	2700	1.29	0.16	2.11	0.27	38.7	6.7	11	17.30	4.0
M359264		2.89	<0.005	0.09	7.08	5.2	2060	1.49	0.10	2.24	0.28	41.4	6.3	8	19.00	4.9
M359265		3.81	<0.005	0.09	7.11	3.5	1990	1.32	0.09	2.31	0.24	39.2	6.5	13	21.7	3.7
M359266		2.67	0.027	11.45	6.91	14.6	1490	1.65	0.51	2.57	41.6	39.0	7.1	6	19.95	77.6
M359267		4.07	<0.005	0.16	0.11	<5	20	0.09	<0.01	22.2	0.07	1.07	0.8	<1	0.27	1.3
M359268		7.13	<0.005	0.49	7.12	6.1	2660	1.28	0.30	2.77	0.77	38.2	6.3	8	19.45	7.8
M359269		4.15	<0.005	0.11	7.36	4.8	1480	1.20	0.33	2.00	0.13	38.9	6.2	14	20.1	3.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2012
Account: ROCKHA

Project: Klaza - 119

CERTIFICATE OF ANALYSIS WH12201433

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M359234		2.41	22.1	0.14	2.1	0.030	1.57	34.7	184.0	0.24	847	2.02	0.32	10.2	7.6	860
M359235		2.66	21.7	0.15	3.2	0.031	2.62	37.7	126.5	0.16	722	1.96	0.10	11.6	7.5	1000
M359236		2.60	20.2	0.15	2.0	0.037	3.87	27.6	70.3	0.30	734	1.96	0.54	10.9	3.6	590
M359237		3.05	19.35	0.19	1.4	0.038	3.22	29.3	42.1	0.35	586	1.69	0.89	8.5	5.0	680
M359238		3.05	18.80	0.17	1.4	0.038	3.23	29.2	40.1	0.35	584	1.62	0.90	8.6	5.7	670
M359239		3.03	18.90	0.18	1.4	0.039	3.07	30.2	30.3	0.42	887	1.70	1.17	8.5	23.2	660
M359240		3.17	18.35	0.17	1.4	0.041	2.86	25.2	30.2	0.74	1420	1.34	2.36	8.3	3.7	650
M359241		3.10	19.55	0.18	1.5	0.039	2.93	26.6	29.6	0.43	771	1.73	2.23	9.4	3.6	730
M359242		2.84	17.80	0.17	1.4	0.036	2.82	30.1	64.5	0.22	1100	2.07	1.27	8.1	2.9	710
M359243		3.03	18.75	0.18	1.4	0.037	2.87	25.8	22.3	0.49	782	1.53	2.31	8.4	3.5	710
M359244		3.12	20.0	0.17	1.7	0.041	3.35	31.2	59.3	0.24	1350	2.82	1.09	9.5	3.0	750
M359245		3.13	19.30	0.18	1.6	0.038	3.08	28.2	54.6	0.32	806	1.95	1.55	9.8	3.2	750
M359246		5.55	16.70	0.21	1.4	0.925	3.13	24.3	25.7	0.74	2150	13.05	0.29	7.9	16.3	550
M359247		3.13	20.6	0.15	1.7	0.042	3.38	32.9	79.8	0.18	1060	3.97	0.26	9.5	2.9	720
M359248		2.15	19.30	0.14	2.1	0.031	3.25	31.5	128.5	0.20	1100	4.14	0.09	10.5	2.3	480
M359249		0.51	0.56	0.15	<0.1	0.005	0.07	0.7	2.1	13.35	224	0.17	0.01	0.4	3.3	200
M359250		1.35	18.50	0.20	2.4	0.017	2.19	30.4	196.5	0.17	518	2.66	0.04	10.7	1.5	350
M359251		1.33	18.15	0.17	2.3	0.018	3.13	31.6	134.5	0.18	486	2.13	0.16	10.6	1.5	370
M359252		1.95	19.80	0.16	2.1	0.023	3.63	33.3	85.4	0.27	686	1.94	1.15	10.6	2.3	530
M359253		1.93	19.95	0.16	2.1	0.023	3.32	32.3	103.0	0.26	646	2.28	0.21	10.6	2.1	540
M359254		1.71	18.90	0.17	1.9	0.022	2.95	17.0	113.5	0.23	612	1.34	0.12	10.3	2.1	490
M359255		1.78	18.40	0.15	1.8	0.023	2.53	16.7	149.0	0.27	618	1.29	0.09	9.7	2.0	460
M359256		1.78	17.55	0.14	1.9	0.022	2.78	19.9	89.0	0.46	528	1.23	0.16	9.9	2.2	450
M359257		1.30	16.95	0.14	2.1	0.015	2.24	20.1	209	0.21	339	1.03	0.07	9.7	1.3	290
M359258		1.22	17.40	0.14	2.3	0.013	2.27	19.5	239	0.23	282	0.94	0.03	10.0	1.4	270
M359259		1.21	16.40	0.14	2.1	0.015	2.20	24.5	178.0	0.54	490	0.91	0.03	9.3	1.2	270
M359260		1.11	15.65	0.12	2.3	0.013	2.64	23.7	151.5	0.40	476	1.14	0.08	10.0	1.2	190
M359261		5.33	14.05	0.11	1.0	0.752	2.92	20.7	22.3	0.72	1980	11.30	0.28	6.8	14.3	500
M359262		2.71	15.00	0.10	0.9	0.033	3.06	22.1	50.6	0.74	971	1.13	0.08	7.2	2.3	580
M359263		2.68	14.50	0.10	0.8	0.036	2.65	19.6	57.0	0.74	928	1.19	0.07	6.7	2.4	570
M359264		2.54	14.60	0.10	1.1	0.024	3.03	20.7	75.2	0.63	785	1.55	0.85	7.1	2.2	500
M359265		2.77	14.30	0.13	1.1	0.030	2.83	19.4	44.9	0.65	971	1.41	1.80	7.1	2.7	550
M359266		2.78	14.40	0.14	0.9	0.070	3.40	19.5	24.6	0.88	3910	1.36	0.09	6.8	2.1	510
M359267		0.49	0.25	0.09	<0.1	0.005	0.05	0.5	1.3	13.45	217	0.13	0.01	0.1	2.1	190
M359268		2.82	13.95	0.11	1.1	0.025	2.62	19.0	57.7	0.99	1460	0.93	0.05	6.7	2.2	540
M359269		2.70	14.25	0.12	0.8	0.030	2.54	19.7	160.0	0.77	852	1.40	0.07	6.6	2.3	570



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2012
Account: ROCKHA

Project: Klaza - 119

CERTIFICATE OF ANALYSIS WH12201433

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M359234		16.7	70.3	<0.002	0.01	16.00	8.4	1	1.7	172.5	0.80	<0.05	13.9	0.260	0.64	4.0
M359235		25.7	103.0	<0.002	0.01	11.00	8.3	1	1.8	181.5	0.91	<0.05	13.8	0.294	1.09	5.0
M359236		40.4	162.0	<0.002	<0.01	13.25	11.0	1	3.8	107.5	1.03	<0.05	19.5	0.235	1.60	5.6
M359237		29.4	151.0	<0.002	<0.01	10.75	12.6	1	2.3	123.5	0.72	<0.05	17.5	0.274	1.32	3.7
M359238		28.5	150.0	<0.002	<0.01	10.55	12.6	1	2.2	122.0	0.69	<0.05	17.0	0.272	1.29	3.6
M359239		26.3	140.5	0.003	<0.01	12.00	12.7	1	1.7	157.5	0.71	<0.05	17.4	0.263	1.20	4.0
M359240		16.8	119.0	<0.002	<0.01	3.06	13.5	1	1.8	371	0.67	<0.05	14.3	0.279	1.03	2.0
M359241		17.3	133.0	<0.002	<0.01	3.47	12.6	1	3.5	314	0.70	<0.05	16.3	0.283	1.07	3.3
M359242		18.0	124.0	<0.002	<0.01	8.03	11.9	1	2.0	162.5	0.69	<0.05	16.2	0.264	1.07	3.3
M359243		25.0	117.0	<0.002	<0.01	3.45	12.3	1	2.7	351	0.66	<0.05	14.9	0.271	0.98	2.4
M359244		18.6	150.0	<0.002	<0.01	12.40	13.1	1	2.0	183.5	0.80	<0.05	18.3	0.291	1.42	4.3
M359245		18.7	141.5	<0.002	0.01	8.41	12.5	1	2.1	232	0.88	<0.05	16.9	0.284	1.15	3.5
M359246		1465	174.0	0.002	3.22	37.5	9.4	2	6.1	164.0	0.63	0.32	13.0	0.220	2.41	4.6
M359247		36.6	153.5	<0.002	<0.01	9.98	13.4	1	2.8	94.3	0.80	<0.05	20.6	0.288	1.30	5.1
M359248		22.3	144.0	<0.002	0.01	13.75	8.1	1	2.5	123.5	0.98	<0.05	17.3	0.197	1.47	5.8
M359249		1.2	5.0	<0.002	<0.01	0.05	0.2	1	<0.2	47.5	<0.05	<0.05	<0.2	0.006	0.03	0.5
M359250		23.1	95.2	<0.002	0.01	6.92	4.0	1	1.6	169.0	1.00	<0.05	16.4	0.134	0.92	5.5
M359251		23.1	123.5	<0.002	0.01	6.31	4.1	1	1.4	247	0.99	<0.05	16.0	0.141	1.23	4.1
M359252		23.6	150.5	<0.002	0.01	4.99	5.5	1	1.6	155.5	0.93	<0.05	14.3	0.203	1.41	3.4
M359253		18.5	139.0	<0.002	0.02	7.05	5.6	1	1.3	180.5	0.92	<0.05	13.2	0.207	1.41	3.6
M359254		25.9	94.2	<0.002	0.01	6.14	4.4	1	1.5	325	0.84	<0.05	7.6	0.199	1.40	2.9
M359255		29.1	79.8	<0.002	0.02	9.51	4.4	1	1.3	395	0.82	<0.05	7.3	0.190	1.32	3.3
M359256		24.6	85.4	<0.002	0.03	7.65	4.2	1	1.3	343	0.84	<0.05	8.5	0.180	1.51	3.4
M359257		25.0	84.4	<0.002	<0.01	7.57	3.3	1	1.2	257	0.95	<0.05	10.6	0.115	1.15	2.9
M359258		20.5	84.7	<0.002	<0.01	7.90	3.1	1	1.2	279	1.01	<0.05	10.4	0.114	1.26	2.7
M359259		23.2	83.3	<0.002	0.02	8.33	3.5	1	1.5	309	0.93	<0.05	13.2	0.117	1.18	7.8
M359260		15.0	110.0	<0.002	0.12	17.55	3.2	1	1.6	289	1.12	<0.05	15.2	0.090	1.67	13.1
M359261		1405	148.5	<0.002	3.20	30.4	8.1	1	5.4	146.0	0.56	0.33	10.5	0.214	2.33	4.6
M359262		21.5	120.0	<0.002	0.30	10.95	9.5	1	2.1	334	0.54	<0.05	12.2	0.241	1.60	1.7
M359263		20.8	91.3	<0.002	0.07	15.25	9.2	1	1.7	295	0.53	<0.05	10.0	0.239	1.32	1.5
M359264		27.1	99.8	<0.002	0.03	9.75	8.3	1	1.6	282	0.64	<0.05	14.7	0.224	1.29	3.5
M359265		20.9	107.5	<0.002	<0.01	5.30	8.9	1	1.6	366	0.59	<0.05	12.7	0.238	1.22	2.7
M359266		81.4	128.0	<0.002	0.33	47.5	8.4	1	1.7	197.0	0.59	<0.05	10.7	0.232	2.03	3.4
M359267		1.2	1.9	0.002	<0.01	0.08	0.3	<1	0.2	36.9	<0.05	<0.05	<0.2	0.005	0.03	0.5
M359268		77.7	90.2	<0.002	0.07	25.4	8.3	1	1.6	248	0.61	<0.05	10.5	0.244	1.55	1.7
M359269		15.7	92.1	<0.002	0.02	22.1	8.8	1	1.5	218	0.57	<0.05	11.3	0.238	1.24	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-SEP-2012
 Account: ROCKHA

Project: Klaza - 119

CERTIFICATE OF ANALYSIS WH12201433

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M359234		61	3.8	11.1	67	64.7	<1
M359235		66	2.4	15.0	75	122.0	<1
M359236		63	3.3	18.3	113	51.7	<1
M359237		77	83.2	20.2	101	39.0	10
M359238		77	140.0	20.2	102	38.9	16
M359239		76	384	19.3	112	39.2	114
M359240		83	2.3	20.8	67	36.7	1
M359241		81	2.1	18.4	69	42.5	<1
M359242		72	3.1	20.4	74	37.8	<1
M359243		76	1.0	18.3	97	38.4	<1
M359244		80	2.6	23.1	82	45.1	<1
M359245		78	5.5	21.7	77	41.8	<1
M359246		63	5.1	12.1	3260	44.5	9
M359247		81	3.2	24.2	131	44.6	<1
M359248		47	2.7	18.5	84	51.8	<1
M359249		4	0.1	0.9	15	<0.5	<1
M359250		23	1.3	12.2	60	64.1	<1
M359251		23	1.6	14.0	60	62.3	<1
M359252		36	1.4	14.5	84	54.9	<1
M359253		38	1.6	14.2	66	52.6	<1
M359254		37	1.5	9.5	71	50.3	<1
M359255		36	1.5	9.2	86	49.5	<1
M359256		34	1.5	10.3	78	49.7	<1
M359257		20	1.8	9.4	59	55.6	<1
M359258		19	1.8	9.1	57	57.7	<1
M359259		21	2.0	11.0	62	55.7	<1
M359260		18	1.8	13.2	46	55.4	<1
M359261		60	4.6	10.6	2970	37.0	10
M359262		66	1.8	15.1	70	28.4	<1
M359263		67	2.0	14.5	76	26.8	<1
M359264		61	1.8	13.5	63	30.1	<1
M359265		66	1.2	14.4	70	28.4	<1
M359266		64	2.1	14.4	4190	26.5	12
M359267		3	0.1	0.8	17	<0.5	<1
M359268		72	2.9	14.2	140	27.3	<1
M359269		68	2.4	13.1	64	23.0	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 119

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12201433

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (2 ppm DL)
ME-MS61	REE's may not be totally soluble in this method.
ME-MS61	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)