



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 16-SEP-2012
Account: ROCKHA

CERTIFICATE WH12205102

Project: Klaza-118B

P.O. No.: Batch 4

This report is for 20 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16-SEP-2012
Account: ROCKHA

Project: Klaza-118B

CERTIFICATE OF ANALYSIS WH12205102

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M354266		2.00	0.027	0.62	7.07	105.5	2070	1.52	0.42	2.61	1.71	46.6	6.7	18	14.20	18.4
M354267		1.77	0.029	0.70	7.25	63.2	1810	1.43	0.69	2.51	0.78	44.8	7.8	19	13.85	31.9
M354268		1.71	<0.005	0.35	7.06	40.1	2070	1.46	0.43	2.46	0.30	45.9	7.0	17	10.35	24.2
M354269		4.07	<0.005	0.06	6.82	4.7	2230	1.35	0.10	2.52	0.10	45.5	7.4	16	9.30	5.0
M354270		2.17	0.088	2.18	7.24	623	1320	1.42	1.50	2.31	3.35	50.2	9.0	17	12.05	78.9
M354271		2.00	<0.005	0.01	0.17	6	40	0.06	0.05	20.6	0.06	1.62	2.1	<1	0.33	3.5
M354272		2.92	<0.005	0.06	7.09	11.0	1880	1.56	0.09	2.96	0.07	50.6	8.0	14	18.05	5.3
M354273		2.31	0.009	0.45	6.97	79.6	1960	1.51	0.39	2.56	0.69	44.6	5.5	20	15.10	20.5
M354274		5.72	<0.005	0.07	7.24	11.6	2300	1.58	0.15	2.81	0.14	52.5	7.8	20	11.15	9.2
M354275		0.26	2.31	26.4	5.86	2780	1540	1.23	20.1	2.19	79.1	45.6	11.6	17	16.10	451
M354276		4.88	<0.005	0.09	7.58	3.9	2720	1.35	0.10	3.18	0.10	47.7	8.6	19	11.50	8.0
M354277		5.53	<0.005	0.08	7.41	3.2	2150	1.41	0.07	2.59	0.09	48.3	7.6	22	11.10	9.2
M354278		2.66	<0.005	0.25	6.92	18.7	1940	1.33	0.16	3.34	0.13	44.2	10.4	15	11.50	64.2
M354279		3.68	<0.005	0.01	0.07	<5	30	<0.05	0.03	20.4	0.06	1.52	1.2	<1	0.16	2.4
M354280		2.41	<0.005	0.12	6.84	4.6	1980	1.55	0.06	3.13	0.08	43.6	6.8	11	13.35	7.4
M354281		4.54	<0.005	0.06	7.39	3.6	1910	1.45	0.07	2.73	0.08	48.1	8.9	15	10.90	6.6
M354282		<0.02	<0.005	0.07	7.59	3.6	1990	1.54	0.07	2.79	0.09	49.9	8.4	16	11.65	9.6
M354283		4.75	<0.005	0.06	8.16	3.4	2050	1.35	0.08	2.17	0.08	48.4	8.2	21	11.75	9.5
M354284		3.19	<0.005	0.12	7.89	11.4	1960	1.30	0.15	2.57	0.14	42.7	8.3	17	11.60	8.7
M354285		5.83	<0.005	0.09	7.65	6.4	2170	1.58	0.11	2.69	0.24	52.6	8.7	22	9.70	6.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2012
 Account: ROCKHA

Project: Klaza-118B

CERTIFICATE OF ANALYSIS WH12205102

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
M354266		3.27	17.65	0.12	1.0	0.117	2.94	23.7	13.2	0.78	1580	2.45	1.24	8.9	3.4	530
M354267		3.75	17.75	0.14	0.9	0.093	2.96	23.5	11.7	0.81	1030	2.89	1.18	9.1	3.6	550
M354268		2.97	17.65	0.13	1.0	0.063	2.83	22.8	12.1	0.73	734	2.37	1.70	9.1	3.3	590
M354269		2.76	17.05	0.12	0.9	0.041	2.63	22.4	15.2	0.71	633	1.79	2.06	9.3	3.3	590
M354270		4.64	17.40	0.16	0.8	0.130	3.15	26.8	9.7	0.75	1120	1.86	0.64	8.3	4.1	530
M354271		0.47	0.50	<0.05	<0.1	<0.005	0.08	0.8	1.8	12.65	212	0.17	0.01	0.4	5.5	220
M354272		2.64	18.45	0.11	1.0	0.033	2.55	25.8	18.1	0.63	646	1.53	1.61	10.1	3.4	590
M354273		3.07	17.30	0.13	0.9	0.071	2.96	22.6	13.6	0.73	924	1.96	1.39	9.7	3.5	580
M354274		2.87	18.45	0.13	1.1	0.039	2.76	26.9	12.0	0.75	688	2.20	2.18	10.3	3.3	600
M354275		6.52	16.00	0.18	0.9	1.995	2.60	24.7	25.0	0.91	1940	12.85	0.04	6.9	17.9	460
M354276		2.99	18.80	0.12	1.0	0.040	2.55	24.1	28.2	0.62	689	2.16	1.28	9.8	3.6	620
M354277		2.85	18.50	0.14	1.0	0.040	2.55	24.2	17.8	0.62	631	2.21	1.47	9.3	3.4	580
M354278		3.22	18.00	0.13	0.9	0.042	2.34	22.3	13.1	0.82	1080	2.13	1.59	8.9	4.5	580
M354279		0.45	0.22	<0.05	<0.1	<0.005	0.02	0.8	0.9	12.55	194	0.12	0.01	0.3	3.6	180
M354280		2.76	17.45	0.13	0.9	0.034	2.44	21.4	14.1	0.71	754	1.32	1.54	9.0	3.2	550
M354281		3.12	18.25	0.14	1.1	0.035	2.52	23.6	30.5	0.62	464	1.86	1.18	9.7	3.5	600
M354282		3.26	20.0	0.14	1.1	0.038	2.61	25.0	31.4	0.62	481	2.27	1.22	10.6	3.7	620
M354283		3.35	20.4	0.14	1.1	0.043	2.68	24.3	29.4	0.53	431	2.32	0.75	10.4	3.7	630
M354284		2.80	20.3	0.14	1.1	0.043	2.75	20.9	27.4	0.47	611	1.93	0.54	10.5	3.4	610
M354285		3.00	19.70	0.14	1.3	0.040	2.74	26.4	15.2	0.70	722	2.41	1.82	10.3	3.7	620



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2012
 Account: ROCKHA

Project: Klaza-118B

CERTIFICATE OF ANALYSIS WH12205102

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M354266		153.5	145.0	<0.002	0.47	4.11	9.2	1	2.8	273	0.87	<0.05	13.7	0.217	1.75	6.0
M354267		57.9	150.5	<0.002	1.02	3.18	9.8	1	2.6	277	0.81	0.06	13.0	0.229	1.80	5.4
M354268		29.3	127.0	<0.002	0.29	1.93	10.3	1	3.0	329	0.79	<0.05	11.7	0.235	1.35	4.7
M354269		19.4	98.5	<0.002	0.03	1.28	10.0	1	1.5	384	0.74	<0.05	11.6	0.230	1.09	3.9
M354270		211	179.5	<0.002	2.85	7.89	9.2	1	5.8	181.5	0.67	0.10	12.9	0.222	2.16	4.9
M354271		1.7	3.2	<0.002	<0.01	<0.05	0.5	1	<0.2	42.6	<0.05	<0.05	<0.2	0.008	0.02	0.5
M354272		21.6	94.8	<0.002	0.07	2.15	9.9	1	1.6	328	0.97	<0.05	13.3	0.248	1.30	4.4
M354273		46.0	130.5	<0.002	0.32	2.77	9.9	1	2.1	281	0.86	<0.05	13.2	0.243	1.60	4.1
M354274		23.1	115.0	<0.002	0.04	1.28	10.8	1	1.6	392	0.86	<0.05	13.3	0.235	1.12	5.0
M354275		2970	169.0	<0.002	4.79	87.7	7.8	2	7.9	96.9	0.52	0.38	11.0	0.177	2.39	5.4
M354276		24.5	95.3	<0.002	0.04	3.03	10.9	1	1.9	318	0.92	<0.05	11.7	0.247	1.05	4.2
M354277		19.9	92.8	<0.002	0.02	2.77	10.6	1	1.9	328	0.72	<0.05	12.9	0.236	0.98	3.3
M354278		21.0	91.1	<0.002	0.24	4.14	9.8	1	1.6	303	0.61	<0.05	12.1	0.241	1.12	3.4
M354279		1.6	1.3	<0.002	<0.01	<0.05	0.2	1	<0.2	51.2	<0.05	<0.05	<0.2	<0.005	<0.02	0.4
M354280		19.4	87.0	<0.002	0.04	2.73	9.5	1	1.7	328	0.74	<0.05	12.4	0.236	1.05	3.5
M354281		21.0	92.6	<0.002	0.02	2.66	10.9	1	1.7	300	0.82	<0.05	12.2	0.243	0.99	4.4
M354282		21.8	98.2	<0.002	0.02	2.87	11.4	1	1.9	308	0.84	<0.05	12.5	0.247	1.04	4.4
M354283		22.4	104.0	<0.002	0.04	3.83	11.5	1	2.1	221	0.80	<0.05	12.4	0.255	1.09	3.8
M354284		22.2	110.5	<0.002	0.21	4.25	11.2	1	1.8	192.0	0.81	0.05	14.1	0.258	1.33	3.7
M354285		30.8	115.0	<0.002	0.09	2.20	11.6	1	1.6	352	0.81	<0.05	14.7	0.245	1.09	5.2



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Klaza-118B

Finalized Date: 16-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12205102

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62
		V	W	Y	Zn	Zr	Ag
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5	ppm 1
M354266		61	1.2	18.1	172	26.0	<1
M354267		65	1.2	18.5	94	25.3	<1
M354268		67	1.3	18.9	55	26.4	<1
M354269		68	1.1	18.7	46	25.1	<1
M354270		63	2.1	14.3	326	21.4	2
M354271		4	0.1	1.2	14	0.8	<1
M354272		68	1.4	18.1	45	28.0	<1
M354273		67	1.2	17.7	95	25.0	<1
M354274		68	0.9	22.1	50	31.0	<1
M354275		56	4.7	12.0	5440	30.6	26
M354276		68	2.7	21.1	51	27.3	<1
M354277		67	1.8	18.2	43	27.2	<1
M354278		68	1.4	18.3	47	27.3	<1
M354279		2	0.1	0.9	14	<0.5	<1
M354280		65	1.1	18.3	39	25.0	<1
M354281		69	2.0	19.8	43	30.7	<1
M354282		71	2.1	20.9	47	30.3	<1
M354283		73	2.3	20.4	45	30.9	<1
M354284		70	2.6	19.2	48	31.0	<1
M354285		70	1.0	22.6	54	36.8	<1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-118B

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12205102

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)