



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 19-SEP-2012
Account: ROCKHA

CERTIFICATE WH12206362

Project: Klaza-122

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 19-SEP-2012
Account: ROCKHA

Project: Klaza-122

CERTIFICATE OF ANALYSIS WH12206362

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M359434		3.85	<0.005	0.07	7.26	13.3	2280	1.47	0.57	2.13	0.08	45.1	8.1	7	13.15	14.5
M359435		5.40	<0.005	0.15	7.42	20.1	2530	1.25	0.83	1.49	0.19	37.3	9.2	6	17.90	11.3
M359436		2.80	0.006	0.39	6.75	23.4	2890	1.33	0.70	1.82	0.17	38.3	9.0	5	16.35	9.0
M359437		4.22	<0.005	0.11	7.16	12.7	2020	1.43	0.49	2.63	0.13	46.9	8.9	11	13.75	10.8
M359438		5.14	<0.005	0.11	7.22	12.5	2210	1.44	0.41	2.55	0.17	47.1	9.4	11	10.45	13.5
M359439		2.95	<0.005	0.19	7.51	10.9	2330	1.41	0.38	2.93	0.16	53.7	7.9	9	12.80	22.0
M359440		5.85	<0.005	0.51	7.24	21.3	2380	1.40	0.32	2.68	0.12	48.2	8.1	9	12.90	13.7
M359441		0.26	2.38	26.3	5.80	2890	1740	1.22	20.9	2.32	84.1	50.6	10.8	19	14.90	454
M359442		8.51	<0.005	0.32	7.70	20.6	2410	1.55	0.28	2.81	0.19	51.6	8.5	11	11.80	13.7
M359443		8.37	<0.005	0.13	7.36	21.7	2340	1.50	0.33	3.05	0.20	48.1	9.3	11	13.65	24.3
M359444		3.25	<0.005	0.21	7.49	19.5	2040	1.33	0.60	2.51	0.14	43.7	12.1	8	18.25	27.0
M359445		2.55	0.121	35.2	7.00	92.8	2940	1.49	0.91	3.45	4.71	48.4	9.7	7	16.00	49.3
M359446		6.80	0.008	0.66	6.98	46.0	1940	1.34	0.48	2.64	0.14	38.2	10.3	8	18.55	67.5
M359447		<0.02	0.006	0.56	7.16	42.3	1940	1.34	0.47	2.70	0.17	41.4	10.4	8	19.45	70.4
M359448		3.13	0.005	0.44	7.28	55.2	2090	1.58	0.46	3.06	0.30	44.5	9.2	10	11.05	50.2
M359449		4.86	0.483	82.5	6.34	632	1400	1.56	3.44	2.66	19.85	49.5	11.9	5	18.10	168.0
M359450		2.10	<0.005	0.44	0.06	<5	30	0.07	0.04	22.5	0.08	1.25	0.6	<1	0.19	1.8
M359451		5.72	0.007	1.15	7.07	173.0	1380	1.18	1.30	2.53	5.32	45.0	11.8	9	11.65	75.5
M359452		3.41	0.037	6.85	7.02	238	1820	1.54	0.99	2.46	29.1	47.1	15.1	9	15.30	87.8
M359453		4.38	<0.005	0.62	7.21	29.9	2050	1.53	0.77	2.47	0.20	57.2	10.3	9	10.60	71.4
M359454		2.00	0.021	1.07	6.77	66.2	1930	1.35	1.05	3.08	0.28	40.2	9.7	10	10.35	223
M359455		2.82	<0.005	0.56	7.11	39.6	2190	1.34	0.34	2.77	2.80	48.0	8.3	9	11.35	52.3
M359456		4.49	0.006	0.65	6.96	17.5	1980	1.31	0.42	2.69	0.20	39.8	6.2	9	11.90	78.1
M359457		5.07	0.011	1.01	6.95	28.2	2220	1.43	0.74	2.57	0.26	40.3	8.0	8	13.15	204
M359458		0.26	2.32	25.7	5.67	2720	1410	1.20	20.1	2.22	81.6	45.9	10.3	17	14.50	432
M359459		3.79	0.006	0.81	7.47	89.6	1830	1.42	0.48	2.15	3.62	47.8	8.9	8	13.75	58.3
M359460		4.05	0.026	1.92	7.60	182.5	1620	1.29	0.38	1.77	3.59	50.9	8.7	7	14.85	56.9
M359461		5.45	<0.005	0.55	6.99	144.5	2210	1.59	1.47	2.71	0.82	42.7	8.5	10	14.00	40.3
M359462		2.74	0.037	6.07	6.63	212	2550	1.46	0.61	2.45	20.2	41.4	7.0	7	14.00	36.2
M359463		3.21	<0.005	0.16	0.06	<5	20	0.06	0.02	20.5	0.13	1.11	0.5	<1	0.15	2.3
M359464		3.04	0.035	1.32	7.03	113.0	1330	1.53	0.70	2.23	1.70	51.6	7.8	7	14.60	34.9
M359465		2.40	<0.005	0.21	6.94	32.4	2250	1.41	0.44	2.79	0.16	43.3	7.7	8	13.10	35.4
M359466		3.07	0.007	2.71	6.47	25.5	1860	1.26	0.34	3.15	1.62	40.9	7.1	8	16.10	39.7
M359467		5.91	<0.005	0.29	7.58	19.7	2310	1.54	0.38	2.72	0.15	49.9	7.9	9	11.40	32.8
M359468		3.30	<0.005	0.16	6.81	22.1	2080	1.53	0.36	2.99	0.14	41.2	8.3	9	11.75	20.9
M359469		2.75	<0.005	0.24	6.96	19.3	1800	1.33	0.46	2.68	0.16	42.5	8.3	8	9.08	26.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-SEP-2012
 Account: ROCKHA

Project: Klaza-122

CERTIFICATE OF ANALYSIS WH12206362

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M359434		2.91	15.35	0.14	1.2	0.039	2.70	21.2	16.0	0.70	507	2.49	2.21	7.2	2.7	630
M359435		3.50	17.45	0.12	1.2	0.124	2.51	16.4	83.0	0.40	870	5.69	0.20	7.9	2.7	670
M359436		3.09	15.90	0.13	1.0	0.081	2.39	17.8	129.0	0.50	1110	6.49	0.19	6.8	2.8	570
M359437		2.89	17.00	0.11	1.2	0.054	2.60	22.8	18.1	0.80	536	5.64	2.38	8.0	2.7	630
M359438		2.93	16.45	0.11	1.3	0.074	2.71	22.4	15.6	0.82	552	6.10	2.42	7.8	2.7	600
M359439		2.98	16.65	0.10	1.4	0.041	2.57	26.6	16.7	0.82	678	2.80	2.31	7.9	2.5	620
M359440		3.11	16.80	0.09	1.4	0.036	2.62	22.0	27.0	0.86	574	2.64	2.34	8.1	2.9	620
M359441		6.59	14.90	0.10	1.0	1.620	2.79	23.8	26.2	0.93	1950	13.05	0.04	6.0	15.4	440
M359442		3.12	17.45	0.11	1.3	0.046	2.61	24.2	28.9	0.97	523	1.06	2.56	8.4	2.6	650
M359443		3.17	18.55	0.10	1.3	0.047	2.62	21.7	23.5	0.79	541	1.25	2.47	8.7	2.9	660
M359444		3.01	17.65	0.11	1.1	0.082	2.69	20.5	16.5	0.64	566	1.87	2.10	8.1	2.7	660
M359445		2.99	15.75	0.10	1.2	0.067	2.05	23.6	142.0	0.88	1340	2.06	0.08	7.4	3.0	590
M359446		2.96	16.40	0.11	1.1	0.066	2.51	17.8	24.1	0.68	698	1.30	1.32	7.7	2.4	630
M359447		3.03	16.90	0.11	1.1	0.072	2.56	19.4	25.0	0.71	718	1.89	1.32	7.7	2.4	640
M359448		3.22	18.05	0.10	1.3	0.054	2.57	20.2	23.4	0.81	995	0.98	2.05	8.7	3.3	700
M359449		5.90	14.95	0.12	1.4	0.156	2.46	23.3	40.4	0.91	3200	3.55	0.03	6.8	2.6	500
M359450		0.48	0.22	0.07	<0.1	0.009	0.02	0.6	1.3	13.45	207	0.23	0.01	0.2	1.5	190
M359451		3.13	15.55	0.11	1.5	0.041	2.77	20.7	37.3	0.64	768	10.65	0.61	7.8	2.1	600
M359452		3.00	15.80	0.11	1.5	0.063	3.18	22.1	13.2	0.68	1350	7.80	1.52	7.5	2.0	520
M359453		2.62	16.50	0.12	1.4	0.045	2.84	27.3	17.1	0.73	459	4.18	2.23	8.0	2.2	560
M359454		2.91	14.90	0.13	1.5	0.079	2.75	18.7	15.4	0.69	582	4.93	2.13	7.4	3.2	540
M359455		3.03	15.90	0.10	1.6	0.039	2.83	21.9	19.2	0.91	662	2.94	2.34	7.8	2.4	600
M359456		2.86	16.40	0.12	1.3	0.091	2.96	19.2	15.3	0.76	636	4.25	2.35	7.9	2.1	560
M359457		2.96	16.65	0.08	1.1	0.074	2.85	19.1	16.2	0.70	662	19.05	1.98	7.6	2.4	610
M359458		6.57	14.45	0.11	1.0	1.545	2.66	22.9	25.1	0.90	1860	12.55	0.04	5.7	15.1	430
M359459		3.09	16.85	0.11	1.4	0.042	2.56	22.1	28.8	0.67	612	4.39	0.86	8.3	2.8	650
M359460		3.37	16.75	0.11	1.3	0.033	2.67	25.4	47.7	0.69	809	54.2	0.13	8.1	2.9	690
M359461		3.14	16.95	0.11	1.2	0.036	2.61	20.1	22.4	0.75	610	17.85	2.07	7.9	2.6	610
M359462		3.65	16.25	0.10	1.1	0.034	2.56	18.8	39.7	0.85	1220	5.34	0.86	7.3	2.3	560
M359463		0.44	0.19	0.09	<0.1	0.009	0.02	0.5	1.2	12.20	189	0.18	0.01	0.2	1.4	190
M359464		3.11	16.55	0.13	1.2	0.036	2.70	22.7	106.0	0.70	994	7.03	0.47	7.9	2.5	590
M359465		2.83	15.70	0.11	1.2	0.034	2.56	20.1	15.5	0.72	524	1.03	2.13	7.4	2.4	560
M359466		3.34	15.20	0.10	1.1	0.083	3.00	18.8	13.5	0.83	3500	1.07	0.95	6.8	2.2	550
M359467		3.10	17.45	0.13	1.3	0.055	2.79	24.2	17.9	0.87	580	1.30	2.44	8.1	2.7	640
M359468		3.12	17.30	0.11	1.3	0.049	2.57	18.4	22.5	0.83	648	2.25	2.32	8.2	2.7	640
M359469		3.06	16.60	0.10	1.2	0.107	2.54	18.3	20.7	0.65	750	3.27	1.71	7.8	2.3	600



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 19-SEP-2012
Account: ROCKHA

Project: Klaza-122

CERTIFICATE OF ANALYSIS WH12206362

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M359434		13.6	108.5	0.002	0.09	2.89	10.3	1	2.9	364	0.64	0.06	11.9	0.273	1.46	2.2
M359435		12.1	105.5	<0.002	0.15	22.9	11.2	1	3.9	115.5	0.69	0.26	10.1	0.286	1.48	3.0
M359436		20.3	103.5	0.002	0.28	27.1	9.8	1	2.9	141.0	0.54	0.26	9.5	0.252	1.68	3.6
M359437		14.6	109.5	<0.002	0.11	2.55	11.5	1	3.2	386	0.63	0.13	11.5	0.272	1.33	2.0
M359438		15.9	98.8	<0.002	0.13	2.41	11.0	<1	3.3	387	0.63	0.06	12.8	0.270	1.28	2.5
M359439		19.9	103.5	<0.002	0.13	2.26	12.2	<1	3.7	388	0.65	<0.05	12.7	0.276	1.30	2.5
M359440		17.4	90.9	0.002	0.13	2.05	11.5	1	3.7	416	0.68	<0.05	11.5	0.274	1.29	2.4
M359441		2890	164.5	<0.002	4.80	92.1	8.9	1	8.4	101.5	0.48	0.42	10.8	0.191	2.40	5.1
M359442		17.6	114.0	<0.002	0.21	1.34	12.4	1	4.6	465	0.67	<0.05	12.0	0.285	1.37	3.6
M359443		17.1	101.5	<0.002	0.25	2.39	12.8	1	5.3	416	0.69	<0.05	10.7	0.290	1.42	3.3
M359444		15.2	112.5	<0.002	0.38	6.27	11.7	<1	5.2	360	0.65	0.17	11.0	0.282	1.72	3.3
M359445		844	89.8	<0.002	0.74	46.7	10.6	<1	4.1	186.5	0.57	0.23	10.8	0.252	1.66	6.7
M359446		15.3	91.5	<0.002	0.52	11.45	11.0	<1	4.1	263	0.63	0.08	9.0	0.278	1.78	3.5
M359447		18.3	101.0	<0.002	0.53	11.30	11.2	<1	4.0	262	0.63	0.07	9.9	0.281	1.82	3.8
M359448		27.5	89.7	0.002	0.48	5.51	12.7	<1	4.3	393	0.70	0.05	9.8	0.299	1.62	4.2
M359449		891	154.0	<0.002	4.46	127.5	9.5	1	3.7	154.5	0.57	0.37	11.8	0.211	2.55	4.9
M359450		2.7	1.3	<0.002	<0.01	0.24	0.2	<1	0.2	53.6	<0.05	<0.05	0.2	<0.005	0.03	0.8
M359451		29.7	99.1	<0.002	0.61	15.65	9.9	<1	2.6	164.0	0.74	<0.05	12.5	0.254	2.28	4.0
M359452		811	149.0	<0.002	0.73	11.10	9.5	1	2.7	244	0.72	0.07	13.6	0.233	2.52	3.6
M359453		18.5	128.5	<0.002	0.42	2.14	10.6	<1	3.1	361	0.70	<0.05	14.7	0.236	1.86	4.6
M359454		20.9	111.5	<0.002	0.57	2.75	10.0	1	3.2	346	0.70	0.09	12.2	0.235	1.86	4.1
M359455		44.0	109.0	<0.002	0.35	1.98	11.7	1	3.6	380	0.69	<0.05	13.2	0.272	1.59	3.8
M359456		17.5	121.0	<0.002	0.31	3.01	10.5	1	3.6	294	0.66	0.06	11.4	0.248	1.83	3.7
M359457		16.6	120.0	0.002	0.51	6.58	11.2	1	3.1	269	0.59	0.17	10.6	0.261	2.00	4.2
M359458		2820	160.0	0.002	4.69	93.0	8.5	1	8.2	97.0	0.48	0.37	10.4	0.182	2.39	5.2
M359459		27.8	97.8	<0.002	0.40	11.85	11.9	1	2.6	200	0.70	<0.05	12.1	0.278	1.77	4.3
M359460		48.6	127.5	0.005	0.83	32.8	11.9	1	3.2	113.5	0.64	<0.05	12.6	0.275	2.51	8.0
M359461		29.4	108.0	<0.002	0.34	4.93	11.3	1	3.2	371	0.65	<0.05	11.0	0.265	1.85	3.8
M359462		973	97.6	0.002	0.54	16.05	10.5	<1	4.0	207	0.62	<0.05	10.8	0.247	2.00	3.6
M359463		2.4	1.1	<0.002	<0.01	0.12	0.2	<1	0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.04	0.6
M359464		81.1	116.5	<0.002	0.45	22.2	11.2	1	3.8	169.0	0.63	<0.05	11.6	0.251	1.99	4.3
M359465		16.8	97.9	<0.002	0.31	1.98	10.3	<1	3.5	374	0.62	<0.05	10.5	0.250	1.57	3.2
M359466		91.2	132.5	<0.002	0.52	7.28	9.8	<1	3.4	223	0.58	<0.05	10.4	0.239	2.31	3.7
M359467		16.2	124.5	<0.002	0.29	2.08	12.4	<1	3.8	417	0.63	<0.05	12.4	0.278	1.68	3.8
M359468		16.4	88.4	<0.002	0.25	1.87	11.4	1	3.9	414	0.69	<0.05	10.0	0.282	1.55	3.2
M359469		13.7	101.0	<0.002	0.27	7.03	11.0	1	3.6	263	0.65	<0.05	10.9	0.266	1.67	3.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-SEP-2012
 Account: ROCKHA

Project: Klaza-122

CERTIFICATE OF ANALYSIS WH12206362

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M359434		73	1.7	13.8	44	30.8	<1
M359435		79	5.2	13.6	64	32.6	<1
M359436		68	5.5	12.2	53	28.9	<1
M359437		74	1.7	17.2	44	36.9	<1
M359438		74	1.4	15.9	49	35.0	<1
M359439		76	2.7	18.4	45	35.8	<1
M359440		76	2.0	17.1	42	41.5	<1
M359441		58	5.0	10.0	5690	25.8	25
M359442		77	1.8	18.7	44	35.6	<1
M359443		80	1.9	18.1	48	36.7	<1
M359444		76	2.4	15.8	49	30.3	<1
M359445		70	3.3	16.4	372	34.3	35
M359446		75	2.5	15.0	49	30.1	<1
M359447		77	2.6	15.7	51	29.8	<1
M359448		86	2.8	17.6	68	38.9	<1
M359449		56	6.3	14.2	1610	45.0	79
M359450		2	0.1	0.8	15	0.5	<1
M359451		69	3.9	13.0	335	44.0	<1
M359452		61	3.1	13.5	1730	42.8	6
M359453		62	2.4	17.3	45	45.8	<1
M359454		66	2.0	15.9	55	42.6	<1
M359455		80	10.6	17.8	209	45.0	<1
M359456		69	3.0	16.0	52	40.9	<1
M359457		71	3.5	14.3	59	33.1	1
M359458		56	5.0	9.7	5370	25.2	24
M359459		78	6.8	17.2	243	38.9	<1
M359460		77	4.5	16.6	277	37.9	1
M359461		73	3.2	16.5	81	38.6	<1
M359462		68	5.1	14.0	1240	30.0	7
M359463		2	0.1	0.8	16	<0.5	<1
M359464		69	5.6	15.6	138	37.3	<1
M359465		67	2.1	14.9	43	36.8	<1
M359466		65	2.8	13.5	122	31.7	2
M359467		75	1.4	17.4	45	36.5	<1
M359468		78	1.5	17.1	48	37.2	<1
M359469		75	2.0	16.2	46	34.3	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-122

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 19-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12206362

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	REE's may not be totally soluble in this method. Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)