



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11-SEP-2012
This copy reported on
14-SEP-2012
Account: ROCKHA

CERTIFICATE WH12207188

Project: Klaza - 93

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176023**

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 93

CERTIFICATE OF ANALYSIS WH12207188

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
N813776		0.18	6.90	7.4	2170	1.65	0.57	2.65	0.08	45.5	6.9	11	6.47	66.0	2.91	16.45
N813777		0.33	6.59	23.4	1820	1.58	0.48	3.17	0.17	42.3	7.9	9	7.91	128.0	2.99	16.75
N813778		0.50	6.83	13.9	2100	1.64	0.43	2.55	0.18	41.5	6.9	9	7.98	184.0	2.85	17.30
N813779		0.38	6.93	10.6	2140	1.59	0.47	2.38	0.92	43.1	8.4	8	7.44	83.4	3.06	17.65
N813780		0.86	7.10	52.4	1420	1.37	2.15	1.94	2.26	43.9	5.7	8	12.10	114.0	3.65	18.10
N813781		0.90	7.04	56.3	1380	1.39	2.47	1.84	2.28	46.7	5.1	8	12.80	113.5	3.55	17.70
N813782		0.37	6.65	21.0	2330	1.39	1.11	2.06	0.76	44.4	7.0	8	9.17	85.4	3.08	16.50
N813783		0.35	6.70	21.2	2450	1.79	1.91	2.58	0.59	42.3	7.6	8	8.96	111.0	2.94	14.95
N813784		0.29	6.82	19.3	2210	1.53	0.49	2.65	0.56	41.2	6.4	10	9.39	46.6	3.25	17.15
N813785		0.29	6.84	25.3	2010	1.53	0.63	2.60	0.51	41.2	8.7	10	9.45	42.1	3.14	17.00
N813786		0.27	7.09	17.4	2000	1.67	0.36	2.58	0.29	46.9	6.8	9	11.00	62.0	3.24	17.55
N813787		1.42	7.15	118.5	750	1.89	1.80	2.11	1.25	53.1	7.0	5	26.8	90.3	4.58	16.40
N813788		0.58	7.14	60.6	1770	1.51	0.50	1.53	0.75	45.2	6.0	8	16.60	165.5	2.75	18.30
N813789		4.44	6.66	196.0	580	1.68	3.13	2.09	1.95	46.0	7.0	8	12.45	76.0	3.66	16.55
N813790		0.03	0.06	<5	30	<0.05	0.02	19.55	0.06	1.13	1.2	<1	0.16	2.6	0.44	0.41
N813791		0.48	7.09	17.6	2080	1.53	1.04	2.09	0.20	43.2	5.7	8	11.85	79.0	2.83	18.10
N813792		1.12	6.81	56.1	1560	1.42	1.79	2.37	0.85	37.0	9.1	8	12.35	232	3.55	18.00
N813793		21.2	6.57	344	730	1.30	15.60	1.13	1.74	41.0	8.9	7	13.05	1485	7.87	16.90
N813794		1.46	7.07	57.9	1040	1.68	1.52	2.25	0.32	45.2	9.3	8	23.0	191.5	3.89	18.90
N813795		49.4	6.23	284	340	1.28	107.5	2.45	3.20	61.7	15.5	6	15.50	259	6.96	16.25
N813796		0.50	7.03	19.1	2050	1.53	0.95	2.29	0.35	49.3	6.2	8	11.15	118.5	3.22	17.85
N813797		0.59	6.84	26.4	2360	1.61	1.36	2.31	0.57	50.5	8.0	17	12.25	93.8	3.29	18.55
N813798		0.52	7.18	19.7	1810	1.50	0.72	2.49	0.38	51.8	7.1	9	15.05	73.7	3.26	17.85
N813799		0.64	7.12	28.7	2010	1.27	1.34	2.62	0.30	79.6	6.3	7	12.65	62.8	4.11	18.80
N813800		0.62	7.25	27.2	2610	1.37	1.92	1.89	0.58	65.5	6.3	7	14.00	94.4	3.58	18.25
N813801		1.21	7.27	63.2	710	1.53	2.15	1.79	0.30	57.1	10.9	9	8.66	190.0	4.47	19.35
N813802		1.83	7.32	53.8	950	1.42	2.82	1.67	0.48	66.2	12.4	9	9.69	126.0	4.80	18.70
N813803		>100	5.44	7760	1030	1.17	50.3	1.89	214	33.3	9.6	18	11.00	1210	8.12	13.85
N813804		0.90	6.94	33.0	2030	1.36	1.51	1.54	0.30	68.7	15.0	7	12.10	134.5	4.18	17.70
N813805		1.71	7.07	58.6	1360	1.66	2.90	1.90	0.90	52.0	8.2	7	16.40	33.3	4.12	17.40
N813806		61.9	3.67	757	200	0.65	80.0	0.92	12.45	43.2	33.9	6	5.22	2420	15.75	11.55
N813807		0.14	0.06	<5	20	0.06	0.11	19.55	0.07	1.08	1.1	<1	0.14	4.9	0.46	0.30
N813808		0.55	6.97	41.8	2130	1.40	1.15	2.06	1.09	62.6	9.1	7	12.05	54.6	3.28	18.00
N813809		9.68	6.16	1620	320	1.44	4.99	1.79	38.5	39.1	17.5	19	15.00	104.0	5.02	15.85
N813810		1.17	7.05	49.1	1300	1.32	1.55	2.19	0.38	50.1	57.7	8	14.10	191.5	3.87	17.35
N813811		0.61	6.63	27.4	2690	1.15	1.02	1.76	1.00	43.2	7.2	8	12.40	99.1	3.35	16.85

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176023**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 93

CERTIFICATE OF ANALYSIS WH12207188

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
N813776		0.10	1.2	0.097	2.67	23.8	10.2	0.79	517	7.93	2.32	8.4	4.8	590	20.5
N813777		0.10	1.3	0.086	2.70	22.3	11.1	0.75	580	6.24	1.95	8.2	3.1	580	20.0
N813778		0.09	1.3	0.098	2.72	21.5	10.6	0.77	464	6.22	2.16	8.6	3.5	600	21.9
N813779		0.10	1.3	0.101	2.77	22.6	9.9	0.76	470	5.86	2.13	8.9	3.1	600	63.9
N813780		0.13	1.2	0.467	3.15	22.9	11.5	0.56	637	3.84	0.70	8.5	2.7	600	89.3
N813781		0.12	1.2	0.495	3.09	24.9	11.6	0.55	600	4.36	0.71	8.2	2.5	600	91.9
N813782		0.12	1.2	0.285	2.94	23.5	9.4	0.80	533	2.89	1.88	8.0	2.6	560	37.6
N813783		0.09	1.1	0.883	2.56	22.0	8.0	0.88	566	4.47	2.18	7.6	3.3	580	33.5
N813784		0.11	1.1	0.098	2.77	21.3	14.2	0.87	524	1.89	1.69	8.9	2.5	620	38.3
N813785		0.13	1.1	0.145	2.70	21.3	13.7	0.86	516	1.67	1.87	8.9	3.2	600	38.3
N813786		0.12	1.1	0.087	2.85	24.6	15.3	0.75	620	1.29	1.88	8.5	2.4	620	24.1
N813787		0.16	0.9	0.141	2.90	29.5	23.5	1.04	1420	1.99	0.04	8.0	3.4	570	85.1
N813788		0.15	1.1	0.108	2.83	22.4	26.7	0.54	663	2.27	0.11	7.8	2.7	580	57.8
N813789		0.20	1.1	0.210	2.86	24.4	7.9	0.62	648	3.13	1.04	6.8	2.6	490	1110
N813790		0.34	<0.1	<0.005	0.02	0.5	0.7	12.00	183	0.14	<0.01	0.3	1.6	150	2.2
N813791		0.23	1.2	0.156	2.84	21.8	11.8	0.85	485	2.83	1.40	8.3	2.7	560	22.3
N813792		0.22	0.8	0.348	2.83	18.3	8.8	0.84	791	11.60	1.40	7.4	3.1	630	53.2
N813793		0.21	0.7	1.050	3.04	22.1	5.7	0.71	1700	4.11	0.04	5.9	2.9	560	336
N813794		0.20	0.9	0.181	3.22	23.0	11.0	0.90	1080	30.8	0.05	7.6	3.1	690	45.0
N813795		0.20	0.7	0.423	2.84	35.4	8.7	1.10	2630	29.0	0.03	5.8	4.0	560	647
N813796		0.20	0.8	0.156	2.76	25.9	12.4	0.78	459	13.90	1.52	7.4	2.8	640	30.2
N813797		0.19	0.8	0.138	2.53	27.0	10.6	0.72	483	9.58	1.48	7.4	3.0	610	59.7
N813798		0.21	0.8	0.108	2.49	27.2	13.6	0.68	516	29.5	1.55	7.4	2.8	630	27.1
N813799		0.24	0.9	0.191	2.90	48.1	19.3	0.91	521	23.5	1.36	7.6	3.2	570	30.7
N813800		0.20	0.9	0.341	3.00	36.8	12.7	0.88	486	2.38	1.86	7.4	2.7	590	32.4
N813801		0.22	0.7	0.455	2.82	32.6	8.8	0.85	633	1.75	1.26	7.1	3.6	580	26.2
N813802		0.21	0.8	0.344	2.95	37.6	12.0	0.90	893	0.68	1.15	7.1	3.2	590	42.3
N813803		0.17	1.1	4.56	2.20	17.1	27.0	0.61	3010	15.80	0.08	5.2	13.5	420	9460
N813804		0.17	0.7	0.242	2.20	40.8	21.7	0.87	530	0.64	0.47	6.7	3.6	550	29.5
N813805		0.17	0.8	0.386	2.86	29.2	10.7	0.89	1500	1.98	0.46	6.8	2.9	560	38.2
N813806		0.28	0.4	1.600	1.68	23.1	5.9	0.48	2580	4.76	0.03	3.2	3.2	260	1040
N813807		0.16	<0.1	0.005	0.02	0.5	0.8	11.95	187	0.15	<0.01	0.3	1.2	170	2.8
N813808		0.20	0.8	0.269	2.81	35.2	12.3	0.83	829	3.84	0.83	7.0	2.9	560	19.1
N813809		0.16	1.3	0.865	2.64	20.1	21.4	0.63	1860	12.45	0.24	7.0	15.5	460	1280
N813810		0.18	0.8	0.359	2.50	26.5	9.7	0.68	681	4.73	1.35	6.7	3.5	550	28.8
N813811		0.15	0.8	0.185	2.58	21.6	22.4	0.59	795	3.73	0.08	6.7	2.9	540	48.3

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176023**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-SEP-2012
Account: ROCKHA

Project: Klaza - 93

CERTIFICATE OF ANALYSIS WH12207188

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
N813776		0.008	0.26	1.94	10.4	2	3.0	360	0.71	0.15	13.3	0.256	1.08	3.7	67	1.7
N813777		0.003	0.43	2.84	11.0	2	2.8	308	0.69	0.20	12.4	0.254	1.27	2.7	68	1.9
N813778		<0.002	0.22	3.02	11.3	2	2.6	341	0.71	0.10	12.6	0.262	1.39	3.0	69	2.1
N813779		0.002	0.29	2.58	11.1	2	2.7	329	0.73	0.05	12.2	0.261	1.45	3.8	68	2.3
N813780		0.002	1.70	10.95	11.3	2	5.0	108.0	0.69	0.19	12.1	0.256	2.29	5.9	69	3.3
N813781		<0.002	1.63	11.85	11.2	2	5.1	91.7	0.66	0.20	13.6	0.250	2.46	6.0	67	3.3
N813782		<0.002	0.52	4.26	10.3	1	3.3	226	0.70	0.13	12.0	0.247	1.81	3.4	65	2.1
N813783		0.002	0.83	2.48	9.8	2	3.0	211	0.64	0.26	11.1	0.252	1.61	4.2	65	1.8
N813784		<0.002	0.27	4.13	11.3	2	2.8	253	0.67	0.09	10.5	0.276	1.45	2.8	72	2.4
N813785		0.003	0.29	3.76	11.0	1	2.9	267	0.70	0.13	10.2	0.273	1.59	3.3	72	2.1
N813786		<0.002	0.10	5.01	11.0	1	2.7	329	0.71	0.05	12.9	0.267	1.47	3.5	69	2.2
N813787		<0.002	0.91	32.4	11.5	1	5.6	69.6	0.62	0.07	15.1	0.246	2.43	4.6	68	4.7
N813788		<0.002	0.38	52.2	11.3	1	2.6	88.5	0.67	0.14	12.9	0.253	1.75	4.8	67	3.9
N813789		<0.002	2.06	19.45	10.0	1	3.9	193.0	0.61	0.26	13.2	0.211	1.92	4.6	57	2.8
N813790		<0.002	<0.01	0.14	0.2	1	<0.2	40.3	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	2	0.1
N813791		<0.002	0.27	5.65	10.9	1	2.6	212	0.73	0.16	13.5	0.244	1.68	3.8	64	2.3
N813792		0.003	1.53	6.87	11.0	2	4.3	171.0	0.54	0.57	8.6	0.267	2.19	3.2	68	3.0
N813793		<0.002	6.34	21.1	10.7	2	8.8	29.0	0.40	0.81	7.5	0.222	3.10	2.1	67	11.4
N813794		0.002	1.40	11.35	13.1	2	4.0	74.2	0.53	0.44	8.4	0.276	2.82	4.1	79	3.6
N813795		0.020	4.67	26.2	10.4	2	6.9	46.9	0.37	0.78	7.5	0.214	2.87	3.9	66	7.3
N813796		0.004	0.61	5.78	12.3	1	3.2	273	0.54	0.19	9.7	0.271	1.80	3.5	73	2.1
N813797		0.007	1.08	3.64	11.5	2	5.5	252	0.54	0.32	9.0	0.255	1.74	3.8	71	2.8
N813798		0.010	0.55	3.32	12.3	1	2.9	261	0.55	0.18	10.2	0.263	1.54	3.4	71	2.4
N813799		0.008	1.40	3.19	11.6	2	5.3	168.0	0.57	0.36	10.8	0.251	2.11	6.4	73	2.1
N813800		0.002	0.79	3.59	11.2	1	4.5	213	0.59	0.34	11.4	0.256	2.14	4.1	78	1.5
N813801		<0.002	1.89	2.94	11.6	2	6.8	176.0	0.51	0.44	10.8	0.249	2.02	4.1	79	2.4
N813802		<0.002	1.61	5.00	11.9	1	5.3	176.0	0.53	0.54	13.1	0.248	2.10	3.6	69	3.2
N813803		<0.002	6.72	213	7.2	2	7.7	115.5	0.43	0.51	9.2	0.178	2.12	5.2	51	4.5
N813804		<0.002	1.06	10.10	10.6	2	4.3	109.5	0.46	0.23	10.6	0.240	1.59	3.2	67	3.3
N813805		<0.002	1.66	8.46	10.7	1	5.2	103.5	0.51	1.08	10.5	0.240	2.64	6.7	62	3.5
N813806		0.004	>10.0	56.4	5.4	4	7.3	30.8	0.22	3.95	5.2	0.106	2.09	2.4	38	4.8
N813807		<0.002	0.03	0.14	0.2	1	<0.2	43.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.4	2	0.1
N813808		0.003	1.10	5.49	10.7	1	4.7	169.0	0.53	0.29	11.7	0.237	2.30	6.7	69	2.2
N813809		<0.002	2.81	31.5	8.6	1	5.2	136.0	0.57	0.27	11.1	0.195	2.31	4.8	53	5.1
N813810		0.003	1.60	9.14	10.9	2	3.3	164.5	0.49	0.44	10.9	0.226	1.89	6.2	66	1.4
N813811		0.002	0.66	25.8	9.9	1	4.0	100.0	0.47	0.20	9.1	0.240	1.59	4.5	68	2.4

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176023**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-SEP-2012
 Account: ROCKHA

Project: Klaza - 93

CERTIFICATE OF ANALYSIS WH12207188

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N813776		14.8	32	29.9		
N813777		16.0	36	33.4		
N813778		14.8	35	34.4		
N813779		14.9	98	34.3		
N813780		14.9	212	32.8		
N813781		15.3	204	33.1		
N813782		13.8	77	30.6		
N813783		13.7	79	27.4		
N813784		16.0	71	28.8		
N813785		15.6	65	29.0		
N813786		15.5	54	27.4		
N813787		14.9	157	26.0		
N813788		14.5	86	27.8		
N813789		13.2	159	26.9		
N813790		0.7	12	<0.5		
N813791		13.5	53	29.8		
N813792		12.6	102	18.9		
N813793		9.2	175	16.7		
N813794		13.0	77	22.5		
N813795		10.6	378	16.9		
N813796		14.3	69	20.7		
N813797		13.9	63	20.8		
N813798		16.0	60	19.1		
N813799		16.4	64	19.8		
N813800		14.5	77	21.1		
N813801		12.0	65	17.6		
N813802		11.8	101	18.1		
N813803		8.4	>10000	31.7	121	1.665
N813804		13.1	79	17.9		
N813805		11.1	143	18.9		
N813806		13.3	1080	9.4		
N813807		0.7	15	<0.5		
N813808		13.5	265	19.7		
N813809		10.1	2770	38.4		
N813810		14.1	86	20.6		
N813811		12.7	170	20.8		

Comments: **RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176023**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 93

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-SEP-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12207188

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (2 ppm DL) REE's may not be totally soluble in this method.