



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 1  
Finalized Date: 11-SEP-2012  
This copy reported on  
14-SEP-2012  
Account: ROCKHA

**CERTIFICATE WH12210389**

Project: Klaza - 94

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-SEP-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

JARED TARSWELL

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: ROCKHAVEN RESOURCES LTD.  
ATTN: JOAN MARIACHER  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176025\*\*

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 11-SEP-2012  
Account: ROCKHA

Project: Klaza - 94

**CERTIFICATE OF ANALYSIS WH12210389**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
N812106		0.07	7.31	32.1	1630	1.43	0.07	3.11	0.10	57.2	9.7	32	21.3	23.4	3.23
N812107		0.18	6.81	15.2	1680	1.27	0.29	2.82	0.15	42.4	7.6	9	16.35	24.8	2.80
N812108		0.07	7.14	7.7	1380	1.54	0.05	2.82	0.07	39.6	7.7	10	19.20	8.4	3.04
N812109		0.06	7.40	3.4	2030	1.53	0.04	2.94	0.05	51.6	7.7	11	20.5	6.6	3.07
N812110		0.06	7.28	3.8	2170	1.39	0.05	2.93	0.07	49.6	7.5	10	18.65	6.1	3.16
N812111		9.73	6.73	1855	200	1.50	5.76	1.94	45.0	40.7	15.8	19	17.15	105.5	5.38
N812112		0.10	6.79	4.7	1810	1.30	0.05	2.71	0.12	36.4	7.2	9	20.4	11.0	2.86
N812113		0.13	7.02	5.6	2120	1.43	0.22	3.42	0.07	42.2	7.7	11	18.20	11.7	2.92
N812114		0.08	7.05	3.6	1840	1.41	0.05	3.31	0.04	36.1	7.4	12	17.85	11.9	3.14
N812115		0.05	6.83	2.9	1740	1.40	0.04	3.30	0.05	39.2	7.2	12	18.75	10.1	3.01
N812116		1.07	7.19	35.8	1150	1.30	0.24	3.80	4.79	43.0	7.1	8	16.10	22.5	3.61
N812117		0.10	7.10	4.7	2180	1.45	0.10	3.93	0.09	44.1	7.0	9	18.35	11.5	3.11
N812118		0.01	0.07	<5	20	0.06	0.01	21.6	0.07	1.27	0.9	<1	0.20	2.2	0.46
N812119		0.18	7.18	12.4	1590	1.71	0.40	3.77	0.15	46.5	7.0	8	15.70	8.4	2.90
N812120		0.24	7.46	17.6	910	1.66	0.14	1.89	0.56	41.8	7.7	9	20.1	6.7	2.91
N812121		0.09	7.82	5.9	1890	1.58	0.11	2.46	0.12	44.7	8.7	9	23.5	8.9	3.21
N812122		10.25	7.22	1940	190	1.49	6.10	2.03	48.2	45.2	16.6	20	18.55	117.0	5.55
N812123		0.11	7.33	7.4	1950	1.55	0.08	3.11	0.17	45.6	7.8	10	19.40	10.1	2.86
N812124		0.06	7.35	5.6	2110	1.44	0.08	2.84	0.15	45.8	7.7	10	19.90	7.7	2.99
N812125		0.06	7.19	4.7	1520	1.51	0.09	2.90	0.18	43.1	7.8	10	17.35	6.1	2.94
N812126		0.10	7.24	9.3	2140	1.45	0.19	3.03	0.36	47.5	7.6	8	16.10	9.8	2.94
N812127		0.08	7.61	5.4	1670	1.42	0.09	3.03	0.20	43.4	8.0	9	24.1	6.1	3.14
N812128		0.05	7.58	4.9	1460	1.45	0.09	2.74	0.19	42.2	8.1	9	23.9	6.2	3.00
N812129		0.10	7.27	8.2	2530	1.52	0.12	3.34	0.38	47.0	7.8	8	18.40	15.1	2.90
N812130		0.49	6.52	221	1340	1.42	0.14	3.53	2.55	42.1	7.5	9	16.40	11.9	2.82
N812131		0.20	7.53	55.7	1080	1.66	0.08	2.72	1.07	43.1	7.7	9	23.5	5.8	2.94
N812132		0.19	7.08	34.6	2030	1.47	0.07	4.22	1.19	50.6	8.0	9	16.55	15.7	2.98
N812133		0.09	6.88	4.8	3590	1.59	0.21	5.07	0.17	50.2	7.6	8	16.90	5.3	3.19
N812134		<0.01	0.08	<5	30	0.05	0.02	22.0	0.06	1.28	0.9	<1	0.20	1.6	0.47
N812135		0.05	6.82	8.1	1090	1.67	0.12	2.92	0.15	35.8	9.5	8	11.50	3.3	2.81
N812136		0.31	7.01	201	1130	1.68	0.10	2.47	0.38	43.3	7.7	8	17.05	11.8	2.57
N812137		0.09	7.23	38.4	1220	1.84	0.13	3.31	0.20	46.6	7.2	9	16.80	10.1	3.00
N812138		0.04	7.25	3.9	1800	1.70	0.21	3.26	0.11	38.4	7.3	10	20.2	2.0	3.11
N812139		0.05	7.71	2.7	2060	1.56	0.09	3.01	0.08	45.2	7.6	12	17.65	5.1	3.04
N812140		0.07	7.23	5.0	1750	1.56	0.06	2.80	0.13	38.8	7.5	10	22.7	6.2	2.90
N812141		0.15	7.40	11.4	1190	1.73	0.13	2.66	0.30	44.7	7.5	9	18.00	10.4	2.94

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176025\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 11-SEP-2012  
Account: ROCKHA

Project: Klaza - 94

**CERTIFICATE OF ANALYSIS WH12210389**

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
N812106		0.21	2.8	0.039	1.78	28.5	161.5	1.03	815	0.93	0.11	9.7	11.4	1230	15.2	66.3
N812107		0.18	1.4	0.040	2.80	21.2	51.0	0.67	1100	0.75	0.15	7.6	2.6	600	19.0	104.0
N812108		0.11	1.3	0.041	2.70	21.9	39.6	0.77	1020	0.83	0.98	8.0	3.2	620	15.5	114.0
N812109		0.11	1.3	0.036	2.71	28.3	12.9	0.71	760	0.81	2.15	8.1	2.8	610	15.6	105.5
N812110		0.11	1.2	0.039	2.61	28.1	42.6	0.80	714	0.99	1.80	8.1	2.9	630	17.8	92.8
N812111		0.12	1.4	1.010	2.87	22.7	23.2	0.71	2040	12.70	0.27	7.9	15.5	500	1390	153.0
N812112		0.10	1.2	0.034	2.48	19.1	66.9	0.69	828	0.69	0.99	7.7	2.7	580	20.2	89.0
N812113		0.11	1.3	0.038	2.70	23.4	45.7	0.88	1120	1.05	0.31	8.2	2.9	600	17.0	98.8
N812114		0.12	1.2	0.038	2.66	19.7	28.4	0.64	798	0.80	1.62	8.0	2.9	600	14.6	100.0
N812115		0.11	1.4	0.036	2.67	20.8	29.4	0.61	800	0.67	1.55	7.8	2.7	580	14.1	102.5
N812116		0.12	1.2	0.090	2.88	23.9	26.5	0.81	2960	0.33	0.20	7.7	2.9	600	164.5	132.0
N812117		0.12	1.2	0.045	2.86	24.3	28.9	0.79	1260	0.47	0.15	7.9	2.6	590	12.7	124.5
N812118		0.05	<0.1	<0.005	0.03	0.7	1.1	12.80	205	0.07	0.01	0.4	2.5	200	1.5	1.4
N812119		0.13	1.2	0.056	3.31	26.8	20.9	0.68	2000	0.24	0.11	7.6	2.5	580	13.5	171.0
N812120		0.11	1.3	0.049	3.04	22.6	71.5	0.68	1680	0.89	0.05	8.4	2.8	620	29.9	137.5
N812121		0.13	1.3	0.047	2.87	23.8	38.6	0.74	940	0.98	1.21	8.6	2.9	660	17.9	112.5
N812122		0.15	1.5	1.060	3.03	25.4	24.6	0.77	2150	13.35	0.28	8.3	16.5	540	1420	167.5
N812123		0.12	1.2	0.041	2.66	24.9	43.8	0.83	997	0.67	0.83	8.3	3.1	630	17.0	107.5
N812124		0.10	1.2	0.042	2.60	25.7	47.2	0.87	966	0.49	0.65	7.9	2.8	610	14.6	113.0
N812125		0.12	1.2	0.050	2.54	22.7	56.1	0.86	993	0.42	0.74	8.5	3.0	620	15.6	99.3
N812126		0.12	1.3	0.040	2.59	26.4	44.7	0.93	1190	0.68	0.05	8.2	2.7	590	13.1	123.5
N812127		0.11	1.5	0.039	2.52	23.7	44.6	0.79	1030	0.61	0.10	8.6	2.7	630	19.8	97.8
N812128		0.11	1.5	0.039	2.53	22.6	38.7	0.77	1010	0.75	0.06	8.9	2.8	620	17.4	105.0
N812129		0.12	1.4	0.039	2.41	26.5	93.0	0.94	1190	0.99	0.04	8.4	2.8	600	15.8	105.0
N812130		0.11	1.1	0.039	2.67	25.4	34.0	0.85	2750	0.86	0.03	7.1	2.6	520	104.5	140.5
N812131		0.11	1.3	0.044	2.96	23.0	74.4	0.69	1700	1.14	0.05	8.4	2.8	660	30.2	137.0
N812132		0.12	1.2	0.041	2.65	29.7	28.6	0.87	1800	2.35	0.04	7.9	3.2	610	53.4	136.5
N812133		0.13	1.2	0.061	2.63	29.7	35.0	1.12	1440	0.40	0.14	7.3	3.1	520	12.8	145.5
N812134		0.05	<0.1	<0.005	0.03	0.7	1.0	13.20	204	0.14	<0.01	0.4	2.5	180	1.3	1.6
N812135		0.12	1.3	0.046	2.68	19.6	44.3	0.72	1100	0.31	0.16	7.9	2.7	560	13.2	114.0
N812136		0.12	1.3	0.041	3.21	25.0	15.5	0.84	1970	0.53	0.03	7.5	2.8	500	75.1	178.5
N812137		0.13	1.4	0.043	2.95	27.2	20.8	1.04	1510	0.69	0.51	7.7	2.7	540	19.9	154.0
N812138		0.12	1.2	0.052	2.50	21.0	8.8	0.67	1020	0.39	2.03	8.1	2.9	600	18.2	100.5
N812139		0.12	1.2	0.040	2.63	24.5	9.2	0.90	771	0.82	1.98	7.8	2.9	620	16.8	108.0
N812140		0.11	1.3	0.044	2.68	20.8	42.0	0.79	831	0.89	1.11	8.5	2.7	620	19.6	105.0
N812141		0.12	1.2	0.038	2.63	25.3	64.0	0.90	1190	0.79	0.06	7.8	2.6	600	37.3	128.0

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176025\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 11-SEP-2012  
Account: ROCKHA

Project: Klaza - 94

**CERTIFICATE OF ANALYSIS WH12210389**

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
N812106		<0.002	0.05	12.05	10.4	1	3.0	454	0.68	<0.05	9.7	0.365	0.88	2.5	81	2.7
N812107		<0.002	0.13	12.65	10.0	1	3.1	176.0	0.75	<0.05	13.1	0.240	1.54	4.0	68	2.4
N812108		<0.002	0.04	7.60	11.1	1	1.8	213	0.69	<0.05	9.8	0.275	1.51	4.6	76	1.2
N812109		<0.002	0.01	3.45	10.8	1	1.7	354	0.72	<0.05	11.6	0.279	1.11	3.5	78	1.7
N812110		<0.002	0.01	4.42	10.4	1	1.8	397	0.67	<0.05	12.0	0.282	1.05	3.5	78	1.1
N812111		<0.002	3.12	37.4	8.7	1	6.4	147.0	0.63	0.29	10.8	0.216	2.36	5.0	59	5.2
N812112		<0.002	0.03	6.01	9.8	1	2.1	287	0.64	<0.05	10.4	0.259	1.12	3.3	71	1.9
N812113		<0.002	0.07	12.45	10.4	1	2.6	195.0	0.72	<0.05	11.8	0.278	1.54	4.5	74	1.7
N812114		<0.002	0.01	6.16	9.8	1	1.9	323	0.66	<0.05	10.2	0.263	1.28	3.6	72	0.8
N812115		<0.002	0.01	6.04	9.9	1	1.8	306	0.69	<0.05	10.9	0.264	1.25	3.5	73	0.8
N812116		<0.002	0.51	24.3	10.3	1	3.0	161.0	0.64	<0.05	11.8	0.274	1.96	5.2	74	2.5
N812117		<0.002	0.07	11.40	10.6	1	3.0	191.5	0.71	<0.05	11.9	0.277	1.61	2.9	79	1.4
N812118		<0.002	<0.01	0.08	0.1	1	<0.2	49.9	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	2	0.1
N812119		<0.002	0.18	24.5	10.5	1	2.6	140.0	0.64	<0.05	12.0	0.268	2.09	4.3	75	1.9
N812120		<0.002	0.16	34.0	11.4	1	1.9	133.5	0.68	<0.05	11.1	0.290	2.03	4.0	77	1.5
N812121		<0.002	0.02	9.28	11.7	1	2.3	251	0.72	<0.05	11.6	0.298	1.35	2.5	84	1.5
N812122		<0.002	3.37	41.4	8.9	1	7.0	159.5	0.67	0.35	11.9	0.230	2.55	5.4	64	5.6
N812123		<0.002	0.04	11.30	11.5	1	2.2	240	0.68	<0.05	11.3	0.292	1.42	4.3	82	1.4
N812124		<0.002	0.05	11.70	11.0	1	2.2	220	0.64	<0.05	12.1	0.276	1.34	2.6	77	1.2
N812125		<0.002	0.03	11.05	11.1	1	2.0	200	0.70	<0.05	10.5	0.292	1.31	2.7	81	1.3
N812126		<0.002	0.09	17.00	10.8	1	2.4	133.0	0.70	<0.05	11.3	0.271	1.62	3.0	76	2.7
N812127		<0.002	0.04	14.70	11.5	1	2.1	146.0	0.80	<0.05	12.2	0.293	1.28	3.6	83	3.7
N812128		<0.002	0.03	13.55	11.2	1	2.1	129.0	0.79	<0.05	11.3	0.285	1.32	3.8	80	3.6
N812129		<0.002	0.07	17.20	11.0	1	2.9	185.0	0.72	<0.05	11.8	0.276	1.33	3.2	76	2.9
N812130		<0.002	0.63	23.6	9.8	1	2.3	132.0	0.58	<0.05	10.8	0.243	1.74	5.0	67	1.7
N812131		<0.002	0.21	17.65	12.1	1	2.1	146.0	0.71	<0.05	11.0	0.301	1.86	4.8	85	2.8
N812132		<0.002	0.24	13.20	11.3	1	3.2	135.5	0.64	<0.05	11.8	0.273	1.65	3.7	73	2.0
N812133		<0.002	0.10	16.65	10.5	1	2.3	189.0	0.64	<0.05	11.2	0.241	1.67	5.6	79	1.5
N812134		<0.002	<0.01	0.05	0.1	1	0.2	48.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	2	0.1
N812135		<0.002	0.13	11.85	10.2	1	1.9	119.5	0.70	<0.05	10.8	0.262	1.64	3.7	72	1.1
N812136		<0.002	0.30	19.35	9.8	1	2.4	72.6	0.69	<0.05	12.9	0.237	2.12	9.4	67	1.4
N812137		<0.002	0.13	9.99	10.5	1	2.7	147.5	0.70	<0.05	13.1	0.249	1.87	7.2	70	1.3
N812138		<0.002	0.02	4.94	10.4	1	2.0	257	0.67	<0.05	9.9	0.283	1.25	3.6	82	1.0
N812139		<0.002	0.01	2.86	11.6	1	1.8	399	0.66	<0.05	11.9	0.283	1.03	4.3	82	1.2
N812140		<0.002	0.03	7.11	11.3	1	1.9	302	0.74	<0.05	10.0	0.288	1.33	3.9	84	2.0
N812141		<0.002	0.09	13.35	11.0	1	1.9	161.5	0.67	<0.05	11.7	0.268	1.71	5.0	75	2.1

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176025\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 11-SEP-2012  
 Account: ROCKHA

Project: Klaza - 94

**CERTIFICATE OF ANALYSIS WH12210389**

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N812106		14.1	76	108.0
N812107		13.5	68	36.2
N812108		14.6	65	33.8
N812109		14.1	59	32.2
N812110		14.4	58	31.2
N812111		11.6	3100	42.7
N812112		12.7	64	30.3
N812113		15.0	68	34.4
N812114		13.3	56	32.2
N812115		13.7	56	33.9
N812116		15.6	597	30.0
N812117		14.4	67	31.8
N812118		0.9	16	<0.5
N812119		15.7	70	31.2
N812120		12.9	114	34.4
N812121		14.4	66	32.5
N812122		12.6	3200	44.1
N812123		14.8	73	32.2
N812124		14.4	73	30.6
N812125		14.6	76	31.6
N812126		16.0	85	32.6
N812127		15.9	73	36.2
N812128		15.1	70	37.2
N812129		16.7	95	36.5
N812130		16.0	183	29.8
N812131		15.0	134	34.4
N812132		16.5	128	31.5
N812133		20.2	80	31.4
N812134		0.9	15	<0.5
N812135		11.6	84	34.1
N812136		13.0	60	33.9
N812137		16.3	69	34.7
N812138		13.5	90	31.4
N812139		16.2	59	30.5
N812140		14.8	70	31.9
N812141		15.2	98	31.0

Comments: \*\*RE-ASSAY RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12176025\*\*

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza - 94

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 11-SEP-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12210389**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (2 ppm DL) REE's may not be totally soluble in this method.